

**BARGE "GBL 130"
HULL NO. 01-2406**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-4 7/8" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	494	0	11,377	0	24,132	0	37,210	0	50,290	0	63,370	0	76,449	0	89,529	0	102,609	0	115,688
1/4	657	1/4	11,629	1/4	24,404	1/4	37,482	1/4	50,563	1/4	63,642	1/4	76,722	1/4	89,802	1/4	102,881	1/4	115,961
1/2	820	1/2	11,881	1/2	24,677	1/2	37,755	1/2	50,835	1/2	63,915	1/2	76,994	1/2	90,074	1/2	103,154	1/2	116,233
3/4	983	3/4	12,133	3/4	24,949	3/4	38,027	3/4	51,108	3/4	64,187	3/4	77,267	3/4	90,347	3/4	103,426	3/4	116,506
1	1,146	1	12,384	1	25,221	1	38,300	1	51,380	1	64,460	1	77,539	1	90,619	1	103,699	1	116,778
1/4	1,355	1/4	12,639	1/4	25,494	1/4	38,572	1/4	51,653	1/4	64,732	1/4	77,812	1/4	90,892	1/4	103,971	1/4	117,050
1/2	1,564	1/2	12,894	1/2	25,766	1/2	38,845	1/2	51,925	1/2	65,005	1/2	78,084	1/2	91,164	1/2	104,244	1/2	117,323
3/4	1,774	3/4	13,149	3/4	26,039	3/4	39,117	3/4	52,198	3/4	65,277	3/4	78,357	3/4	91,437	3/4	104,516	3/4	117,595
2	1,983	2	13,404	2	26,311	2	39,390	2	52,470	2	65,550	2	78,629	2	91,709	2	104,789	2	117,868
1/4	2,204	1/4	13,662	1/4	26,583	1/4	39,662	1/4	52,743	1/4	65,822	1/4	78,902	1/4	91,982	1/4	105,061	1/4	118,140
1/2	2,425	1/2	13,919	1/2	26,856	1/2	39,935	1/2	53,015	1/2	66,095	1/2	79,174	1/2	92,254	1/2	105,334	1/2	118,413
3/4	2,646	3/4	14,177	3/4	27,128	3/4	40,207	3/4	53,288	3/4	66,367	3/4	79,447	3/4	92,527	3/4	105,606	3/4	118,685
3	2,867	3	14,435	3	27,400	3	40,480	3	53,560	3	66,640	3	79,719	3	92,799	3	105,879	3	118,958
1/4	3,091	1/4	14,696	1/4	27,673	1/4	40,752	1/4	53,833	1/4	66,912	1/4	79,992	1/4	93,072	1/4	106,151	1/4	119,230
1/2	3,315	1/2	14,957	1/2	27,945	1/2	41,025	1/2	54,105	1/2	67,185	1/2	80,264	1/2	93,344	1/2	106,424	1/2	119,503
3/4	3,539	3/4	15,218	3/4	28,218	3/4	41,297	3/4	54,378	3/4	67,457	3/4	80,537	3/4	93,617	3/4	106,696	3/4	119,775
4	3,763	4	15,479	4	28,490	4	41,570	4	54,650	4	67,729	4	80,809	4	93,889	4	106,969	4	120,048
1/4	3,991	1/4	15,743	1/4	28,762	1/4	41,842	1/4	54,923	1/4	68,002	1/4	81,082	1/4	94,162	1/4	107,241	1/4	120,320
1/2	4,218	1/2	16,007	1/2	29,035	1/2	42,115	1/2	55,195	1/2	68,274	1/2	81,354	1/2	94,434	1/2	107,513	1/2	120,593
3/4	4,445	3/4	16,271	3/4	29,307	3/4	42,387	3/4	55,468	3/4	68,547	3/4	81,627	3/4	94,707	3/4	107,786	3/4	120,865
5	4,672	5	16,535	5	29,580	5	42,660	5	55,740	5	68,819	5	81,899	5	94,979	5	108,058	5	121,138
1/4	4,902	1/4	16,802	1/4	29,852	1/4	42,932	1/4	56,013	1/4	69,092	1/4	82,172	1/4	95,252	1/4	108,331	1/4	121,410
1/2	5,133	1/2	17,070	1/2	30,125	1/2	43,205	1/2	56,285	1/2	69,364	1/2	82,444	1/2	95,524	1/2	108,603	1/2	121,683
3/4	5,363	3/4	17,337	3/4	30,397	3/4	43,477	3/4	56,558	3/4	69,637	3/4	82,717	3/4	95,797	3/4	108,876	3/4	121,955
6	5,593	6	17,604	6	30,670	6	43,750	6	56,830	6	69,909	6	82,990	6	96,069	6	109,148	6	122,228
1/4	5,826	1/4	17,874	1/4	30,942	1/4	44,022	1/4	57,103	1/4	70,182	1/4	83,262	1/4	96,342	1/4	109,421	1/4	122,500
1/2	6,060	1/2	18,144	1/2	31,215	1/2	44,295	1/2	57,375	1/2	70,454	1/2	83,535	1/2	96,614	1/2	109,693	1/2	122,773
3/4	6,293	3/4	18,414	3/4	31,487	3/4	44,568	3/4	57,648	3/4	70,727	3/4	83,807	3/4	96,887	3/4	109,966	3/4	123,045
7	6,526	7	18,685	7	31,760	7	44,840	7	57,920	7	70,999	7	84,080	7	97,159	7	110,238	7	123,318
1/4	6,763	1/4	18,957	1/4	32,032	1/4	45,113	1/4	58,193	1/4	71,272	1/4	84,352	1/4	97,432	1/4	110,511	1/4	123,590
1/2	6,999	1/2	19,229	1/2	32,305	1/2	45,385	1/2	58,465	1/2	71,544	1/2	84,625	1/2	97,704	1/2	110,783	1/2	123,863
3/4	7,236	3/4	19,501	3/4	32,577	3/4	45,658	3/4	58,738	3/4	71,817	3/4	84,897	3/4	97,977	3/4	111,056	3/4	124,135
8	7,472	8	19,773	8	32,850	8	45,930	8	59,010	8	72,089	8	85,170	8	98,249	8	111,328	8	124,408
1/4	7,711	1/4	20,046	1/4	33,122	1/4	46,203	1/4	59,283	1/4	72,362	1/4	85,442	1/4	98,521	1/4	111,601	1/4	124,680
1/2	7,951	1/2	20,318	1/2	33,395	1/2	46,475	1/2	59,555	1/2	72,634	1/2	85,715	1/2	98,794	1/2	111,873	1/2	124,953
3/4	8,190	3/4	20,591	3/4	33,667	3/4	46,748	3/4	59,828	3/4	72,907	3/4	85,987	3/4	99,066	3/4	112,146	3/4	125,225
9	8,430	9	20,863	9	33,940	9	47,020	9	60,100	9	73,179	9	86,260	9	99,339	9	112,418	9	125,498
1/4	8,672	1/4	21,135	1/4	34,212	1/4	47,293	1/4	60,373	1/4	73,452	1/4	86,532	1/4	99,611	1/4	112,691	1/4	125,770
1/2	8,915	1/2	21,408	1/2	34,485	1/2	47,565	1/2	60,645	1/2	73,724	1/2	86,805	1/2	99,884	1/2	112,963	1/2	126,042
3/4	9,158	3/4	21,680	3/4	34,757	3/4	47,838	3/4	60,918	3/4	73,997	3/4	87,077	3/4	100,156	3/4	113,236	3/4	126,315
10	9,400	10	21,953	10	35,030	10	48,110	10	61,190	10	74,269	10	87,350	10	100,429	10	113,508	10	126,587
1/4	9,646	1/4	22,225	1/4	35,302	1/4	48,383	1/4	61,463	1/4	74,542	1/4	87,622	1/4	100,701	1/4	113,781	1/4	126,860
1/2	9,891	1/2	22,497	1/2	35,575	1/2	48,655	1/2	61,735	1/2	74,814	1/2	87,895	1/2	100,974	1/2	114,053	1/2	127,132
3/4	10,137	3/4	22,770	3/4	35,847	3/4	48,928	3/4	62,008	3/4	75,087	3/4	88,167	3/4	101,246	3/4	114,326	3/4	127,405
11	10,382	11	23,042	11	36,120	11	49,200	11	62,280	11	75,359	11	88,440	11	101,519	11	114,598	11	127,677
1/4	10,631	1/4	23,315	1/4	36,392	1/4	49,473	1/4	62,552	1/4	75,632	1/4	88,712	1/4	101,791	1/4	114,871	1/4	127,950
1/2	10,880	1/2	23,587	1/2	36,665	1/2	49,745	1/2	62,825	1/2	75,904	1/2	88,985	1/2	102,064	1/2	115,143	1/2	128,222
3/4	11,129	3/4	23,859	3/4	36,937	3/4	50,018	3/4	63,097	3/4	76,177	3/4	89,257	3/4	102,336	3/4	115,416	3/4	128,495

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC GAUGE DEVICE.

NOTE: MMC GAUGE POINT LOCATED 11'- 3" OFF CENTERLINE AND 38'- 6" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR

DATE COMPUTED: 7/31/01 BY: DAR

DATE ISSUED: 7/31/01

ITS - CALEB BRETT

**BARGE "GBL 130"
HULL NO. 01-2406**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-4 7/8" (TOP LIP 2" BALL VALVE)

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	128,767	0	141,847	0	154,926	0	168,005	0	180,987	0	191,832	0		0		0		0	
1/4	129,040	1/4	142,119	1/4	155,198	1/4	168,276	1/4	181,258	1/4	191,862	1/4		1/4		1/4		1/4	
1/2	129,312	1/2	142,392	1/2	155,471	1/2	168,547	1/2	181,528	1/2	191,892	1/2		1/2		1/2		1/2	
3/4	129,585	3/4	142,664	3/4	155,743	3/4	168,818	3/4	181,799	3/4	191,922	3/4		3/4		3/4		3/4	
1	129,857	1	142,937	1	156,016	1	169,089	1	182,069	1	191,952	1		1		1		1	
1/4	130,130	1/4	143,209	1/4	156,288	1/4	169,359	1/4	182,339	1/4	191,971	1/4		1/4		1/4		1/4	
1/2	130,402	1/2	143,482	1/2	156,561	1/2	169,630	1/2	182,610	1/2		1/2		1/2		1/2		1/2	
3/4	130,675	3/4	143,754	3/4	156,833	3/4	169,900	3/4	182,880	3/4		3/4		3/4		3/4		3/4	
2	130,947	2	144,026	2	157,106	2	170,171	2	183,151	2		2		2		2		2	
1/4	131,220	1/4	144,299	1/4	157,378	1/4	170,441	1/4	183,420	1/4		1/4		1/4		1/4		1/4	
1/2	131,492	1/2	144,571	1/2	157,651	1/2	170,711	1/2	183,689	1/2		1/2		1/2		1/2		1/2	
3/4	131,765	3/4	144,844	3/4	157,923	3/4	170,982	3/4	183,958	3/4		3/4		3/4		3/4		3/4	
3	132,037	3	145,116	3	158,196	3	171,252	3	184,227	3		3		3		3		3	
1/4	132,310	1/4	145,389	1/4	158,468	1/4	171,523	1/4	184,496	1/4		1/4		1/4		1/4		1/4	
1/2	132,582	1/2	145,661	1/2	158,741	1/2	171,793	1/2	184,764	1/2		1/2		1/2		1/2		1/2	
3/4	132,855	3/4	145,934	3/4	159,013	3/4	172,064	3/4	185,033	3/4		3/4		3/4		3/4		3/4	
4	133,127	4	146,206	4	159,286	4	172,334	4	185,302	4		4		4		4		4	
1/4	133,400	1/4	146,479	1/4	159,558	1/4	172,604	1/4	185,570	1/4		1/4		1/4		1/4		1/4	
1/2	133,672	1/2	146,751	1/2	159,831	1/2	172,875	1/2	185,839	1/2		1/2		1/2		1/2		1/2	
3/4	133,945	3/4	147,024	3/4	160,103	3/4	173,145	3/4	186,108	3/4		3/4		3/4		3/4		3/4	
5	134,217	5	147,296	5	160,376	5	173,416	5	186,376	5		5		5		5		5	
1/4	134,490	1/4	147,569	1/4	160,648	1/4	173,686	1/4	186,645	1/4		1/4		1/4		1/4		1/4	
1/2	134,762	1/2	147,841	1/2	160,921	1/2	173,956	1/2	186,913	1/2		1/2		1/2		1/2		1/2	
3/4	135,034	3/4	148,114	3/4	161,193	3/4	174,227	3/4	187,182	3/4		3/4		3/4		3/4		3/4	
6	135,307	6	148,386	6	161,466	6	174,497	6	187,451	6		6		6		6		6	
1/4	135,579	1/4	148,659	1/4	161,738	1/4	174,768	1/4	187,719	1/4		1/4		1/4		1/4		1/4	
1/2	135,852	1/2	148,931	1/2	162,010	1/2	175,038	1/2	187,988	1/2		1/2		1/2		1/2		1/2	
3/4	136,124	3/4	149,204	3/4	162,283	3/4	175,309	3/4	188,257	3/4		3/4		3/4		3/4		3/4	
7	136,397	7	149,476	7	162,555	7	175,579	7	188,525	7		7		7		7		7	
1/4	136,669	1/4	149,749	1/4	162,828	1/4	175,849	1/4	188,777	1/4		1/4		1/4		1/4		1/4	
1/2	136,942	1/2	150,021	1/2	163,100	1/2	176,120	1/2	189,029	1/2		1/2		1/2		1/2		1/2	
3/4	137,214	3/4	150,294	3/4	163,373	3/4	176,390	3/4	189,280	3/4		3/4		3/4		3/4		3/4	
8	137,487	8	150,566	8	163,645	8	176,661	8	189,532	8		8		8		8		8	
1/4	137,759	1/4	150,839	1/4	163,918	1/4	176,931	1/4	189,744	1/4		1/4		1/4		1/4		1/4	
1/2	138,032	1/2	151,111	1/2	164,190	1/2	177,202	1/2	189,955	1/2		1/2		1/2		1/2		1/2	
3/4	138,304	3/4	151,384	3/4	164,463	3/4	177,472	3/4	190,167	3/4		3/4		3/4		3/4		3/4	
9	138,577	9	151,656	9	164,735	9	177,742	9	190,379	9		9		9		9		9	
1/4	138,849	1/4	151,929	1/4	165,008	1/4	178,013	1/4	190,546	1/4		1/4		1/4		1/4		1/4	
1/2	139,122	1/2	152,201	1/2	165,280	1/2	178,283	1/2	190,712	1/2		1/2		1/2		1/2		1/2	
3/4	139,394	3/4	152,474	3/4	165,553	3/4	178,554	3/4	190,879	3/4		3/4		3/4		3/4		3/4	
10	139,667	10	152,746	10	165,825	10	178,824	10	191,045	10		10		10		10		10	
1/4	139,939	1/4	153,018	1/4	166,098	1/4	179,094	1/4	191,166	1/4		1/4		1/4		1/4		1/4	
1/2	140,212	1/2	153,291	1/2	166,370	1/2	179,365	1/2	191,287	1/2		1/2		1/2		1/2		1/2	
3/4	140,484	3/4	153,563	3/4	166,643	3/4	179,635	3/4	191,408	3/4		3/4		3/4		3/4		3/4	
11	140,757	11	153,836	11	166,915	11	179,906	11	191,529	11		11		11		11		11	
1/4	141,029	1/4	154,108	1/4	167,188	1/4	180,176	1/4	191,605	1/4		1/4		1/4		1/4		1/4	
1/2	141,302	1/2	154,381	1/2	167,460	1/2	180,447	1/2	191,680	1/2		1/2		1/2		1/2		1/2	
3/4	141,574	3/4	154,653	3/4	167,733	3/4	180,717	3/4	191,756	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 5" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	495	0	11,387	0	24,151	0	37,240	0	50,331	0	63,419	0	76,504	0	89,595	0	102,685	0	115,775
1/4	658	1/4	11,638	1/4	24,424	1/4	37,513	1/4	50,604	1/4	63,691	1/4	76,777	1/4	89,868	1/4	102,958	1/4	116,048
1/2	821	1/2	11,890	1/2	24,697	1/2	37,786	1/2	50,877	1/2	63,964	1/2	77,050	1/2	90,140	1/2	103,230	1/2	116,320
3/4	984	3/4	12,142	3/4	24,969	3/4	38,058	3/4	51,149	3/4	64,236	3/4	77,322	3/4	90,413	3/4	103,503	3/4	116,593
1	1,147	1	12,394	1	25,242	1	38,331	1	51,422	1	64,509	1	77,595	1	90,686	1	103,776	1	116,866
1/4	1,356	1/4	12,649	1/4	25,515	1/4	38,604	1/4	51,695	1/4	64,781	1/4	77,868	1/4	90,958	1/4	104,048	1/4	117,138
1/2	1,566	1/2	12,904	1/2	25,787	1/2	38,877	1/2	51,967	1/2	65,054	1/2	78,141	1/2	91,231	1/2	104,321	1/2	117,411
3/4	1,775	3/4	13,159	3/4	26,060	3/4	39,149	3/4	52,240	3/4	65,326	3/4	78,413	3/4	91,504	3/4	104,594	3/4	117,684
2	1,984	2	13,415	2	26,332	2	39,422	2	52,513	2	65,599	2	78,686	2	91,777	2	104,867	2	117,956
1/4	2,206	1/4	13,673	1/4	26,605	1/4	39,695	1/4	52,786	1/4	65,871	1/4	78,959	1/4	92,049	1/4	105,139	1/4	118,229
1/2	2,427	1/2	13,931	1/2	26,878	1/2	39,967	1/2	53,058	1/2	66,144	1/2	79,231	1/2	92,322	1/2	105,412	1/2	118,502
3/4	2,648	3/4	14,189	3/4	27,150	3/4	40,240	3/4	53,331	3/4	66,416	3/4	79,504	3/4	92,595	3/4	105,685	3/4	118,775
3	2,869	3	14,447	3	27,423	3	40,513	3	53,604	3	66,689	3	79,777	3	92,867	3	105,957	3	119,047
1/4	3,094	1/4	14,708	1/4	27,695	1/4	40,786	1/4	53,877	1/4	66,962	1/4	80,050	1/4	93,140	1/4	106,230	1/4	119,320
1/2	3,318	1/2	14,969	1/2	27,968	1/2	41,058	1/2	54,149	1/2	67,234	1/2	80,322	1/2	93,413	1/2	106,503	1/2	119,593
3/4	3,542	3/4	15,231	3/4	28,241	3/4	41,331	3/4	54,422	3/4	67,507	3/4	80,595	3/4	93,686	3/4	106,775	3/4	119,865
4	3,766	4	15,492	4	28,513	4	41,604	4	54,695	4	67,779	4	80,868	4	93,958	4	107,048	4	120,138
1/4	3,994	1/4	15,756	1/4	28,786	1/4	41,877	1/4	54,967	1/4	68,052	1/4	81,141	1/4	94,231	1/4	107,321	1/4	120,411
1/2	4,221	1/2	16,020	1/2	29,059	1/2	42,149	1/2	55,240	1/2	68,324	1/2	81,413	1/2	94,504	1/2	107,594	1/2	120,684
3/4	4,449	3/4	16,285	3/4	29,331	3/4	42,422	3/4	55,513	3/4	68,597	3/4	81,686	3/4	94,776	3/4	107,866	3/4	120,956
5	4,676	5	16,549	5	29,604	5	42,695	5	55,786	5	68,869	5	81,959	5	95,049	5	108,139	5	121,229
1/4	4,906	1/4	16,816	1/4	29,877	1/4	42,967	1/4	56,058	1/4	69,142	1/4	82,231	1/4	95,322	1/4	108,412	1/4	121,502
1/2	5,137	1/2	17,084	1/2	30,149	1/2	43,240	1/2	56,331	1/2	69,414	1/2	82,504	1/2	95,594	1/2	108,684	1/2	121,774
3/4	5,367	3/4	17,351	3/4	30,422	3/4	43,513	3/4	56,604	3/4	69,687	3/4	82,777	3/4	95,867	3/4	108,957	3/4	122,047
6	5,598	6	17,618	6	30,695	6	43,786	6	56,877	6	69,959	6	83,050	6	96,140	6	109,230	6	122,320
1/4	5,831	1/4	17,889	1/4	30,967	1/4	44,058	1/4	57,149	1/4	70,232	1/4	83,322	1/4	96,413	1/4	109,503	1/4	122,592
1/2	6,065	1/2	18,159	1/2	31,240	1/2	44,331	1/2	57,422	1/2	70,505	1/2	83,595	1/2	96,685	1/2	109,775	1/2	122,865
3/4	6,298	3/4	18,429	3/4	31,513	3/4	44,604	3/4	57,695	3/4	70,777	3/4	83,868	3/4	96,958	3/4	110,048	3/4	123,138
7	6,532	7	18,700	7	31,786	7	44,877	7	57,967	7	71,050	7	84,141	7	97,231	7	110,321	7	123,411
1/4	6,768	1/4	18,972	1/4	32,058	1/4	45,149	1/4	58,240	1/4	71,322	1/4	84,413	1/4	97,503	1/4	110,593	1/4	123,683
1/2	7,005	1/2	19,245	1/2	32,331	1/2	45,422	1/2	58,513	1/2	71,595	1/2	84,686	1/2	97,776	1/2	110,866	1/2	123,956
3/4	7,241	3/4	19,517	3/4	32,604	3/4	45,695	3/4	58,785	3/4	71,868	3/4	84,959	3/4	98,049	3/4	111,139	3/4	124,229
8	7,478	8	19,789	8	32,877	8	45,967	8	59,058	8	72,141	8	85,231	8	98,322	8	111,411	8	124,501
1/4	7,718	1/4	20,062	1/4	33,149	1/4	46,240	1/4	59,331	1/4	72,413	1/4	85,504	1/4	98,594	1/4	111,684	1/4	124,774
1/2	7,957	1/2	20,335	1/2	33,422	1/2	46,513	1/2	59,603	1/2	72,686	1/2	85,777	1/2	98,867	1/2	111,957	1/2	125,047
3/4	8,197	3/4	20,607	3/4	33,695	3/4	46,786	3/4	59,876	3/4	72,959	3/4	86,050	3/4	99,140	3/4	112,230	3/4	125,320
9	8,437	9	20,880	9	33,967	9	47,058	9	60,148	9	73,231	9	86,322	9	99,412	9	112,502	9	125,592
1/4	8,679	1/4	21,153	1/4	34,240	1/4	47,331	1/4	60,421	1/4	73,504	1/4	86,595	1/4	99,685	1/4	112,775	1/4	125,865
1/2	8,922	1/2	21,425	1/2	34,513	1/2	47,604	1/2	60,693	1/2	73,777	1/2	86,868	1/2	99,958	1/2	113,048	1/2	126,138
3/4	9,165	3/4	21,698	3/4	34,786	3/4	47,877	3/4	60,966	3/4	74,050	3/4	87,140	3/4	100,230	3/4	113,320	3/4	126,410
10	9,408	10	21,971	10	35,058	10	48,149	10	61,238	10	74,322	10	87,413	10	100,503	10	113,593	10	126,683
1/4	9,654	1/4	22,243	1/4	35,331	1/4	48,422	1/4	61,511	1/4	74,595	1/4	87,686	1/4	100,776	1/4	113,866	1/4	126,956
1/2	9,899	1/2	22,516	1/2	35,604	1/2	48,695	1/2	61,783	1/2	74,868	1/2	87,959	1/2	101,049	1/2	114,139	1/2	127,228
3/4	10,145	3/4	22,788	3/4	35,877	3/4	48,967	3/4	62,056	3/4	75,141	3/4	88,231	3/4	101,321	3/4	114,411	3/4	127,501
11	10,391	11	23,061	11	36,149	11	49,240	11	62,329	11	75,413	11	88,504	11	101,594	11	114,684	11	127,774
1/4	10,640	1/4	23,334	1/4	36,422	1/4	49,513	1/4	62,601	1/4	75,686	1/4	88,777	1/4	101,867	1/4	114,957	1/4	128,047
1/2	10,889	1/2	23,606	1/2	36,695	1/2	49,786	1/2	62,874	1/2	75,959	1/2	89,050	1/2	102,139	1/2	115,229	1/2	128,319
3/4	11,138	3/4	23,879	3/4	36,967	3/4	50,058	3/4	63,146	3/4	76,231	3/4	89,322	3/4	102,412	3/4	115,502	3/4	128,592

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC GAUGE DEVICE.

NOTE: MMC GAUGE POINT LOCATED 11'- 3" OFF CENTERLINE AND 38'- 6" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR

DATE COMPUTED: 7/31/01 BY: DAR

DATE ISSUED: 7/31/01

ITS - CALEB BRETT



**BARGE "GBL 130"
HULL NO. 01-2406**

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 5" (TOP LIP 2" BALL VALVE)

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	128,865	0	141,955	0	155,045	0	168,135	0	181,228	0	191,981	0		0		0		0	
1/4	129,137	1/4	142,227	1/4	155,317	1/4	168,406	1/4	181,398	1/4	192,011	1/4		1/4		1/4		1/4	
1/2	129,410	1/2	142,500	1/2	155,590	1/2	168,677	1/2	181,669	1/2	192,041	1/2		1/2		1/2		1/2	
3/4	129,683	3/4	142,773	3/4	155,863	3/4	168,948	3/4	181,939	3/4	192,071	3/4		3/4		3/4		3/4	
1	129,956	1	143,045	1	156,135	1	169,219	1	182,210	1	192,102	1		1		1		1	
1/4	130,228	1/4	143,318	1/4	156,408	1/4	169,490	1/4	182,481	1/4	192,120	1/4		1/4		1/4		1/4	
1/2	130,501	1/2	143,591	1/2	156,681	1/2	169,761	1/2	182,751	1/2		1/2		1/2		1/2		1/2	
3/4	130,774	3/4	143,864	3/4	156,954	3/4	170,031	3/4	183,022	3/4		3/4		3/4		3/4		3/4	
2	131,046	2	144,136	2	157,226	2	170,302	2	183,293	2		2		2		2		2	
1/4	131,319	1/4	144,409	1/4	157,499	1/4	170,572	1/4	183,562	1/4		1/4		1/4		1/4		1/4	
1/2	131,592	1/2	144,682	1/2	157,772	1/2	170,843	1/2	183,831	1/2		1/2		1/2		1/2		1/2	
3/4	131,865	3/4	144,954	3/4	158,044	3/4	171,114	3/4	184,101	3/4		3/4		3/4		3/4		3/4	
3	132,137	3	145,227	3	158,317	3	171,384	3	184,370	3		3		3		3		3	
1/4	132,410	1/4	145,500	1/4	158,590	1/4	171,655	1/4	184,639	1/4		1/4		1/4		1/4		1/4	
1/2	132,683	1/2	145,773	1/2	158,863	1/2	171,926	1/2	184,908	1/2		1/2		1/2		1/2		1/2	
3/4	132,955	3/4	146,045	3/4	159,135	3/4	172,196	3/4	185,176	3/4		3/4		3/4		3/4		3/4	
4	133,228	4	146,318	4	159,408	4	172,467	4	185,445	4		4		4		4		4	
1/4	133,501	1/4	146,591	1/4	159,681	1/4	172,738	1/4	185,714	1/4		1/4		1/4		1/4		1/4	
1/2	133,773	1/2	146,863	1/2	159,953	1/2	173,008	1/2	185,983	1/2		1/2		1/2		1/2		1/2	
3/4	134,046	3/4	147,136	3/4	160,226	3/4	173,279	3/4	186,252	3/4		3/4		3/4		3/4		3/4	
5	134,319	5	147,409	5	160,499	5	173,550	5	186,521	5		5		5		5		5	
1/4	134,592	1/4	147,682	1/4	160,771	1/4	173,820	1/4	186,790	1/4		1/4		1/4		1/4		1/4	
1/2	134,864	1/2	147,954	1/2	161,044	1/2	174,091	1/2	187,059	1/2		1/2		1/2		1/2		1/2	
3/4	135,137	3/4	148,227	3/4	161,317	3/4	174,361	3/4	187,327	3/4		3/4		3/4		3/4		3/4	
6	135,410	6	148,500	6	161,590	6	174,632	6	187,596	6		6		6		6		6	
1/4	135,682	1/4	148,772	1/4	161,862	1/4	174,903	1/4	187,865	1/4		1/4		1/4		1/4		1/4	
1/2	135,955	1/2	149,045	1/2	162,135	1/2	175,173	1/2	188,134	1/2		1/2		1/2		1/2		1/2	
3/4	136,228	3/4	149,318	3/4	162,408	3/4	175,444	3/4	188,403	3/4		3/4		3/4		3/4		3/4	
7	136,501	7	149,590	7	162,680	7	175,715	7	188,672	7		7		7		7		7	
1/4	136,773	1/4	149,863	1/4	162,953	1/4	175,985	1/4	188,923	1/4		1/4		1/4		1/4		1/4	
1/2	137,046	1/2	150,136	1/2	163,226	1/2	176,256	1/2	189,175	1/2		1/2		1/2		1/2		1/2	
3/4	137,319	3/4	150,409	3/4	163,499	3/4	176,527	3/4	189,427	3/4		3/4		3/4		3/4		3/4	
8	137,591	8	150,681	8	163,771	8	176,797	8	189,679	8		8		8		8		8	
1/4	137,864	1/4	150,954	1/4	164,044	1/4	177,068	1/4	189,891	1/4		1/4		1/4		1/4		1/4	
1/2	138,137	1/2	151,227	1/2	164,317	1/2	177,339	1/2	190,103	1/2		1/2		1/2		1/2		1/2	
3/4	138,409	3/4	151,499	3/4	164,589	3/4	177,609	3/4	190,315	3/4		3/4		3/4		3/4		3/4	
9	138,682	9	151,772	9	164,862	9	177,880	9	190,527	9		9		9		9		9	
1/4	138,955	1/4	152,045	1/4	165,135	1/4	178,150	1/4	190,694	1/4		1/4		1/4		1/4		1/4	
1/2	139,228	1/2	152,318	1/2	165,407	1/2	178,421	1/2	190,860	1/2		1/2		1/2		1/2		1/2	
3/4	139,500	3/4	152,590	3/4	165,680	3/4	178,692	3/4	191,027	3/4		3/4		3/4		3/4		3/4	
10	139,773	10	152,863	10	165,953	10	178,962	10	191,193	10		10		10		10		10	
1/4	140,046	1/4	153,136	1/4	166,226	1/4	179,233	1/4	191,315	1/4		1/4		1/4		1/4		1/4	
1/2	140,318	1/2	153,408	1/2	166,498	1/2	179,504	1/2	191,436	1/2		1/2		1/2		1/2		1/2	
3/4	140,591	3/4	153,681	3/4	166,771	3/4	179,774	3/4	191,557	3/4		3/4		3/4		3/4		3/4	
11	140,864	11	153,954	11	167,044	11	180,045	11	191,678	11		11		11		11		11	
1/4	141,137	1/4	154,226	1/4	167,316	1/4	180,316	1/4	191,754	1/4		1/4		1/4		1/4		1/4	
1/2	141,409	1/2	154,499	1/2	167,589	1/2	180,586	1/2	191,829	1/2		1/2		1/2		1/2		1/2	
3/4	141,682	3/4	154,772	3/4	167,862	3/4	180,857	3/4	191,905	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	707	0	15,476	0	30,611	0	45,744	0	60,881	0	76,017	0	91,154	0	106,291	0	121,427	0	136,564
1/4	943	1/4	15,791	1/4	30,926	1/4	46,060	1/4	61,196	1/4	76,333	1/4	91,469	1/4	106,606	1/4	121,743	1/4	136,879
1/2	1,180	1/2	16,106	1/2	31,241	1/2	46,375	1/2	61,511	1/2	76,648	1/2	91,785	1/2	106,921	1/2	122,058	1/2	137,195
3/4	1,416	3/4	16,422	3/4	31,556	3/4	46,690	3/4	61,827	3/4	76,963	3/4	92,100	3/4	107,237	3/4	122,373	3/4	137,510
1	1,653	1	16,737	1	31,872	1	47,006	1	62,142	1	77,279	1	92,415	1	107,552	1	122,689	1	137,825
1/4	1,955	1/4	17,052	1/4	32,187	1/4	47,321	1/4	62,457	1/4	77,594	1/4	92,731	1/4	107,867	1/4	123,004	1/4	138,141
1/2	2,257	1/2	17,368	1/2	32,502	1/2	47,636	1/2	62,773	1/2	77,909	1/2	93,046	1/2	108,183	1/2	123,319	1/2	138,456
3/4	2,559	3/4	17,683	3/4	32,817	3/4	47,952	3/4	63,088	3/4	78,225	3/4	93,361	3/4	108,498	3/4	123,635	3/4	138,771
2	2,862	2	17,998	2	33,133	2	48,267	2	63,404	2	78,540	2	93,677	2	108,813	2	123,950	2	139,087
1/4	3,177	1/4	18,314	1/4	33,448	1/4	48,582	1/4	63,719	1/4	78,856	1/4	93,992	1/4	109,129	1/4	124,265	1/4	139,402
1/2	3,492	1/2	18,629	1/2	33,763	1/2	48,898	1/2	64,034	1/2	79,171	1/2	94,308	1/2	109,444	1/2	124,581	1/2	139,717
3/4	3,808	3/4	18,944	3/4	34,078	3/4	49,213	3/4	64,350	3/4	79,486	3/4	94,623	3/4	109,760	3/4	124,896	3/4	140,033
3	4,123	3	19,260	3	34,394	3	49,528	3	64,665	3	79,802	3	94,938	3	110,075	3	125,212	3	140,348
1/4	4,438	1/4	19,575	1/4	34,709	1/4	49,844	1/4	64,980	1/4	80,117	1/4	95,254	1/4	110,390	1/4	125,527	1/4	140,664
1/2	4,754	1/2	19,890	1/2	35,024	1/2	50,159	1/2	65,296	1/2	80,432	1/2	95,569	1/2	110,706	1/2	125,842	1/2	140,979
3/4	5,069	3/4	20,206	3/4	35,339	3/4	50,474	3/4	65,611	3/4	80,748	3/4	95,884	3/4	111,021	3/4	126,158	3/4	141,294
4	5,384	4	20,521	4	35,655	4	50,790	4	65,926	4	81,063	4	96,200	4	111,336	4	126,473	4	141,610
1/4	5,700	1/4	20,836	1/4	35,970	1/4	51,105	1/4	66,242	1/4	81,378	1/4	96,515	1/4	111,652	1/4	126,788	1/4	141,925
1/2	6,015	1/2	21,152	1/2	36,285	1/2	51,420	1/2	66,557	1/2	81,694	1/2	96,830	1/2	111,967	1/2	127,104	1/2	142,240
3/4	6,331	3/4	21,467	3/4	36,600	3/4	51,736	3/4	66,872	3/4	82,009	3/4	97,146	3/4	112,282	3/4	127,419	3/4	142,556
5	6,646	5	21,783	5	36,916	5	52,051	5	67,188	5	82,324	5	97,461	5	112,598	5	127,734	5	142,871
1/4	6,961	1/4	22,098	1/4	37,231	1/4	52,366	1/4	67,503	1/4	82,640	1/4	97,776	1/4	112,913	1/4	128,050	1/4	143,186
1/2	7,277	1/2	22,413	1/2	37,546	1/2	52,682	1/2	67,818	1/2	82,955	1/2	98,092	1/2	113,228	1/2	128,365	1/2	143,502
3/4	7,592	3/4	22,729	3/4	37,861	3/4	52,997	3/4	68,134	3/4	83,270	3/4	98,407	3/4	113,544	3/4	128,680	3/4	143,817
6	7,907	6	23,044	6	38,177	6	53,312	6	68,449	6	83,586	6	98,722	6	113,859	6	128,996	6	144,132
1/4	8,223	1/4	23,359	1/4	38,492	1/4	53,628	1/4	68,764	1/4	83,901	1/4	99,038	1/4	114,174	1/4	129,311	1/4	144,448
1/2	8,538	1/2	23,675	1/2	38,807	1/2	53,943	1/2	69,080	1/2	84,216	1/2	99,353	1/2	114,490	1/2	129,626	1/2	144,763
3/4	8,853	3/4	23,990	3/4	39,123	3/4	54,258	3/4	69,395	3/4	84,532	3/4	99,668	3/4	114,805	3/4	129,942	3/4	145,078
7	9,169	7	24,305	7	39,438	7	54,574	7	69,710	7	84,847	7	99,984	7	115,120	7	130,257	7	145,394
1/4	9,484	1/4	24,621	1/4	39,753	1/4	54,889	1/4	70,026	1/4	85,162	1/4	100,299	1/4	115,436	1/4	130,572	1/4	145,709
1/2	9,799	1/2	24,936	1/2	40,069	1/2	55,204	1/2	70,341	1/2	85,478	1/2	100,614	1/2	115,751	1/2	130,888	1/2	146,024
3/4	10,115	3/4	25,251	3/4	40,384	3/4	55,520	3/4	70,656	3/4	85,793	3/4	100,930	3/4	116,066	3/4	131,203	3/4	146,340
8	10,430	8	25,567	8	40,699	8	55,835	8	70,972	8	86,108	8	101,245	8	116,382	8	131,518	8	146,655
1/4	10,745	1/4	25,882	1/4	41,015	1/4	56,151	1/4	71,287	1/4	86,424	1/4	101,561	1/4	116,697	1/4	131,834	1/4	146,970
1/2	11,061	1/2	26,197	1/2	41,330	1/2	56,466	1/2	71,603	1/2	86,739	1/2	101,876	1/2	117,013	1/2	132,149	1/2	147,286
3/4	11,376	3/4	26,513	3/4	41,645	3/4	56,781	3/4	71,918	3/4	87,055	3/4	102,191	3/4	117,328	3/4	132,465	3/4	147,601
9	11,691	9	26,828	9	41,961	9	57,097	9	72,233	9	87,370	9	102,507	9	117,643	9	132,780	9	147,917
1/4	12,007	1/4	27,143	1/4	42,276	1/4	57,412	1/4	72,549	1/4	87,685	1/4	102,822	1/4	117,959	1/4	133,095	1/4	148,232
1/2	12,322	1/2	27,458	1/2	42,591	1/2	57,727	1/2	72,864	1/2	88,001	1/2	103,137	1/2	118,274	1/2	133,411	1/2	148,547
3/4	12,637	3/4	27,774	3/4	42,907	3/4	58,043	3/4	73,179	3/4	88,316	3/4	103,453	3/4	118,589	3/4	133,726	3/4	148,863
10	12,953	10	28,089	10	43,222	10	58,358	10	73,495	10	88,631	10	103,768	10	118,905	10	134,041	10	149,178
1/4	13,268	1/4	28,404	1/4	43,537	1/4	58,673	1/4	73,810	1/4	88,947	1/4	104,083	1/4	119,220	1/4	134,357	1/4	149,493
1/2	13,583	1/2	28,719	1/2	43,853	1/2	58,989	1/2	74,125	1/2	89,262	1/2	104,399	1/2	119,535	1/2	134,672	1/2	149,809
3/4	13,899	3/4	29,035	3/4	44,168	3/4	59,304	3/4	74,441	3/4	89,577	3/4	104,714	3/4	119,851	3/4	134,987	3/4	150,124
11	14,214	11	29,350	11	44,483	11	59,619	11	74,756	11	89,893	11	105,029	11	120,166	11	135,303	11	150,439
1/4	14,530	1/4	29,665	1/4	44,798	1/4	59,935	1/4	75,071	1/4	90,208	1/4	105,345	1/4	120,481	1/4	135,618	1/4	150,755
1/2	14,845	1/2	29,980	1/2	45,114	1/2	60,250	1/2	75,387	1/2	90,523	1/2	105,660	1/2	120,797	1/2	135,933	1/2	151,070
3/4	15,160	3/4	30,296	3/4	45,429	3/4	60,565	3/4	75,702	3/4	90,839	3/4	105,975	3/4	121,112	3/4	136,249	3/4	151,385

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC GAUGE DEVICE.

NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 2" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR

DATE COMPUTED: 7/31/01 BY: DAR

DATE ISSUED: 7/31/01

ITS - CALEB BRETT

**BARGE "GBL 130"
HULL NO. 01-2406**

**2 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5" (TOP LIP 2" BALL VALVE)

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	151,701	0	166,837	0	181,974	0	197,111	0	212,150	0	224,727	0		0		0		0	
1/4	152,016	1/4	167,153	1/4	182,289	1/4	197,424	1/4	212,464	1/4	224,762	1/4		1/4		1/4		1/4	
1/2	152,331	1/2	167,468	1/2	182,605	1/2	197,738	1/2	212,777	1/2	224,798	1/2		1/2		1/2		1/2	
3/4	152,647	3/4	167,783	3/4	182,920	3/4	198,052	3/4	213,090	3/4	224,834	3/4		3/4		3/4		3/4	
1	152,962	1	168,099	1	183,235	1	198,366	1	213,403	1	224,869	1		1		1		1	
1/4	153,277	1/4	168,414	1/4	183,551	1/4	198,679	1/4	213,717	1/4	224,892	1/4		1/4		1/4		1/4	
1/2	153,593	1/2	168,729	1/2	183,866	1/2	198,992	1/2	214,030	1/2		1/2		1/2		1/2		1/2	
3/4	153,908	3/4	169,045	3/4	184,181	3/4	199,306	3/4	214,343	3/4		3/4		3/4		3/4		3/4	
2	154,223	2	169,360	2	184,497	2	199,619	2	214,656	2		2		2		2		2	
1/4	154,539	1/4	169,675	1/4	184,812	1/4	199,932	1/4	214,968	1/4		1/4		1/4		1/4		1/4	
1/2	154,854	1/2	169,991	1/2	185,127	1/2	200,246	1/2	215,280	1/2		1/2		1/2		1/2		1/2	
3/4	155,169	3/4	170,306	3/4	185,443	3/4	200,559	3/4	215,592	3/4		3/4		3/4		3/4		3/4	
3	155,485	3	170,621	3	185,758	3	200,872	3	215,904	3		3		3		3		3	
1/4	155,800	1/4	170,937	1/4	186,073	1/4	201,185	1/4	216,216	1/4		1/4		1/4		1/4		1/4	
1/2	156,116	1/2	171,252	1/2	186,389	1/2	201,499	1/2	216,527	1/2		1/2		1/2		1/2		1/2	
3/4	156,431	3/4	171,568	3/4	186,704	3/4	201,812	3/4	216,839	3/4		3/4		3/4		3/4		3/4	
4	156,746	4	171,883	4	187,020	4	202,125	4	217,150	4		4		4		4		4	
1/4	157,062	1/4	172,198	1/4	187,335	1/4	202,439	1/4	217,462	1/4		1/4		1/4		1/4		1/4	
1/2	157,377	1/2	172,514	1/2	187,650	1/2	202,752	1/2	217,773	1/2		1/2		1/2		1/2		1/2	
3/4	157,692	3/4	172,829	3/4	187,966	3/4	203,065	3/4	218,085	3/4		3/4		3/4		3/4		3/4	
5	158,008	5	173,144	5	188,281	5	203,378	5	218,396	5		5		5		5		5	
1/4	158,323	1/4	173,460	1/4	188,596	1/4	203,692	1/4	218,708	1/4		1/4		1/4		1/4		1/4	
1/2	158,638	1/2	173,775	1/2	188,912	1/2	204,005	1/2	219,019	1/2		1/2		1/2		1/2		1/2	
3/4	158,954	3/4	174,090	3/4	189,227	3/4	204,318	3/4	219,331	3/4		3/4		3/4		3/4		3/4	
6	159,269	6	174,406	6	189,542	6	204,631	6	219,642	6		6		6		6		6	
1/4	159,584	1/4	174,721	1/4	189,858	1/4	204,945	1/4	219,954	1/4		1/4		1/4		1/4		1/4	
1/2	159,900	1/2	175,036	1/2	190,173	1/2	205,258	1/2	220,265	1/2		1/2		1/2		1/2		1/2	
3/4	160,215	3/4	175,352	3/4	190,488	3/4	205,571	3/4	220,577	3/4		3/4		3/4		3/4		3/4	
7	160,530	7	175,667	7	190,804	7	205,885	7	220,888	7		7		7		7		7	
1/4	160,846	1/4	175,982	1/4	191,119	1/4	206,198	1/4	221,180	1/4		1/4		1/4		1/4		1/4	
1/2	161,161	1/2	176,298	1/2	191,434	1/2	206,511	1/2	221,472	1/2		1/2		1/2		1/2		1/2	
3/4	161,476	3/4	176,613	3/4	191,750	3/4	206,824	3/4	221,764	3/4		3/4		3/4		3/4		3/4	
8	161,792	8	176,928	8	192,065	8	207,138	8	222,055	8		8		8		8		8	
1/4	162,107	1/4	177,244	1/4	192,380	1/4	207,451	1/4	222,301	1/4		1/4		1/4		1/4		1/4	
1/2	162,422	1/2	177,559	1/2	192,696	1/2	207,764	1/2	222,547	1/2		1/2		1/2		1/2		1/2	
3/4	162,738	3/4	177,874	3/4	193,011	3/4	208,078	3/4	222,793	3/4		3/4		3/4		3/4		3/4	
9	163,053	9	178,190	9	193,326	9	208,391	9	223,039	9		9		9		9		9	
1/4	163,369	1/4	178,505	1/4	193,642	1/4	208,704	1/4	223,232	1/4		1/4		1/4		1/4		1/4	
1/2	163,684	1/2	178,821	1/2	193,957	1/2	209,017	1/2	223,425	1/2		1/2		1/2		1/2		1/2	
3/4	163,999	3/4	179,136	3/4	194,273	3/4	209,331	3/4	223,618	3/4		3/4		3/4		3/4		3/4	
10	164,315	10	179,451	10	194,588	10	209,644	10	223,812	10		10		10		10		10	
1/4	164,630	1/4	179,767	1/4	194,903	1/4	209,957	1/4	223,952	1/4		1/4		1/4		1/4		1/4	
1/2	164,945	1/2	180,082	1/2	195,219	1/2	210,271	1/2	224,093	1/2		1/2		1/2		1/2		1/2	
3/4	165,261	3/4	180,397	3/4	195,534	3/4	210,584	3/4	224,234	3/4		3/4		3/4		3/4		3/4	
11	165,576	11	180,713	11	195,849	11	210,897	11	224,374	11		11		11		11		11	
1/4	165,891	1/4	181,028	1/4	196,165	1/4	211,210	1/4	224,463	1/4		1/4		1/4		1/4		1/4	
1/2	166,207	1/2	181,343	1/2	196,480	1/2	211,524	1/2	224,551	1/2		1/2		1/2		1/2		1/2	
3/4	166,522	3/4	181,659	3/4	196,795	3/4	211,837	3/4	224,639	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

**2 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	706	0	15,457	0	30,574	0	45,656	0	60,728	0	75,800	0	90,891	0	106,009	0	121,128	0	136,246
1/4	942	1/4	15,772	1/4	30,889	1/4	45,970	1/4	61,042	1/4	76,114	1/4	91,206	1/4	106,324	1/4	121,443	1/4	136,561
1/2	1,178	1/2	16,087	1/2	31,204	1/2	46,284	1/2	61,356	1/2	76,428	1/2	91,521	1/2	106,639	1/2	121,758	1/2	136,876
3/4	1,415	3/4	16,402	3/4	31,519	3/4	46,598	3/4	61,670	3/4	76,742	3/4	91,836	3/4	106,954	3/4	122,073	3/4	137,191
1	1,651	1	16,717	1	31,833	1	46,912	1	61,984	1	77,056	1	92,151	1	107,269	1	122,388	1	137,506
1/4	1,953	1/4	17,032	1/4	32,148	1/4	47,226	1/4	62,298	1/4	77,370	1/4	92,466	1/4	107,584	1/4	122,703	1/4	137,821
1/2	2,255	1/2	17,347	1/2	32,463	1/2	47,540	1/2	62,612	1/2	77,684	1/2	92,781	1/2	107,899	1/2	123,018	1/2	138,136
3/4	2,556	3/4	17,662	3/4	32,778	3/4	47,854	3/4	62,926	3/4	77,998	3/4	93,096	3/4	108,214	3/4	123,333	3/4	138,451
2	2,858	2	17,977	2	33,093	2	48,168	2	63,240	2	78,312	2	93,411	2	108,529	2	123,648	2	138,766
1/4	3,173	1/4	18,292	1/4	33,408	1/4	48,482	1/4	63,554	1/4	78,626	1/4	93,726	1/4	108,844	1/4	123,963	1/4	139,081
1/2	3,488	1/2	18,607	1/2	33,723	1/2	48,796	1/2	63,868	1/2	78,940	1/2	94,041	1/2	109,159	1/2	124,278	1/2	139,396
3/4	3,803	3/4	18,922	3/4	34,037	3/4	49,109	3/4	64,182	3/4	79,254	3/4	94,356	3/4	109,474	3/4	124,593	3/4	139,711
3	4,118	3	19,237	3	34,352	3	49,423	3	64,496	3	79,568	3	94,671	3	109,789	3	124,907	3	140,026
1/4	4,433	1/4	19,552	1/4	34,667	1/4	49,737	1/4	64,810	1/4	79,882	1/4	94,986	1/4	110,104	1/4	125,222	1/4	140,341
1/2	4,748	1/2	19,867	1/2	34,981	1/2	50,051	1/2	65,124	1/2	80,196	1/2	95,300	1/2	110,419	1/2	125,537	1/2	140,656
3/4	5,063	3/4	20,182	3/4	35,296	3/4	50,365	3/4	65,438	3/4	80,510	3/4	95,615	3/4	110,734	3/4	125,852	3/4	140,971
4	5,378	4	20,496	4	35,610	4	50,679	4	65,752	4	80,824	4	95,930	4	111,049	4	126,167	4	141,286
1/4	5,693	1/4	20,811	1/4	35,924	1/4	50,993	1/4	66,066	1/4	81,138	1/4	96,245	1/4	111,364	1/4	126,482	1/4	141,601
1/2	6,008	1/2	21,126	1/2	36,238	1/2	51,307	1/2	66,380	1/2	81,452	1/2	96,560	1/2	111,679	1/2	126,797	1/2	141,916
3/4	6,323	3/4	21,441	3/4	36,552	3/4	51,621	3/4	66,694	3/4	81,766	3/4	96,875	3/4	111,994	3/4	127,112	3/4	142,231
5	6,638	5	21,756	5	36,866	5	51,935	5	67,008	5	82,080	5	97,190	5	112,309	5	127,427	5	142,546
1/4	6,953	1/4	22,071	1/4	37,180	1/4	52,249	1/4	67,322	1/4	82,394	1/4	97,505	1/4	112,624	1/4	127,742	1/4	142,861
1/2	7,268	1/2	22,386	1/2	37,494	1/2	52,564	1/2	67,636	1/2	82,708	1/2	97,820	1/2	112,939	1/2	128,057	1/2	143,176
3/4	7,583	3/4	22,701	3/4	37,808	3/4	52,878	3/4	67,950	3/4	83,022	3/4	98,135	3/4	113,254	3/4	128,372	3/4	143,491
6	7,898	6	23,016	6	38,122	6	53,192	6	68,264	6	83,336	6	98,450	6	113,569	6	128,687	6	143,806
1/4	8,213	1/4	23,331	1/4	38,436	1/4	53,506	1/4	68,578	1/4	83,650	1/4	98,765	1/4	113,884	1/4	129,002	1/4	144,121
1/2	8,528	1/2	23,646	1/2	38,750	1/2	53,820	1/2	68,892	1/2	83,965	1/2	99,080	1/2	114,199	1/2	129,317	1/2	144,435
3/4	8,843	3/4	23,961	3/4	39,064	3/4	54,134	3/4	69,206	3/4	84,279	3/4	99,395	3/4	114,514	3/4	129,632	3/4	144,750
7	9,158	7	24,276	7	39,378	7	54,448	7	69,520	7	84,593	7	99,710	7	114,829	7	129,947	7	145,065
1/4	9,473	1/4	24,591	1/4	39,692	1/4	54,762	1/4	69,834	1/4	84,907	1/4	100,025	1/4	115,143	1/4	130,262	1/4	145,380
1/2	9,788	1/2	24,906	1/2	40,006	1/2	55,076	1/2	70,148	1/2	85,222	1/2	100,340	1/2	115,458	1/2	130,577	1/2	145,695
3/4	10,103	3/4	25,221	3/4	40,319	3/4	55,390	3/4	70,462	3/4	85,537	3/4	100,655	3/4	115,773	3/4	130,892	3/4	146,010
8	10,418	8	25,536	8	40,633	8	55,704	8	70,776	8	85,851	8	100,970	8	116,088	8	131,207	8	146,325
1/4	10,732	1/4	25,851	1/4	40,947	1/4	56,018	1/4	71,090	1/4	86,166	1/4	101,285	1/4	116,403	1/4	131,522	1/4	146,640
1/2	11,047	1/2	26,166	1/2	41,261	1/2	56,332	1/2	71,404	1/2	86,481	1/2	101,600	1/2	116,718	1/2	131,837	1/2	146,955
3/4	11,362	3/4	26,481	3/4	41,575	3/4	56,646	3/4	71,718	3/4	86,796	3/4	101,915	3/4	117,033	3/4	132,152	3/4	147,270
9	11,677	9	26,796	9	41,889	9	56,960	9	72,032	9	87,111	9	102,230	9	117,348	9	132,467	9	147,585
1/4	11,992	1/4	27,111	1/4	42,203	1/4	57,274	1/4	72,346	1/4	87,426	1/4	102,545	1/4	117,663	1/4	132,782	1/4	147,900
1/2	12,307	1/2	27,425	1/2	42,517	1/2	57,588	1/2	72,660	1/2	87,741	1/2	102,860	1/2	117,978	1/2	133,097	1/2	148,215
3/4	12,622	3/4	27,740	3/4	42,831	3/4	57,902	3/4	72,974	3/4	88,056	3/4	103,175	3/4	118,293	3/4	133,412	3/4	148,530
10	12,937	10	28,055	10	43,145	10	58,216	10	73,288	10	88,371	10	103,490	10	118,608	10	133,727	10	148,845
1/4	13,252	1/4	28,370	1/4	43,459	1/4	58,530	1/4	73,602	1/4	88,686	1/4	103,805	1/4	118,923	1/4	134,042	1/4	149,160
1/2	13,567	1/2	28,685	1/2	43,773	1/2	58,844	1/2	73,916	1/2	89,001	1/2	104,120	1/2	119,238	1/2	134,357	1/2	149,475
3/4	13,882	3/4	29,000	3/4	44,087	3/4	59,158	3/4	74,230	3/4	89,316	3/4	104,435	3/4	119,553	3/4	134,671	3/4	149,790
11	14,197	11	29,315	11	44,401	11	59,472	11	74,544	11	89,631	11	104,750	11	119,868	11	134,986	11	150,105
1/4	14,512	1/4	29,629	1/4	44,714	1/4	59,786	1/4	74,858	1/4	89,946	1/4	105,064	1/4	120,183	1/4	135,301	1/4	150,420
1/2	14,827	1/2	29,944	1/2	45,028	1/2	60,100	1/2	75,172	1/2	90,261	1/2	105,379	1/2	120,498	1/2	135,616	1/2	150,735
3/4	15,142	3/4	30,259	3/4	45,342	3/4	60,414	3/4	75,486	3/4	90,576	3/4	105,694	3/4	120,813	3/4	135,931	3/4	151,050

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC GAUGE DEVICE.

NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 2" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR

DATE COMPUTED: 7/31/01 BY: DAR

DATE ISSUED: 7/31/01

ITS - CALEB BRETT



BARGE "GBL 130" HULL NO. 01-2406

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5" (TOP LIP 2" BALL VALVE)

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	151,365	0	166,483	0	181,602	0	196,720	0	211,741	0	224,303	0		0		0		0	
1/4	151,680	1/4	166,798	1/4	181,917	1/4	197,034	1/4	212,054	1/4	224,338	1/4		1/4		1/4		1/4	
1/2	151,995	1/2	167,113	1/2	182,232	1/2	197,347	1/2	212,367	1/2	224,374	1/2		1/2		1/2		1/2	
3/4	152,310	3/4	167,428	3/4	182,547	3/4	197,660	3/4	212,680	3/4	224,409	3/4		3/4		3/4		3/4	
1	152,625	1	167,743	1	182,862	1	197,974	1	212,993	1	224,445	1		1		1		1	
1/4	152,940	1/4	168,058	1/4	183,177	1/4	198,287	1/4	213,306	1/4	224,467	1/4		1/4		1/4		1/4	
1/2	153,255	1/2	168,373	1/2	183,492	1/2	198,600	1/2	213,619	1/2		1/2		1/2		1/2		1/2	
3/4	153,570	3/4	168,688	3/4	183,806	3/4	198,912	3/4	213,932	3/4		3/4		3/4		3/4		3/4	
2	153,885	2	169,003	2	184,121	2	199,225	2	214,245	2		2		2		2		2	
1/4	154,200	1/4	169,318	1/4	184,436	1/4	199,538	1/4	214,556	1/4		1/4		1/4		1/4		1/4	
1/2	154,514	1/2	169,633	1/2	184,751	1/2	199,851	1/2	214,868	1/2		1/2		1/2		1/2		1/2	
3/4	154,829	3/4	169,948	3/4	185,066	3/4	200,164	3/4	215,179	3/4		3/4		3/4		3/4		3/4	
3	155,144	3	170,263	3	185,381	3	200,477	3	215,491	3		3		3		3		3	
1/4	155,459	1/4	170,578	1/4	185,696	1/4	200,790	1/4	215,802	1/4		1/4		1/4		1/4		1/4	
1/2	155,774	1/2	170,893	1/2	186,011	1/2	201,103	1/2	216,113	1/2		1/2		1/2		1/2		1/2	
3/4	156,089	3/4	171,208	3/4	186,326	3/4	201,416	3/4	216,424	3/4		3/4		3/4		3/4		3/4	
4	156,404	4	171,523	4	186,641	4	201,729	4	216,735	4		4		4		4		4	
1/4	156,719	1/4	171,838	1/4	186,956	1/4	202,041	1/4	217,047	1/4		1/4		1/4		1/4		1/4	
1/2	157,034	1/2	172,153	1/2	187,271	1/2	202,354	1/2	217,358	1/2		1/2		1/2		1/2		1/2	
3/4	157,349	3/4	172,468	3/4	187,586	3/4	202,667	3/4	217,669	3/4		3/4		3/4		3/4		3/4	
5	157,664	5	172,783	5	187,901	5	202,980	5	217,980	5		5		5		5		5	
1/4	157,979	1/4	173,098	1/4	188,216	1/4	203,293	1/4	218,291	1/4		1/4		1/4		1/4		1/4	
1/2	158,294	1/2	173,413	1/2	188,531	1/2	203,606	1/2	218,602	1/2		1/2		1/2		1/2		1/2	
3/4	158,609	3/4	173,728	3/4	188,846	3/4	203,919	3/4	218,913	3/4		3/4		3/4		3/4		3/4	
6	158,924	6	174,042	6	189,161	6	204,232	6	219,224	6		6		6		6		6	
1/4	159,239	1/4	174,357	1/4	189,476	1/4	204,545	1/4	219,535	1/4		1/4		1/4		1/4		1/4	
1/2	159,554	1/2	174,672	1/2	189,791	1/2	204,858	1/2	219,847	1/2		1/2		1/2		1/2		1/2	
3/4	159,869	3/4	174,987	3/4	190,106	3/4	205,171	3/4	220,158	3/4		3/4		3/4		3/4		3/4	
7	160,184	7	175,302	7	190,421	7	205,483	7	220,469	7		7		7		7		7	
1/4	160,499	1/4	175,617	1/4	190,736	1/4	205,796	1/4	220,760	1/4		1/4		1/4		1/4		1/4	
1/2	160,814	1/2	175,932	1/2	191,051	1/2	206,109	1/2	221,052	1/2		1/2		1/2		1/2		1/2	
3/4	161,129	3/4	176,247	3/4	191,366	3/4	206,422	3/4	221,343	3/4		3/4		3/4		3/4		3/4	
8	161,444	8	176,562	8	191,681	8	206,735	8	221,635	8		8		8		8		8	
1/4	161,759	1/4	176,877	1/4	191,996	1/4	207,048	1/4	221,880	1/4		1/4		1/4		1/4		1/4	
1/2	162,074	1/2	177,192	1/2	192,311	1/2	207,361	1/2	222,126	1/2		1/2		1/2		1/2		1/2	
3/4	162,389	3/4	177,507	3/4	192,626	3/4	207,674	3/4	222,371	3/4		3/4		3/4		3/4		3/4	
9	162,704	9	177,822	9	192,941	9	207,987	9	222,617	9		9		9		9		9	
1/4	163,019	1/4	178,137	1/4	193,256	1/4	208,300	1/4	222,810	1/4		1/4		1/4		1/4		1/4	
1/2	163,334	1/2	178,452	1/2	193,571	1/2	208,612	1/2	223,003	1/2		1/2		1/2		1/2		1/2	
3/4	163,649	3/4	178,767	3/4	193,885	3/4	208,925	3/4	223,196	3/4		3/4		3/4		3/4		3/4	
10	163,964	10	179,082	10	194,200	10	209,238	10	223,389	10		10		10		10		10	
1/4	164,278	1/4	179,397	1/4	194,515	1/4	209,551	1/4	223,529	1/4		1/4		1/4		1/4		1/4	
1/2	164,593	1/2	179,712	1/2	194,830	1/2	209,864	1/2	223,670	1/2		1/2		1/2		1/2		1/2	
3/4	164,908	3/4	180,027	3/4	195,145	3/4	210,177	3/4	223,810	3/4		3/4		3/4		3/4		3/4	
11	165,223	11	180,342	11	195,460	11	210,490	11	223,951	11		11		11		11		11	
1/4	165,538	1/4	180,657	1/4	195,775	1/4	210,803	1/4	224,039	1/4		1/4		1/4		1/4		1/4	
1/2	165,853	1/2	180,972	1/2	196,090	1/2	211,116	1/2	224,127	1/2		1/2		1/2		1/2		1/2	
3/4	166,168	3/4	181,287	3/4	196,405	3/4	211,429	3/4	224,215	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5 1/8" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	705	0	15,439	0	30,539	0	45,637	0	60,738	0	75,839	0	90,940	0	106,041	0	121,139	0	136,224
1/4	941	1/4	15,754	1/4	30,853	1/4	45,951	1/4	61,052	1/4	76,153	1/4	91,254	1/4	106,355	1/4	121,454	1/4	136,538
1/2	1,177	1/2	16,068	1/2	31,168	1/2	46,266	1/2	61,367	1/2	76,468	1/2	91,569	1/2	106,670	1/2	121,768	1/2	136,852
3/4	1,413	3/4	16,383	3/4	31,482	3/4	46,581	3/4	61,681	3/4	76,782	3/4	91,883	3/4	106,985	3/4	122,082	3/4	137,166
1	1,649	1	16,698	1	31,797	1	46,895	1	61,996	1	77,097	1	92,198	1	107,299	1	122,396	1	137,480
1/4	1,951	1/4	17,012	1/4	32,111	1/4	47,210	1/4	62,311	1/4	77,412	1/4	92,513	1/4	107,614	1/4	122,711	1/4	137,794
1/2	2,252	1/2	17,327	1/2	32,426	1/2	47,524	1/2	62,625	1/2	77,726	1/2	92,827	1/2	107,928	1/2	123,025	1/2	138,108
3/4	2,554	3/4	17,641	3/4	32,740	3/4	47,839	3/4	62,940	3/4	78,041	3/4	93,142	3/4	108,243	3/4	123,339	3/4	138,422
2	2,855	2	17,956	2	33,055	2	48,153	2	63,254	2	78,355	2	93,456	2	108,558	2	123,653	2	138,736
1/4	3,170	1/4	18,271	1/4	33,369	1/4	48,468	1/4	63,569	1/4	78,670	1/4	93,771	1/4	108,872	1/4	123,968	1/4	139,050
1/2	3,484	1/2	18,585	1/2	33,684	1/2	48,783	1/2	63,884	1/2	78,985	1/2	94,086	1/2	109,187	1/2	124,282	1/2	139,364
3/4	3,799	3/4	18,900	3/4	33,998	3/4	49,097	3/4	64,198	3/4	79,299	3/4	94,400	3/4	109,501	3/4	124,596	3/4	139,677
3	4,113	3	19,215	3	34,313	3	49,412	3	64,513	3	79,614	3	94,715	3	109,816	3	124,910	3	139,991
1/4	4,428	1/4	19,529	1/4	34,627	1/4	49,726	1/4	64,827	1/4	79,928	1/4	95,030	1/4	110,131	1/4	125,225	1/4	140,305
1/2	4,743	1/2	19,844	1/2	34,942	1/2	50,041	1/2	65,142	1/2	80,243	1/2	95,344	1/2	110,445	1/2	125,539	1/2	140,619
3/4	5,057	3/4	20,158	3/4	35,256	3/4	50,356	3/4	65,457	3/4	80,558	3/4	95,659	3/4	110,760	3/4	125,853	3/4	140,933
4	5,372	4	20,473	4	35,571	4	50,670	4	65,771	4	80,872	4	95,973	4	111,074	4	126,167	4	141,247
1/4	5,687	1/4	20,788	1/4	35,885	1/4	50,985	1/4	66,086	1/4	81,187	1/4	96,288	1/4	111,389	1/4	126,482	1/4	141,561
1/2	6,001	1/2	21,102	1/2	36,200	1/2	51,299	1/2	66,400	1/2	81,502	1/2	96,603	1/2	111,704	1/2	126,796	1/2	141,875
3/4	6,316	3/4	21,417	3/4	36,514	3/4	51,614	3/4	66,715	3/4	81,816	3/4	96,917	3/4	112,018	3/4	127,110	3/4	142,189
5	6,630	5	21,731	5	36,829	5	51,929	5	67,030	5	82,131	5	97,232	5	112,333	5	127,424	5	142,503
1/4	6,945	1/4	22,046	1/4	37,143	1/4	52,243	1/4	67,344	1/4	82,445	1/4	97,546	1/4	112,647	1/4	127,739	1/4	142,817
1/2	7,260	1/2	22,361	1/2	37,458	1/2	52,558	1/2	67,659	1/2	82,760	1/2	97,861	1/2	112,962	1/2	128,053	1/2	143,131
3/4	7,574	3/4	22,675	3/4	37,772	3/4	52,872	3/4	67,973	3/4	83,075	3/4	98,176	3/4	113,277	3/4	128,367	3/4	143,445
6	7,889	6	22,990	6	38,087	6	53,187	6	68,288	6	83,389	6	98,490	6	113,591	6	128,681	6	143,759
1/4	8,203	1/4	23,304	1/4	38,402	1/4	53,502	1/4	68,603	1/4	83,704	1/4	98,805	1/4	113,906	1/4	128,996	1/4	144,073
1/2	8,518	1/2	23,619	1/2	38,716	1/2	53,816	1/2	68,917	1/2	84,018	1/2	99,119	1/2	114,220	1/2	129,310	1/2	144,387
3/4	8,833	3/4	23,934	3/4	39,031	3/4	54,131	3/4	69,232	3/4	84,333	3/4	99,434	3/4	114,535	3/4	129,624	3/4	144,701
7	9,147	7	24,248	7	39,345	7	54,445	7	69,547	7	84,648	7	99,749	7	114,850	7	129,939	7	145,015
1/4	9,462	1/4	24,563	1/4	39,660	1/4	54,760	1/4	69,861	1/4	84,962	1/4	100,063	1/4	115,164	1/4	130,253	1/4	145,321
1/2	9,776	1/2	24,877	1/2	39,974	1/2	55,075	1/2	70,176	1/2	85,277	1/2	100,378	1/2	115,479	1/2	130,567	1/2	145,627
3/4	10,091	3/4	25,192	3/4	40,289	3/4	55,389	3/4	70,490	3/4	85,591	3/4	100,692	3/4	115,793	3/4	130,881	3/4	145,933
8	10,406	8	25,507	8	40,604	8	55,704	8	70,805	8	85,906	8	101,007	8	116,108	8	131,196	8	146,240
1/4	10,720	1/4	25,821	1/4	40,918	1/4	56,018	1/4	71,120	1/4	86,221	1/4	101,322	1/4	116,423	1/4	131,510	1/4	146,528
1/2	11,035	1/2	26,136	1/2	41,233	1/2	56,333	1/2	71,434	1/2	86,535	1/2	101,636	1/2	116,737	1/2	131,824	1/2	146,816
3/4	11,349	3/4	26,450	3/4	41,547	3/4	56,648	3/4	71,749	3/4	86,850	3/4	101,951	3/4	117,052	3/4	132,138	3/4	147,104
9	11,664	9	26,765	9	41,862	9	56,962	9	72,063	9	87,164	9	102,265	9	117,366	9	132,453	9	147,392
1/4	11,979	1/4	27,079	1/4	42,177	1/4	57,277	1/4	72,378	1/4	87,479	1/4	102,580	1/4	117,681	1/4	132,767	1/4	147,659
1/2	12,293	1/2	27,394	1/2	42,491	1/2	57,592	1/2	72,693	1/2	87,794	1/2	102,895	1/2	117,996	1/2	133,081	1/2	147,926
3/4	12,608	3/4	27,708	3/4	42,806	3/4	57,906	3/4	73,007	3/4	88,108	3/4	103,209	3/4	118,310	3/4	133,395	3/4	148,194
10	12,922	10	28,023	10	43,120	10	58,221	10	73,322	10	88,423	10	103,524	10	118,625	10	133,710	10	148,461
1/4	13,237	1/4	28,337	1/4	43,435	1/4	58,535	1/4	73,636	1/4	88,737	1/4	103,838	1/4	118,939	1/4	134,024	1/4	148,708
1/2	13,552	1/2	28,652	1/2	43,749	1/2	58,850	1/2	73,951	1/2	89,052	1/2	104,153	1/2	119,254	1/2	134,338	1/2	148,954
3/4	13,866	3/4	28,966	3/4	44,064	3/4	59,165	3/4	74,266	3/4	89,367	3/4	104,468	3/4	119,568	3/4	134,652	3/4	149,201
11	14,181	11	29,281	11	44,379	11	59,479	11	74,580	11	89,681	11	104,782	11	119,882	11	134,967	11	149,447
1/4	14,495	1/4	29,595	1/4	44,693	1/4	59,794	1/4	74,895	1/4	89,996	1/4	105,097	1/4	120,197	1/4	135,281	1/4	149,682
1/2	14,810	1/2	29,910	1/2	45,008	1/2	60,108	1/2	75,209	1/2	90,310	1/2	105,411	1/2	120,511	1/2	135,595	1/2	149,916
3/4	15,125	3/4	30,224	3/4	45,322	3/4	60,423	3/4	75,524	3/4	90,625	3/4	105,726	3/4	120,825	3/4	135,909	3/4	150,150

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC GAUGE DEVICE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
 DATE COMPUTED: 7/31/01 BY: DAR
 DATE ISSUED: 7/31/01

ITS - CALEB BRETT



**BARGE "GBL 130"
HULL NO. 01-2406"**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-5 1/8" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,384	0	161,506	0	172,628	0	183,751	0	194,792	0	204,017	0		0		0		0	
1/4	150,616	1/4	161,738	1/4	172,860	1/4	183,981	1/4	195,022	1/4	204,043	1/4		1/4		1/4		1/4	
1/2	150,847	1/2	161,970	1/2	173,092	1/2	184,211	1/2	195,252	1/2	204,068	1/2		1/2		1/2		1/2	
3/4	151,079	3/4	162,201	3/4	173,324	3/4	184,442	3/4	195,482	3/4	204,094	3/4		3/4		3/4		3/4	
1	151,311	1	162,433	1	173,555	1	184,672	1	195,712	1	204,120	1		1		1		1	
1/4	151,543	1/4	162,665	1/4	173,787	1/4	184,902	1/4	195,942	1/4	204,136	1/4		1/4		1/4		1/4	
1/2	151,774	1/2	162,896	1/2	174,019	1/2	185,132	1/2	196,172	1/2		1/2		1/2		1/2		1/2	
3/4	152,006	3/4	163,128	3/4	174,250	3/4	185,362	3/4	196,402	3/4		3/4		3/4		3/4		3/4	
2	152,238	2	163,360	2	174,482	2	185,592	2	196,632	2		2		2		2		2	
1/4	152,469	1/4	163,592	1/4	174,714	1/4	185,822	1/4	196,861	1/4		1/4		1/4		1/4		1/4	
1/2	152,701	1/2	163,823	1/2	174,946	1/2	186,052	1/2	197,090	1/2		1/2		1/2		1/2		1/2	
3/4	152,933	3/4	164,055	3/4	175,177	3/4	186,282	3/4	197,319	3/4		3/4		3/4		3/4		3/4	
3	153,165	3	164,287	3	175,409	3	186,512	3	197,548	3		3		3		3		3	
1/4	153,396	1/4	164,518	1/4	175,641	1/4	186,742	1/4	197,776	1/4		1/4		1/4		1/4		1/4	
1/2	153,628	1/2	164,750	1/2	175,872	1/2	186,972	1/2	198,005	1/2		1/2		1/2		1/2		1/2	
3/4	153,860	3/4	164,982	3/4	176,104	3/4	187,202	3/4	198,233	3/4		3/4		3/4		3/4		3/4	
4	154,091	4	165,214	4	176,336	4	187,432	4	198,462	4		4		4		4		4	
1/4	154,323	1/4	165,445	1/4	176,568	1/4	187,662	1/4	198,690	1/4		1/4		1/4		1/4		1/4	
1/2	154,555	1/2	165,677	1/2	176,799	1/2	187,992	1/2	198,919	1/2		1/2		1/2		1/2		1/2	
3/4	154,787	3/4	165,909	3/4	177,031	3/4	188,122	3/4	199,147	3/4		3/4		3/4		3/4		3/4	
5	155,018	5	166,140	5	177,263	5	188,352	5	199,376	5		5		5		5		5	
1/4	155,250	1/4	166,372	1/4	177,494	1/4	188,582	1/4	199,604	1/4		1/4		1/4		1/4		1/4	
1/2	155,482	1/2	166,604	1/2	177,726	1/2	188,812	1/2	199,833	1/2		1/2		1/2		1/2		1/2	
3/4	155,713	3/4	166,836	3/4	177,958	3/4	189,042	3/4	200,061	3/4		3/4		3/4		3/4		3/4	
6	155,945	6	167,067	6	178,190	6	189,272	6	200,290	6		6		6		6		6	
1/4	156,177	1/4	167,299	1/4	178,421	1/4	189,502	1/4	200,518	1/4		1/4		1/4		1/4		1/4	
1/2	156,409	1/2	167,531	1/2	178,653	1/2	189,732	1/2	200,747	1/2		1/2		1/2		1/2		1/2	
3/4	156,640	3/4	167,762	3/4	178,885	3/4	189,962	3/4	200,975	3/4		3/4		3/4		3/4		3/4	
7	156,872	7	167,994	7	179,116	7	190,192	7	201,204	7		7		7		7		7	
1/4	157,104	1/4	168,226	1/4	179,348	1/4	190,422	1/4	201,418	1/4		1/4		1/4		1/4		1/4	
1/2	157,335	1/2	168,458	1/2	179,580	1/2	190,652	1/2	201,632	1/2		1/2		1/2		1/2		1/2	
3/4	157,567	3/4	168,689	3/4	179,812	3/4	190,882	3/4	201,846	3/4		3/4		3/4		3/4		3/4	
8	157,799	8	168,921	8	180,043	8	191,112	8	202,060	8		8		8		8		8	
1/4	158,031	1/4	169,153	1/4	180,275	1/4	191,342	1/4	202,240	1/4		1/4		1/4		1/4		1/4	
1/2	158,262	1/2	169,384	1/2	180,507	1/2	191,572	1/2	202,420	1/2		1/2		1/2		1/2		1/2	
3/4	158,494	3/4	169,616	3/4	180,738	3/4	191,802	3/4	202,601	3/4		3/4		3/4		3/4		3/4	
9	158,726	9	169,848	9	180,970	9	192,032	9	202,781	9		9		9		9		9	
1/4	158,957	1/4	170,080	1/4	181,202	1/4	192,262	1/4	202,923	1/4		1/4		1/4		1/4		1/4	
1/2	159,189	1/2	170,311	1/2	181,434	1/2	192,492	1/2	203,064	1/2		1/2		1/2		1/2		1/2	
3/4	159,421	3/4	170,543	3/4	181,665	3/4	192,722	3/4	203,206	3/4		3/4		3/4		3/4		3/4	
10	159,653	10	170,775	10	181,897	10	192,952	10	203,347	10		10		10		10		10	
1/4	159,884	1/4	171,006	1/4	182,129	1/4	193,182	1/4	203,450	1/4		1/4		1/4		1/4		1/4	
1/2	160,116	1/2	171,238	1/2	182,360	1/2	193,412	1/2	203,553	1/2		1/2		1/2		1/2		1/2	
3/4	160,348	3/4	171,470	3/4	182,592	3/4	193,642	3/4	203,656	3/4		3/4		3/4		3/4		3/4	
11	160,579	11	171,702	11	182,824	11	193,872	11	203,759	11		11		11		11		11	
1/4	160,811	1/4	171,933	1/4	183,056	1/4	194,102	1/4	203,824	1/4		1/4		1/4		1/4		1/4	
1/2	161,043	1/2	172,165	1/2	183,287	1/2	194,332	1/2	203,888	1/2		1/2		1/2		1/2		1/2	
3/4	161,274	3/4	172,397	3/4	183,519	3/4	194,562	3/4	203,953	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-4 3/4" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	705	0	15,436	0	30,531	0	45,603	0	60,658	0	75,736	0	90,826	0	105,923	0	121,017	0	136,097
1/4	941	1/4	15,750	1/4	30,846	1/4	45,916	1/4	60,971	1/4	76,050	1/4	91,140	1/4	106,237	1/4	121,331	1/4	136,411
1/2	1,177	1/2	16,065	1/2	31,160	1/2	46,230	1/2	61,285	1/2	76,365	1/2	91,455	1/2	106,552	1/2	121,645	1/2	136,725
3/4	1,413	3/4	16,379	3/4	31,474	3/4	46,544	3/4	61,598	3/4	76,679	3/4	91,769	3/4	106,866	3/4	121,959	3/4	137,038
1	1,649	1	16,694	1	31,789	1	46,858	1	61,912	1	76,993	1	92,084	1	107,181	1	122,273	1	137,352
1/4	1,950	1/4	17,008	1/4	32,103	1/4	47,172	1/4	62,225	1/4	77,308	1/4	92,398	1/4	107,495	1/4	122,588	1/4	137,666
1/2	2,252	1/2	17,323	1/2	32,418	1/2	47,485	1/2	62,539	1/2	77,622	1/2	92,713	1/2	107,810	1/2	122,902	1/2	137,980
3/4	2,553	3/4	17,637	3/4	32,732	3/4	47,799	3/4	62,852	3/4	77,936	3/4	93,027	3/4	108,124	3/4	123,216	3/4	138,294
2	2,854	2	17,952	2	33,047	2	48,113	2	63,166	2	78,251	2	93,342	2	108,439	2	123,530	2	138,608
1/4	3,169	1/4	18,266	1/4	33,361	1/4	48,427	1/4	63,479	1/4	78,565	1/4	93,657	1/4	108,753	1/4	123,844	1/4	138,922
1/2	3,484	1/2	18,581	1/2	33,675	1/2	48,741	1/2	63,793	1/2	78,879	1/2	93,971	1/2	109,068	1/2	124,158	1/2	139,236
3/4	3,798	3/4	18,896	3/4	33,990	3/4	49,055	3/4	64,106	3/4	79,193	3/4	94,286	3/4	109,382	3/4	124,473	3/4	139,549
3	4,113	3	19,210	3	34,304	3	49,369	3	64,420	3	79,508	3	94,600	3	109,697	3	124,787	3	139,863
1/4	4,427	1/4	19,525	1/4	34,618	1/4	49,682	1/4	64,734	1/4	79,822	1/4	94,915	1/4	110,011	1/4	125,101	1/4	140,177
1/2	4,742	1/2	19,839	1/2	34,933	1/2	49,996	1/2	65,048	1/2	80,136	1/2	95,229	1/2	110,326	1/2	125,415	1/2	140,491
3/4	5,056	3/4	20,154	3/4	35,247	3/4	50,310	3/4	65,362	3/4	80,451	3/4	95,544	3/4	110,640	3/4	125,729	3/4	140,805
4	5,371	4	20,468	4	35,561	4	50,624	4	65,676	4	80,765	4	95,858	4	110,955	4	126,043	4	141,119
1/4	5,685	1/4	20,783	1/4	35,875	1/4	50,938	1/4	65,990	1/4	81,079	1/4	96,173	1/4	111,269	1/4	126,358	1/4	141,433
1/2	6,000	1/2	21,097	1/2	36,189	1/2	51,252	1/2	66,305	1/2	81,394	1/2	96,487	1/2	111,584	1/2	126,672	1/2	141,747
3/4	6,314	3/4	21,412	3/4	36,502	3/4	51,566	3/4	66,619	3/4	81,708	3/4	96,802	3/4	111,898	3/4	126,986	3/4	142,060
5	6,629	5	21,726	5	36,816	5	51,879	5	66,933	5	82,022	5	97,116	5	112,213	5	127,300	5	142,374
1/4	6,943	1/4	22,041	1/4	37,130	1/4	52,193	1/4	67,248	1/4	82,337	1/4	97,431	1/4	112,527	1/4	127,614	1/4	142,688
1/2	7,258	1/2	22,355	1/2	37,444	1/2	52,507	1/2	67,562	1/2	82,651	1/2	97,745	1/2	112,842	1/2	127,928	1/2	143,002
3/4	7,573	3/4	22,670	3/4	37,758	3/4	52,820	3/4	67,877	3/4	82,965	3/4	98,060	3/4	113,156	3/4	128,242	3/4	143,316
6	7,887	6	22,984	6	38,071	6	53,134	6	68,191	6	83,279	6	98,374	6	113,471	6	128,557	6	143,630
1/4	8,202	1/4	23,299	1/4	38,385	1/4	53,447	1/4	68,506	1/4	83,594	1/4	98,689	1/4	113,785	1/4	128,871	1/4	143,944
1/2	8,516	1/2	23,613	1/2	38,699	1/2	53,761	1/2	68,820	1/2	83,908	1/2	99,003	1/2	114,100	1/2	129,185	1/2	144,257
3/4	8,831	3/4	23,928	3/4	39,013	3/4	54,074	3/4	69,135	3/4	84,222	3/4	99,318	3/4	114,414	3/4	129,499	3/4	144,571
7	9,145	7	24,242	7	39,327	7	54,388	7	69,449	7	84,537	7	99,632	7	114,729	7	129,813	7	144,885
1/4	9,460	1/4	24,557	1/4	39,640	1/4	54,701	1/4	69,764	1/4	84,851	1/4	99,947	1/4	115,043	1/4	130,127	1/4	145,191
1/2	9,774	1/2	24,871	1/2	39,954	1/2	55,015	1/2	70,078	1/2	85,165	1/2	100,261	1/2	115,358	1/2	130,442	1/2	145,497
3/4	10,089	3/4	25,186	3/4	40,268	3/4	55,328	3/4	70,393	3/4	85,480	3/4	100,576	3/4	115,672	3/4	130,756	3/4	145,803
8	10,403	8	25,500	8	40,582	8	55,642	8	70,707	8	85,794	8	100,890	8	115,987	8	131,070	8	146,110
1/4	10,718	1/4	25,815	1/4	40,896	1/4	55,955	1/4	71,021	1/4	86,108	1/4	101,205	1/4	116,301	1/4	131,384	1/4	146,398
1/2	11,032	1/2	26,129	1/2	41,209	1/2	56,269	1/2	71,336	1/2	86,423	1/2	101,519	1/2	116,616	1/2	131,698	1/2	146,685
3/4	11,347	3/4	26,444	3/4	41,523	3/4	56,582	3/4	71,650	3/4	86,737	3/4	101,834	3/4	116,930	3/4	132,012	3/4	146,973
9	11,661	9	26,758	9	41,837	9	56,896	9	71,964	9	87,052	9	102,148	9	117,245	9	132,327	9	147,261
1/4	11,976	1/4	27,073	1/4	42,151	1/4	57,209	1/4	72,279	1/4	87,366	1/4	102,463	1/4	117,560	1/4	132,641	1/4	147,529
1/2	12,291	1/2	27,387	1/2	42,465	1/2	57,523	1/2	72,593	1/2	87,681	1/2	102,777	1/2	117,874	1/2	132,955	1/2	147,796
3/4	12,605	3/4	27,702	3/4	42,778	3/4	57,836	3/4	72,907	3/4	87,995	3/4	103,092	3/4	118,189	3/4	133,269	3/4	148,063
10	12,920	10	28,016	10	43,092	10	58,150	10	73,222	10	88,310	10	103,406	10	118,503	10	133,583	10	148,330
1/4	13,234	1/4	28,330	1/4	43,406	1/4	58,463	1/4	73,536	1/4	88,624	1/4	103,721	1/4	118,817	1/4	133,897	1/4	148,577
1/2	13,549	1/2	28,645	1/2	43,720	1/2	58,777	1/2	73,850	1/2	88,939	1/2	104,035	1/2	119,132	1/2	134,212	1/2	148,823
3/4	13,863	3/4	28,959	3/4	44,034	3/4	59,090	3/4	74,165	3/4	89,253	3/4	104,350	3/4	119,446	3/4	134,526	3/4	149,070
11	14,178	11	29,274	11	44,347	11	59,404	11	74,479	11	89,568	11	104,664	11	119,760	11	134,840	11	149,316
1/4	14,492	1/4	29,588	1/4	44,661	1/4	59,717	1/4	74,793	1/4	89,882	1/4	104,979	1/4	120,074	1/4	135,154	1/4	149,551
1/2	14,807	1/2	29,902	1/2	44,975	1/2	60,031	1/2	75,108	1/2	90,197	1/2	105,294	1/2	120,388	1/2	135,468	1/2	149,785
3/4	15,121	3/4	30,217	3/4	45,289	3/4	60,344	3/4	75,422	3/4	90,511	3/4	105,608	3/4	120,703	3/4	135,782	3/4	150,019

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC GAUGE DEVICE.

NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 6" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR

DATE COMPUTED: 7/31/01 BY: DAR

DATE ISSUED: 7/31/01

ITS - CALEB BRETT



**BARGE "GBL 130"
HULL NO. 01-2406**

**3 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-4 3/4" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,253	0	161,373	0	172,492	0	183,612	0	194,651	0	203,874	0		0		0		0	
1/4	150,484	1/4	161,604	1/4	172,724	1/4	183,843	1/4	194,881	1/4	203,900	1/4		1/4		1/4		1/4	
1/2	150,716	1/2	161,836	1/2	172,956	1/2	184,073	1/2	195,111	1/2	203,926	1/2		1/2		1/2		1/2	
3/4	150,948	3/4	162,068	3/4	173,187	3/4	184,303	3/4	195,341	3/4	203,951	3/4		3/4		3/4		3/4	
1	151,179	1	162,299	1	173,419	1	184,534	1	195,571	1	203,977	1		1		1		1	
1/4	151,411	1/4	162,531	1/4	173,651	1/4	184,764	1/4	195,801	1/4	203,993	1/4		1/4		1/4		1/4	
1/2	151,643	1/2	162,763	1/2	173,882	1/2	184,994	1/2	196,031	1/2		1/2		1/2		1/2		1/2	
3/4	151,874	3/4	162,994	3/4	174,114	3/4	185,224	3/4	196,261	3/4		3/4		3/4		3/4		3/4	
2	152,106	2	163,226	2	174,346	2	185,454	2	196,491	2		2		2		2		2	
1/4	152,338	1/4	163,458	1/4	174,577	1/4	185,683	1/4	196,720	1/4		1/4		1/4		1/4		1/4	
1/2	152,569	1/2	163,689	1/2	174,809	1/2	185,913	1/2	196,949	1/2		1/2		1/2		1/2		1/2	
3/4	152,801	3/4	163,921	3/4	175,041	3/4	186,143	3/4	197,177	3/4		3/4		3/4		3/4		3/4	
3	153,033	3	164,153	3	175,272	3	186,373	3	197,406	3		3		3		3		3	
1/4	153,264	1/4	164,384	1/4	175,504	1/4	186,603	1/4	197,635	1/4		1/4		1/4		1/4		1/4	
1/2	153,496	1/2	164,616	1/2	175,736	1/2	186,833	1/2	197,863	1/2		1/2		1/2		1/2		1/2	
3/4	153,728	3/4	164,848	3/4	175,967	3/4	187,063	3/4	198,092	3/4		3/4		3/4		3/4		3/4	
4	153,959	4	165,079	4	176,199	4	187,293	4	198,320	4		4		4		4		4	
1/4	154,191	1/4	165,311	1/4	176,431	1/4	187,523	1/4	198,549	1/4		1/4		1/4		1/4		1/4	
1/2	154,423	1/2	165,543	1/2	176,662	1/2	187,753	1/2	198,777	1/2		1/2		1/2		1/2		1/2	
3/4	154,654	3/4	165,774	3/4	176,894	3/4	187,983	3/4	199,005	3/4		3/4		3/4		3/4		3/4	
5	154,886	5	166,006	5	177,126	5	188,213	5	199,234	5		5		5		5		5	
1/4	155,118	1/4	166,238	1/4	177,357	1/4	188,443	1/4	199,462	1/4		1/4		1/4		1/4		1/4	
1/2	155,349	1/2	166,469	1/2	177,589	1/2	188,673	1/2	199,691	1/2		1/2		1/2		1/2		1/2	
3/4	155,581	3/4	166,701	3/4	177,821	3/4	188,903	3/4	199,919	3/4		3/4		3/4		3/4		3/4	
6	155,813	6	166,933	6	178,052	6	189,133	6	200,148	6		6		6		6		6	
1/4	156,044	1/4	167,164	1/4	178,284	1/4	189,363	1/4	200,376	1/4		1/4		1/4		1/4		1/4	
1/2	156,276	1/2	167,396	1/2	178,516	1/2	189,593	1/2	200,605	1/2		1/2		1/2		1/2		1/2	
3/4	156,508	3/4	167,628	3/4	178,747	3/4	189,822	3/4	200,833	3/4		3/4		3/4		3/4		3/4	
7	156,739	7	167,859	7	178,979	7	190,052	7	201,062	7		7		7		7		7	
1/4	156,971	1/4	168,091	1/4	179,211	1/4	190,282	1/4	201,276	1/4		1/4		1/4		1/4		1/4	
1/2	157,203	1/2	168,323	1/2	179,442	1/2	190,512	1/2	201,490	1/2		1/2		1/2		1/2		1/2	
3/4	157,434	3/4	168,554	3/4	179,674	3/4	190,742	3/4	201,704	3/4		3/4		3/4		3/4		3/4	
8	157,666	8	168,786	8	179,906	8	190,972	8	201,918	8		8		8		8		8	
1/4	157,898	1/4	169,018	1/4	180,137	1/4	191,202	1/4	202,098	1/4		1/4		1/4		1/4		1/4	
1/2	158,129	1/2	169,249	1/2	180,369	1/2	191,432	1/2	202,278	1/2		1/2		1/2		1/2		1/2	
3/4	158,361	3/4	169,481	3/4	180,601	3/4	191,662	3/4	202,458	3/4		3/4		3/4		3/4		3/4	
9	158,593	9	169,713	9	180,832	9	191,892	9	202,638	9		9		9		9		9	
1/4	158,824	1/4	169,944	1/4	181,064	1/4	192,122	1/4	202,780	1/4		1/4		1/4		1/4		1/4	
1/2	159,056	1/2	170,176	1/2	181,296	1/2	192,352	1/2	202,922	1/2		1/2		1/2		1/2		1/2	
3/4	159,288	3/4	170,407	3/4	181,527	3/4	192,582	3/4	203,063	3/4		3/4		3/4		3/4		3/4	
10	159,519	10	170,639	10	181,759	10	192,812	10	203,205	10		10		10		10		10	
1/4	159,751	1/4	170,871	1/4	181,991	1/4	193,042	1/4	203,308	1/4		1/4		1/4		1/4		1/4	
1/2	159,983	1/2	171,102	1/2	182,222	1/2	193,272	1/2	203,411	1/2		1/2		1/2		1/2		1/2	
3/4	160,214	3/4	171,334	3/4	182,454	3/4	193,502	3/4	203,514	3/4		3/4		3/4		3/4		3/4	
11	160,446	11	171,566	11	182,686	11	193,732	11	203,617	11		11		11		11		11	
1/4	160,678	1/4	171,797	1/4	182,917	1/4	193,961	1/4	203,681	1/4		1/4		1/4		1/4		1/4	
1/2	160,909	1/2	172,029	1/2	183,149	1/2	194,191	1/2	203,745	1/2		1/2		1/2		1/2		1/2	
3/4	161,141	3/4	172,261	3/4	183,381	3/4	194,421	3/4	203,810	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

SLOP PORT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,008	0	2,016	0	3,024	0	4,032	0		0		0		0		0	
1/4	21	1/4	1,029	1/4	2,037	1/4	3,045	1/4	4,053	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,050	1/2	2,058	1/2	3,066	1/2	4,074	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,071	3/4	2,079	3/4	3,087	3/4	4,095	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,092	1	2,100	1	3,108	1	4,116	1		1		1		1		1	
1/4	105	1/4	1,113	1/4	2,121	1/4	3,129	1/4	4,137	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,134	1/2	2,142	1/2	3,150	1/2	4,158	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,155	3/4	2,163	3/4	3,171	3/4	4,179	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,176	2	2,184	2	3,192	2	4,200	2		2		2		2		2	
1/4	189	1/4	1,197	1/4	2,205	1/4	3,213	1/4	4,221	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,218	1/2	2,226	1/2	3,234	1/2	4,242	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,239	3/4	2,247	3/4	3,255	3/4	4,263	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,260	3	2,268	3	3,276	3	4,284	3		3		3		3		3	
1/4	273	1/4	1,281	1/4	2,289	1/4	3,297	1/4	4,305	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,302	1/2	2,310	1/2	3,318	1/2	4,326	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,323	3/4	2,331	3/4	3,339	3/4	4,347	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,344	4	2,352	4	3,360	4	4,368	4		4		4		4		4	
1/4	357	1/4	1,365	1/4	2,373	1/4	3,381	1/4	4,389	1/4		1/4		1/4		1/4		1/4	
1/2	378	1/2	1,386	1/2	2,394	1/2	3,402	1/2	4,410	1/2		1/2		1/2		1/2		1/2	
3/4	399	3/4	1,407	3/4	2,415	3/4	3,423	3/4	4,431	3/4		3/4		3/4		3/4		3/4	
5	420	5	1,428	5	2,436	5	3,444	5	4,452	5		5		5		5		5	
1/4	441	1/4	1,449	1/4	2,457	1/4	3,465	1/4	4,473	1/4		1/4		1/4		1/4		1/4	
1/2	462	1/2	1,470	1/2	2,478	1/2	3,486	1/2	4,494	1/2		1/2		1/2		1/2		1/2	
3/4	483	3/4	1,491	3/4	2,499	3/4	3,507	3/4	4,515	3/4		3/4		3/4		3/4		3/4	
6	504	6	1,512	6	2,520	6	3,528	6	4,536	6		6		6		6		6	
1/4	525	1/4	1,533	1/4	2,541	1/4	3,549	1/4	4,557	1/4		1/4		1/4		1/4		1/4	
1/2	546	1/2	1,554	1/2	2,562	1/2	3,570	1/2	4,578	1/2		1/2		1/2		1/2		1/2	
3/4	567	3/4	1,575	3/4	2,583	3/4	3,591	3/4	4,599	3/4		3/4		3/4		3/4		3/4	
7	588	7	1,596	7	2,604	7	3,612	7	4,620	7		7		7		7		7	
1/4	609	1/4	1,617	1/4	2,625	1/4	3,633	1/4	4,641	1/4		1/4		1/4		1/4		1/4	
1/2	630	1/2	1,638	1/2	2,646	1/2	3,654	1/2	4,662	1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,659	3/4	2,667	3/4	3,675	3/4	4,683	3/4		3/4		3/4		3/4		3/4	
8	672	8	1,680	8	2,688	8	3,696	8	4,704	8		8		8		8		8	
1/4	693	1/4	1,701	1/4	2,709	1/4	3,717	1/4	4,725	1/4		1/4		1/4		1/4		1/4	
1/2	714	1/2	1,722	1/2	2,730	1/2	3,738	1/2	4,746	1/2		1/2		1/2		1/2		1/2	
3/4	735	3/4	1,743	3/4	2,751	3/4	3,759	3/4	4,767	3/4		3/4		3/4		3/4		3/4	
9	756	9	1,764	9	2,772	9	3,780	9	4,788	9		9		9		9		9	
1/4	777	1/4	1,785	1/4	2,793	1/4	3,801	1/4	4,809	1/4		1/4		1/4		1/4		1/4	
1/2	798	1/2	1,806	1/2	2,814	1/2	3,822	1/2	4,830	1/2		1/2		1/2		1/2		1/2	
3/4	819	3/4	1,827	3/4	2,835	3/4	3,843	3/4	4,851	3/4		3/4		3/4		3/4		3/4	
10	840	10	1,848	10	2,856	10	3,864	10	4,872	10		10		10		10		10	
1/4	861	1/4	1,869	1/4	2,877	1/4	3,885	1/4	4,893	1/4		1/4		1/4		1/4		1/4	
1/2	882	1/2	1,890	1/2	2,898	1/2	3,906	1/2	4,914	1/2		1/2		1/2		1/2		1/2	
3/4	903	3/4	1,911	3/4	2,919	3/4	3,927	3/4	4,935	3/4		3/4		3/4		3/4		3/4	
11	924	11	1,932	11	2,940	11	3,948	11	4,956	11		11		11		11		11	
1/4	945	1/4	1,953	1/4	2,961	1/4	3,969	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	966	1/2	1,974	1/2	2,982	1/2	3,990	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	987	3/4	1,995	3/4	3,003	3/4	4,011	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

SLOP STBD

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	993	0	1,985	0	2,978	0	3,971	0		0		0		0		0	
1/4	21	1/4	1,013	1/4	2,006	1/4	2,999	1/4	3,991	1/4		1/4		1/4		1/4		1/4	
1/2	41	1/2	1,034	1/2	2,027	1/2	3,019	1/2	4,012	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,055	3/4	2,047	3/4	3,040	3/4	4,033	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,075	1	2,068	1	3,061	1	4,053	1		1		1		1		1	
1/4	103	1/4	1,096	1/4	2,089	1/4	3,081	1/4	4,074	1/4		1/4		1/4		1/4		1/4	
1/2	124	1/2	1,117	1/2	2,109	1/2	3,102	1/2	4,095	1/2		1/2		1/2		1/2		1/2	
3/4	145	3/4	1,137	3/4	2,130	3/4	3,123	3/4	4,115	3/4		3/4		3/4		3/4		3/4	
2	165	2	1,158	2	2,151	2	3,143	2	4,136	2		2		2		2		2	
1/4	186	1/4	1,179	1/4	2,171	1/4	3,164	1/4	4,157	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	1,199	1/2	2,192	1/2	3,185	1/2	4,177	1/2		1/2		1/2		1/2		1/2	
3/4	227	3/4	1,220	3/4	2,213	3/4	3,205	3/4	4,198	3/4		3/4		3/4		3/4		3/4	
3	248	3	1,241	3	2,233	3	3,226	3	4,219	3		3		3		3		3	
1/4	269	1/4	1,261	1/4	2,254	1/4	3,247	1/4	4,239	1/4		1/4		1/4		1/4		1/4	
1/2	290	1/2	1,282	1/2	2,275	1/2	3,267	1/2	4,260	1/2		1/2		1/2		1/2		1/2	
3/4	310	3/4	1,303	3/4	2,295	3/4	3,288	3/4	4,281	3/4		3/4		3/4		3/4		3/4	
4	331	4	1,324	4	2,316	4	3,309	4	4,301	4		4		4		4		4	
1/4	352	1/4	1,344	1/4	2,337	1/4	3,329	1/4	4,322	1/4		1/4		1/4		1/4		1/4	
1/2	372	1/2	1,365	1/2	2,358	1/2	3,350	1/2	4,343	1/2		1/2		1/2		1/2		1/2	
3/4	393	3/4	1,386	3/4	2,378	3/4	3,371	3/4	4,363	3/4		3/4		3/4		3/4		3/4	
5	414	5	1,406	5	2,399	5	3,392	5	4,384	5		5		5		5		5	
1/4	434	1/4	1,427	1/4	2,420	1/4	3,412	1/4	4,405	1/4		1/4		1/4		1/4		1/4	
1/2	455	1/2	1,448	1/2	2,440	1/2	3,433	1/2	4,426	1/2		1/2		1/2		1/2		1/2	
3/4	476	3/4	1,468	3/4	2,461	3/4	3,454	3/4	4,446	3/4		3/4		3/4		3/4		3/4	
6	496	6	1,489	6	2,482	6	3,474	6	4,467	6		6		6		6		6	
1/4	517	1/4	1,510	1/4	2,502	1/4	3,495	1/4	4,488	1/4		1/4		1/4		1/4		1/4	
1/2	538	1/2	1,530	1/2	2,523	1/2	3,516	1/2	4,508	1/2		1/2		1/2		1/2		1/2	
3/4	558	3/4	1,551	3/4	2,544	3/4	3,536	3/4	4,529	3/4		3/4		3/4		3/4		3/4	
7	579	7	1,572	7	2,564	7	3,557	7	4,550	7		7		7		7		7	
1/4	600	1/4	1,592	1/4	2,585	1/4	3,578	1/4	4,570	1/4		1/4		1/4		1/4		1/4	
1/2	620	1/2	1,613	1/2	2,606	1/2	3,598	1/2	4,591	1/2		1/2		1/2		1/2		1/2	
3/4	641	3/4	1,634	3/4	2,626	3/4	3,619	3/4	4,612	3/4		3/4		3/4		3/4		3/4	
8	662	8	1,654	8	2,647	8	3,640	8	4,632	8		8		8		8		8	
1/4	682	1/4	1,675	1/4	2,668	1/4	3,660	1/4	4,653	1/4		1/4		1/4		1/4		1/4	
1/2	703	1/2	1,696	1/2	2,688	1/2	3,681	1/2	4,674	1/2		1/2		1/2		1/2		1/2	
3/4	724	3/4	1,716	3/4	2,709	3/4	3,702	3/4	4,694	3/4		3/4		3/4		3/4		3/4	
9	744	9	1,737	9	2,730	9	3,722	9	4,715	9		9		9		9		9	
1/4	765	1/4	1,758	1/4	2,750	1/4	3,743	1/4	4,736	1/4		1/4		1/4		1/4		1/4	
1/2	786	1/2	1,778	1/2	2,771	1/2	3,764	1/2	4,756	1/2		1/2		1/2		1/2		1/2	
3/4	807	3/4	1,799	3/4	2,792	3/4	3,784	3/4	4,777	3/4		3/4		3/4		3/4		3/4	
10	827	10	1,820	10	2,812	10	3,805	10	4,798	10		10		10		10		10	
1/4	848	1/4	1,841	1/4	2,833	1/4	3,826	1/4	4,818	1/4		1/4		1/4		1/4		1/4	
1/2	869	1/2	1,861	1/2	2,854	1/2	3,846	1/2	4,839	1/2		1/2		1/2		1/2		1/2	
3/4	889	3/4	1,882	3/4	2,875	3/4	3,867	3/4	4,860	3/4		3/4		3/4		3/4		3/4	
11	910	11	1,903	11	2,895	11	3,888	11	4,880	11		11		11		11		11	
1/4	931	1/4	1,923	1/4	2,916	1/4	3,909	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	951	1/2	1,944	1/2	2,937	1/2	3,929	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	972	3/4	1,965	3/4	2,957	3/4	3,950	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett