

**BARGE "GBL 1432B"
HULL NO. 05-2543**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,288.94	0	5,005.89	0	4,695.93	0	4,385.98	0	4,076.02	0	3,757.22	0	3,376.51	0	2,995.81	0	2,615.10
1/4		1/4	5,286.24	1/4	4,999.43	1/4	4,689.47	1/4	4,379.52	1/4	4,069.56	1/4	3,749.29	1/4	3,368.58	1/4	2,987.88	1/4	2,607.17
1/2		1/2	5,283.55	1/2	4,992.97	1/2	4,683.02	1/2	4,373.06	1/2	4,063.11	1/2	3,741.36	1/2	3,360.65	1/2	2,979.94	1/2	2,599.24
3/4		3/4	5,279.79	3/4	4,986.51	3/4	4,676.56	3/4	4,366.60	3/4	4,056.65	3/4	3,733.43	3/4	3,352.72	3/4	2,972.01	3/4	2,591.31
1		1	5,276.02	1	4,980.06	1	4,670.10	1	4,360.15	1	4,050.19	1	3,725.50	1	3,344.79	1	2,964.08	1	2,583.37
1/4		1/4	5,272.25	1/4	4,973.60	1/4	4,663.64	1/4	4,353.69	1/4	4,043.73	1/4	3,717.56	1/4	3,336.86	1/4	2,956.15	1/4	2,575.44
1/2		1/2	5,268.49	1/2	4,967.14	1/2	4,657.19	1/2	4,347.23	1/2	4,037.28	1/2	3,709.63	1/2	3,328.93	1/2	2,948.22	1/2	2,567.51
3/4		3/4	5,263.64	3/4	4,960.68	3/4	4,650.73	3/4	4,340.77	3/4	4,030.82	3/4	3,701.70	3/4	3,320.99	3/4	2,940.29	3/4	2,559.58
2		2	5,258.80	2	4,954.23	2	4,644.27	2	4,334.32	2	4,024.36	2	3,693.77	2	3,313.06	2	2,932.36	2	2,551.65
1/4		1/4	5,253.96	1/4	4,947.77	1/4	4,637.81	1/4	4,327.86	1/4	4,017.90	1/4	3,685.84	1/4	3,305.13	1/4	2,924.42	1/4	2,543.72
1/2		1/2	5,249.11	1/2	4,941.31	1/2	4,631.36	1/2	4,321.40	1/2	4,011.45	1/2	3,677.91	1/2	3,297.20	1/2	2,916.49	1/2	2,535.79
3/4		3/4	5,243.20	3/4	4,934.85	3/4	4,624.90	3/4	4,314.94	3/4	4,004.99	3/4	3,669.98	3/4	3,289.27	3/4	2,908.56	3/4	2,527.85
3		3	5,237.28	3	4,928.40	3	4,618.44	3	4,308.49	3	3,998.53	3	3,662.04	3	3,281.34	3	2,900.63	3	2,519.92
1/4		1/4	5,231.36	1/4	4,921.94	1/4	4,611.98	1/4	4,302.03	1/4	3,992.07	1/4	3,654.11	1/4	3,273.41	1/4	2,892.70	1/4	2,511.99
1/2		1/2	5,225.44	1/2	4,915.48	1/2	4,605.53	1/2	4,295.57	1/2	3,985.62	1/2	3,646.18	1/2	3,265.47	1/2	2,884.77	1/2	2,504.06
3/4		3/4	5,218.98	3/4	4,909.02	3/4	4,599.07	3/4	4,289.11	3/4	3,979.16	3/4	3,638.25	3/4	3,257.54	3/4	2,876.84	3/4	2,496.13
4		4	5,212.52	4	4,902.57	4	4,592.61	4	4,282.66	4	3,972.70	4	3,630.32	4	3,249.61	4	2,868.90	4	2,488.20
1/4		1/4	5,206.07	1/4	4,896.11	1/4	4,586.15	1/4	4,276.20	1/4	3,966.24	1/4	3,622.39	1/4	3,241.68	1/4	2,860.97	1/4	2,480.27
1/2		1/2	5,199.61	1/2	4,889.65	1/2	4,579.70	1/2	4,269.74	1/2	3,959.79	1/2	3,614.46	1/2	3,233.75	1/2	2,853.04	1/2	2,472.33
3/4		3/4	5,193.15	3/4	4,883.20	3/4	4,573.24	3/4	4,263.78	3/4	3,953.33	3/4	3,606.52	3/4	3,225.82	3/4	2,845.11	3/4	2,464.40
5		5	5,186.69	5	4,876.74	5	4,566.78	5	4,256.83	5	3,946.87	5	3,598.59	5	3,217.89	5	2,837.18	5	2,456.47
1/4		1/4	5,180.24	1/4	4,870.28	1/4	4,560.33	1/4	4,250.37	1/4	3,940.41	1/4	3,590.66	1/4	3,209.95	1/4	2,829.25	1/4	2,448.54
1/2		1/2	5,173.78	1/2	4,863.82	1/2	4,553.87	1/2	4,243.91	1/2	3,933.96	1/2	3,582.73	1/2	3,202.02	1/2	2,821.32	1/2	2,440.61
3/4		3/4	5,167.32	3/4	4,857.37	3/4	4,547.41	3/4	4,237.46	3/4	3,927.50	3/4	3,574.80	3/4	3,194.09	3/4	2,813.38	3/4	2,432.68
6		6	5,160.86	6	4,850.91	6	4,540.95	6	4,231.00	6	3,921.04	6	3,566.87	6	3,186.16	6	2,805.45	6	2,424.75
1/4		1/4	5,154.41	1/4	4,844.45	1/4	4,534.50	1/4	4,224.54	1/4	3,914.59	1/4	3,558.94	1/4	3,178.23	1/4	2,797.52	1/4	2,416.81
1/2		1/2	5,147.95	1/2	4,837.99	1/2	4,528.04	1/2	4,218.08	1/2	3,908.13	1/2	3,551.00	1/2	3,170.30	1/2	2,789.59	1/2	2,408.88
3/4		3/4	5,141.49	3/4	4,831.54	3/4	4,521.58	3/4	4,211.63	3/4	3,901.67	3/4	3,543.07	3/4	3,162.37	3/4	2,781.66	3/4	2,400.95
7		7	5,135.03	7	4,825.08	7	4,515.12	7	4,205.17	7	3,895.21	7	3,535.14	7	3,154.43	7	2,773.73	7	2,393.02
1/4		1/4	5,128.58	1/4	4,818.62	1/4	4,508.67	1/4	4,198.71	1/4	3,888.76	1/4	3,527.21	1/4	3,146.50	1/4	2,765.80	1/4	2,385.09
1/2		1/2	5,122.12	1/2	4,812.16	1/2	4,502.21	1/2	4,192.25	1/2	3,882.30	1/2	3,519.28	1/2	3,138.57	1/2	2,757.86	1/2	2,377.16
3/4		3/4	5,115.66	3/4	4,805.71	3/4	4,495.75	3/4	4,185.80	3/4	3,875.84	3/4	3,511.35	3/4	3,130.64	3/4	2,749.93	3/4	2,369.23
8		8	5,109.20	8	4,799.25	8	4,489.29	8	4,179.34	8	3,869.38	8	3,503.42	8	3,122.71	8	2,742.00	8	2,361.29
1/4		1/4	5,102.75	1/4	4,792.79	1/4	4,482.84	1/4	4,172.88	1/4	3,862.93	1/4	3,495.48	1/4	3,114.78	1/4	2,734.07	1/4	2,353.36
1/2		1/2	5,096.29	1/2	4,786.33	1/2	4,476.38	1/2	4,166.42	1/2	3,856.47	1/2	3,487.55	1/2	3,106.85	1/2	2,726.14	1/2	2,345.43
3/4		3/4	5,089.83	3/4	4,779.88	3/4	4,469.92	3/4	4,159.97	3/4	3,850.01	3/4	3,479.62	3/4	3,098.91	3/4	2,718.21	3/4	2,337.50
9		9	5,083.37	9	4,773.42	9	4,463.46	9	4,153.51	9	3,843.55	9	3,471.69	9	3,090.98	9	2,710.28	9	2,329.57
1/4		1/4	5,076.92	1/4	4,766.96	1/4	4,457.01	1/4	4,147.05	1/4	3,837.10	1/4	3,463.76	1/4	3,083.05	1/4	2,702.34	1/4	2,321.64
1/2		1/2	5,070.46	1/2	4,760.50	1/2	4,450.55	1/2	4,140.59	1/2	3,830.64	1/2	3,455.83	1/2	3,075.12	1/2	2,694.41	1/2	2,313.71
3/4		3/4	5,064.00	3/4	4,754.05	3/4	4,444.09	3/4	4,134.14	3/4	3,824.18	3/4	3,447.90	3/4	3,067.19	3/4	2,686.48	3/4	2,305.77
10		10	5,057.54	10	4,747.59	10	4,437.63	10	4,127.68	10	3,817.72	10	3,439.96	10	3,059.26	10	2,678.55	10	2,297.84
1/4		1/4	5,051.09	1/4	4,741.13	1/4	4,431.18	1/4	4,121.22	1/4	3,811.27	1/4	3,432.03	1/4	3,051.33	1/4	2,670.62	1/4	2,289.91
1/2	5,300.77	1/2	5,044.63	1/2	4,734.67	1/2	4,424.72	1/2	4,114.76	1/2	3,804.81	1/2	3,424.10	1/2	3,043.39	1/2	2,662.69	1/2	2,281.98
3/4	5,299.16	3/4	5,038.17	3/4	4,728.22	3/4	4,418.26	3/4	4,108.31	3/4	3,796.88	3/4	3,416.17	3/4	3,035.46	3/4	2,654.76	3/4	2,274.05
11	5,297.54	11	5,031.72	11	4,721.76	11	4,411.80	11	4,101.85	11	3,788.95	11	3,408.24	11	3,027.53	11	2,646.82	11	2,266.12
1/4	5,295.93	1/4	5,025.26	1/4	4,715.30	1/4	4,405.35	1/4	4,095.39	1/4	3,781.02	1/4	3,400.31	1/4	3,019.60	1/4	2,638.89	1/4	2,258.19
1/2	5,294.32	1/2	5,018.80	1/2	4,708.85	1/2	4,398.89	1/2	4,088.93	1/2	3,773.08	1/2	3,392.38	1/2	3,011.67	1/2	2,630.96	1/2	2,250.25
3/4	5,291.63	3/4	5,012.34	3/4	4,702.39	3/4	4,392.43	3/4	4,082.48	3/4	3,765.15	3/4	3,384.45	3/4	3,003.74	3/4	2,623.03	3/4	2,242.32

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 51' 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



BARGE "GBL 1432B" HULL NO. 05-2543

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,234.39	0	1,854.07	0	1,474.82	0	1,094.17	0	715.59	0	336.06	0		0		0		0	
1/4	2,226.46	1/4	1,846.17	1/4	1,466.90	1/4	1,086.24	1/4	707.76	1/4	328.15	1/4		1/4		1/4		1/4	
1/2	2,218.53	1/2	1,838.28	1/2	1,458.97	1/2	1,078.31	1/2	699.92	1/2	320.24	1/2		1/2		1/2		1/2	
3/4	2,210.60	3/4	1,830.39	3/4	1,451.04	3/4	1,070.38	3/4	692.01	3/4	312.33	3/4		3/4		3/4		3/4	
1	2,202.67	1	1,822.49	1	1,443.11	1	1,062.45	1	684.10	1	304.42	1		1		1		1	
1/4	2,194.74	1/4	1,814.60	1/4	1,435.18	1/4	1,054.52	1/4	676.19	1/4	296.51	1/4		1/4		1/4		1/4	
1/2	2,186.80	1/2	1,806.71	1/2	1,427.25	1/2	1,046.59	1/2	668.28	1/2	288.60	1/2		1/2		1/2		1/2	
3/4	2,178.87	3/4	1,798.81	3/4	1,419.32	3/4	1,038.66	3/4	660.37	3/4	280.69	3/4		3/4		3/4		3/4	
2	2,170.94	2	1,790.92	2	1,411.40	2	1,030.72	2	652.46	2	272.78	2		2		2		2	
1/4	2,163.01	1/4	1,783.03	1/4	1,403.47	1/4	1,022.79	1/4	644.55	1/4	264.87	1/4		1/4		1/4		1/4	
1/2	2,155.08	1/2	1,775.13	1/2	1,395.54	1/2	1,014.86	1/2	636.64	1/2	256.96	1/2		1/2		1/2		1/2	
3/4	2,147.15	3/4	1,767.24	3/4	1,387.61	3/4	1,006.93	3/4	628.73	3/4	249.05	3/4		3/4		3/4		3/4	
3	2,139.22	3	1,759.35	3	1,379.68	3	999.00	3	620.82	3	241.14	3		3		3		3	
1/4	2,131.28	1/4	1,751.45	1/4	1,371.75	1/4	991.07	1/4	612.91	1/4	233.23	1/4		1/4		1/4		1/4	
1/2	2,123.35	1/2	1,743.56	1/2	1,363.83	1/2	983.14	1/2	605.00	1/2	225.32	1/2		1/2		1/2		1/2	
3/4	2,115.42	3/4	1,735.67	3/4	1,355.90	3/4	975.21	3/4	597.09	3/4	217.41	3/4		3/4		3/4		3/4	
4	2,107.49	4	1,727.77	4	1,347.96	4	967.28	4	589.18	4	209.50	4		4		4		4	
1/4	2,099.56	1/4	1,719.88	1/4	1,340.03	1/4	959.35	1/4	581.27	1/4	201.59	1/4		1/4		1/4		1/4	
1/2	2,091.63	1/2	1,711.99	1/2	1,332.10	1/2	951.41	1/2	573.36	1/2	193.68	1/2		1/2		1/2		1/2	
3/4	2,083.70	3/4	1,704.09	3/4	1,324.17	3/4	943.48	3/4	565.45	3/4	185.77	3/4		3/4		3/4		3/4	
5	2,075.76	5	1,696.20	5	1,316.24	5	935.55	5	557.54	5	177.86	5		5		5		5	
1/4	2,067.83	1/4	1,688.31	1/4	1,308.31	1/4	927.62	1/4	549.63	1/4	169.95	1/4		1/4		1/4		1/4	
1/2	2,059.90	1/2	1,680.41	1/2	1,300.38	1/2	919.69	1/2	541.72	1/2	162.04	1/2		1/2		1/2		1/2	
3/4	2,051.97	3/4	1,672.52	3/4	1,292.45	3/4	911.76	3/4	533.81	3/4	154.13	3/4		3/4		3/4		3/4	
6	2,044.04	6	1,664.63	6	1,284.52	6	903.83	6	525.90	6	146.22	6		6		6		6	
1/4	2,036.11	1/4	1,656.73	1/4	1,276.59	1/4	895.90	1/4	517.99	1/4	138.31	1/4		1/4		1/4		1/4	
1/2	2,028.18	1/2	1,648.84	1/2	1,268.65	1/2	887.97	1/2	510.08	1/2	130.40	1/2		1/2		1/2		1/2	
3/4	2,020.24	3/4	1,640.95	3/4	1,260.72	3/4	880.13	3/4	502.17	3/4	122.49	3/4		3/4		3/4		3/4	
7	2,012.31	7	1,633.05	7	1,252.79	7	872.30	7	494.26	7	114.58	7		7		7		7	
1/4	2,004.38	1/4	1,625.16	1/4	1,244.86	1/4	864.46	1/4	486.35	1/4	106.67	1/4		1/4		1/4		1/4	
1/2	1,996.45	1/2	1,617.27	1/2	1,236.93	1/2	856.63	1/2	478.44	1/2	98.76	1/2		1/2		1/2		1/2	
3/4	1,988.52	3/4	1,609.37	3/4	1,229.00	3/4	848.79	3/4	470.53	3/4	90.85	3/4		3/4		3/4		3/4	
8	1,980.59	8	1,601.48	8	1,221.07	8	840.96	8	462.62	8	82.94	8		8		8		8	
1/4	1,972.66	1/4	1,593.58	1/4	1,213.14	1/4	833.12	1/4	454.71	1/4	75.03	1/4		1/4		1/4		1/4	
1/2	1,964.72	1/2	1,585.69	1/2	1,205.21	1/2	825.29	1/2	446.80	1/2	67.12	1/2		1/2		1/2		1/2	
3/4	1,956.79	3/4	1,577.79	3/4	1,197.28	3/4	817.45	3/4	438.89	3/4	60.20	3/4		3/4		3/4		3/4	
9	1,948.86	9	1,569.90	9	1,189.34	9	809.62	9	430.98	9	53.28	9		9		9		9	
1/4	1,940.93	1/4	1,562.00	1/4	1,181.41	1/4	801.78	1/4	423.07	1/4	46.36	1/4		1/4		1/4		1/4	
1/2	1,933.00	1/2	1,554.11	1/2	1,173.48	1/2	793.94	1/2	415.16	1/2	39.44	1/2		1/2		1/2		1/2	
3/4	1,925.11	3/4	1,546.18	3/4	1,165.55	3/4	786.11	3/4	407.25	3/4	34.51	3/4		3/4		3/4		3/4	
10	1,917.21	10	1,538.25	10	1,157.62	10	778.27	10	399.34	10	29.57	10		10		10		10	
1/4	1,909.32	1/4	1,530.32	1/4	1,149.69	1/4	770.44	1/4	391.43	1/4	24.63	1/4		1/4		1/4		1/4	
1/2	1,901.43	1/2	1,522.39	1/2	1,141.76	1/2	762.60	1/2	383.52	1/2	19.70	1/2		1/2		1/2		1/2	
3/4	1,893.53	3/4	1,514.47	3/4	1,133.83	3/4	754.77	3/4	375.61	3/4		3/4		3/4		3/4		3/4	
11	1,885.64	11	1,506.54	11	1,125.90	11	746.93	11	367.70	11		11		11		11		11	
1/4	1,877.75	1/4	1,498.61	1/4	1,117.97	1/4	739.10	1/4	359.79	1/4		1/4		1/4		1/4		1/4	
1/2	1,869.85	1/2	1,490.68	1/2	1,110.03	1/2	731.26	1/2	351.88	1/2		1/2		1/2		1/2		1/2	
3/4	1,861.96	3/4	1,482.75	3/4	1,102.10	3/4	723.43	3/4	343.97	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 51' 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"


IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,288.94	0	5,005.89	0	4,695.93	0	4,385.98	0	4,076.02	0	3,757.22	0	3,376.51	0	2,995.81	0	2,615.10
1/4		1/4	5,286.24	1/4	4,999.43	1/4	4,689.47	1/4	4,379.52	1/4	4,069.56	1/4	3,749.29	1/4	3,368.58	1/4	2,987.88	1/4	2,607.17
1/2		1/2	5,283.55	1/2	4,992.97	1/2	4,683.02	1/2	4,373.06	1/2	4,063.11	1/2	3,741.36	1/2	3,360.65	1/2	2,979.94	1/2	2,599.24
3/4		3/4	5,279.79	3/4	4,986.51	3/4	4,676.56	3/4	4,366.60	3/4	4,056.65	3/4	3,733.43	3/4	3,352.72	3/4	2,972.01	3/4	2,591.31
1		1	5,276.02	1	4,980.06	1	4,670.10	1	4,360.15	1	4,050.19	1	3,725.50	1	3,344.79	1	2,964.08	1	2,583.37
1/4		1/4	5,272.25	1/4	4,973.60	1/4	4,663.64	1/4	4,353.69	1/4	4,043.73	1/4	3,717.56	1/4	3,336.86	1/4	2,956.15	1/4	2,575.44
1/2		1/2	5,268.49	1/2	4,967.14	1/2	4,657.19	1/2	4,347.23	1/2	4,037.28	1/2	3,709.63	1/2	3,328.93	1/2	2,948.22	1/2	2,567.51
3/4		3/4	5,263.64	3/4	4,960.68	3/4	4,650.73	3/4	4,340.77	3/4	4,030.82	3/4	3,701.70	3/4	3,320.99	3/4	2,940.29	3/4	2,559.58
2		2	5,258.80	2	4,954.23	2	4,644.27	2	4,334.32	2	4,024.36	2	3,693.77	2	3,313.06	2	2,932.36	2	2,551.65
1/4		1/4	5,253.96	1/4	4,947.77	1/4	4,637.81	1/4	4,327.86	1/4	4,017.90	1/4	3,685.84	1/4	3,305.13	1/4	2,924.42	1/4	2,543.72
1/2		1/2	5,249.11	1/2	4,941.31	1/2	4,631.36	1/2	4,321.40	1/2	4,011.45	1/2	3,677.91	1/2	3,297.20	1/2	2,916.49	1/2	2,535.79
3/4		3/4	5,243.20	3/4	4,934.85	3/4	4,624.90	3/4	4,314.94	3/4	4,004.99	3/4	3,669.98	3/4	3,289.27	3/4	2,908.56	3/4	2,527.85
3		3	5,237.28	3	4,928.40	3	4,618.44	3	4,308.49	3	3,998.53	3	3,662.04	3	3,281.34	3	2,900.63	3	2,519.92
1/4		1/4	5,231.36	1/4	4,921.94	1/4	4,611.98	1/4	4,302.03	1/4	3,992.07	1/4	3,654.11	1/4	3,273.41	1/4	2,892.70	1/4	2,511.99
1/2		1/2	5,225.44	1/2	4,915.48	1/2	4,605.53	1/2	4,295.57	1/2	3,985.62	1/2	3,646.18	1/2	3,265.47	1/2	2,884.77	1/2	2,504.06
3/4		3/4	5,218.98	3/4	4,909.02	3/4	4,599.07	3/4	4,289.11	3/4	3,979.16	3/4	3,638.25	3/4	3,257.54	3/4	2,876.84	3/4	2,496.13
4		4	5,212.52	4	4,902.57	4	4,592.61	4	4,282.66	4	3,972.70	4	3,630.32	4	3,249.61	4	2,868.90	4	2,488.20
1/4		1/4	5,206.07	1/4	4,896.11	1/4	4,586.15	1/4	4,276.20	1/4	3,966.24	1/4	3,622.39	1/4	3,241.68	1/4	2,860.97	1/4	2,480.27
1/2		1/2	5,199.61	1/2	4,889.65	1/2	4,579.70	1/2	4,269.74	1/2	3,959.79	1/2	3,614.46	1/2	3,233.75	1/2	2,853.04	1/2	2,472.33
3/4		3/4	5,193.15	3/4	4,883.20	3/4	4,573.24	3/4	4,263.78	3/4	3,953.33	3/4	3,606.52	3/4	3,225.82	3/4	2,845.11	3/4	2,464.40
5		5	5,186.69	5	4,876.74	5	4,566.78	5	4,256.83	5	3,946.87	5	3,598.59	5	3,217.89	5	2,837.18	5	2,456.47
1/4		1/4	5,180.24	1/4	4,870.28	1/4	4,560.33	1/4	4,250.37	1/4	3,940.41	1/4	3,590.66	1/4	3,209.95	1/4	2,829.25	1/4	2,448.54
1/2		1/2	5,173.78	1/2	4,863.82	1/2	4,553.87	1/2	4,243.91	1/2	3,933.96	1/2	3,582.73	1/2	3,202.02	1/2	2,821.32	1/2	2,440.61
3/4		3/4	5,167.32	3/4	4,857.37	3/4	4,547.41	3/4	4,237.46	3/4	3,927.50	3/4	3,574.80	3/4	3,194.09	3/4	2,813.38	3/4	2,432.68
6		6	5,160.86	6	4,850.91	6	4,540.95	6	4,231.00	6	3,921.04	6	3,566.87	6	3,186.16	6	2,805.45	6	2,424.75
1/4		1/4	5,154.41	1/4	4,844.45	1/4	4,534.50	1/4	4,224.54	1/4	3,914.59	1/4	3,558.94	1/4	3,178.23	1/4	2,797.52	1/4	2,416.81
1/2		1/2	5,147.95	1/2	4,837.99	1/2	4,528.04	1/2	4,218.08	1/2	3,908.13	1/2	3,551.00	1/2	3,170.30	1/2	2,789.59	1/2	2,408.88
3/4		3/4	5,141.49	3/4	4,831.54	3/4	4,521.58	3/4	4,211.63	3/4	3,901.67	3/4	3,543.07	3/4	3,162.37	3/4	2,781.66	3/4	2,400.95
7		7	5,135.03	7	4,825.08	7	4,515.12	7	4,205.17	7	3,895.21	7	3,535.14	7	3,154.43	7	2,773.73	7	2,393.02
1/4		1/4	5,128.58	1/4	4,818.62	1/4	4,508.67	1/4	4,198.71	1/4	3,888.76	1/4	3,527.21	1/4	3,146.50	1/4	2,765.80	1/4	2,385.09
1/2		1/2	5,122.12	1/2	4,812.16	1/2	4,502.21	1/2	4,192.25	1/2	3,882.30	1/2	3,519.28	1/2	3,138.57	1/2	2,757.86	1/2	2,377.16
3/4		3/4	5,115.66	3/4	4,805.71	3/4	4,495.75	3/4	4,185.80	3/4	3,875.84	3/4	3,511.35	3/4	3,130.64	3/4	2,749.93	3/4	2,369.23
8		8	5,109.20	8	4,799.25	8	4,489.29	8	4,179.34	8	3,869.38	8	3,503.42	8	3,122.71	8	2,742.00	8	2,361.29
1/4		1/4	5,102.75	1/4	4,792.79	1/4	4,482.84	1/4	4,172.88	1/4	3,862.93	1/4	3,495.48	1/4	3,114.78	1/4	2,734.07	1/4	2,353.36
1/2		1/2	5,096.29	1/2	4,786.33	1/2	4,476.38	1/2	4,166.42	1/2	3,856.47	1/2	3,487.55	1/2	3,106.85	1/2	2,726.14	1/2	2,345.43
3/4		3/4	5,089.83	3/4	4,779.88	3/4	4,469.92	3/4	4,159.97	3/4	3,850.01	3/4	3,479.62	3/4	3,098.91	3/4	2,718.21	3/4	2,337.50
9		9	5,083.37	9	4,773.42	9	4,463.46	9	4,153.51	9	3,843.55	9	3,471.69	9	3,090.98	9	2,710.28	9	2,329.57
1/4		1/4	5,076.92	1/4	4,766.96	1/4	4,457.01	1/4	4,147.05	1/4	3,837.10	1/4	3,463.76	1/4	3,083.05	1/4	2,702.34	1/4	2,321.64
1/2		1/2	5,070.46	1/2	4,760.50	1/2	4,450.55	1/2	4,140.59	1/2	3,830.64	1/2	3,455.83	1/2	3,075.12	1/2	2,694.41	1/2	2,313.71
3/4		3/4	5,064.00	3/4	4,754.05	3/4	4,444.09	3/4	4,134.14	3/4	3,824.18	3/4	3,447.90	3/4	3,067.19	3/4	2,686.48	3/4	2,305.77
10		10	5,057.54	10	4,747.59	10	4,437.63	10	4,127.68	10	3,817.72	10	3,439.96	10	3,059.26	10	2,678.55	10	2,297.84
1/4		1/4	5,051.09	1/4	4,741.13	1/4	4,431.18	1/4	4,121.22	1/4	3,811.27	1/4	3,432.03	1/4	3,051.33	1/4	2,670.62	1/4	2,289.91
1/2	5,300.77	1/2	5,044.63	1/2	4,734.67	1/2	4,424.72	1/2	4,114.76	1/2	3,804.81	1/2	3,424.10	1/2	3,043.39	1/2	2,662.69	1/2	2,281.98
3/4	5,299.16	3/4	5,038.17	3/4	4,728.22	3/4	4,418.26	3/4	4,108.31	3/4	3,796.88	3/4	3,416.17	3/4	3,035.46	3/4	2,654.76	3/4	2,274.05
11	5,297.54	11	5,031.72	11	4,721.76	11	4,411.80	11	4,101.85	11	3,788.95	11	3,408.24	11	3,027.53	11	2,646.82	11	2,266.12
1/4	5,295.93	1/4	5,025.26	1/4	4,715.30	1/4	4,405.35	1/4	4,095.39	1/4	3,781.02	1/4	3,400.31	1/4	3,019.60	1/4	2,638.89	1/4	2,258.19
1/2	5,294.32	1/2	5,018.80	1/2	4,708.85	1/2	4,398.89	1/2	4,088.93	1/2	3,773.08	1/2	3,392.38	1/2	3,011.67	1/2	2,630.96	1/2	2,250.25
3/4	5,291.63	3/4	5,012.34	3/4	4,702.39	3/4	4,392.43	3/4	4,082.48	3/4	3,765.15	3/4	3,384.45	3/4	3,003.74	3/4	2,623.03	3/4	2,242.32

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 51' 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



**BARGE "GBL 1432B"
HULL NO. 05-2543**

**1 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"


IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,234.39	0	1,854.07	0	1,474.82	0	1,094.17	0	715.59	0	336.06	0		0		0		0	
1/4	2,226.46	1/4	1,846.17	1/4	1,466.90	1/4	1,086.24	1/4	707.76	1/4	328.15	1/4		1/4		1/4		1/4	
1/2	2,218.53	1/2	1,838.28	1/2	1,458.97	1/2	1,078.31	1/2	699.92	1/2	320.24	1/2		1/2		1/2		1/2	
3/4	2,210.60	3/4	1,830.39	3/4	1,451.04	3/4	1,070.38	3/4	692.01	3/4	312.33	3/4		3/4		3/4		3/4	
1	2,202.67	1	1,822.49	1	1,443.11	1	1,062.45	1	684.10	1	304.42	1		1		1		1	
1/4	2,194.74	1/4	1,814.60	1/4	1,435.18	1/4	1,054.52	1/4	676.19	1/4	296.51	1/4		1/4		1/4		1/4	
1/2	2,186.80	1/2	1,806.71	1/2	1,427.25	1/2	1,046.59	1/2	668.28	1/2	288.60	1/2		1/2		1/2		1/2	
3/4	2,178.87	3/4	1,798.81	3/4	1,419.32	3/4	1,038.66	3/4	660.37	3/4	280.69	3/4		3/4		3/4		3/4	
2	2,170.94	2	1,790.92	2	1,411.40	2	1,030.72	2	652.46	2	272.78	2		2		2		2	
1/4	2,163.01	1/4	1,783.03	1/4	1,403.47	1/4	1,022.79	1/4	644.55	1/4	264.87	1/4		1/4		1/4		1/4	
1/2	2,155.08	1/2	1,775.13	1/2	1,395.54	1/2	1,014.86	1/2	636.64	1/2	256.96	1/2		1/2		1/2		1/2	
3/4	2,147.15	3/4	1,767.24	3/4	1,387.61	3/4	1,006.93	3/4	628.73	3/4	249.05	3/4		3/4		3/4		3/4	
3	2,139.22	3	1,759.35	3	1,379.68	3	999.00	3	620.82	3	241.14	3		3		3		3	
1/4	2,131.28	1/4	1,751.45	1/4	1,371.75	1/4	991.07	1/4	612.91	1/4	233.23	1/4		1/4		1/4		1/4	
1/2	2,123.35	1/2	1,743.56	1/2	1,363.83	1/2	983.14	1/2	605.00	1/2	225.32	1/2		1/2		1/2		1/2	
3/4	2,115.42	3/4	1,735.67	3/4	1,355.90	3/4	975.21	3/4	597.09	3/4	217.41	3/4		3/4		3/4		3/4	
4	2,107.49	4	1,727.77	4	1,347.96	4	967.28	4	589.18	4	209.50	4		4		4		4	
1/4	2,099.56	1/4	1,719.88	1/4	1,340.03	1/4	959.35	1/4	581.27	1/4	201.59	1/4		1/4		1/4		1/4	
1/2	2,091.63	1/2	1,711.99	1/2	1,332.10	1/2	951.41	1/2	573.36	1/2	193.68	1/2		1/2		1/2		1/2	
3/4	2,083.70	3/4	1,704.09	3/4	1,324.17	3/4	943.48	3/4	565.45	3/4	185.77	3/4		3/4		3/4		3/4	
5	2,075.76	5	1,696.20	5	1,316.24	5	935.55	5	557.54	5	177.86	5		5		5		5	
1/4	2,067.83	1/4	1,688.31	1/4	1,308.31	1/4	927.62	1/4	549.63	1/4	169.95	1/4		1/4		1/4		1/4	
1/2	2,059.90	1/2	1,680.41	1/2	1,300.38	1/2	919.69	1/2	541.72	1/2	162.04	1/2		1/2		1/2		1/2	
3/4	2,051.97	3/4	1,672.52	3/4	1,292.45	3/4	911.76	3/4	533.81	3/4	154.13	3/4		3/4		3/4		3/4	
6	2,044.04	6	1,664.63	6	1,284.52	6	903.83	6	525.90	6	146.22	6		6		6		6	
1/4	2,036.11	1/4	1,656.73	1/4	1,276.59	1/4	895.90	1/4	517.99	1/4	138.31	1/4		1/4		1/4		1/4	
1/2	2,028.18	1/2	1,648.84	1/2	1,268.65	1/2	887.97	1/2	510.08	1/2	130.40	1/2		1/2		1/2		1/2	
3/4	2,020.24	3/4	1,640.95	3/4	1,260.72	3/4	880.13	3/4	502.17	3/4	122.49	3/4		3/4		3/4		3/4	
7	2,012.31	7	1,633.05	7	1,252.79	7	872.30	7	494.26	7	114.58	7		7		7		7	
1/4	2,004.38	1/4	1,625.16	1/4	1,244.86	1/4	864.46	1/4	486.35	1/4	106.67	1/4		1/4		1/4		1/4	
1/2	1,996.45	1/2	1,617.27	1/2	1,236.93	1/2	856.63	1/2	478.44	1/2	98.76	1/2		1/2		1/2		1/2	
3/4	1,988.52	3/4	1,609.37	3/4	1,229.00	3/4	848.79	3/4	470.53	3/4	90.85	3/4		3/4		3/4		3/4	
8	1,980.59	8	1,601.48	8	1,221.07	8	840.96	8	462.62	8	82.94	8		8		8		8	
1/4	1,972.66	1/4	1,593.58	1/4	1,213.14	1/4	833.12	1/4	454.71	1/4	75.03	1/4		1/4		1/4		1/4	
1/2	1,964.72	1/2	1,585.69	1/2	1,205.21	1/2	825.29	1/2	446.80	1/2	67.12	1/2		1/2		1/2		1/2	
3/4	1,956.79	3/4	1,577.79	3/4	1,197.28	3/4	817.45	3/4	438.89	3/4	60.20	3/4		3/4		3/4		3/4	
9	1,948.86	9	1,569.90	9	1,189.34	9	809.62	9	430.98	9	53.28	9		9		9		9	
1/4	1,940.93	1/4	1,562.00	1/4	1,181.41	1/4	801.78	1/4	423.07	1/4	46.36	1/4		1/4		1/4		1/4	
1/2	1,933.00	1/2	1,554.11	1/2	1,173.48	1/2	793.94	1/2	415.16	1/2	39.44	1/2		1/2		1/2		1/2	
3/4	1,925.11	3/4	1,546.18	3/4	1,165.55	3/4	786.11	3/4	407.25	3/4	34.51	3/4		3/4		3/4		3/4	
10	1,917.21	10	1,538.25	10	1,157.62	10	778.27	10	399.34	10	29.57	10		10		10		10	
1/4	1,909.32	1/4	1,530.32	1/4	1,149.69	1/4	770.44	1/4	391.43	1/4	24.63	1/4		1/4		1/4		1/4	
1/2	1,901.43	1/2	1,522.39	1/2	1,141.76	1/2	762.60	1/2	383.52	1/2	19.70	1/2		1/2		1/2		1/2	
3/4	1,893.53	3/4	1,514.47	3/4	1,133.83	3/4	754.77	3/4	375.61	3/4	0	3/4		3/4		3/4		3/4	
11	1,885.64	11	1,506.54	11	1,125.90	11	746.93	11	367.70	11		11		11		11		11	
1/4	1,877.75	1/4	1,498.61	1/4	1,117.97	1/4	739.10	1/4	359.79	1/4		1/4		1/4		1/4		1/4	
1/2	1,869.85	1/2	1,490.68	1/2	1,110.03	1/2	731.26	1/2	351.88	1/2		1/2		1/2		1/2		1/2	
3/4	1,861.96	3/4	1,482.75	3/4	1,102.10	3/4	723.43	3/4	343.97	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 51' 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,303.78	0	4,984.79	0	4,625.81	0	4,266.82	0	3,907.83	0	3,548.85	0	3,189.86	0	2,830.87	0	2,471.88
1/4		1/4	5,301.30	1/4	4,977.32	1/4	4,618.33	1/4	4,259.34	1/4	3,900.35	1/4	3,541.37	1/4	3,182.38	1/4	2,823.39	1/4	2,464.41
1/2		1/2	5,298.82	1/2	4,969.84	1/2	4,610.85	1/2	4,251.86	1/2	3,892.88	1/2	3,533.89	1/2	3,174.90	1/2	2,815.91	1/2	2,456.93
3/4		3/4	5,295.09	3/4	4,962.36	3/4	4,603.37	3/4	4,244.38	3/4	3,885.40	3/4	3,526.41	3/4	3,167.42	3/4	2,808.43	3/4	2,449.45
1		1	5,291.37	1	4,954.88	1	4,595.89	1	4,236.90	1	3,877.92	1	3,518.93	1	3,159.94	1	2,800.96	1	2,441.97
1/4		1/4	5,287.64	1/4	4,947.40	1/4	4,588.41	1/4	4,229.43	1/4	3,870.44	1/4	3,511.45	1/4	3,152.46	1/4	2,793.48	1/4	2,434.49
1/2		1/2	5,283.91	1/2	4,939.92	1/2	4,580.93	1/2	4,221.95	1/2	3,862.96	1/2	3,503.97	1/2	3,144.99	1/2	2,786.00	1/2	2,427.01
3/4		3/4	5,278.93	3/4	4,932.44	3/4	4,573.46	3/4	4,214.47	3/4	3,855.48	3/4	3,496.49	3/4	3,137.51	3/4	2,778.52	3/4	2,419.53
2		2	5,273.95	2	4,924.96	2	4,565.98	2	4,206.99	2	3,848.00	2	3,489.01	2	3,130.03	2	2,771.04	2	2,412.05
1/4		1/4	5,268.97	1/4	4,917.48	1/4	4,558.50	1/4	4,199.51	1/4	3,840.52	1/4	3,481.54	1/4	3,122.55	1/4	2,763.56	1/4	2,404.57
1/2		1/2	5,263.99	1/2	4,910.01	1/2	4,551.02	1/2	4,192.03	1/2	3,833.04	1/2	3,474.06	1/2	3,115.07	1/2	2,756.08	1/2	2,397.10
3/4		3/4	5,257.76	3/4	4,902.53	3/4	4,543.54	3/4	4,184.55	3/4	3,825.57	3/4	3,466.58	3/4	3,107.59	3/4	2,748.60	3/4	2,389.62
3		3	5,251.54	3	4,895.05	3	4,536.06	3	4,177.07	3	3,818.09	3	3,459.10	3	3,100.11	3	2,741.12	3	2,382.14
1/4		1/4	5,245.31	1/4	4,887.57	1/4	4,528.58	1/4	4,169.59	1/4	3,810.61	1/4	3,451.62	1/4	3,092.63	1/4	2,733.65	1/4	2,374.66
1/2		1/2	5,239.08	1/2	4,880.09	1/2	4,521.10	1/2	4,162.12	1/2	3,803.13	1/2	3,444.14	1/2	3,085.15	1/2	2,726.17	1/2	2,367.18
3/4		3/4	5,231.60	3/4	4,872.61	3/4	4,513.62	3/4	4,154.64	3/4	3,795.65	3/4	3,436.66	3/4	3,077.68	3/4	2,718.69	3/4	2,359.70
4		4	5,224.12	4	4,865.13	4	4,506.14	4	4,147.16	4	3,788.17	4	3,429.18	4	3,070.20	4	2,711.21	4	2,352.22
1/4		1/4	5,216.64	1/4	4,857.65	1/4	4,498.67	1/4	4,139.68	1/4	3,780.69	1/4	3,421.70	1/4	3,062.72	1/4	2,703.73	1/4	2,344.74
1/2		1/2	5,209.16	1/2	4,850.17	1/2	4,491.19	1/2	4,132.20	1/2	3,773.21	1/2	3,414.23	1/2	3,055.24	1/2	2,696.25	1/2	2,337.26
3/4		3/4	5,201.68	3/4	4,842.70	3/4	4,483.71	3/4	4,124.72	3/4	3,765.73	3/4	3,406.75	3/4	3,047.76	3/4	2,688.77	3/4	2,329.79
5		5	5,194.20	5	4,835.22	5	4,476.23	5	4,117.24	5	3,758.25	5	3,399.27	5	3,040.28	5	2,681.29	5	2,322.31
1/4		1/4	5,186.72	1/4	4,827.74	1/4	4,468.75	1/4	4,109.76	1/4	3,750.78	1/4	3,391.79	1/4	3,032.80	1/4	2,673.81	1/4	2,314.83
1/2		1/2	5,179.25	1/2	4,820.26	1/2	4,461.27	1/2	4,102.28	1/2	3,743.30	1/2	3,384.31	1/2	3,025.32	1/2	2,666.34	1/2	2,307.35
3/4		3/4	5,171.77	3/4	4,812.78	3/4	4,453.79	3/4	4,094.81	3/4	3,735.82	3/4	3,376.83	3/4	3,017.84	3/4	2,658.86	3/4	2,299.87
6		6	5,164.29	6	4,805.30	6	4,446.31	6	4,087.33	6	3,728.34	6	3,369.35	6	3,010.36	6	2,651.38	6	2,292.39
1/4		1/4	5,156.81	1/4	4,797.82	1/4	4,438.83	1/4	4,079.85	1/4	3,720.86	1/4	3,361.87	1/4	3,002.89	1/4	2,643.90	1/4	2,284.91
1/2		1/2	5,149.33	1/2	4,790.34	1/2	4,431.36	1/2	4,072.37	1/2	3,713.38	1/2	3,354.39	1/2	2,995.41	1/2	2,636.42	1/2	2,277.43
3/4		3/4	5,141.85	3/4	4,782.86	3/4	4,423.88	3/4	4,064.89	3/4	3,705.90	3/4	3,346.92	3/4	2,987.93	3/4	2,628.94	3/4	2,269.95
7		7	5,134.37	7	4,775.39	7	4,416.40	7	4,057.41	7	3,698.42	7	3,339.44	7	2,980.45	7	2,621.46	7	2,262.47
1/4		1/4	5,126.89	1/4	4,767.91	1/4	4,408.92	1/4	4,049.93	1/4	3,690.94	1/4	3,331.96	1/4	2,972.97	1/4	2,613.98	1/4	2,255.00
1/2		1/2	5,119.41	1/2	4,760.43	1/2	4,401.44	1/2	4,042.45	1/2	3,683.47	1/2	3,324.48	1/2	2,965.49	1/2	2,606.50	1/2	2,247.52
3/4		3/4	5,111.94	3/4	4,752.95	3/4	4,393.96	3/4	4,034.97	3/4	3,675.99	3/4	3,317.00	3/4	2,958.01	3/4	2,599.03	3/4	2,240.04
8		8	5,104.46	8	4,745.47	8	4,386.48	8	4,027.50	8	3,668.51	8	3,309.52	8	2,950.53	8	2,591.55	8	2,232.56
1/4		1/4	5,096.98	1/4	4,737.99	1/4	4,379.00	1/4	4,020.02	1/4	3,661.03	1/4	3,302.04	1/4	2,943.05	1/4	2,584.07	1/4	2,225.08
1/2		1/2	5,089.50	1/2	4,730.51	1/2	4,371.52	1/2	4,012.54	1/2	3,653.55	1/2	3,294.56	1/2	2,935.58	1/2	2,576.59	1/2	2,217.60
3/4		3/4	5,082.02	3/4	4,723.03	3/4	4,364.05	3/4	4,005.06	3/4	3,646.07	3/4	3,287.08	3/4	2,928.10	3/4	2,569.11	3/4	2,210.12
9		9	5,074.54	9	4,715.55	9	4,356.57	9	3,997.58	9	3,638.59	9	3,279.61	9	2,920.62	9	2,561.63	9	2,202.64
1/4		1/4	5,067.06	1/4	4,708.08	1/4	4,349.09	1/4	3,990.10	1/4	3,631.11	1/4	3,272.13	1/4	2,913.14	1/4	2,554.15	1/4	2,195.16
1/2		1/2	5,059.58	1/2	4,700.60	1/2	4,341.61	1/2	3,982.62	1/2	3,623.63	1/2	3,264.65	1/2	2,905.66	1/2	2,546.67	1/2	2,187.69
3/4		3/4	5,052.10	3/4	4,693.12	3/4	4,334.13	3/4	3,975.14	3/4	3,616.16	3/4	3,257.17	3/4	2,898.18	3/4	2,539.19	3/4	2,180.21
10		10	5,044.63	10	4,685.64	10	4,326.65	10	3,967.66	10	3,608.68	10	3,249.69	10	2,890.70	10	2,531.72	10	2,172.73
1/4		1/4	5,037.15	1/4	4,678.16	1/4	4,319.17	1/4	3,960.19	1/4	3,601.20	1/4	3,242.21	1/4	2,883.22	1/4	2,524.24	1/4	2,165.25
1/2	5,313.65	1/2	5,029.67	1/2	4,670.68	1/2	4,311.69	1/2	3,952.71	1/2	3,593.72	1/2	3,234.73	1/2	2,875.74	1/2	2,516.76	1/2	2,157.77
3/4	5,312.42	3/4	5,022.19	3/4	4,663.20	3/4	4,304.21	3/4	3,945.23	3/4	3,586.24	3/4	3,227.25	3/4	2,868.27	3/4	2,509.28	3/4	2,150.29
11	5,311.19	11	5,014.71	11	4,655.72	11	4,296.74	11	3,937.75	11	3,578.76	11	3,219.77	11	2,860.79	11	2,501.80	11	2,142.81
1/4	5,309.97	1/4	5,007.23	1/4	4,648.24	1/4	4,289.26	1/4	3,930.27	1/4	3,571.28	1/4	3,212.30	1/4	2,853.31	1/4	2,494.32	1/4	2,135.33
1/2	5,308.74	1/2	4,999.75	1/2	4,640.77	1/2	4,281.78	1/2	3,922.79	1/2	3,563.80	1/2	3,204.82	1/2	2,845.83	1/2	2,486.84	1/2	2,127.85
3/4	5,306.26	3/4	4,992.27	3/4	4,633.29	3/4	4,274.30	3/4	3,915.31	3/4	3,556.32	3/4	3,197.34	3/4	2,838.35	3/4	2,479.36	3/4	2,120.38

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 44' 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



**BARGE "GBL 1432B"
HULL NO. 05-2543**

**2 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 10-1/2"


IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,112.90	0	1,753.91	0	1,394.92	0	1,035.94	0	676.95	0	317.96	0		0		0		0	
1/4	2,105.42	1/4	1,746.43	1/4	1,387.44	1/4	1,028.46	1/4	669.47	1/4	310.48	1/4		1/4		1/4		1/4	
1/2	2,097.94	1/2	1,738.95	1/2	1,379.96	1/2	1,020.98	1/2	661.99	1/2	303.00	1/2		1/2		1/2		1/2	
3/4	2,090.46	3/4	1,731.47	3/4	1,372.49	3/4	1,013.50	3/4	654.51	3/4	295.52	3/4		3/4		3/4		3/4	
1	2,082.98	1	1,723.99	1	1,365.01	1	1,006.02	1	647.03	1	288.05	1		1		1		1	
1/4	2,075.50	1/4	1,716.52	1/4	1,357.53	1/4	998.54	1/4	639.55	1/4	280.57	1/4		1/4		1/4		1/4	
1/2	2,068.02	1/2	1,709.04	1/2	1,350.05	1/2	991.06	1/2	632.07	1/2	273.09	1/2		1/2		1/2		1/2	
3/4	2,060.54	3/4	1,701.56	3/4	1,342.57	3/4	983.58	3/4	624.60	3/4	265.61	3/4		3/4		3/4		3/4	
2	2,053.07	2	1,694.08	2	1,335.09	2	976.10	2	617.12	2	258.13	2		2		2		2	
1/4	2,045.59	1/4	1,686.60	1/4	1,327.61	1/4	968.63	1/4	609.64	1/4	250.65	1/4		1/4		1/4		1/4	
1/2	2,038.11	1/2	1,679.12	1/2	1,320.13	1/2	961.15	1/2	602.16	1/2	243.17	1/2		1/2		1/2		1/2	
3/4	2,030.63	3/4	1,671.64	3/4	1,312.65	3/4	953.67	3/4	594.68	3/4	235.69	3/4		3/4		3/4		3/4	
3	2,023.15	3	1,664.16	3	1,305.18	3	946.19	3	587.20	3	228.21	3		3		3		3	
1/4	2,015.67	1/4	1,656.68	1/4	1,297.70	1/4	938.71	1/4	579.72	1/4	220.74	1/4		1/4		1/4		1/4	
1/2	2,008.19	1/2	1,649.21	1/2	1,290.22	1/2	931.23	1/2	572.24	1/2	213.26	1/2		1/2		1/2		1/2	
3/4	2,000.71	3/4	1,641.73	3/4	1,282.74	3/4	923.75	3/4	564.76	3/4	205.78	3/4		3/4		3/4		3/4	
4	1,993.23	4	1,634.25	4	1,275.26	4	916.27	4	557.29	4	198.30	4		4		4		4	
1/4	1,985.76	1/4	1,626.77	1/4	1,267.78	1/4	908.79	1/4	549.81	1/4	190.82	1/4		1/4		1/4		1/4	
1/2	1,978.28	1/2	1,619.29	1/2	1,260.30	1/2	901.32	1/2	542.33	1/2	183.34	1/2		1/2		1/2		1/2	
3/4	1,970.80	3/4	1,611.81	3/4	1,252.82	3/4	893.84	3/4	534.85	3/4	175.86	3/4		3/4		3/4		3/4	
5	1,963.32	5	1,604.33	5	1,245.34	5	886.36	5	527.37	5	168.38	5		5		5		5	
1/4	1,955.84	1/4	1,596.85	1/4	1,237.87	1/4	878.88	1/4	519.89	1/4	160.90	1/4		1/4		1/4		1/4	
1/2	1,948.36	1/2	1,589.37	1/2	1,230.39	1/2	871.40	1/2	512.41	1/2	153.43	1/2		1/2		1/2		1/2	
3/4	1,940.88	3/4	1,581.90	3/4	1,222.91	3/4	863.92	3/4	504.93	3/4	145.95	3/4		3/4		3/4		3/4	
6	1,933.40	6	1,574.42	6	1,215.43	6	856.44	6	497.45	6	138.47	6		6		6		6	
1/4	1,925.92	1/4	1,566.94	1/4	1,207.95	1/4	848.96	1/4	489.98	1/4	130.99	1/4		1/4		1/4		1/4	
1/2	1,918.45	1/2	1,559.46	1/2	1,200.47	1/2	841.48	1/2	482.50	1/2	123.51	1/2		1/2		1/2		1/2	
3/4	1,910.97	3/4	1,551.98	3/4	1,192.99	3/4	834.01	3/4	475.02	3/4	116.03	3/4		3/4		3/4		3/4	
7	1,903.49	7	1,544.50	7	1,185.51	7	826.53	7	467.54	7	108.55	7		7		7		7	
1/4	1,896.01	1/4	1,537.02	1/4	1,178.03	1/4	819.05	1/4	460.06	1/4	101.07	1/4		1/4		1/4		1/4	
1/2	1,888.53	1/2	1,529.54	1/2	1,170.56	1/2	811.57	1/2	452.58	1/2	93.59	1/2		1/2		1/2		1/2	
3/4	1,881.05	3/4	1,522.06	3/4	1,163.08	3/4	804.09	3/4	445.10	3/4	86.12	3/4		3/4		3/4		3/4	
8	1,873.57	8	1,514.58	8	1,155.60	8	796.61	8	437.62	8	78.64	8		8		8		8	
1/4	1,866.09	1/4	1,507.11	1/4	1,148.12	1/4	789.13	1/4	430.14	1/4	71.16	1/4		1/4		1/4		1/4	
1/2	1,858.61	1/2	1,499.63	1/2	1,140.64	1/2	781.65	1/2	422.67	1/2	63.68	1/2		1/2		1/2		1/2	
3/4	1,851.14	3/4	1,492.15	3/4	1,133.16	3/4	774.17	3/4	415.19	3/4	57.14	3/4		3/4		3/4		3/4	
9	1,843.66	9	1,484.67	9	1,125.68	9	766.69	9	407.71	9	50.60	9		9		9		9	
1/4	1,836.18	1/4	1,477.19	1/4	1,118.20	1/4	759.22	1/4	400.23	1/4	44.05	1/4		1/4		1/4		1/4	
1/2	1,828.70	1/2	1,469.71	1/2	1,110.72	1/2	751.74	1/2	392.75	1/2	37.51	1/2		1/2		1/2		1/2	
3/4	1,821.22	3/4	1,462.23	3/4	1,103.25	3/4	744.26	3/4	385.27	3/4	32.85	3/4		3/4		3/4		3/4	
10	1,813.74	10	1,454.75	10	1,095.77	10	736.78	10	377.79	10	28.18	10		10		10		10	
1/4	1,806.26	1/4	1,447.27	1/4	1,088.29	1/4	729.30	1/4	370.31	1/4	23.51	1/4		1/4		1/4		1/4	
1/2	1,798.78	1/2	1,439.80	1/2	1,080.81	1/2	721.82	1/2	362.83	1/2	18.85	1/2		1/2		1/2		1/2	
3/4	1,791.30	3/4	1,432.32	3/4	1,073.33	3/4	714.34	3/4	355.36	3/4		3/4		3/4		3/4		3/4	
11	1,783.83	11	1,424.84	11	1,065.85	11	706.86	11	347.88	11		11		11		11		11	
1/4	1,776.35	1/4	1,417.36	1/4	1,058.37	1/4	699.38	1/4	340.40	1/4		1/4		1/4		1/4		1/4	
1/2	1,768.87	1/2	1,409.88	1/2	1,050.89	1/2	691.91	1/2	332.92	1/2		1/2		1/2		1/2		1/2	
3/4	1,761.39	3/4	1,402.40	3/4	1,043.41	3/4	684.43	3/4	325.44	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 44' 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 9-1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,291.37	0	4,954.88	0	4,595.89	0	4,236.90	0	3,877.92	0	3,518.93	0	3,159.94	0	2,800.96	0	2,441.97
1/4		1/4	5,287.64	1/4	4,947.40	1/4	4,588.41	1/4	4,229.43	1/4	3,870.44	1/4	3,511.45	1/4	3,152.46	1/4	2,793.48	1/4	2,434.49
1/2		1/2	5,283.91	1/2	4,939.92	1/2	4,580.93	1/2	4,221.95	1/2	3,862.96	1/2	3,503.97	1/2	3,144.99	1/2	2,786.00	1/2	2,427.01
3/4		3/4	5,278.93	3/4	4,932.44	3/4	4,573.46	3/4	4,214.47	3/4	3,855.48	3/4	3,496.49	3/4	3,137.51	3/4	2,778.52	3/4	2,419.53
1		1	5,273.95	1	4,924.96	1	4,565.98	1	4,206.99	1	3,848.00	1	3,489.01	1	3,130.03	1	2,771.04	1	2,412.05
1/4		1/4	5,268.97	1/4	4,917.48	1/4	4,558.50	1/4	4,199.51	1/4	3,840.52	1/4	3,481.54	1/4	3,122.55	1/4	2,763.56	1/4	2,404.57
1/2		1/2	5,263.99	1/2	4,910.01	1/2	4,551.02	1/2	4,192.03	1/2	3,833.04	1/2	3,474.06	1/2	3,115.07	1/2	2,756.08	1/2	2,397.10
3/4		3/4	5,257.76	3/4	4,902.53	3/4	4,543.54	3/4	4,184.55	3/4	3,825.57	3/4	3,466.58	3/4	3,107.59	3/4	2,748.60	3/4	2,389.62
2		2	5,251.54	2	4,895.05	2	4,536.06	2	4,177.07	2	3,818.09	2	3,459.10	2	3,100.11	2	2,741.12	2	2,382.14
1/4		1/4	5,245.31	1/4	4,887.57	1/4	4,528.58	1/4	4,169.59	1/4	3,810.61	1/4	3,451.62	1/4	3,092.63	1/4	2,733.65	1/4	2,374.66
1/2		1/2	5,239.08	1/2	4,880.09	1/2	4,521.10	1/2	4,162.12	1/2	3,803.13	1/2	3,444.14	1/2	3,085.15	1/2	2,726.17	1/2	2,367.18
3/4		3/4	5,231.60	3/4	4,872.61	3/4	4,513.62	3/4	4,154.64	3/4	3,795.65	3/4	3,436.66	3/4	3,077.68	3/4	2,718.69	3/4	2,359.70
3		3	5,224.12	3	4,865.13	3	4,506.14	3	4,147.16	3	3,788.17	3	3,429.18	3	3,070.20	3	2,711.21	3	2,352.22
1/4		1/4	5,216.64	1/4	4,857.65	1/4	4,498.67	1/4	4,139.68	1/4	3,780.69	1/4	3,421.70	1/4	3,062.72	1/4	2,703.73	1/4	2,344.74
1/2		1/2	5,209.16	1/2	4,850.17	1/2	4,491.19	1/2	4,132.20	1/2	3,773.21	1/2	3,414.23	1/2	3,055.24	1/2	2,696.25	1/2	2,337.26
3/4		3/4	5,201.68	3/4	4,842.70	3/4	4,483.71	3/4	4,124.72	3/4	3,765.73	3/4	3,406.75	3/4	3,047.76	3/4	2,688.77	3/4	2,330.79
4		4	5,194.20	4	4,835.22	4	4,476.23	4	4,117.24	4	3,758.25	4	3,399.27	4	3,040.28	4	2,681.29	4	2,322.31
1/4		1/4	5,186.72	1/4	4,827.74	1/4	4,468.75	1/4	4,109.76	1/4	3,750.78	1/4	3,391.79	1/4	3,032.80	1/4	2,673.81	1/4	2,314.83
1/2		1/2	5,179.25	1/2	4,820.26	1/2	4,461.27	1/2	4,102.28	1/2	3,743.30	1/2	3,384.31	1/2	3,025.32	1/2	2,666.34	1/2	2,307.35
3/4		3/4	5,171.77	3/4	4,812.78	3/4	4,453.79	3/4	4,094.81	3/4	3,735.82	3/4	3,376.83	3/4	3,017.84	3/4	2,658.86	3/4	2,299.87
5		5	5,164.29	5	4,805.30	5	4,446.31	5	4,087.33	5	3,728.34	5	3,369.35	5	3,010.36	5	2,651.38	5	2,292.39
1/4		1/4	5,156.81	1/4	4,797.82	1/4	4,438.83	1/4	4,079.85	1/4	3,720.86	1/4	3,361.87	1/4	3,002.89	1/4	2,643.90	1/4	2,284.91
1/2		1/2	5,149.33	1/2	4,790.34	1/2	4,431.36	1/2	4,072.37	1/2	3,713.38	1/2	3,354.39	1/2	2,995.41	1/2	2,636.42	1/2	2,277.43
3/4		3/4	5,141.85	3/4	4,782.86	3/4	4,423.88	3/4	4,064.89	3/4	3,705.90	3/4	3,346.92	3/4	2,987.93	3/4	2,628.94	3/4	2,269.95
6		6	5,134.37	6	4,775.39	6	4,416.40	6	4,057.41	6	3,698.42	6	3,339.44	6	2,980.45	6	2,621.46	6	2,262.47
1/4		1/4	5,126.89	1/4	4,767.91	1/4	4,408.92	1/4	4,049.93	1/4	3,690.94	1/4	3,331.96	1/4	2,972.97	1/4	2,613.98	1/4	2,255.00
1/2		1/2	5,119.41	1/2	4,760.43	1/2	4,401.44	1/2	4,042.45	1/2	3,683.47	1/2	3,324.48	1/2	2,965.49	1/2	2,606.50	1/2	2,247.52
3/4		3/4	5,111.94	3/4	4,752.95	3/4	4,393.96	3/4	4,034.97	3/4	3,675.99	3/4	3,317.00	3/4	2,958.01	3/4	2,599.03	3/4	2,240.04
7		7	5,104.46	7	4,745.47	7	4,386.48	7	4,027.50	7	3,668.51	7	3,309.52	7	2,950.53	7	2,591.55	7	2,232.56
1/4		1/4	5,096.98	1/4	4,737.99	1/4	4,379.00	1/4	4,020.02	1/4	3,661.03	1/4	3,302.04	1/4	2,943.05	1/4	2,584.07	1/4	2,225.08
1/2		1/2	5,089.50	1/2	4,730.51	1/2	4,371.52	1/2	4,012.54	1/2	3,653.55	1/2	3,294.56	1/2	2,935.58	1/2	2,576.59	1/2	2,217.60
3/4		3/4	5,082.02	3/4	4,723.03	3/4	4,364.05	3/4	4,005.06	3/4	3,646.07	3/4	3,287.08	3/4	2,928.10	3/4	2,569.11	3/4	2,210.12
8		8	5,074.54	8	4,715.55	8	4,356.57	8	3,997.58	8	3,638.59	8	3,279.61	8	2,920.62	8	2,561.63	8	2,202.64
1/4		1/4	5,067.06	1/4	4,708.08	1/4	4,349.09	1/4	3,990.10	1/4	3,631.11	1/4	3,272.13	1/4	2,913.14	1/4	2,554.15	1/4	2,195.16
1/2		1/2	5,059.58	1/2	4,700.60	1/2	4,341.61	1/2	3,982.62	1/2	3,623.63	1/2	3,264.65	1/2	2,905.66	1/2	2,546.67	1/2	2,187.69
3/4		3/4	5,052.10	3/4	4,693.12	3/4	4,334.13	3/4	3,975.14	3/4	3,616.16	3/4	3,257.17	3/4	2,898.18	3/4	2,539.19	3/4	2,180.21
9		9	5,044.63	9	4,685.64	9	4,326.65	9	3,967.66	9	3,608.68	9	3,249.69	9	2,890.70	9	2,531.72	9	2,172.73
1/4		1/4	5,037.15	1/4	4,678.16	1/4	4,319.17	1/4	3,960.19	1/4	3,601.20	1/4	3,242.21	1/4	2,883.22	1/4	2,524.24	1/4	2,165.25
1/2	5,313.65	1/2	5,029.67	1/2	4,670.68	1/2	4,311.69	1/2	3,952.71	1/2	3,593.72	1/2	3,234.73	1/2	2,875.74	1/2	2,516.76	1/2	2,157.77
3/4	5,312.42	3/4	5,022.19	3/4	4,663.20	3/4	4,304.21	3/4	3,945.23	3/4	3,586.24	3/4	3,227.25	3/4	2,868.27	3/4	2,509.28	3/4	2,150.29
10	5,311.19	10	5,014.71	10	4,655.72	10	4,296.74	10	3,937.75	10	3,578.76	10	3,219.77	10	2,860.79	10	2,501.80	10	2,142.81
1/4	5,309.97	1/4	5,007.23	1/4	4,648.24	1/4	4,289.26	1/4	3,930.27	1/4	3,571.28	1/4	3,212.30	1/4	2,853.31	1/4	2,494.32	1/4	2,135.33
1/2	5,308.74	1/2	4,999.75	1/2	4,640.77	1/2	4,281.78	1/2	3,922.79	1/2	3,563.80	1/2	3,204.82	1/2	2,845.83	1/2	2,486.84	1/2	2,127.85
3/4	5,306.26	3/4	4,992.27	3/4	4,633.29	3/4	4,274.30	3/4	3,915.31	3/4	3,556.32	3/4	3,197.34	3/4	2,838.35	3/4	2,479.36	3/4	2,120.38
11	5,303.78	11	4,984.79	11	4,625.81	11	4,266.82	11	3,907.83	11	3,548.85	11	3,189.86	11	2,830.87	11	2,471.88	11	2,112.90
1/4	5,301.30	1/4	4,977.32	1/4	4,618.33	1/4	4,259.34	1/4	3,900.35	1/4	3,541.37	1/4	3,182.38	1/4	2,823.39	1/4	2,464.41	1/4	2,105.42
1/2	5,298.82	1/2	4,970.84	1/2	4,610.85	1/2	4,251.86	1/2	3,892.88	1/2	3,533.89	1/2	3,174.90	1/2	2,815.91	1/2	2,456.93	1/2	2,097.94
3/4	5,295.09	3/4	4,962.36	3/4	4,603.37	3/4	4,244.38	3/4	3,885.40	3/4	3,526.41	3/4	3,167.42	3/4	2,808.43	3/4	2,449.45	3/4	2,090.46

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 44' 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 9-1/2"


IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,082.98	0	1,723.99	0	1,365.01	0	1,006.02	0	647.03	0	288.05	0		0		0		0	
1/4	2,075.50	1/4	1,716.52	1/4	1,357.53	1/4	998.54	1/4	639.55	1/4	280.57	1/4		1/4		1/4		1/4	
1/2	2,068.02	1/2	1,709.04	1/2	1,350.05	1/2	991.06	1/2	632.07	1/2	273.09	1/2		1/2		1/2		1/2	
3/4	2,060.54	3/4	1,701.56	3/4	1,342.57	3/4	983.58	3/4	624.60	3/4	265.61	3/4		3/4		3/4		3/4	
1	2,053.07	1	1,694.08	1	1,335.09	1	976.10	1	617.12	1	258.13	1		1		1		1	
1/4	2,045.59	1/4	1,686.60	1/4	1,327.61	1/4	968.63	1/4	609.64	1/4	250.65	1/4		1/4		1/4		1/4	
1/2	2,038.11	1/2	1,679.12	1/2	1,320.13	1/2	961.15	1/2	602.16	1/2	243.17	1/2		1/2		1/2		1/2	
3/4	2,030.63	3/4	1,671.64	3/4	1,312.65	3/4	953.67	3/4	594.68	3/4	235.69	3/4		3/4		3/4		3/4	
2	2,023.15	2	1,664.16	2	1,305.18	2	946.19	2	587.20	2	228.21	2		2		2		2	
1/4	2,015.67	1/4	1,656.68	1/4	1,297.70	1/4	938.71	1/4	579.72	1/4	220.74	1/4		1/4		1/4		1/4	
1/2	2,008.19	1/2	1,649.21	1/2	1,290.22	1/2	931.23	1/2	572.24	1/2	213.26	1/2		1/2		1/2		1/2	
3/4	2,000.71	3/4	1,641.73	3/4	1,282.74	3/4	923.75	3/4	564.76	3/4	205.78	3/4		3/4		3/4		3/4	
3	1,993.23	3	1,634.25	3	1,275.26	3	916.27	3	557.29	3	198.30	3		3		3		3	
1/4	1,985.76	1/4	1,626.77	1/4	1,267.78	1/4	908.79	1/4	549.81	1/4	190.82	1/4		1/4		1/4		1/4	
1/2	1,978.28	1/2	1,619.29	1/2	1,260.30	1/2	901.32	1/2	542.33	1/2	183.34	1/2		1/2		1/2		1/2	
3/4	1,970.80	3/4	1,611.81	3/4	1,252.82	3/4	893.84	3/4	534.85	3/4	175.86	3/4		3/4		3/4		3/4	
4	1,963.32	4	1,604.33	4	1,245.34	4	886.36	4	527.37	4	168.38	4		4		4		4	
1/4	1,955.84	1/4	1,596.85	1/4	1,237.87	1/4	878.88	1/4	519.89	1/4	160.90	1/4		1/4		1/4		1/4	
1/2	1,948.36	1/2	1,589.37	1/2	1,230.39	1/2	871.40	1/2	512.41	1/2	153.43	1/2		1/2		1/2		1/2	
3/4	1,940.88	3/4	1,581.90	3/4	1,222.91	3/4	863.92	3/4	504.93	3/4	145.95	3/4		3/4		3/4		3/4	
5	1,933.40	5	1,574.42	5	1,215.43	5	856.44	5	497.45	5	138.47	5		5		5		5	
1/4	1,925.92	1/4	1,566.94	1/4	1,207.95	1/4	848.96	1/4	489.98	1/4	130.99	1/4		1/4		1/4		1/4	
1/2	1,918.45	1/2	1,559.46	1/2	1,200.47	1/2	841.48	1/2	482.50	1/2	123.51	1/2		1/2		1/2		1/2	
3/4	1,910.97	3/4	1,551.98	3/4	1,192.99	3/4	834.01	3/4	475.02	3/4	116.03	3/4		3/4		3/4		3/4	
6	1,903.49	6	1,544.50	6	1,185.51	6	826.53	6	467.54	6	108.55	6		6		6		6	
1/4	1,896.01	1/4	1,537.02	1/4	1,178.03	1/4	819.05	1/4	460.06	1/4	101.07	1/4		1/4		1/4		1/4	
1/2	1,888.53	1/2	1,529.54	1/2	1,170.56	1/2	811.57	1/2	452.58	1/2	93.59	1/2		1/2		1/2		1/2	
3/4	1,881.05	3/4	1,522.06	3/4	1,163.08	3/4	804.09	3/4	445.10	3/4	86.12	3/4		3/4		3/4		3/4	
7	1,873.57	7	1,514.58	7	1,155.60	7	796.61	7	437.62	7	78.64	7		7		7		7	
1/4	1,866.09	1/4	1,507.11	1/4	1,148.12	1/4	789.13	1/4	430.14	1/4	71.16	1/4		1/4		1/4		1/4	
1/2	1,858.61	1/2	1,499.63	1/2	1,140.64	1/2	781.65	1/2	422.67	1/2	63.68	1/2		1/2		1/2		1/2	
3/4	1,851.14	3/4	1,492.15	3/4	1,133.16	3/4	774.17	3/4	415.19	3/4	57.14	3/4		3/4		3/4		3/4	
8	1,843.66	8	1,484.67	8	1,125.68	8	766.69	8	407.71	8	50.60	8		8		8		8	
1/4	1,836.18	1/4	1,477.19	1/4	1,118.20	1/4	759.22	1/4	400.23	1/4	44.05	1/4		1/4		1/4		1/4	
1/2	1,828.70	1/2	1,469.71	1/2	1,110.72	1/2	751.74	1/2	392.75	1/2	37.51	1/2		1/2		1/2		1/2	
3/4	1,821.22	3/4	1,462.23	3/4	1,103.25	3/4	744.26	3/4	385.27	3/4	32.85	3/4		3/4		3/4		3/4	
9	1,813.74	9	1,454.75	9	1,095.77	9	736.78	9	377.79	9	28.18	9		9		9		9	
1/4	1,806.26	1/4	1,447.27	1/4	1,088.29	1/4	729.30	1/4	370.31	1/4	23.51	1/4		1/4		1/4		1/4	
1/2	1,798.78	1/2	1,439.80	1/2	1,080.81	1/2	721.82	1/2	362.83	1/2	18.85	1/2		1/2		1/2		1/2	
3/4	1,791.30	3/4	1,432.32	3/4	1,073.33	3/4	714.34	3/4	355.36	3/4		3/4		3/4		3/4		3/4	
10	1,783.83	10	1,424.84	10	1,065.85	10	706.86	10	347.88	10		10		10		10		10	
1/4	1,776.35	1/4	1,417.36	1/4	1,058.37	1/4	699.38	1/4	340.40	1/4		1/4		1/4		1/4		1/4	
1/2	1,768.87	1/2	1,409.88	1/2	1,050.89	1/2	691.91	1/2	332.92	1/2		1/2		1/2		1/2		1/2	
3/4	1,761.39	3/4	1,402.40	3/4	1,043.41	3/4	684.43	3/4	325.44	3/4		3/4		3/4		3/4		3/4	
11	1,753.91	11	1,394.92	11	1,035.94	11	676.95	11	317.96	11		11		11		11		11	
1/4	1,746.43	1/4	1,387.44	1/4	1,028.46	1/4	669.47	1/4	310.48	1/4		1/4		1/4		1/4		1/4	
1/2	1,738.95	1/2	1,379.96	1/2	1,020.98	1/2	661.99	1/2	303.00	1/2		1/2		1/2		1/2		1/2	
3/4	1,731.47	3/4	1,372.49	3/4	1,013.50	3/4	654.51	3/4	295.52	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11' 2" OFF CENTERLINE AND 44' 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 7-1/4"


IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,151.23	0	4,864.36	0	4,576.96	0	4,289.56	0	4,002.16	0	3,684.80	0	3,301.53	0	2,918.27	0	2,535.00
1/4		1/4	5,145.77	1/4	4,858.37	1/4	4,570.97	1/4	4,283.57	1/4	3,996.17	1/4	3,676.82	1/4	3,293.55	1/4	2,910.28	1/4	2,527.02
1/2		1/2	5,139.78	1/2	4,852.38	1/2	4,564.98	1/2	4,277.58	1/2	3,990.18	1/2	3,668.83	1/2	3,285.57	1/2	2,902.30	1/2	2,519.03
3/4		3/4	5,133.80	3/4	4,846.40	3/4	4,559.00	3/4	4,271.60	3/4	3,984.20	3/4	3,660.85	3/4	3,277.58	3/4	2,894.31	3/4	2,511.05
1		1	5,127.81	1	4,840.41	1	4,553.01	1	4,265.61	1	3,978.21	1	3,652.86	1	3,269.60	1	2,886.33	1	2,503.06
1/4		1/4	5,121.82	1/4	4,834.42	1/4	4,547.02	1/4	4,259.62	1/4	3,972.22	1/4	3,644.88	1/4	3,261.61	1/4	2,878.35	1/4	2,495.08
1/2		1/2	5,115.83	1/2	4,828.43	1/2	4,541.03	1/2	4,253.63	1/2	3,966.23	1/2	3,636.89	1/2	3,253.63	1/2	2,870.36	1/2	2,487.10
3/4		3/4	5,109.85	3/4	4,822.45	3/4	4,535.05	3/4	4,247.65	3/4	3,960.25	3/4	3,628.91	3/4	3,245.64	3/4	2,862.38	3/4	2,479.11
2		2	5,103.86	2	4,816.46	2	4,529.06	2	4,241.66	2	3,954.26	2	3,620.92	2	3,237.66	2	2,854.39	2	2,471.13
1/4		1/4	5,097.87	1/4	4,810.47	1/4	4,523.07	1/4	4,235.67	1/4	3,948.27	1/4	3,612.94	1/4	3,229.67	1/4	2,846.41	1/4	2,463.14
1/2		1/2	5,091.88	1/2	4,804.48	1/2	4,517.08	1/2	4,229.68	1/2	3,942.28	1/2	3,604.95	1/2	3,221.69	1/2	2,838.42	1/2	2,455.16
3/4		3/4	5,085.90	3/4	4,798.50	3/4	4,511.10	3/4	4,223.70	3/4	3,936.30	3/4	3,596.97	3/4	3,213.70	3/4	2,830.44	3/4	2,447.17
3		3	5,079.91	3	4,792.51	3	4,505.11	3	4,217.71	3	3,930.31	3	3,588.98	3	3,205.72	3	2,822.45	3	2,439.19
1/4		1/4	5,073.92	1/4	4,786.52	1/4	4,499.12	1/4	4,211.72	1/4	3,924.32	1/4	3,581.00	1/4	3,197.73	1/4	2,814.47	1/4	2,431.20
1/2		1/2	5,067.93	1/2	4,780.53	1/2	4,493.13	1/2	4,205.73	1/2	3,918.33	1/2	3,573.01	1/2	3,189.75	1/2	2,806.48	1/2	2,423.22
3/4		3/4	5,061.95	3/4	4,774.55	3/4	4,487.15	3/4	4,199.75	3/4	3,912.35	3/4	3,565.03	3/4	3,181.76	3/4	2,798.50	3/4	2,415.23
4		4	5,055.96	4	4,768.56	4	4,481.16	4	4,193.76	4	3,906.36	4	3,557.04	4	3,173.78	4	2,790.51	4	2,407.25
1/4		1/4	5,049.97	1/4	4,762.57	1/4	4,475.17	1/4	4,187.77	1/4	3,900.37	1/4	3,549.06	1/4	3,165.79	1/4	2,782.53	1/4	2,399.26
1/2		1/2	5,043.98	1/2	4,756.58	1/2	4,469.18	1/2	4,181.78	1/2	3,894.38	1/2	3,541.08	1/2	3,157.81	1/2	2,774.54	1/2	2,391.28
3/4		3/4	5,038.00	3/4	4,750.60	3/4	4,463.20	3/4	4,175.80	3/4	3,888.40	3/4	3,533.09	3/4	3,149.83	3/4	2,766.56	3/4	2,383.29
5		5	5,032.01	5	4,744.61	5	4,457.21	5	4,169.81	5	3,882.41	5	3,525.11	5	3,141.84	5	2,758.57	5	2,375.31
1/4		1/4	5,026.02	1/4	4,738.62	1/4	4,451.22	1/4	4,163.82	1/4	3,876.42	1/4	3,517.12	1/4	3,133.86	1/4	2,750.59	1/4	2,367.32
1/2		1/2	5,020.03	1/2	4,732.63	1/2	4,445.23	1/2	4,157.83	1/2	3,870.43	1/2	3,509.14	1/2	3,125.87	1/2	2,742.61	1/2	2,359.34
3/4		3/4	5,014.05	3/4	4,726.65	3/4	4,439.25	3/4	4,151.85	3/4	3,864.45	3/4	3,501.15	3/4	3,117.89	3/4	2,734.62	3/4	2,351.36
6		6	5,008.06	6	4,720.66	6	4,433.26	6	4,145.86	6	3,858.46	6	3,493.17	6	3,109.90	6	2,726.64	6	2,343.37
1/4		1/4	5,002.07	1/4	4,714.67	1/4	4,427.27	1/4	4,139.87	1/4	3,852.47	1/4	3,485.18	1/4	3,101.92	1/4	2,718.65	1/4	2,335.39
1/2		1/2	4,996.08	1/2	4,708.68	1/2	4,421.28	1/2	4,133.88	1/2	3,845.48	1/2	3,477.20	1/2	3,093.93	1/2	2,710.67	1/2	2,327.40
3/4		3/4	4,990.10	3/4	4,702.70	3/4	4,415.30	3/4	4,127.90	3/4	3,838.50	3/4	3,469.21	3/4	3,085.95	3/4	2,702.68	3/4	2,319.42
7		7	4,984.11	7	4,696.71	7	4,409.31	7	4,121.91	7	3,831.51	7	3,461.23	7	3,077.96	7	2,694.70	7	2,311.43
1/4		1/4	4,978.12	1/4	4,690.72	1/4	4,403.32	1/4	4,115.92	1/4	3,824.53	1/4	3,453.24	1/4	3,069.98	1/4	2,686.71	1/4	2,303.45
1/2		1/2	4,972.13	1/2	4,684.73	1/2	4,397.33	1/2	4,109.93	1/2	3,817.54	1/2	3,445.26	1/2	3,061.99	1/2	2,678.73	1/2	2,295.46
3/4		3/4	4,966.15	3/4	4,678.75	3/4	4,391.35	3/4	4,103.95	3/4	3,810.55	3/4	3,437.27	3/4	3,054.01	3/4	2,670.74	3/4	2,287.48
8		8	4,960.16	8	4,672.76	8	4,385.36	8	4,097.96	8	3,803.57	8	3,429.29	8	3,046.02	8	2,662.76	8	2,279.49
1/4		1/4	4,954.17	1/4	4,666.77	1/4	4,379.37	1/4	4,091.97	1/4	3,796.58	1/4	3,421.31	1/4	3,038.04	1/4	2,654.77	1/4	2,271.51
1/2		1/2	4,948.18	1/2	4,660.78	1/2	4,373.38	1/2	4,085.98	1/2	3,789.60	1/2	3,413.32	1/2	3,030.05	1/2	2,646.79	1/2	2,263.52
3/4		3/4	4,942.20	3/4	4,654.80	3/4	4,367.40	3/4	4,080.00	3/4	3,782.61	3/4	3,405.34	3/4	3,022.07	3/4	2,638.80	3/4	2,255.54
9		9	4,936.21	9	4,648.81	9	4,361.41	9	4,074.01	9	3,775.62	9	3,397.35	9	3,014.09	9	2,630.82	9	2,247.55
1/4	5,185.69	1/4	4,930.22	1/4	4,642.82	1/4	4,355.42	1/4	4,068.02	1/4	3,768.64	1/4	3,389.37	1/4	3,006.10	1/4	2,622.84	1/4	2,239.57
1/2	5,183.89	1/2	4,924.23	1/2	4,636.83	1/2	4,349.43	1/2	4,062.03	1/2	3,761.65	1/2	3,381.38	1/2	2,998.12	1/2	2,614.85	1/2	2,231.58
3/4	5,182.08	3/4	4,918.25	3/4	4,630.85	3/4	4,343.45	3/4	4,056.05	3/4	3,754.67	3/4	3,373.40	3/4	2,990.13	3/4	2,606.87	3/4	2,223.60
10	5,180.28	10	4,912.26	10	4,624.86	10	4,337.46	10	4,050.06	10	3,747.68	10	3,365.41	10	2,982.15	10	2,598.88	10	2,215.62
1/4	5,178.47	1/4	4,906.27	1/4	4,618.87	1/4	4,331.47	1/4	4,044.07	1/4	3,740.69	1/4	3,357.43	1/4	2,974.16	1/4	2,590.90	1/4	2,207.63
1/2	5,175.75	1/2	4,900.28	1/2	4,612.88	1/2	4,325.48	1/2	4,038.08	1/2	3,732.71	1/2	3,349.44	1/2	2,966.18	1/2	2,582.91	1/2	2,199.65
3/4	5,173.04	3/4	4,894.30	3/4	4,606.90	3/4	4,319.50	3/4	4,032.10	3/4	3,724.72	3/4	3,341.46	3/4	2,958.19	3/4	2,574.93	3/4	2,191.66
11	5,170.32	11	4,888.31	11	4,600.91	11	4,313.51	11	4,026.11	11	3,716.74	11	3,333.47	11	2,950.21	11	2,566.94	11	2,183.68
1/4	5,167.60	1/4	4,882.32	1/4	4,594.92	1/4	4,307.52	1/4	4,020.12	1/4	3,708.75	1/4	3,325.49	1/4	2,942.22	1/4	2,558.96	1/4	2,175.69
1/2	5,162.14	1/2	4,876.33	1/2	4,588.93	1/2	4,301.53	1/2	4,014.13	1/2	3,700.77	1/2	3,317.50	1/2	2,934.24	1/2	2,550.97	1/2	2,167.71
3/4	5,156.69	3/4	4,870.35	3/4	4,582.95	3/4	4,295.55	3/4	4,008.15	3/4	3,692.78	3/4	3,309.52	3/4	2,926.25	3/4	2,542.99	3/4	2,159.72

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11'- 2" OFF CENTERLINE AND 45' 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



BARGE "GBL 1432B" HULL NO. 05-2543

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16' 7-1/4"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,151.74	0	1,768.47	0	1,385.21	0	1,001.94	0	618.68	0	235.41	0		0		0		0	
1/4	2,143.75	1/4	1,760.49	1/4	1,377.22	1/4	993.96	1/4	610.69	1/4	227.43	1/4		1/4		1/4		1/4	
1/2	2,135.77	1/2	1,752.50	1/2	1,369.24	1/2	985.97	1/2	602.71	1/2	219.44	1/2		1/2		1/2		1/2	
3/4	2,127.78	3/4	1,744.52	3/4	1,361.25	3/4	977.99	3/4	594.72	3/4	211.46	3/4		3/4		3/4		3/4	
1	2,119.80	1	1,736.53	1	1,353.27	1	970.00	1	586.74	1	203.47	1		1		1		1	
1/4	2,111.81	1/4	1,728.55	1/4	1,345.28	1/4	962.02	1/4	578.75	1/4	195.49	1/4		1/4		1/4		1/4	
1/2	2,103.83	1/2	1,720.56	1/2	1,337.30	1/2	954.03	1/2	570.77	1/2	187.50	1/2		1/2		1/2		1/2	
3/4	2,095.84	3/4	1,712.58	3/4	1,329.31	3/4	946.05	3/4	562.78	3/4	179.52	3/4		3/4		3/4		3/4	
2	2,087.86	2	1,704.59	2	1,321.33	2	938.06	2	554.80	2	171.53	2		2		2		2	
1/4	2,079.88	1/4	1,696.61	1/4	1,313.34	1/4	930.08	1/4	546.81	1/4	163.55	1/4		1/4		1/4		1/4	
1/2	2,071.89	1/2	1,688.63	1/2	1,305.36	1/2	922.09	1/2	538.83	1/2	155.56	1/2		1/2		1/2		1/2	
3/4	2,063.91	3/4	1,680.64	3/4	1,297.37	3/4	914.11	3/4	530.84	3/4	147.58	3/4		3/4		3/4		3/4	
3	2,055.92	3	1,672.66	3	1,289.39	3	906.12	3	522.86	3	139.59	3		3		3		3	
1/4	2,047.94	1/4	1,664.67	1/4	1,281.41	1/4	898.14	1/4	514.87	1/4	131.61	1/4		1/4		1/4		1/4	
1/2	2,039.95	1/2	1,656.69	1/2	1,273.42	1/2	890.16	1/2	506.89	1/2	123.62	1/2		1/2		1/2		1/2	
3/4	2,031.97	3/4	1,648.70	3/4	1,265.44	3/4	882.17	3/4	498.90	3/4	115.64	3/4		3/4		3/4		3/4	
4	2,023.98	4	1,640.72	4	1,257.45	4	874.19	4	490.92	4	107.65	4		4		4		4	
1/4	2,016.00	1/4	1,632.73	1/4	1,249.47	1/4	866.20	1/4	482.94	1/4	99.67	1/4		1/4		1/4		1/4	
1/2	2,008.01	1/2	1,624.75	1/2	1,241.48	1/2	858.22	1/2	474.95	1/2	91.69	1/2		1/2		1/2		1/2	
3/4	2,000.03	3/4	1,616.76	3/4	1,233.50	3/4	850.23	3/4	466.97	3/4	83.70	3/4		3/4		3/4		3/4	
5	1,992.04	5	1,608.78	5	1,225.51	5	842.25	5	458.98	5	75.72	5		5		5		5	
1/4	1,984.06	1/4	1,600.79	1/4	1,217.53	1/4	834.26	1/4	451.00	1/4	67.73	1/4		1/4		1/4		1/4	
1/2	1,976.07	1/2	1,592.81	1/2	1,209.54	1/2	826.28	1/2	443.01	1/2	60.75	1/2		1/2		1/2		1/2	
3/4	1,968.09	3/4	1,584.82	3/4	1,201.56	3/4	818.29	3/4	435.03	3/4	53.76	3/4		3/4		3/4		3/4	
6	1,960.10	6	1,576.84	6	1,193.57	6	810.31	6	427.04	6	46.78	6		6		6		6	
1/4	1,952.12	1/4	1,568.85	1/4	1,185.59	1/4	802.32	1/4	419.06	1/4	39.80	1/4		1/4		1/4		1/4	
1/2	1,944.14	1/2	1,560.87	1/2	1,177.60	1/2	794.34	1/2	411.07	1/2	34.81	1/2		1/2		1/2		1/2	
3/4	1,936.15	3/4	1,552.89	3/4	1,169.62	3/4	786.35	3/4	403.09	3/4	29.83	3/4		3/4		3/4		3/4	
7	1,928.17	7	1,544.90	7	1,161.63	7	778.37	7	395.10	7	24.85	7		7		7		7	
1/4	1,920.18	1/4	1,536.92	1/4	1,153.65	1/4	770.38	1/4	387.12	1/4	19.87	1/4		1/4		1/4		1/4	
1/2	1,912.20	1/2	1,528.93	1/2	1,145.67	1/2	762.40	1/2	379.13	1/2		1/2		1/2		1/2		1/2	
3/4	1,904.21	3/4	1,520.95	3/4	1,137.68	3/4	754.42	3/4	371.15	3/4		3/4		3/4		3/4		3/4	
8	1,896.23	8	1,512.96	8	1,129.70	8	746.43	8	363.16	8		8		8		8		8	
1/4	1,888.24	1/4	1,504.98	1/4	1,121.71	1/4	738.45	1/4	355.18	1/4		1/4		1/4		1/4		1/4	
1/2	1,880.26	1/2	1,496.99	1/2	1,113.73	1/2	730.46	1/2	347.20	1/2		1/2		1/2		1/2		1/2	
3/4	1,872.27	3/4	1,489.01	3/4	1,105.74	3/4	722.48	3/4	339.21	3/4		3/4		3/4		3/4		3/4	
9	1,864.29	9	1,481.02	9	1,097.76	9	714.49	9	331.23	9		9		9		9		9	
1/4	1,856.30	1/4	1,473.04	1/4	1,089.77	1/4	706.51	1/4	323.24	1/4		1/4		1/4		1/4		1/4	
1/2	1,848.32	1/2	1,465.05	1/2	1,081.79	1/2	698.52	1/2	315.26	1/2		1/2		1/2		1/2		1/2	
3/4	1,840.33	3/4	1,457.07	3/4	1,073.80	3/4	690.54	3/4	307.27	3/4		3/4		3/4		3/4		3/4	
10	1,832.35	10	1,449.08	10	1,065.82	10	682.55	10	299.29	10		10		10		10		10	
1/4	1,824.37	1/4	1,441.10	1/4	1,057.83	1/4	674.57	1/4	291.30	1/4		1/4		1/4		1/4		1/4	
1/2	1,816.38	1/2	1,433.11	1/2	1,049.85	1/2	666.58	1/2	283.32	1/2		1/2		1/2		1/2		1/2	
3/4	1,808.40	3/4	1,425.13	3/4	1,041.86	3/4	658.60	3/4	275.33	3/4		3/4		3/4		3/4		3/4	
11	1,800.41	11	1,417.15	11	1,033.88	11	650.61	11	267.35	11		11		11		11		11	
1/4	1,792.43	1/4	1,409.16	1/4	1,025.90	1/4	642.63	1/4	259.36	1/4		1/4		1/4		1/4		1/4	
1/2	1,784.44	1/2	1,401.18	1/2	1,017.91	1/2	634.64	1/2	251.38	1/2		1/2		1/2		1/2		1/2	
3/4	1,776.46	3/4	1,393.19	3/4	1,009.93	3/4	626.66	3/4	243.39	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11'-2" OFF CENTERLINE AND 45' 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16'- 7 1/2"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.
0		0	5,156.69	0	4,870.35	0	4,582.95	0	4,295.55	0	4,008.15	0	3,692.78	0	3,309.52	0	2,926.25	0	2,542.99
1/4		1/4	5,151.23	1/4	4,864.36	1/4	4,576.96	1/4	4,289.56	1/4	4,002.16	1/4	3,684.80	1/4	3,301.53	1/4	2,918.27	1/4	2,535.00
1/2		1/2	5,145.77	1/2	4,858.37	1/2	4,570.97	1/2	4,283.57	1/2	3,996.17	1/2	3,676.82	1/2	3,293.55	1/2	2,910.28	1/2	2,527.02
3/4		3/4	5,139.78	3/4	4,852.38	3/4	4,564.98	3/4	4,277.58	3/4	3,990.18	3/4	3,668.83	3/4	3,285.57	3/4	2,902.30	3/4	2,519.03
1		1	5,133.80	1	4,846.40	1	4,559.00	1	4,271.60	1	3,984.20	1	3,660.85	1	3,277.58	1	2,894.31	1	2,511.05
1/4		1/4	5,127.81	1/4	4,840.41	1/4	4,553.01	1/4	4,265.61	1/4	3,978.21	1/4	3,652.86	1/4	3,269.60	1/4	2,886.33	1/4	2,503.06
1/2		1/2	5,121.82	1/2	4,834.42	1/2	4,547.02	1/2	4,259.62	1/2	3,972.22	1/2	3,644.88	1/2	3,261.61	1/2	2,878.35	1/2	2,495.08
3/4		3/4	5,115.83	3/4	4,828.43	3/4	4,541.03	3/4	4,253.63	3/4	3,966.23	3/4	3,636.89	3/4	3,253.63	3/4	2,870.36	3/4	2,487.10
2		2	5,109.85	2	4,822.45	2	4,535.05	2	4,247.65	2	3,960.25	2	3,628.91	2	3,245.64	2	2,862.38	2	2,479.11
1/4		1/4	5,103.86	1/4	4,816.46	1/4	4,529.06	1/4	4,241.66	1/4	3,954.26	1/4	3,620.92	1/4	3,237.66	1/4	2,854.39	1/4	2,471.13
1/2		1/2	5,097.87	1/2	4,810.47	1/2	4,523.07	1/2	4,235.67	1/2	3,948.27	1/2	3,612.94	1/2	3,229.67	1/2	2,846.41	1/2	2,463.14
3/4		3/4	5,091.88	3/4	4,804.48	3/4	4,517.08	3/4	4,229.68	3/4	3,942.28	3/4	3,604.95	3/4	3,221.69	3/4	2,838.42	3/4	2,455.16
3		3	5,085.90	3	4,798.50	3	4,511.10	3	4,223.70	3	3,936.30	3	3,596.97	3	3,213.70	3	2,830.44	3	2,447.17
1/4		1/4	5,079.91	1/4	4,792.51	1/4	4,505.11	1/4	4,217.71	1/4	3,930.31	1/4	3,588.98	1/4	3,205.72	1/4	2,822.45	1/4	2,439.19
1/2		1/2	5,073.92	1/2	4,786.52	1/2	4,499.12	1/2	4,211.72	1/2	3,924.32	1/2	3,581.00	1/2	3,197.73	1/2	2,814.47	1/2	2,431.20
3/4		3/4	5,067.93	3/4	4,780.53	3/4	4,493.13	3/4	4,205.73	3/4	3,918.33	3/4	3,573.01	3/4	3,189.75	3/4	2,806.48	3/4	2,423.22
4		4	5,061.95	4	4,774.55	4	4,487.15	4	4,199.75	4	3,912.35	4	3,565.03	4	3,181.76	4	2,798.50	4	2,415.23
1/4		1/4	5,055.96	1/4	4,768.56	1/4	4,481.16	1/4	4,193.76	1/4	3,906.36	1/4	3,557.04	1/4	3,173.78	1/4	2,790.51	1/4	2,407.25
1/2		1/2	5,049.97	1/2	4,762.57	1/2	4,475.17	1/2	4,187.77	1/2	3,900.37	1/2	3,549.06	1/2	3,165.79	1/2	2,782.53	1/2	2,399.26
3/4		3/4	5,043.98	3/4	4,756.58	3/4	4,469.18	3/4	4,181.78	3/4	3,894.38	3/4	3,541.08	3/4	3,157.81	3/4	2,774.54	3/4	2,391.28
5		5	5,038.00	5	4,750.60	5	4,463.20	5	4,175.80	5	3,888.40	5	3,533.09	5	3,149.83	5	2,766.56	5	2,383.29
1/4		1/4	5,032.01	1/4	4,744.61	1/4	4,457.21	1/4	4,169.81	1/4	3,882.41	1/4	3,525.11	1/4	3,141.84	1/4	2,758.57	1/4	2,375.31
1/2		1/2	5,026.02	1/2	4,738.62	1/2	4,451.22	1/2	4,163.82	1/2	3,876.42	1/2	3,517.12	1/2	3,133.86	1/2	2,750.59	1/2	2,367.32
3/4		3/4	5,020.03	3/4	4,732.63	3/4	4,445.23	3/4	4,157.83	3/4	3,870.43	3/4	3,509.14	3/4	3,125.87	3/4	2,742.61	3/4	2,359.34
6		6	5,014.05	6	4,726.65	6	4,439.25	6	4,151.85	6	3,864.45	6	3,501.15	6	3,117.89	6	2,734.62	6	2,351.36
1/4		1/4	5,008.06	1/4	4,720.66	1/4	4,433.26	1/4	4,145.86	1/4	3,858.46	1/4	3,493.17	1/4	3,109.90	1/4	2,726.64	1/4	2,343.37
1/2		1/2	5,002.07	1/2	4,714.67	1/2	4,427.27	1/2	4,139.87	1/2	3,852.47	1/2	3,485.18	1/2	3,101.92	1/2	2,718.65	1/2	2,335.39
3/4		3/4	4,996.08	3/4	4,708.68	3/4	4,421.28	3/4	4,133.88	3/4	3,845.48	3/4	3,477.20	3/4	3,093.93	3/4	2,710.67	3/4	2,327.40
7		7	4,990.10	7	4,702.70	7	4,415.30	7	4,127.90	7	3,838.50	7	3,469.21	7	3,085.95	7	2,702.68	7	2,319.42
1/4		1/4	4,984.11	1/4	4,696.71	1/4	4,409.31	1/4	4,121.91	1/4	3,831.51	1/4	3,461.23	1/4	3,077.96	1/4	2,694.70	1/4	2,311.43
1/2		1/2	4,978.12	1/2	4,690.72	1/2	4,403.32	1/2	4,115.92	1/2	3,824.53	1/2	3,453.24	1/2	3,069.98	1/2	2,686.71	1/2	2,303.45
3/4		3/4	4,972.13	3/4	4,684.73	3/4	4,397.33	3/4	4,109.93	3/4	3,817.54	3/4	3,445.26	3/4	3,061.99	3/4	2,678.73	3/4	2,295.46
8		8	4,966.15	8	4,678.75	8	4,391.35	8	4,103.95	8	3,810.55	8	3,437.27	8	3,054.01	8	2,670.74	8	2,287.48
1/4		1/4	4,960.16	1/4	4,672.76	1/4	4,385.36	1/4	4,097.96	1/4	3,803.57	1/4	3,429.29	1/4	3,046.02	1/4	2,662.76	1/4	2,279.49
1/2		1/2	4,954.17	1/2	4,666.77	1/2	4,379.37	1/2	4,091.97	1/2	3,796.58	1/2	3,421.31	1/2	3,038.04	1/2	2,654.77	1/2	2,271.51
3/4		3/4	4,948.18	3/4	4,660.78	3/4	4,373.38	3/4	4,085.98	3/4	3,789.60	3/4	3,413.32	3/4	3,030.05	3/4	2,646.79	3/4	2,263.52
9		9	4,942.20	9	4,654.80	9	4,367.40	9	4,080.00	9	3,782.61	9	3,405.34	9	3,022.07	9	2,638.80	9	2,255.54
1/4		1/4	4,936.21	1/4	4,648.81	1/4	4,361.41	1/4	4,074.01	1/4	3,775.62	1/4	3,397.35	1/4	3,014.09	1/4	2,630.82	1/4	2,247.55
1/2	5,185.69	1/2	4,930.22	1/2	4,642.82	1/2	4,355.42	1/2	4,068.02	1/2	3,768.64	1/2	3,389.37	1/2	3,006.10	1/2	2,622.84	1/2	2,239.57
3/4	5,183.89	3/4	4,924.23	3/4	4,636.83	3/4	4,349.43	3/4	4,062.03	3/4	3,761.65	3/4	3,381.38	3/4	2,998.12	3/4	2,614.85	3/4	2,231.58
10	5,182.08	10	4,918.25	10	4,630.85	10	4,343.45	10	4,056.05	10	3,754.67	10	3,373.40	10	2,990.13	10	2,606.87	10	2,223.60
1/4	5,180.28	1/4	4,912.26	1/4	4,624.86	1/4	4,337.46	1/4	4,050.06	1/4	3,747.68	1/4	3,365.41	1/4	2,982.15	1/4	2,598.88	1/4	2,215.62
1/2	5,178.47	1/2	4,906.27	1/2	4,618.87	1/2	4,331.47	1/2	4,044.07	1/2	3,740.69	1/2	3,357.43	1/2	2,974.16	1/2	2,590.90	1/2	2,207.63
3/4	5,175.75	3/4	4,900.28	3/4	4,612.88	3/4	4,325.48	3/4	4,038.08	3/4	3,732.71	3/4	3,349.44	3/4	2,966.18	3/4	2,582.91	3/4	2,199.65
11	5,173.04	11	4,894.30	11	4,606.90	11	4,319.50	11	4,032.10	11	3,724.72	11	3,341.46	11	2,958.19	11	2,574.93	11	2,191.66
1/4	5,170.32	1/4	4,888.31	1/4	4,600.91	1/4	4,313.51	1/4	4,026.11	1/4	3,716.74	1/4	3,333.47	1/4	2,950.21	1/4	2,566.94	1/4	2,183.68
1/2	5,167.60	1/2	4,882.32	1/2	4,594.92	1/2	4,307.52	1/2	4,020.12	1/2	3,708.75	1/2	3,325.49	1/2	2,942.22	1/2	2,558.96	1/2	2,175.69
3/4	5,162.14	3/4	4,876.33	3/4	4,588.93	3/4	4,301.53	3/4	4,014.13	3/4	3,700.77	3/4	3,317.50	3/4	2,934.24	3/4	2,550.97	3/4	2,167.71

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11'- 2" OFF CENTERLINE AND 45' 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07



**BARGE "GBL 1432B"
HULL NO. 05-2543**

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

MMC GAUGE HEIGHT 16'- 7 1/2"

IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.
0	2,159.72	0	1,776.46	0	1,393.19	0	1,009.93	0	626.66	0	243.39	0		0		0		0	
1/4	2,151.74	1/4	1,768.47	1/4	1,385.21	1/4	1,001.94	1/4	618.68	1/4	235.41	1/4		1/4		1/4		1/4	
1/2	2,143.75	1/2	1,760.49	1/2	1,377.22	1/2	993.96	1/2	610.69	1/2	227.43	1/2		1/2		1/2		1/2	
3/4	2,135.77	3/4	1,752.50	3/4	1,369.24	3/4	985.97	3/4	602.71	3/4	219.44	3/4		3/4		3/4		3/4	
1	2,127.78	1	1,744.52	1	1,361.25	1	977.99	1	594.72	1	211.46	1		1		1		1	
1/4	2,119.80	1/4	1,736.53	1/4	1,353.27	1/4	970.00	1/4	586.74	1/4	203.47	1/4		1/4		1/4		1/4	
1/2	2,111.81	1/2	1,728.55	1/2	1,345.28	1/2	962.02	1/2	578.75	1/2	195.49	1/2		1/2		1/2		1/2	
3/4	2,103.83	3/4	1,720.56	3/4	1,337.30	3/4	954.03	3/4	570.77	3/4	187.50	3/4		3/4		3/4		3/4	
2	2,095.84	2	1,712.58	2	1,329.31	2	946.05	2	562.78	2	179.52	2		2		2		2	
1/4	2,087.86	1/4	1,704.59	1/4	1,321.33	1/4	938.06	1/4	554.80	1/4	171.53	1/4		1/4		1/4		1/4	
1/2	2,079.88	1/2	1,696.61	1/2	1,313.34	1/2	930.08	1/2	546.81	1/2	163.55	1/2		1/2		1/2		1/2	
3/4	2,071.89	3/4	1,688.63	3/4	1,305.36	3/4	922.09	3/4	538.83	3/4	155.56	3/4		3/4		3/4		3/4	
3	2,063.91	3	1,680.64	3	1,297.37	3	914.11	3	530.84	3	147.58	3		3		3		3	
1/4	2,055.92	1/4	1,672.66	1/4	1,289.39	1/4	906.12	1/4	522.86	1/4	139.59	1/4		1/4		1/4		1/4	
1/2	2,047.94	1/2	1,664.67	1/2	1,281.41	1/2	898.14	1/2	514.87	1/2	131.61	1/2		1/2		1/2		1/2	
3/4	2,039.95	3/4	1,656.69	3/4	1,273.42	3/4	890.16	3/4	506.89	3/4	123.62	3/4		3/4		3/4		3/4	
4	2,031.97	4	1,648.70	4	1,265.44	4	882.17	4	498.90	4	115.64	4		4		4		4	
1/4	2,023.98	1/4	1,640.72	1/4	1,257.45	1/4	874.19	1/4	490.92	1/4	107.65	1/4		1/4		1/4		1/4	
1/2	2,016.00	1/2	1,632.73	1/2	1,249.47	1/2	866.20	1/2	482.94	1/2	99.67	1/2		1/2		1/2		1/2	
3/4	2,008.01	3/4	1,624.75	3/4	1,241.48	3/4	858.22	3/4	474.95	3/4	91.69	3/4		3/4		3/4		3/4	
5	2,000.03	5	1,616.76	5	1,233.50	5	850.23	5	466.97	5	83.70	5		5		5		5	
1/4	1,992.04	1/4	1,608.78	1/4	1,225.51	1/4	842.25	1/4	458.98	1/4	75.72	1/4		1/4		1/4		1/4	
1/2	1,984.06	1/2	1,600.79	1/2	1,217.53	1/2	834.26	1/2	451.00	1/2	67.73	1/2		1/2		1/2		1/2	
3/4	1,976.07	3/4	1,592.81	3/4	1,209.54	3/4	826.28	3/4	443.01	3/4	60.75	3/4		3/4		3/4		3/4	
6	1,968.09	6	1,584.82	6	1,201.56	6	818.29	6	435.03	6	53.76	6		6		6		6	
1/4	1,960.10	1/4	1,576.84	1/4	1,193.57	1/4	810.31	1/4	427.04	1/4	46.78	1/4		1/4		1/4		1/4	
1/2	1,952.12	1/2	1,568.85	1/2	1,185.59	1/2	802.32	1/2	419.06	1/2	39.80	1/2		1/2		1/2		1/2	
3/4	1,944.14	3/4	1,560.87	3/4	1,177.60	3/4	794.34	3/4	411.07	3/4	34.81	3/4		3/4		3/4		3/4	
7	1,936.15	7	1,552.89	7	1,169.62	7	786.35	7	403.09	7	29.83	7		7		7		7	
1/4	1,928.17	1/4	1,544.90	1/4	1,161.63	1/4	778.37	1/4	395.10	1/4	24.85	1/4		1/4		1/4		1/4	
1/2	1,920.18	1/2	1,536.92	1/2	1,153.65	1/2	770.38	1/2	387.12	1/2	19.87	1/2		1/2		1/2		1/2	
3/4	1,912.20	3/4	1,528.93	3/4	1,145.67	3/4	762.40	3/4	379.13	3/4		3/4		3/4		3/4		3/4	
8	1,904.21	8	1,520.95	8	1,137.68	8	754.42	8	371.15	8		8		8		8		8	
1/4	1,896.23	1/4	1,512.96	1/4	1,129.70	1/4	746.43	1/4	363.16	1/4		1/4		1/4		1/4		1/4	
1/2	1,888.24	1/2	1,504.98	1/2	1,121.71	1/2	738.45	1/2	355.18	1/2		1/2		1/2		1/2		1/2	
3/4	1,880.26	3/4	1,496.99	3/4	1,113.73	3/4	730.46	3/4	347.20	3/4		3/4		3/4		3/4		3/4	
9	1,872.27	9	1,489.01	9	1,105.74	9	722.48	9	339.21	9		9		9		9		9	
1/4	1,864.29	1/4	1,481.02	1/4	1,097.76	1/4	714.49	1/4	331.23	1/4		1/4		1/4		1/4		1/4	
1/2	1,856.30	1/2	1,473.04	1/2	1,089.77	1/2	706.51	1/2	323.24	1/2		1/2		1/2		1/2		1/2	
3/4	1,848.32	3/4	1,465.05	3/4	1,081.79	3/4	698.52	3/4	315.26	3/4		3/4		3/4		3/4		3/4	
10	1,840.33	10	1,457.07	10	1,073.80	10	690.54	10	307.27	10		10		10		10		10	
1/4	1,832.35	1/4	1,449.08	1/4	1,065.82	1/4	682.55	1/4	299.29	1/4		1/4		1/4		1/4		1/4	
1/2	1,824.37	1/2	1,441.10	1/2	1,057.83	1/2	674.57	1/2	291.30	1/2		1/2		1/2		1/2		1/2	
3/4	1,816.38	3/4	1,433.11	3/4	1,049.85	3/4	666.58	3/4	283.32	3/4		3/4		3/4		3/4		3/4	
11	1,808.40	11	1,425.13	11	1,041.86	11	658.60	11	275.33	11		11		11		11		11	
1/4	1,800.41	1/4	1,417.15	1/4	1,033.88	1/4	650.61	1/4	267.35	1/4		1/4		1/4		1/4		1/4	
1/2	1,792.43	1/2	1,409.16	1/2	1,025.90	1/2	642.63	1/2	259.36	1/2		1/2		1/2		1/2		1/2	
3/4	1,784.44	3/4	1,401.18	3/4	1,017.91	3/4	634.64	3/4	251.38	3/4		3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MMC" GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 11'- 2" OFF CENTERLINE AND 45' 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS BOTTOM DEADRISE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 11/14/07 BY: JF
 DATE COMPUTED: 11/27/07 BY: WHF
 DATE ISSUED: 11/29/07

