

**BARGE "GBL 230"
HULL NO. 01-2407**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 5/8" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	495	0	11,398	0	24,175	0	37,277	0	50,381	0	63,484	0	76,587	0	89,691	0	102,794	0	115,897
1/4	658	1/4	11,650	1/4	24,448	1/4	37,550	1/4	50,654	1/4	63,757	1/4	76,860	1/4	89,964	1/4	103,067	1/4	116,170
1/2	821	1/2	11,902	1/2	24,721	1/2	37,823	1/2	50,927	1/2	64,030	1/2	77,133	1/2	90,237	1/2	103,340	1/2	116,443
3/4	985	3/4	12,154	3/4	24,994	3/4	38,096	3/4	51,200	3/4	64,303	3/4	77,406	3/4	90,510	3/4	103,613	3/4	116,716
1	1,148	1	12,407	1	25,267	1	38,369	1	51,473	1	64,576	1	77,679	1	90,783	1	103,886	1	116,989
1/4	1,357	1/4	12,662	1/4	25,540	1/4	38,642	1/4	51,746	1/4	64,849	1/4	77,952	1/4	91,056	1/4	104,159	1/4	117,262
1/2	1,567	1/2	12,917	1/2	25,813	1/2	38,915	1/2	52,019	1/2	65,122	1/2	78,225	1/2	91,329	1/2	104,432	1/2	117,535
3/4	1,777	3/4	13,173	3/4	26,086	3/4	39,188	3/4	52,292	3/4	65,395	3/4	78,498	3/4	91,602	3/4	104,705	3/4	117,808
2	1,986	2	13,428	2	26,358	2	39,461	2	52,565	2	65,668	2	78,771	2	91,875	2	104,978	2	118,081
1/4	2,208	1/4	13,686	1/4	26,631	1/4	39,734	1/4	52,838	1/4	65,941	1/4	79,044	1/4	92,148	1/4	105,251	1/4	118,354
1/2	2,429	1/2	13,945	1/2	26,904	1/2	40,007	1/2	53,111	1/2	66,214	1/2	79,317	1/2	92,421	1/2	105,524	1/2	118,627
3/4	2,651	3/4	14,203	3/4	27,177	3/4	40,280	3/4	53,384	3/4	66,487	3/4	79,590	3/4	92,694	3/4	105,797	3/4	118,900
3	2,872	3	14,461	3	27,450	3	40,553	3	53,657	3	66,760	3	79,863	3	92,967	3	106,070	3	119,173
1/4	3,097	1/4	14,723	1/4	27,723	1/4	40,826	1/4	53,930	1/4	67,033	1/4	80,136	1/4	93,240	1/4	106,343	1/4	119,446
1/2	3,321	1/2	14,984	1/2	27,996	1/2	41,099	1/2	54,203	1/2	67,306	1/2	80,409	1/2	93,513	1/2	106,616	1/2	119,719
3/4	3,546	3/4	15,246	3/4	28,269	3/4	41,372	3/4	54,476	3/4	67,579	3/4	80,682	3/4	93,786	3/4	106,889	3/4	119,992
4	3,770	4	15,507	4	28,541	4	41,645	4	54,749	4	67,852	4	80,955	4	94,059	4	107,162	4	120,265
1/4	3,998	1/4	15,772	1/4	28,814	1/4	41,918	1/4	55,022	1/4	68,125	1/4	81,228	1/4	94,332	1/4	107,435	1/4	120,538
1/2	4,225	1/2	16,036	1/2	29,087	1/2	42,191	1/2	55,295	1/2	68,398	1/2	81,501	1/2	94,605	1/2	107,708	1/2	120,811
3/4	4,453	3/4	16,301	3/4	29,360	3/4	42,464	3/4	55,568	3/4	68,671	3/4	81,774	3/4	94,878	3/4	107,981	3/4	121,084
5	4,681	5	16,565	5	29,633	5	42,737	5	55,841	5	68,944	5	82,047	5	95,151	5	108,254	5	121,357
1/4	4,911	1/4	16,833	1/4	29,906	1/4	43,010	1/4	56,114	1/4	69,217	1/4	82,320	1/4	95,424	1/4	108,527	1/4	121,630
1/2	5,142	1/2	17,100	1/2	30,179	1/2	43,283	1/2	56,387	1/2	69,490	1/2	82,593	1/2	95,697	1/2	108,800	1/2	121,903
3/4	5,373	3/4	17,368	3/4	30,452	3/4	43,556	3/4	56,660	3/4	69,763	3/4	82,866	3/4	95,970	3/4	109,073	3/4	122,176
6	5,603	6	17,636	6	30,725	6	43,829	6	56,933	6	70,036	6	83,139	6	96,243	6	109,346	6	122,449
1/4	5,837	1/4	17,906	1/4	30,998	1/4	44,102	1/4	57,206	1/4	70,309	1/4	83,412	1/4	96,516	1/4	109,619	1/4	122,721
1/2	6,071	1/2	18,177	1/2	31,271	1/2	44,375	1/2	57,479	1/2	70,582	1/2	83,685	1/2	96,789	1/2	109,892	1/2	122,994
3/4	6,304	3/4	18,448	3/4	31,544	3/4	44,648	3/4	57,752	3/4	70,855	3/4	83,958	3/4	97,062	3/4	110,165	3/4	123,267
7	6,538	7	18,718	7	31,817	7	44,921	7	58,025	7	71,128	7	84,231	7	97,335	7	110,438	7	123,540
1/4	6,775	1/4	18,991	1/4	32,090	1/4	45,194	1/4	58,298	1/4	71,401	1/4	84,504	1/4	97,608	1/4	110,710	1/4	123,813
1/2	7,012	1/2	19,264	1/2	32,363	1/2	45,467	1/2	58,571	1/2	71,674	1/2	84,777	1/2	97,881	1/2	110,983	1/2	124,086
3/4	7,249	3/4	19,536	3/4	32,636	3/4	45,740	3/4	58,844	3/4	71,947	3/4	85,050	3/4	98,154	3/4	111,256	3/4	124,359
8	7,485	8	19,809	8	32,909	8	46,013	8	59,117	8	72,220	8	85,323	8	98,427	8	111,529	8	124,632
1/4	7,725	1/4	20,082	1/4	33,182	1/4	46,286	1/4	59,390	1/4	72,493	1/4	85,596	1/4	98,699	1/4	111,802	1/4	124,905
1/2	7,965	1/2	20,355	1/2	33,455	1/2	46,559	1/2	59,663	1/2	72,766	1/2	85,869	1/2	98,972	1/2	112,075	1/2	125,178
3/4	8,205	3/4	20,628	3/4	33,728	3/4	46,832	3/4	59,936	3/4	73,039	3/4	86,142	3/4	99,245	3/4	112,348	3/4	125,451
9	8,445	9	20,901	9	34,001	9	47,105	9	60,209	9	73,312	9	86,415	9	99,518	9	112,621	9	125,724
1/4	8,688	1/4	21,174	1/4	34,274	1/4	47,378	1/4	60,482	1/4	73,585	1/4	86,688	1/4	99,791	1/4	112,894	1/4	125,997
1/2	8,931	1/2	21,446	1/2	34,547	1/2	47,651	1/2	60,755	1/2	73,858	1/2	86,961	1/2	100,064	1/2	113,167	1/2	126,270
3/4	9,174	3/4	21,719	3/4	34,820	3/4	47,924	3/4	61,028	3/4	74,131	3/4	87,234	3/4	100,337	3/4	113,440	3/4	126,543
10	9,417	10	21,992	10	35,093	10	48,197	10	61,301	10	74,404	10	87,507	10	100,610	10	113,713	10	126,816
1/4	9,663	1/4	22,265	1/4	35,366	1/4	48,470	1/4	61,574	1/4	74,677	1/4	87,780	1/4	100,883	1/4	113,986	1/4	127,089
1/2	9,909	1/2	22,538	1/2	35,639	1/2	48,743	1/2	61,847	1/2	74,950	1/2	88,053	1/2	101,156	1/2	114,259	1/2	127,362
3/4	10,155	3/4	22,811	3/4	35,912	3/4	49,016	3/4	62,120	3/4	75,223	3/4	88,326	3/4	101,429	3/4	114,532	3/4	127,635
11	10,401	11	23,084	11	36,185	11	49,289	11	62,392	11	75,496	11	88,599	11	101,702	11	114,805	11	127,908
1/4	10,650	1/4	23,357	1/4	36,458	1/4	49,562	1/4	62,665	1/4	75,769	1/4	88,872	1/4	101,975	1/4	115,078	1/4	128,181
1/2	10,899	1/2	23,630	1/2	36,731	1/2	49,835	1/2	62,938	1/2	76,041	1/2	89,145	1/2	102,248	1/2	115,351	1/2	128,454
3/4	11,149	3/4	23,902	3/4	37,004	3/4	50,108	3/4	63,211	3/4	76,314	3/4	89,418	3/4	102,521	3/4	115,624	3/4	128,727

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 10'- 10" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/8/01 BY: DAR-JD
 DATE COMPUTED: 8/13/01 BY: DAR
 DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 5/8" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	129,000	0	142,103	0	155,206	0	168,309	0	181,315	0	192,179	0		0		0		0	
1/4	129,273	1/4	142,376	1/4	155,479	1/4	168,580	1/4	181,585	1/4	192,209	1/4		1/4		1/4		1/4	
1/2	129,546	1/2	142,649	1/2	155,752	1/2	168,852	1/2	181,856	1/2	192,239	1/2		1/2		1/2		1/2	
3/4	129,819	3/4	142,922	3/4	156,025	3/4	169,123	3/4	182,127	3/4	192,269	3/4		3/4		3/4		3/4	
1	130,092	1	143,195	1	156,298	1	169,394	1	182,398	1	192,300	1		1		1		1	
1/4	130,365	1/4	143,468	1/4	156,571	1/4	169,665	1/4	182,669	1/4	192,319	1/4		1/4		1/4		1/4	
1/2	130,638	1/2	143,741	1/2	156,844	1/2	169,936	1/2	182,940	1/2		1/2		1/2		1/2		1/2	
3/4	130,911	3/4	144,014	3/4	157,117	3/4	170,207	3/4	183,211	3/4		3/4		3/4		3/4		3/4	
2	131,184	2	144,287	2	157,390	2	170,478	2	183,482	2		2		2		2		2	
1/4	131,457	1/4	144,560	1/4	157,663	1/4	170,749	1/4	183,751	1/4		1/4		1/4		1/4		1/4	
1/2	131,730	1/2	144,833	1/2	157,936	1/2	171,020	1/2	184,021	1/2		1/2		1/2		1/2		1/2	
3/4	132,003	3/4	145,106	3/4	158,209	3/4	171,291	3/4	184,291	3/4		3/4		3/4		3/4		3/4	
3	132,276	3	145,379	3	158,482	3	171,562	3	184,560	3		3		3		3		3	
1/4	132,549	1/4	145,652	1/4	158,755	1/4	171,833	1/4	184,829	1/4		1/4		1/4		1/4		1/4	
1/2	132,822	1/2	145,925	1/2	159,027	1/2	172,104	1/2	185,098	1/2		1/2		1/2		1/2		1/2	
3/4	133,095	3/4	146,198	3/4	159,300	3/4	172,374	3/4	185,368	3/4		3/4		3/4		3/4		3/4	
4	133,368	4	146,471	4	159,573	4	172,645	4	185,637	4		4		4		4		4	
1/4	133,641	1/4	146,744	1/4	159,846	1/4	172,916	1/4	185,906	1/4		1/4		1/4		1/4		1/4	
1/2	133,914	1/2	147,016	1/2	160,119	1/2	173,187	1/2	186,175	1/2		1/2		1/2		1/2		1/2	
3/4	134,187	3/4	147,289	3/4	160,392	3/4	173,458	3/4	186,444	3/4		3/4		3/4		3/4		3/4	
5	134,460	5	147,562	5	160,665	5	173,729	5	186,713	5		5		5		5		5	
1/4	134,733	1/4	147,835	1/4	160,938	1/4	174,000	1/4	186,982	1/4		1/4		1/4		1/4		1/4	
1/2	135,005	1/2	148,108	1/2	161,211	1/2	174,271	1/2	187,251	1/2		1/2		1/2		1/2		1/2	
3/4	135,278	3/4	148,381	3/4	161,484	3/4	174,542	3/4	187,521	3/4		3/4		3/4		3/4		3/4	
6	135,551	6	148,654	6	161,757	6	174,813	6	187,790	6		6		6		6		6	
1/4	135,824	1/4	148,927	1/4	162,030	1/4	175,084	1/4	188,059	1/4		1/4		1/4		1/4		1/4	
1/2	136,097	1/2	149,200	1/2	162,303	1/2	175,355	1/2	188,328	1/2		1/2		1/2		1/2		1/2	
3/4	136,370	3/4	149,473	3/4	162,576	3/4	175,625	3/4	188,597	3/4		3/4		3/4		3/4		3/4	
7	136,643	7	149,746	7	162,849	7	175,896	7	188,866	7		7		7		7		7	
1/4	136,916	1/4	150,019	1/4	163,122	1/4	176,167	1/4	189,118	1/4		1/4		1/4		1/4		1/4	
1/2	137,189	1/2	150,292	1/2	163,395	1/2	176,438	1/2	189,370	1/2		1/2		1/2		1/2		1/2	
3/4	137,462	3/4	150,565	3/4	163,668	3/4	176,709	3/4	189,622	3/4		3/4		3/4		3/4		3/4	
8	137,735	8	150,838	8	163,941	8	176,980	8	189,875	8		8		8		8		8	
1/4	138,008	1/4	151,111	1/4	164,214	1/4	177,251	1/4	190,087	1/4		1/4		1/4		1/4		1/4	
1/2	138,281	1/2	151,384	1/2	164,487	1/2	177,522	1/2	190,299	1/2		1/2		1/2		1/2		1/2	
3/4	138,554	3/4	151,657	3/4	164,760	3/4	177,793	3/4	190,511	3/4		3/4		3/4		3/4		3/4	
9	138,827	9	151,930	9	165,033	9	178,064	9	190,724	9		9		9		9		9	
1/4	139,100	1/4	152,203	1/4	165,306	1/4	178,335	1/4	190,890	1/4		1/4		1/4		1/4		1/4	
1/2	139,373	1/2	152,476	1/2	165,579	1/2	178,605	1/2	191,057	1/2		1/2		1/2		1/2		1/2	
3/4	139,646	3/4	152,749	3/4	165,852	3/4	178,876	3/4	191,224	3/4		3/4		3/4		3/4		3/4	
10	139,919	10	153,022	10	166,125	10	179,147	10	191,391	10		10		10		10		10	
1/4	140,192	1/4	153,295	1/4	166,398	1/4	179,418	1/4	191,512	1/4		1/4		1/4		1/4		1/4	
1/2	140,465	1/2	153,568	1/2	166,671	1/2	179,689	1/2	191,633	1/2		1/2		1/2		1/2		1/2	
3/4	140,738	3/4	153,841	3/4	166,944	3/4	179,960	3/4	191,754	3/4		3/4		3/4		3/4		3/4	
11	141,011	11	154,114	11	167,217	11	180,231	11	191,876	11		11		11		11		11	
1/4	141,284	1/4	154,387	1/4	167,490	1/4	180,502	1/4	191,951	1/4		1/4		1/4		1/4		1/4	
1/2	141,557	1/2	154,660	1/2	167,763	1/2	180,773	1/2	192,027	1/2		1/2		1/2		1/2		1/2	
3/4	141,830	3/4	154,933	3/4	168,036	3/4	181,044	3/4	192,103	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 5/8" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	494	0	11,372	0	24,122	0	37,194	0	50,269	0	63,340	0	76,410	0	89,484	0	102,558	0	115,632
1/4	657	1/4	11,624	1/4	24,394	1/4	37,467	1/4	50,541	1/4	63,612	1/4	76,682	1/4	89,756	1/4	102,830	1/4	115,904
1/2	820	1/2	11,876	1/2	24,666	1/2	37,739	1/2	50,814	1/2	63,885	1/2	76,954	1/2	90,029	1/2	103,103	1/2	116,176
3/4	982	3/4	12,127	3/4	24,938	3/4	38,011	3/4	51,086	3/4	64,157	3/4	77,227	3/4	90,301	3/4	103,375	3/4	116,449
1	1,145	1	12,379	1	25,211	1	38,284	1	51,358	1	64,429	1	77,499	1	90,574	1	103,647	1	116,721
1/4	1,354	1/4	12,634	1/4	25,483	1/4	38,556	1/4	51,631	1/4	64,701	1/4	77,771	1/4	90,846	1/4	103,920	1/4	116,993
1/2	1,564	1/2	12,889	1/2	25,755	1/2	38,829	1/2	51,903	1/2	64,973	1/2	78,044	1/2	91,118	1/2	104,192	1/2	117,266
3/4	1,773	3/4	13,143	3/4	26,028	3/4	39,101	3/4	52,176	3/4	65,246	3/4	78,316	3/4	91,391	3/4	104,464	3/4	117,538
2	1,982	2	13,398	2	26,300	2	39,373	2	52,448	2	65,518	2	78,589	2	91,663	2	104,737	2	117,811
1/4	2,203	1/4	13,656	1/4	26,572	1/4	39,646	1/4	52,720	1/4	65,790	1/4	78,861	1/4	91,935	1/4	105,009	1/4	118,083
1/2	2,424	1/2	13,914	1/2	26,844	1/2	39,918	1/2	52,993	1/2	66,062	1/2	79,133	1/2	92,208	1/2	105,282	1/2	118,355
3/4	2,645	3/4	14,171	3/4	27,117	3/4	40,190	3/4	53,265	3/4	66,334	3/4	79,406	3/4	92,480	3/4	105,554	3/4	118,628
3	2,866	3	14,429	3	27,389	3	40,463	3	53,538	3	66,607	3	79,678	3	92,753	3	105,826	3	118,900
1/4	3,090	1/4	14,690	1/4	27,661	1/4	40,735	1/4	53,810	1/4	66,879	1/4	79,951	1/4	93,025	1/4	106,099	1/4	119,172
1/2	3,314	1/2	14,951	1/2	27,933	1/2	41,008	1/2	54,082	1/2	67,151	1/2	80,223	1/2	93,297	1/2	106,371	1/2	119,445
3/4	3,538	3/4	15,212	3/4	28,206	3/4	41,280	3/4	54,355	3/4	67,423	3/4	80,495	3/4	93,570	3/4	106,643	3/4	119,717
4	3,762	4	15,473	4	28,478	4	41,552	4	54,627	4	67,695	4	80,768	4	93,842	4	106,916	4	119,990
1/4	3,989	1/4	15,737	1/4	28,750	1/4	41,825	1/4	54,900	1/4	67,967	1/4	81,040	1/4	94,114	1/4	107,188	1/4	120,262
1/2	4,216	1/2	16,001	1/2	29,023	1/2	42,097	1/2	55,172	1/2	68,240	1/2	81,313	1/2	94,387	1/2	107,461	1/2	120,534
3/4	4,443	3/4	16,264	3/4	29,295	3/4	42,370	3/4	55,444	3/4	68,512	3/4	81,585	3/4	94,659	3/4	107,733	3/4	120,807
5	4,670	5	16,528	5	29,567	5	42,642	5	55,717	5	68,784	5	81,857	5	94,932	5	108,005	5	121,079
1/4	4,900	1/4	16,795	1/4	29,840	1/4	42,914	1/4	55,989	1/4	69,056	1/4	82,130	1/4	95,204	1/4	108,278	1/4	121,351
1/2	5,130	1/2	17,062	1/2	30,112	1/2	43,187	1/2	56,261	1/2	69,328	1/2	82,402	1/2	95,476	1/2	108,550	1/2	121,624
3/4	5,361	3/4	17,329	3/4	30,384	3/4	43,459	3/4	56,534	3/4	69,601	3/4	82,675	3/4	95,749	3/4	108,822	3/4	121,896
6	5,591	6	17,596	6	30,657	6	43,732	6	56,806	6	69,873	6	82,947	6	96,021	6	109,095	6	122,169
1/4	5,824	1/4	17,867	1/4	30,929	1/4	44,004	1/4	57,079	1/4	70,145	1/4	83,219	1/4	96,293	1/4	109,367	1/4	122,441
1/2	6,057	1/2	18,137	1/2	31,202	1/2	44,276	1/2	57,351	1/2	70,417	1/2	83,492	1/2	96,566	1/2	109,639	1/2	122,713
3/4	6,290	3/4	18,407	3/4	31,474	3/4	44,549	3/4	57,623	3/4	70,690	3/4	83,764	3/4	96,838	3/4	109,912	3/4	122,986
7	6,524	7	18,677	7	31,746	7	44,821	7	57,896	7	70,962	7	84,036	7	97,110	7	110,184	7	123,258
1/4	6,760	1/4	18,949	1/4	32,019	1/4	45,093	1/4	58,168	1/4	71,234	1/4	84,309	1/4	97,383	1/4	110,457	1/4	123,530
1/2	6,996	1/2	19,221	1/2	32,291	1/2	45,366	1/2	58,440	1/2	71,507	1/2	84,581	1/2	97,655	1/2	110,729	1/2	123,803
3/4	7,233	3/4	19,493	3/4	32,564	3/4	45,638	3/4	58,713	3/4	71,779	3/4	84,854	3/4	97,928	3/4	111,001	3/4	124,075
8	7,469	8	19,765	8	32,836	8	45,911	8	58,985	8	72,051	8	85,126	8	98,200	8	111,274	8	124,347
1/4	7,708	1/4	20,037	1/4	33,108	1/4	46,183	1/4	59,257	1/4	72,324	1/4	85,398	1/4	98,472	1/4	111,546	1/4	124,620
1/2	7,948	1/2	20,310	1/2	33,381	1/2	46,455	1/2	59,529	1/2	72,596	1/2	85,671	1/2	98,745	1/2	111,818	1/2	124,892
3/4	8,187	3/4	20,582	3/4	33,653	3/4	46,728	3/4	59,802	3/4	72,868	3/4	85,943	3/4	99,017	3/4	112,091	3/4	125,165
9	8,426	9	20,854	9	33,925	9	47,000	9	60,074	9	73,141	9	86,216	9	99,289	9	112,363	9	125,437
1/4	8,669	1/4	21,126	1/4	34,198	1/4	47,273	1/4	60,346	1/4	73,413	1/4	86,488	1/4	99,562	1/4	112,636	1/4	125,709
1/2	8,911	1/2	21,399	1/2	34,470	1/2	47,545	1/2	60,618	1/2	73,686	1/2	86,760	1/2	99,834	1/2	112,908	1/2	125,982
3/4	9,154	3/4	21,671	3/4	34,743	3/4	47,817	3/4	60,890	3/4	73,958	3/4	87,033	3/4	100,107	3/4	113,180	3/4	126,254
10	9,396	10	21,943	10	35,015	10	48,090	10	61,163	10	74,230	10	87,305	10	100,379	10	113,453	10	126,526
1/4	9,642	1/4	22,216	1/4	35,287	1/4	48,362	1/4	61,435	1/4	74,503	1/4	87,578	1/4	100,651	1/4	113,725	1/4	126,799
1/2	9,887	1/2	22,488	1/2	35,560	1/2	48,635	1/2	61,707	1/2	74,775	1/2	87,850	1/2	100,924	1/2	113,997	1/2	127,071
3/4	10,133	3/4	22,760	3/4	35,832	3/4	48,907	3/4	61,979	3/4	75,048	3/4	88,122	3/4	101,196	3/4	114,270	3/4	127,344
11	10,378	11	23,032	11	36,105	11	49,179	11	62,251	11	75,320	11	88,395	11	101,468	11	114,542	11	127,616
1/4	10,627	1/4	23,305	1/4	36,377	1/4	49,452	1/4	62,524	1/4	75,592	1/4	88,667	1/4	101,741	1/4	114,815	1/4	127,888
1/2	10,875	1/2	23,577	1/2	36,649	1/2	49,724	1/2	62,796	1/2	75,865	1/2	88,939	1/2	102,013	1/2	115,087	1/2	128,161
3/4	11,124	3/4	23,849	3/4	36,922	3/4	49,996	3/4	63,068	3/4	76,137	3/4	89,212	3/4	102,286	3/4	115,359	3/4	128,433

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.

NOTE: MMC GAUGE POINT LOCATED 10'- 10" OFF CENTERLINE AND 38'- 4" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/8/01 BY: DAR-WD

DATE COMPUTED: 8/13/01 BY: DAR

DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 5/8" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	128,705	0	141,779	0	154,853	0	167,927	0	180,903	0	191,743	0		0		0		0	
1/4	128,978	1/4	142,052	1/4	155,125	1/4	168,197	1/4	181,174	1/4	191,773	1/4		1/4		1/4		1/4	
1/2	129,250	1/2	142,324	1/2	155,398	1/2	168,468	1/2	181,444	1/2	191,803	1/2		1/2		1/2		1/2	
3/4	129,523	3/4	142,596	3/4	155,670	3/4	168,739	3/4	181,714	3/4	191,833	3/4		3/4		3/4		3/4	
1	129,795	1	142,869	1	155,942	1	169,010	1	181,985	1	191,864	1		1		1		1	
1/4	130,067	1/4	143,141	1/4	156,215	1/4	169,280	1/4	182,255	1/4	191,882	1/4		1/4		1/4		1/4	
1/2	130,340	1/2	143,413	1/2	156,487	1/2	169,551	1/2	182,525	1/2		1/2		1/2		1/2		1/2	
3/4	130,612	3/4	143,686	3/4	156,760	3/4	169,821	3/4	182,796	3/4		3/4		3/4		3/4		3/4	
2	130,884	2	143,958	2	157,032	2	170,091	2	183,066	2		2		2		2		2	
1/4	131,157	1/4	144,230	1/4	157,304	1/4	170,361	1/4	183,335	1/4		1/4		1/4		1/4		1/4	
1/2	131,429	1/2	144,503	1/2	157,577	1/2	170,632	1/2	183,604	1/2		1/2		1/2		1/2		1/2	
3/4	131,701	3/4	144,775	3/4	157,849	3/4	170,902	3/4	183,873	3/4		3/4		3/4		3/4		3/4	
3	131,974	3	145,048	3	158,121	3	171,172	3	184,142	3		3		3		3		3	
1/4	132,246	1/4	145,320	1/4	158,394	1/4	171,443	1/4	184,410	1/4		1/4		1/4		1/4		1/4	
1/2	132,519	1/2	145,592	1/2	158,666	1/2	171,713	1/2	184,679	1/2		1/2		1/2		1/2		1/2	
3/4	132,791	3/4	145,865	3/4	158,938	3/4	171,983	3/4	184,947	3/4		3/4		3/4		3/4		3/4	
4	133,063	4	146,137	4	159,211	4	172,254	4	185,216	4		4		4		4		4	
1/4	133,336	1/4	146,409	1/4	159,483	1/4	172,524	1/4	185,484	1/4		1/4		1/4		1/4		1/4	
1/2	133,608	1/2	146,682	1/2	159,756	1/2	172,794	1/2	185,753	1/2		1/2		1/2		1/2		1/2	
3/4	133,880	3/4	146,954	3/4	160,028	3/4	173,065	3/4	186,021	3/4		3/4		3/4		3/4		3/4	
5	134,153	5	147,227	5	160,300	5	173,335	5	186,290	5		5		5		5		5	
1/4	134,425	1/4	147,499	1/4	160,573	1/4	173,605	1/4	186,558	1/4		1/4		1/4		1/4		1/4	
1/2	134,698	1/2	147,771	1/2	160,845	1/2	173,875	1/2	186,827	1/2		1/2		1/2		1/2		1/2	
3/4	134,970	3/4	148,044	3/4	161,117	3/4	174,146	3/4	187,095	3/4		3/4		3/4		3/4		3/4	
6	135,242	6	148,316	6	161,390	6	174,416	6	187,364	6		6		6		6		6	
1/4	135,515	1/4	148,588	1/4	161,662	1/4	174,686	1/4	187,632	1/4		1/4		1/4		1/4		1/4	
1/2	135,787	1/2	148,861	1/2	161,935	1/2	174,957	1/2	187,901	1/2		1/2		1/2		1/2		1/2	
3/4	136,059	3/4	149,133	3/4	162,207	3/4	175,227	3/4	188,170	3/4		3/4		3/4		3/4		3/4	
7	136,332	7	149,406	7	162,479	7	175,497	7	188,438	7		7		7		7		7	
1/4	136,604	1/4	149,678	1/4	162,752	1/4	175,768	1/4	188,690	1/4		1/4		1/4		1/4		1/4	
1/2	136,876	1/2	149,950	1/2	163,024	1/2	176,038	1/2	188,941	1/2		1/2		1/2		1/2		1/2	
3/4	137,149	3/4	150,223	3/4	163,296	3/4	176,308	3/4	189,193	3/4		3/4		3/4		3/4		3/4	
8	137,421	8	150,495	8	163,569	8	176,578	8	189,444	8		8		8		8		8	
1/4	137,694	1/4	150,767	1/4	163,841	1/4	176,849	1/4	189,656	1/4		1/4		1/4		1/4		1/4	
1/2	137,966	1/2	151,040	1/2	164,113	1/2	177,119	1/2	189,868	1/2		1/2		1/2		1/2		1/2	
3/4	138,238	3/4	151,312	3/4	164,386	3/4	177,389	3/4	190,079	3/4		3/4		3/4		3/4		3/4	
9	138,511	9	151,584	9	164,658	9	177,660	9	190,291	9		9		9		9		9	
1/4	138,783	1/4	151,857	1/4	164,931	1/4	177,930	1/4	190,458	1/4		1/4		1/4		1/4		1/4	
1/2	139,055	1/2	152,129	1/2	165,203	1/2	178,200	1/2	190,624	1/2		1/2		1/2		1/2		1/2	
3/4	139,328	3/4	152,402	3/4	165,475	3/4	178,471	3/4	190,790	3/4		3/4		3/4		3/4		3/4	
10	139,600	10	152,674	10	165,748	10	178,741	10	190,957	10		10		10		10		10	
1/4	139,873	1/4	152,946	1/4	166,020	1/4	179,011	1/4	191,078	1/4		1/4		1/4		1/4		1/4	
1/2	140,145	1/2	153,219	1/2	166,292	1/2	179,282	1/2	191,199	1/2		1/2		1/2		1/2		1/2	
3/4	140,417	3/4	153,491	3/4	166,565	3/4	179,552	3/4	191,320	3/4		3/4		3/4		3/4		3/4	
11	140,690	11	153,763	11	166,837	11	179,822	11	191,441	11		11		11		11		11	
1/4	140,962	1/4	154,036	1/4	167,110	1/4	180,092	1/4	191,516	1/4		1/4		1/4		1/4		1/4	
1/2	141,234	1/2	154,308	1/2	167,382	1/2	180,363	1/2	191,592	1/2		1/2		1/2		1/2		1/2	
3/4	141,507	3/4	154,581	3/4	167,654	3/4	180,633	3/4	191,667	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 5/8"(TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	704	0	15,421	0	30,503	0	45,584	0	60,667	0	75,751	0	90,834	0	105,918	0	121,001	0	136,085
1/4	940	1/4	15,736	1/4	30,818	1/4	45,898	1/4	60,981	1/4	76,065	1/4	91,148	1/4	106,232	1/4	121,315	1/4	136,399
1/2	1,176	1/2	16,050	1/2	31,132	1/2	46,212	1/2	61,296	1/2	76,379	1/2	91,463	1/2	106,546	1/2	121,630	1/2	136,713
3/4	1,411	3/4	16,364	3/4	31,446	3/4	46,527	3/4	61,610	3/4	76,693	3/4	91,777	3/4	106,860	3/4	121,944	3/4	137,027
1	1,647	1	16,678	1	31,760	1	46,841	1	61,924	1	77,008	1	92,091	1	107,175	1	122,258	1	137,342
1/4	1,948	1/4	16,993	1/4	32,074	1/4	47,155	1/4	62,238	1/4	77,322	1/4	92,405	1/4	107,489	1/4	122,572	1/4	137,656
1/2	2,249	1/2	17,307	1/2	32,388	1/2	47,469	1/2	62,553	1/2	77,636	1/2	92,720	1/2	107,803	1/2	122,887	1/2	137,970
3/4	2,551	3/4	17,621	3/4	32,702	3/4	47,783	3/4	62,867	3/4	77,950	3/4	93,034	3/4	108,117	3/4	123,201	3/4	138,284
2	2,852	2	17,935	2	33,016	2	48,098	2	63,181	2	78,265	2	93,348	2	108,432	2	123,515	2	138,599
1/4	3,166	1/4	18,249	1/4	33,331	1/4	48,412	1/4	63,495	1/4	78,579	1/4	93,662	1/4	108,746	1/4	123,829	1/4	138,913
1/2	3,480	1/2	18,564	1/2	33,645	1/2	48,726	1/2	63,810	1/2	78,893	1/2	93,977	1/2	109,060	1/2	124,144	1/2	139,227
3/4	3,794	3/4	18,878	3/4	33,959	3/4	49,040	3/4	64,124	3/4	79,207	3/4	94,291	3/4	109,374	3/4	124,458	3/4	139,541
3	4,109	3	19,192	3	34,273	3	49,354	3	64,438	3	79,522	3	94,605	3	109,689	3	124,772	3	139,856
1/4	4,423	1/4	19,506	1/4	34,587	1/4	49,669	1/4	64,752	1/4	79,836	1/4	94,919	1/4	110,003	1/4	125,086	1/4	140,170
1/2	4,737	1/2	19,821	1/2	34,901	1/2	49,983	1/2	65,066	1/2	80,150	1/2	95,234	1/2	110,317	1/2	125,401	1/2	140,484
3/4	5,051	3/4	20,135	3/4	35,215	3/4	50,297	3/4	65,381	3/4	80,464	3/4	95,548	3/4	110,631	3/4	125,715	3/4	140,798
4	5,366	4	20,449	4	35,529	4	50,611	4	65,695	4	80,778	4	95,862	4	110,946	4	126,029	4	141,113
1/4	5,680	1/4	20,763	1/4	35,844	1/4	50,926	1/4	66,009	1/4	81,093	1/4	96,176	1/4	111,260	1/4	126,343	1/4	141,427
1/2	5,994	1/2	21,078	1/2	36,158	1/2	51,240	1/2	66,323	1/2	81,407	1/2	96,490	1/2	111,574	1/2	126,658	1/2	141,741
3/4	6,308	3/4	21,392	3/4	36,472	3/4	51,554	3/4	66,638	3/4	81,721	3/4	96,805	3/4	111,888	3/4	126,972	3/4	142,055
5	6,623	5	21,706	5	36,786	5	51,868	5	66,952	5	82,035	5	97,119	5	112,202	5	127,286	5	142,370
1/4	6,937	1/4	22,020	1/4	37,100	1/4	52,183	1/4	67,266	1/4	82,350	1/4	97,433	1/4	112,517	1/4	127,600	1/4	142,684
1/2	7,251	1/2	22,335	1/2	37,414	1/2	52,497	1/2	67,580	1/2	82,664	1/2	97,747	1/2	112,831	1/2	127,914	1/2	142,998
3/4	7,565	3/4	22,649	3/4	37,729	3/4	52,811	3/4	67,895	3/4	82,978	3/4	98,062	3/4	113,145	3/4	128,229	3/4	143,312
6	7,880	6	22,963	6	38,043	6	53,125	6	68,209	6	83,292	6	98,376	6	113,459	6	128,543	6	143,626
1/4	8,194	1/4	23,277	1/4	38,357	1/4	53,440	1/4	68,523	1/4	83,607	1/4	98,690	1/4	113,774	1/4	128,857	1/4	143,941
1/2	8,508	1/2	23,592	1/2	38,671	1/2	53,754	1/2	68,837	1/2	83,921	1/2	99,004	1/2	114,088	1/2	129,171	1/2	144,255
3/4	8,822	3/4	23,906	3/4	38,986	3/4	54,068	3/4	69,152	3/4	84,235	3/4	99,319	3/4	114,402	3/4	129,486	3/4	144,569
7	9,137	7	24,220	7	39,300	7	54,382	7	69,466	7	84,549	7	99,633	7	114,716	7	129,800	7	144,883
1/4	9,451	1/4	24,534	1/4	39,614	1/4	54,697	1/4	69,780	1/4	84,864	1/4	99,947	1/4	115,031	1/4	130,114	1/4	145,198
1/2	9,765	1/2	24,849	1/2	39,928	1/2	55,011	1/2	70,094	1/2	85,178	1/2	100,261	1/2	115,345	1/2	130,428	1/2	145,512
3/4	10,079	3/4	25,163	3/4	40,242	3/4	55,325	3/4	70,409	3/4	85,492	3/4	100,576	3/4	115,659	3/4	130,743	3/4	145,826
8	10,393	8	25,477	8	40,557	8	55,639	8	70,723	8	85,806	8	100,890	8	115,973	8	131,057	8	146,140
1/4	10,708	1/4	25,791	1/4	40,871	1/4	55,954	1/4	71,037	1/4	86,121	1/4	101,204	1/4	116,288	1/4	131,371	1/4	146,455
1/2	11,022	1/2	26,105	1/2	41,185	1/2	56,268	1/2	71,351	1/2	86,435	1/2	101,518	1/2	116,602	1/2	131,685	1/2	146,769
3/4	11,336	3/4	26,420	3/4	41,499	3/4	56,582	3/4	71,666	3/4	86,749	3/4	101,833	3/4	116,916	3/4	132,000	3/4	147,083
9	11,650	9	26,734	9	41,813	9	56,896	9	71,980	9	87,063	9	102,147	9	117,230	9	132,314	9	147,397
1/4	11,965	1/4	27,048	1/4	42,128	1/4	57,210	1/4	72,294	1/4	87,378	1/4	102,461	1/4	117,545	1/4	132,628	1/4	147,712
1/2	12,279	1/2	27,362	1/2	42,442	1/2	57,525	1/2	72,608	1/2	87,692	1/2	102,775	1/2	117,859	1/2	132,942	1/2	148,026
3/4	12,593	3/4	27,676	3/4	42,756	3/4	57,839	3/4	72,922	3/4	88,006	3/4	103,090	3/4	118,173	3/4	133,257	3/4	148,340
10	12,907	10	27,990	10	43,070	10	58,153	10	73,237	10	88,320	10	103,404	10	118,487	10	133,571	10	148,654
1/4	13,222	1/4	28,305	1/4	43,384	1/4	58,467	1/4	73,551	1/4	88,634	1/4	103,718	1/4	118,802	1/4	133,885	1/4	148,969
1/2	13,536	1/2	28,619	1/2	43,699	1/2	58,782	1/2	73,865	1/2	88,949	1/2	104,032	1/2	119,116	1/2	134,199	1/2	149,283
3/4	13,850	3/4	28,933	3/4	44,013	3/4	59,096	3/4	74,179	3/4	89,263	3/4	104,346	3/4	119,430	3/4	134,514	3/4	149,597
11	14,164	11	29,247	11	44,327	11	59,410	11	74,494	11	89,577	11	104,661	11	119,744	11	134,828	11	149,911
1/4	14,479	1/4	29,561	1/4	44,641	1/4	59,724	1/4	74,808	1/4	89,891	1/4	104,975	1/4	120,058	1/4	135,142	1/4	150,226
1/2	14,793	1/2	29,875	1/2	44,955	1/2	60,039	1/2	75,122	1/2	90,206	1/2	105,289	1/2	120,373	1/2	135,456	1/2	150,540
3/4	15,107	3/4	30,189	3/4	45,270	3/4	60,353	3/4	75,436	3/4	90,520	3/4	105,603	3/4	120,687	3/4	135,770	3/4	150,854

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.

NOTE: MMC GAUGE POINT LOCATED 10'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/8/01 BY: DAR-JD

DATE COMPUTED: 8/13/01 BY: DAR

DATE ISSUED: 8/13/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 5/8" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,168	0	166,252	0	181,335	0	196,419	0	211,405	0	223,937	0		0		0		0	
1/4	151,483	1/4	166,566	1/4	181,650	1/4	196,732	1/4	211,717	1/4	223,973	1/4		1/4		1/4		1/4	
1/2	151,797	1/2	166,880	1/2	181,964	1/2	197,044	1/2	212,030	1/2	224,008	1/2		1/2		1/2		1/2	
3/4	152,111	3/4	167,195	3/4	182,278	3/4	197,357	3/4	212,342	3/4	224,044	3/4		3/4		3/4		3/4	
1	152,425	1	167,509	1	182,592	1	197,670	1	212,654	1	224,079	1		1		1		1	
1/4	152,739	1/4	167,823	1/4	182,907	1/4	197,982	1/4	212,966	1/4	224,101	1/4		1/4		1/4		1/4	
1/2	153,054	1/2	168,137	1/2	183,221	1/2	198,294	1/2	213,278	1/2		1/2		1/2		1/2		1/2	
3/4	153,368	3/4	168,451	3/4	183,535	3/4	198,606	3/4	213,591	3/4		3/4		3/4		3/4		3/4	
2	153,682	2	168,766	2	183,849	2	198,918	2	213,903	2		2		2		2		2	
1/4	153,996	1/4	169,080	1/4	184,163	1/4	199,230	1/4	214,214	1/4		1/4		1/4		1/4		1/4	
1/2	154,311	1/2	169,394	1/2	184,478	1/2	199,543	1/2	214,524	1/2		1/2		1/2		1/2		1/2	
3/4	154,625	3/4	169,708	3/4	184,792	3/4	199,855	3/4	214,835	3/4		3/4		3/4		3/4		3/4	
3	154,939	3	170,023	3	185,106	3	200,167	3	215,146	3		3		3		3		3	
1/4	155,253	1/4	170,337	1/4	185,420	1/4	200,479	1/4	215,456	1/4		1/4		1/4		1/4		1/4	
1/2	155,568	1/2	170,651	1/2	185,735	1/2	200,791	1/2	215,767	1/2		1/2		1/2		1/2		1/2	
3/4	155,882	3/4	170,965	3/4	186,049	3/4	201,104	3/4	216,077	3/4		3/4		3/4		3/4		3/4	
4	156,196	4	171,280	4	186,363	4	201,416	4	216,388	4		4		4		4		4	
1/4	156,510	1/4	171,594	1/4	186,677	1/4	201,728	1/4	216,698	1/4		1/4		1/4		1/4		1/4	
1/2	156,825	1/2	171,908	1/2	186,992	1/2	202,040	1/2	217,008	1/2		1/2		1/2		1/2		1/2	
3/4	157,139	3/4	172,222	3/4	187,306	3/4	202,352	3/4	217,319	3/4		3/4		3/4		3/4		3/4	
5	157,453	5	172,537	5	187,620	5	202,664	5	217,629	5		5		5		5		5	
1/4	157,767	1/4	172,851	1/4	187,934	1/4	202,977	1/4	217,940	1/4		1/4		1/4		1/4		1/4	
1/2	158,082	1/2	173,165	1/2	188,249	1/2	203,289	1/2	218,250	1/2		1/2		1/2		1/2		1/2	
3/4	158,396	3/4	173,479	3/4	188,563	3/4	203,601	3/4	218,560	3/4		3/4		3/4		3/4		3/4	
6	158,710	6	173,794	6	188,877	6	203,913	6	218,871	6		6		6		6		6	
1/4	159,024	1/4	174,108	1/4	189,191	1/4	204,225	1/4	219,181	1/4		1/4		1/4		1/4		1/4	
1/2	159,339	1/2	174,422	1/2	189,506	1/2	204,537	1/2	219,492	1/2		1/2		1/2		1/2		1/2	
3/4	159,653	3/4	174,736	3/4	189,820	3/4	204,850	3/4	219,802	3/4		3/4		3/4		3/4		3/4	
7	159,967	7	175,051	7	190,134	7	205,162	7	220,112	7		7		7		7		7	
1/4	160,281	1/4	175,365	1/4	190,448	1/4	205,474	1/4	220,403	1/4		1/4		1/4		1/4		1/4	
1/2	160,595	1/2	175,679	1/2	190,763	1/2	205,786	1/2	220,694	1/2		1/2		1/2		1/2		1/2	
3/4	160,910	3/4	175,993	3/4	191,077	3/4	206,098	3/4	220,985	3/4		3/4		3/4		3/4		3/4	
8	161,224	8	176,307	8	191,391	8	206,411	8	221,275	8		8		8		8		8	
1/4	161,538	1/4	176,622	1/4	191,705	1/4	206,723	1/4	221,520	1/4		1/4		1/4		1/4		1/4	
1/2	161,852	1/2	176,936	1/2	192,019	1/2	207,035	1/2	221,765	1/2		1/2		1/2		1/2		1/2	
3/4	162,167	3/4	177,250	3/4	192,334	3/4	207,347	3/4	222,010	3/4		3/4		3/4		3/4		3/4	
9	162,481	9	177,564	9	192,648	9	207,659	9	222,255	9		9		9		9		9	
1/4	162,795	1/4	177,879	1/4	192,962	1/4	207,971	1/4	222,448	1/4		1/4		1/4		1/4		1/4	
1/2	163,109	1/2	178,193	1/2	193,276	1/2	208,284	1/2	222,640	1/2		1/2		1/2		1/2		1/2	
3/4	163,424	3/4	178,507	3/4	193,591	3/4	208,596	3/4	222,833	3/4		3/4		3/4		3/4		3/4	
10	163,738	10	178,821	10	193,905	10	208,908	10	223,025	10		10		10		10		10	
1/4	164,052	1/4	179,136	1/4	194,219	1/4	209,220	1/4	223,165	1/4		1/4		1/4		1/4		1/4	
1/2	164,366	1/2	179,450	1/2	194,533	1/2	209,532	1/2	223,306	1/2		1/2		1/2		1/2		1/2	
3/4	164,681	3/4	179,764	3/4	194,848	3/4	209,844	3/4	223,446	3/4		3/4		3/4		3/4		3/4	
11	164,995	11	180,078	11	195,162	11	210,157	11	223,586	11		11		11		11		11	
1/4	165,309	1/4	180,393	1/4	195,476	1/4	210,469	1/4	223,674	1/4		1/4		1/4		1/4		1/4	
1/2	165,623	1/2	180,707	1/2	195,790	1/2	210,781	1/2	223,762	1/2		1/2		1/2		1/2		1/2	
3/4	165,938	3/4	181,021	3/4	196,105	3/4	211,093	3/4	223,849	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**2 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 3/4" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	707	0	15,475	0	30,609	0	45,709	0	60,798	0	75,888	0	90,996	0	106,132	0	121,268	0	136,404
1/4	943	1/4	15,790	1/4	30,925	1/4	46,023	1/4	61,113	1/4	76,203	1/4	91,312	1/4	106,448	1/4	121,584	1/4	136,720
1/2	1,180	1/2	16,106	1/2	31,240	1/2	46,338	1/2	61,427	1/2	76,517	1/2	91,627	1/2	106,763	1/2	121,899	1/2	137,035
3/4	1,416	3/4	16,421	3/4	31,555	3/4	46,652	3/4	61,741	3/4	76,831	3/4	91,942	3/4	107,078	3/4	122,214	3/4	137,350
1	1,653	1	16,736	1	31,870	1	46,966	1	62,056	1	77,146	1	92,258	1	107,394	1	122,530	1	137,666
1/4	1,955	1/4	17,052	1/4	32,185	1/4	47,281	1/4	62,370	1/4	77,460	1/4	92,573	1/4	107,709	1/4	122,845	1/4	137,981
1/2	2,257	1/2	17,367	1/2	32,501	1/2	47,595	1/2	62,684	1/2	77,774	1/2	92,888	1/2	108,024	1/2	123,160	1/2	138,296
3/4	2,559	3/4	17,682	3/4	32,816	3/4	47,909	3/4	62,999	3/4	78,089	3/4	93,204	3/4	108,340	3/4	123,476	3/4	138,612
2	2,862	2	17,998	2	33,131	2	48,223	2	63,313	2	78,403	2	93,519	2	108,655	2	123,791	2	138,927
1/4	3,177	1/4	18,313	1/4	33,446	1/4	48,538	1/4	63,628	1/4	78,718	1/4	93,834	1/4	108,970	1/4	124,106	1/4	139,242
1/2	3,492	1/2	18,628	1/2	33,762	1/2	48,852	1/2	63,942	1/2	79,032	1/2	94,150	1/2	109,286	1/2	124,422	1/2	139,558
3/4	3,808	3/4	18,944	3/4	34,077	3/4	49,166	3/4	64,256	3/4	79,346	3/4	94,465	3/4	109,601	3/4	124,737	3/4	139,873
3	4,123	3	19,259	3	34,392	3	49,481	3	64,571	3	79,661	3	94,780	3	109,916	3	125,052	3	140,188
1/4	4,438	1/4	19,574	1/4	34,707	1/4	49,795	1/4	64,885	1/4	79,975	1/4	95,096	1/4	110,232	1/4	125,368	1/4	140,504
1/2	4,754	1/2	19,890	1/2	35,022	1/2	50,109	1/2	65,199	1/2	80,289	1/2	95,411	1/2	110,547	1/2	125,683	1/2	140,819
3/4	5,069	3/4	20,205	3/4	35,337	3/4	50,424	3/4	65,514	3/4	80,604	3/4	95,726	3/4	110,862	3/4	125,998	3/4	141,134
4	5,384	4	20,520	4	35,651	4	50,738	4	65,828	4	80,918	4	96,042	4	111,178	4	126,314	4	141,450
1/4	5,700	1/4	20,836	1/4	35,966	1/4	51,053	1/4	66,143	1/4	81,233	1/4	96,357	1/4	111,493	1/4	126,629	1/4	141,765
1/2	6,015	1/2	21,151	1/2	36,280	1/2	51,367	1/2	66,457	1/2	81,547	1/2	96,672	1/2	111,808	1/2	126,944	1/2	142,080
3/4	6,330	3/4	21,466	3/4	36,595	3/4	51,681	3/4	66,771	3/4	81,861	3/4	96,988	3/4	112,124	3/4	127,260	3/4	142,396
5	6,646	5	21,782	5	36,909	5	51,996	5	67,086	5	82,176	5	97,303	5	112,439	5	127,575	5	142,711
1/4	6,961	1/4	22,097	1/4	37,223	1/4	52,310	1/4	67,400	1/4	82,490	1/4	97,618	1/4	112,754	1/4	127,890	1/4	143,026
1/2	7,276	1/2	22,412	1/2	37,538	1/2	52,624	1/2	67,714	1/2	82,804	1/2	97,934	1/2	113,070	1/2	128,206	1/2	143,342
3/4	7,592	3/4	22,728	3/4	37,852	3/4	52,939	3/4	68,029	3/4	83,119	3/4	98,249	3/4	113,385	3/4	128,521	3/4	143,657
6	7,907	6	23,043	6	38,166	6	53,253	6	68,343	6	83,433	6	98,564	6	113,700	6	128,836	6	143,972
1/4	8,222	1/4	23,358	1/4	38,480	1/4	53,568	1/4	68,658	1/4	83,748	1/4	98,880	1/4	114,016	1/4	129,152	1/4	144,288
1/2	8,538	1/2	23,674	1/2	38,795	1/2	53,882	1/2	68,972	1/2	84,062	1/2	99,195	1/2	114,331	1/2	129,467	1/2	144,603
3/4	8,853	3/4	23,989	3/4	39,109	3/4	54,196	3/4	69,286	3/4	84,376	3/4	99,510	3/4	114,646	3/4	129,782	3/4	144,918
7	9,168	7	24,304	7	39,423	7	54,511	7	69,601	7	84,691	7	99,826	7	114,962	7	130,098	7	145,234
1/4	9,484	1/4	24,620	1/4	39,738	1/4	54,825	1/4	69,915	1/4	85,006	1/4	100,141	1/4	115,277	1/4	130,413	1/4	145,549
1/2	9,799	1/2	24,935	1/2	40,052	1/2	55,139	1/2	70,229	1/2	85,321	1/2	100,456	1/2	115,592	1/2	130,728	1/2	145,864
3/4	10,114	3/4	25,250	3/4	40,366	3/4	55,454	3/4	70,544	3/4	85,636	3/4	100,772	3/4	115,908	3/4	131,044	3/4	146,180
8	10,430	8	25,566	8	40,680	8	55,768	8	70,858	8	85,951	8	101,087	8	116,223	8	131,359	8	146,495
1/4	10,745	1/4	25,881	1/4	40,995	1/4	56,083	1/4	71,173	1/4	86,266	1/4	101,402	1/4	116,538	1/4	131,674	1/4	146,810
1/2	11,060	1/2	26,196	1/2	41,309	1/2	56,397	1/2	71,487	1/2	86,582	1/2	101,718	1/2	116,854	1/2	131,990	1/2	147,126
3/4	11,376	3/4	26,511	3/4	41,623	3/4	56,711	3/4	71,801	3/4	86,897	3/4	102,033	3/4	117,169	3/4	132,305	3/4	147,441
9	11,691	9	26,827	9	41,938	9	57,026	9	72,116	9	87,212	9	102,348	9	117,484	9	132,620	9	147,756
1/4	12,006	1/4	27,142	1/4	42,252	1/4	57,340	1/4	72,430	1/4	87,528	1/4	102,664	1/4	117,800	1/4	132,936	1/4	148,072
1/2	12,322	1/2	27,457	1/2	42,566	1/2	57,654	1/2	72,744	1/2	87,843	1/2	102,979	1/2	118,115	1/2	133,251	1/2	148,387
3/4	12,637	3/4	27,772	3/4	42,881	3/4	57,969	3/4	73,059	3/4	88,158	3/4	103,294	3/4	118,430	3/4	133,566	3/4	148,702
10	12,952	10	28,088	10	43,195	10	58,283	10	73,373	10	88,474	10	103,610	10	118,746	10	133,882	10	149,018
1/4	13,268	1/4	28,403	1/4	43,509	1/4	58,598	1/4	73,688	1/4	88,789	1/4	103,925	1/4	119,061	1/4	134,197	1/4	149,333
1/2	13,583	1/2	28,718	1/2	43,823	1/2	58,912	1/2	74,002	1/2	89,104	1/2	104,240	1/2	119,376	1/2	134,512	1/2	149,648
3/4	13,898	3/4	29,033	3/4	44,138	3/4	59,226	3/4	74,316	3/4	89,420	3/4	104,556	3/4	119,692	3/4	134,828	3/4	149,964
11	14,214	11	29,348	11	44,452	11	59,541	11	74,631	11	89,735	11	104,871	11	120,007	11	135,143	11	150,279
1/4	14,529	1/4	29,664	1/4	44,766	1/4	59,855	1/4	74,945	1/4	90,050	1/4	105,186	1/4	120,322	1/4	135,458	1/4	150,594
1/2	14,844	1/2	29,979	1/2	45,081	1/2	60,169	1/2	75,259	1/2	90,366	1/2	105,502	1/2	120,638	1/2	135,774	1/2	150,910
3/4	15,160	3/4	30,294	3/4	45,395	3/4	60,484	3/4	75,574	3/4	90,681	3/4	105,817	3/4	120,953	3/4	136,089	3/4	151,225

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.

NOTE: MMC GAUGE POINT LOCATED 10'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/8/01 BY: DAR-JD

DATE COMPUTED: 8/13/01 BY: DAR

DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**2 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 3/4" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,540	0	166,676	0	181,812	0	196,948	0	211,987	0	224,563	0		0		0		0	
1/4	151,856	1/4	166,992	1/4	182,127	1/4	197,262	1/4	212,300	1/4	224,599	1/4		1/4		1/4		1/4	
1/2	152,171	1/2	167,307	1/2	182,443	1/2	197,576	1/2	212,614	1/2	224,634	1/2		1/2		1/2		1/2	
3/4	152,486	3/4	167,622	3/4	182,758	3/4	197,889	3/4	212,927	3/4	224,670	3/4		3/4		3/4		3/4	
1	152,802	1	167,938	1	183,073	1	198,203	1	213,240	1	224,705	1		1		1		1	
1/4	153,117	1/4	168,253	1/4	183,389	1/4	198,516	1/4	213,553	1/4	<u>224,728</u>	1/4		1/4		1/4		1/4	
1/2	153,432	1/2	168,568	1/2	183,704	1/2	198,830	1/2	213,867	1/2		1/2		1/2		1/2		1/2	
3/4	153,748	3/4	168,884	3/4	184,019	3/4	199,143	3/4	214,180	3/4		3/4		3/4		3/4		3/4	
2	154,063	2	169,199	2	184,335	2	199,456	2	214,493	2		2		2		2		2	
1/4	154,378	1/4	169,514	1/4	184,650	1/4	199,770	1/4	214,805	1/4		1/4		1/4		1/4		1/4	
1/2	154,694	1/2	169,829	1/2	184,965	1/2	200,083	1/2	215,117	1/2		1/2		1/2		1/2		1/2	
3/4	155,009	3/4	170,145	3/4	185,281	3/4	200,396	3/4	215,429	3/4		3/4		3/4		3/4		3/4	
3	155,324	3	170,460	3	185,596	3	200,709	3	215,741	3		3		3		3		3	
1/4	155,640	1/4	170,775	1/4	185,911	1/4	201,023	1/4	216,052	1/4		1/4		1/4		1/4		1/4	
1/2	155,955	1/2	171,091	1/2	186,227	1/2	201,336	1/2	216,364	1/2		1/2		1/2		1/2		1/2	
3/4	156,270	3/4	171,406	3/4	186,542	3/4	201,649	3/4	216,675	3/4		3/4		3/4		3/4		3/4	
4	156,586	4	171,721	4	186,857	4	201,962	4	216,987	4		4		4		4		4	
1/4	156,901	1/4	172,037	1/4	187,173	1/4	202,276	1/4	217,298	1/4		1/4		1/4		1/4		1/4	
1/2	157,216	1/2	172,352	1/2	187,488	1/2	202,589	1/2	217,610	1/2		1/2		1/2		1/2		1/2	
3/4	157,532	3/4	172,667	3/4	187,803	3/4	202,902	3/4	217,921	3/4		3/4		3/4		3/4		3/4	
5	157,847	5	172,983	5	188,119	5	203,216	5	218,233	5		5		5		5		5	
1/4	158,162	1/4	173,298	1/4	188,434	1/4	203,529	1/4	218,544	1/4		1/4		1/4		1/4		1/4	
1/2	158,478	1/2	173,613	1/2	188,749	1/2	203,842	1/2	218,856	1/2		1/2		1/2		1/2		1/2	
3/4	158,793	3/4	173,929	3/4	189,065	3/4	204,155	3/4	219,167	3/4		3/4		3/4		3/4		3/4	
6	159,108	6	174,244	6	189,380	6	204,469	6	219,479	6		6		6		6		6	
1/4	159,424	1/4	174,559	1/4	189,695	1/4	204,782	1/4	219,790	1/4		1/4		1/4		1/4		1/4	
1/2	159,739	1/2	174,875	1/2	190,011	1/2	205,095	1/2	220,102	1/2		1/2		1/2		1/2		1/2	
3/4	160,054	3/4	175,190	3/4	190,326	3/4	205,408	3/4	220,413	3/4		3/4		3/4		3/4		3/4	
7	160,370	7	175,505	7	190,641	7	205,722	7	220,725	7		7		7		7		7	
1/4	160,685	1/4	175,821	1/4	190,957	1/4	206,035	1/4	221,016	1/4		1/4		1/4		1/4		1/4	
1/2	161,000	1/2	176,136	1/2	191,272	1/2	206,348	1/2	221,308	1/2		1/2		1/2		1/2		1/2	
3/4	161,316	3/4	176,451	3/4	191,587	3/4	206,661	3/4	221,600	3/4		3/4		3/4		3/4		3/4	
8	161,631	8	176,767	8	191,903	8	206,975	8	221,892	8		8		8		8		8	
1/4	161,946	1/4	177,082	1/4	192,218	1/4	207,288	1/4	222,138	1/4		1/4		1/4		1/4		1/4	
1/2	162,262	1/2	177,397	1/2	192,533	1/2	207,601	1/2	222,383	1/2		1/2		1/2		1/2		1/2	
3/4	162,577	3/4	177,713	3/4	192,849	3/4	207,915	3/4	222,629	3/4		3/4		3/4		3/4		3/4	
9	162,892	9	178,028	9	193,164	9	208,228	9	222,875	9		9		9		9		9	
1/4	163,208	1/4	178,343	1/4	193,479	1/4	208,541	1/4	223,068	1/4		1/4		1/4		1/4		1/4	
1/2	163,523	1/2	178,659	1/2	193,795	1/2	208,854	1/2	223,261	1/2		1/2		1/2		1/2		1/2	
3/4	163,838	3/4	178,974	3/4	194,110	3/4	209,168	3/4	223,455	3/4		3/4		3/4		3/4		3/4	
10	164,154	10	179,289	10	194,425	10	209,481	10	223,648	10		10		10		10		10	
1/4	164,469	1/4	179,605	1/4	194,741	1/4	209,794	1/4	223,789	1/4		1/4		1/4		1/4		1/4	
1/2	164,784	1/2	179,920	1/2	195,056	1/2	210,107	1/2	223,929	1/2		1/2		1/2		1/2		1/2	
3/4	165,100	3/4	180,235	3/4	195,371	3/4	210,421	3/4	224,070	3/4		3/4		3/4		3/4		3/4	
11	165,415	11	180,551	11	195,687	11	210,734	11	224,211	11		11		11		11		11	
1/4	165,730	1/4	180,866	1/4	196,002	1/4	211,047	1/4	224,299	1/4		1/4		1/4		1/4		1/4	
1/2	166,046	1/2	181,181	1/2	196,317	1/2	211,360	1/2	224,387	1/2		1/2		1/2		1/2		1/2	
3/4	166,361	3/4	181,497	3/4	196,633	3/4	211,674	3/4	224,475	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 3/4" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	706	0	15,448	0	30,557	0	45,663	0	60,773	0	75,883	0	90,992	0	106,102	0	121,210	0	136,303
1/4	942	1/4	15,763	1/4	30,871	1/4	45,978	1/4	61,088	1/4	76,197	1/4	91,307	1/4	106,417	1/4	121,524	1/4	136,617
1/2	1,178	1/2	16,078	1/2	31,186	1/2	46,293	1/2	61,402	1/2	76,512	1/2	91,622	1/2	106,732	1/2	121,838	1/2	136,931
3/4	1,414	3/4	16,393	3/4	31,501	3/4	46,608	3/4	61,717	3/4	76,827	3/4	91,937	3/4	107,047	3/4	122,153	3/4	137,245
1	1,650	1	16,707	1	31,815	1	46,922	1	62,032	1	77,142	1	92,252	1	107,361	1	122,467	1	137,560
1/4	1,952	1/4	17,022	1/4	32,130	1/4	47,237	1/4	62,347	1/4	77,457	1/4	92,566	1/4	107,676	1/4	122,782	1/4	137,874
1/2	2,253	1/2	17,337	1/2	32,445	1/2	47,552	1/2	62,662	1/2	77,771	1/2	92,881	1/2	107,991	1/2	123,096	1/2	138,188
3/4	2,555	3/4	17,652	3/4	32,759	3/4	47,867	3/4	62,976	3/4	78,086	3/4	93,196	3/4	108,306	3/4	123,411	3/4	138,502
2	2,857	2	17,966	2	33,074	2	48,181	2	63,291	2	78,401	2	93,511	2	108,620	2	123,725	2	138,816
1/4	3,171	1/4	18,281	1/4	33,389	1/4	48,496	1/4	63,606	1/4	78,716	1/4	93,825	1/4	108,935	1/4	124,040	1/4	139,130
1/2	3,486	1/2	18,596	1/2	33,703	1/2	48,811	1/2	63,921	1/2	79,030	1/2	94,140	1/2	109,250	1/2	124,354	1/2	139,444
3/4	3,801	3/4	18,911	3/4	34,018	3/4	49,126	3/4	64,235	3/4	79,345	3/4	94,455	3/4	109,565	3/4	124,668	3/4	139,759
3	4,116	3	19,226	3	34,333	3	49,440	3	64,550	3	79,660	3	94,770	3	109,880	3	124,983	3	140,073
1/4	4,431	1/4	19,540	1/4	34,647	1/4	49,755	1/4	64,865	1/4	79,975	1/4	95,085	1/4	110,194	1/4	125,297	1/4	140,387
1/2	4,745	1/2	19,855	1/2	34,962	1/2	50,070	1/2	65,180	1/2	80,290	1/2	95,399	1/2	110,509	1/2	125,612	1/2	140,701
3/4	5,060	3/4	20,170	3/4	35,277	3/4	50,385	3/4	65,495	3/4	80,604	3/4	95,714	3/4	110,824	3/4	125,926	3/4	141,015
4	5,375	4	20,485	4	35,591	4	50,700	4	65,809	4	80,919	4	96,029	4	111,139	4	126,241	4	141,329
1/4	5,690	1/4	20,800	1/4	35,906	1/4	51,014	1/4	66,124	1/4	81,234	1/4	96,344	1/4	111,454	1/4	126,555	1/4	141,643
1/2	6,005	1/2	21,114	1/2	36,221	1/2	51,329	1/2	66,439	1/2	81,549	1/2	96,659	1/2	111,768	1/2	126,869	1/2	141,957
3/4	6,319	3/4	21,429	3/4	36,535	3/4	51,644	3/4	66,754	3/4	81,864	3/4	96,973	3/4	112,083	3/4	127,184	3/4	142,272
5	6,634	5	21,744	5	36,850	5	51,959	5	67,069	5	82,178	5	97,288	5	112,398	5	127,498	5	142,586
1/4	6,949	1/4	22,059	1/4	37,165	1/4	52,274	1/4	67,383	1/4	82,493	1/4	97,603	1/4	112,713	1/4	127,813	1/4	142,900
1/2	7,264	1/2	22,374	1/2	37,480	1/2	52,588	1/2	67,698	1/2	82,808	1/2	97,918	1/2	113,028	1/2	128,127	1/2	143,214
3/4	7,579	3/4	22,688	3/4	37,794	3/4	52,903	3/4	68,013	3/4	83,123	3/4	98,233	3/4	113,342	3/4	128,442	3/4	143,528
6	7,893	6	23,003	6	38,109	6	53,218	6	68,328	6	83,437	6	98,547	6	113,657	6	128,756	6	143,842
1/4	8,208	1/4	23,318	1/4	38,424	1/4	53,533	1/4	68,642	1/4	83,752	1/4	98,862	1/4	113,972	1/4	129,071	1/4	144,156
1/2	8,523	1/2	23,633	1/2	38,739	1/2	53,847	1/2	68,957	1/2	84,067	1/2	99,177	1/2	114,287	1/2	129,385	1/2	144,471
3/4	8,838	3/4	23,947	3/4	39,053	3/4	54,162	3/4	69,272	3/4	84,382	3/4	99,492	3/4	114,601	3/4	129,699	3/4	144,785
7	9,152	7	24,262	7	39,368	7	54,477	7	69,587	7	84,697	7	99,806	7	114,916	7	130,014	7	145,099
1/4	9,467	1/4	24,577	1/4	39,683	1/4	54,792	1/4	69,902	1/4	85,011	1/4	100,121	1/4	115,231	1/4	130,328	1/4	145,405
1/2	9,782	1/2	24,892	1/2	39,998	1/2	55,107	1/2	70,216	1/2	85,326	1/2	100,436	1/2	115,546	1/2	130,643	1/2	145,712
3/4	10,097	3/4	25,207	3/4	40,312	3/4	55,421	3/4	70,531	3/4	85,641	3/4	100,751	3/4	115,861	3/4	130,957	3/4	146,018
8	10,412	8	25,521	8	40,627	8	55,736	8	70,846	8	85,956	8	101,066	8	116,175	8	131,272	8	146,324
1/4	10,726	1/4	25,836	1/4	40,942	1/4	56,051	1/4	71,161	1/4	86,271	1/4	101,380	1/4	116,490	1/4	131,586	1/4	146,613
1/2	11,041	1/2	26,151	1/2	41,257	1/2	56,366	1/2	71,476	1/2	86,585	1/2	101,695	1/2	116,805	1/2	131,901	1/2	146,901
3/4	11,356	3/4	26,466	3/4	41,571	3/4	56,681	3/4	71,790	3/4	86,900	3/4	102,010	3/4	117,120	3/4	132,215	3/4	147,189
9	11,671	9	26,780	9	41,886	9	56,995	9	72,105	9	87,215	9	102,325	9	117,435	9	132,529	9	147,477
1/4	11,986	1/4	27,095	1/4	42,201	1/4	57,310	1/4	72,420	1/4	87,530	1/4	102,640	1/4	117,749	1/4	132,844	1/4	147,745
1/2	12,300	1/2	27,410	1/2	42,516	1/2	57,625	1/2	72,735	1/2	87,845	1/2	102,954	1/2	118,064	1/2	133,158	1/2	148,012
3/4	12,615	3/4	27,724	3/4	42,830	3/4	57,940	3/4	73,050	3/4	88,159	3/4	103,269	3/4	118,379	3/4	133,473	3/4	148,280
10	12,930	10	28,039	10	43,145	10	58,254	10	73,364	10	88,474	10	103,584	10	118,694	10	133,787	10	148,547
1/4	13,245	1/4	28,354	1/4	43,460	1/4	58,569	1/4	73,679	1/4	88,789	1/4	103,899	1/4	119,008	1/4	134,102	1/4	148,794
1/2	13,559	1/2	28,668	1/2	43,775	1/2	58,884	1/2	73,994	1/2	89,104	1/2	104,213	1/2	119,323	1/2	134,416	1/2	149,041
3/4	13,874	3/4	28,983	3/4	44,090	3/4	59,199	3/4	74,309	3/4	89,418	3/4	104,528	3/4	119,637	3/4	134,730	3/4	149,287
11	14,189	11	29,298	11	44,404	11	59,514	11	74,623	11	89,733	11	104,843	11	119,952	11	135,045	11	149,534
1/4	14,504	1/4	29,613	1/4	44,719	1/4	59,828	1/4	74,938	1/4	90,048	1/4	105,158	1/4	120,266	1/4	135,359	1/4	149,768
1/2	14,819	1/2	29,927	1/2	45,034	1/2	60,143	1/2	75,253	1/2	90,363	1/2	105,473	1/2	120,581	1/2	135,674	1/2	150,003
3/4	15,133	3/4	30,242	3/4	45,349	3/4	60,458	3/4	75,568	3/4	90,678	3/4	105,787	3/4	120,895	3/4	135,988	3/4	150,237

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 10'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/8/01 BY: DAR-JD
 DATE COMPUTED: 8/13/01 BY: DAR
 DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 3/4" (TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,471	0	161,600	0	172,729	0	183,857	0	194,905	0	204,135	0		0		0		0	
1/4	150,703	1/4	161,832	1/4	172,960	1/4	184,088	1/4	195,135	1/4	204,161	1/4		1/4		1/4		1/4	
1/2	150,935	1/2	162,064	1/2	173,192	1/2	184,318	1/2	195,365	1/2	204,187	1/2		1/2		1/2		1/2	
3/4	151,167	3/4	162,295	3/4	173,424	3/4	184,549	3/4	195,595	3/4	204,213	3/4		3/4		3/4		3/4	
1	151,399	1	162,527	1	173,656	1	184,779	1	195,826	1	204,239	1		1		1		1	
1/4	151,630	1/4	162,759	1/4	173,888	1/4	185,010	1/4	196,056	1/4	204,255	1/4		1/4		1/4		1/4	
1/2	151,862	1/2	162,991	1/2	174,120	1/2	185,240	1/2	196,286	1/2		1/2		1/2		1/2		1/2	
3/4	152,094	3/4	163,223	3/4	174,351	3/4	185,470	3/4	196,516	3/4		3/4		3/4		3/4		3/4	
2	152,326	2	163,455	2	174,583	2	185,700	2	196,746	2		2		2		2		2	
1/4	152,558	1/4	163,687	1/4	174,815	1/4	185,930	1/4	196,975	1/4		1/4		1/4		1/4		1/4	
1/2	152,790	1/2	163,918	1/2	175,047	1/2	186,160	1/2	197,204	1/2		1/2		1/2		1/2		1/2	
3/4	153,022	3/4	164,150	3/4	175,279	3/4	186,390	3/4	197,433	3/4		3/4		3/4		3/4		3/4	
3	153,253	3	164,382	3	175,511	3	186,620	3	197,662	3		3		3		3		3	
1/4	153,485	1/4	164,614	1/4	175,743	1/4	186,851	1/4	197,891	1/4		1/4		1/4		1/4		1/4	
1/2	153,717	1/2	164,846	1/2	175,974	1/2	187,081	1/2	198,120	1/2		1/2		1/2		1/2		1/2	
3/4	153,949	3/4	165,078	3/4	176,206	3/4	187,311	3/4	198,348	3/4		3/4		3/4		3/4		3/4	
4	154,181	4	165,309	4	176,438	4	187,541	4	198,577	4		4		4		4		4	
1/4	154,413	1/4	165,541	1/4	176,670	1/4	187,771	1/4	198,805	1/4		1/4		1/4		1/4		1/4	
1/2	154,644	1/2	165,773	1/2	176,902	1/2	188,001	1/2	199,034	1/2		1/2		1/2		1/2		1/2	
3/4	154,876	3/4	166,005	3/4	177,134	3/4	188,231	3/4	199,263	3/4		3/4		3/4		3/4		3/4	
5	155,108	5	166,237	5	177,365	5	188,461	5	199,491	5		5		5		5		5	
1/4	155,340	1/4	166,469	1/4	177,597	1/4	188,692	1/4	199,720	1/4		1/4		1/4		1/4		1/4	
1/2	155,572	1/2	166,701	1/2	177,829	1/2	188,922	1/2	199,949	1/2		1/2		1/2		1/2		1/2	
3/4	155,804	3/4	166,932	3/4	178,061	3/4	189,152	3/4	200,177	3/4		3/4		3/4		3/4		3/4	
6	156,036	6	167,164	6	178,293	6	189,382	6	200,406	6		6		6		6		6	
1/4	156,267	1/4	167,396	1/4	178,525	1/4	189,612	1/4	200,635	1/4		1/4		1/4		1/4		1/4	
1/2	156,499	1/2	167,628	1/2	178,757	1/2	189,842	1/2	200,863	1/2		1/2		1/2		1/2		1/2	
3/4	156,731	3/4	167,860	3/4	178,988	3/4	190,072	3/4	201,092	3/4		3/4		3/4		3/4		3/4	
7	156,963	7	168,092	7	179,220	7	190,303	7	201,321	7		7		7		7		7	
1/4	157,195	1/4	168,323	1/4	179,452	1/4	190,533	1/4	201,535	1/4		1/4		1/4		1/4		1/4	
1/2	157,427	1/2	168,555	1/2	179,684	1/2	190,763	1/2	201,749	1/2		1/2		1/2		1/2		1/2	
3/4	157,658	3/4	168,787	3/4	179,916	3/4	190,993	3/4	201,963	3/4		3/4		3/4		3/4		3/4	
8	157,890	8	169,019	8	180,148	8	191,223	8	202,177	8		8		8		8		8	
1/4	158,122	1/4	169,251	1/4	180,379	1/4	191,453	1/4	202,358	1/4		1/4		1/4		1/4		1/4	
1/2	158,354	1/2	169,483	1/2	180,611	1/2	191,683	1/2	202,538	1/2		1/2		1/2		1/2		1/2	
3/4	158,586	3/4	169,715	3/4	180,843	3/4	191,913	3/4	202,718	3/4		3/4		3/4		3/4		3/4	
9	158,818	9	169,946	9	181,075	9	192,144	9	202,899	9		9		9		9		9	
1/4	159,050	1/4	170,178	1/4	181,307	1/4	192,374	1/4	203,040	1/4		1/4		1/4		1/4		1/4	
1/2	159,281	1/2	170,410	1/2	181,539	1/2	192,604	1/2	203,182	1/2		1/2		1/2		1/2		1/2	
3/4	159,513	3/4	170,642	3/4	181,771	3/4	192,834	3/4	203,324	3/4		3/4		3/4		3/4		3/4	
10	159,745	10	170,874	10	182,002	10	193,064	10	203,465	10		10		10		10		10	
1/4	159,977	1/4	171,106	1/4	182,234	1/4	193,294	1/4	203,569	1/4		1/4		1/4		1/4		1/4	
1/2	160,209	1/2	171,337	1/2	182,466	1/2	193,524	1/2	203,672	1/2		1/2		1/2		1/2		1/2	
3/4	160,441	3/4	171,569	3/4	182,698	3/4	193,754	3/4	203,775	3/4		3/4		3/4		3/4		3/4	
11	160,672	11	171,801	11	182,930	11	193,985	11	203,878	11		11		11		11		11	
1/4	160,904	1/4	172,033	1/4	183,162	1/4	194,215	1/4	203,942	1/4		1/4		1/4		1/4		1/4	
1/2	161,136	1/2	172,265	1/2	183,393	1/2	194,445	1/2	204,007	1/2		1/2		1/2		1/2		1/2	
3/4	161,368	3/4	172,497	3/4	183,625	3/4	194,675	3/4	204,071	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 3/4" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	705	0	15,428	0	30,515	0	45,579	0	60,626	0	75,696	0	90,778	0	105,867	0	120,953	0	136,025
1/4	941	1/4	15,742	1/4	30,830	1/4	45,892	1/4	60,939	1/4	76,011	1/4	91,093	1/4	106,181	1/4	121,267	1/4	136,339
1/2	1,176	1/2	16,056	1/2	31,144	1/2	46,206	1/2	61,253	1/2	76,325	1/2	91,407	1/2	106,496	1/2	121,581	1/2	136,653
3/4	1,412	3/4	16,371	3/4	31,458	3/4	46,520	3/4	61,566	3/4	76,639	3/4	91,721	3/4	106,810	3/4	121,895	3/4	136,967
1	1,648	1	16,685	1	31,772	1	46,833	1	61,879	1	76,953	1	92,036	1	107,124	1	122,209	1	137,280
1/4	1,949	1/4	16,999	1/4	32,086	1/4	47,147	1/4	62,193	1/4	77,267	1/4	92,350	1/4	107,439	1/4	122,523	1/4	137,594
1/2	2,250	1/2	17,314	1/2	32,401	1/2	47,461	1/2	62,506	1/2	77,581	1/2	92,664	1/2	107,753	1/2	122,837	1/2	137,908
3/4	2,552	3/4	17,628	3/4	32,715	3/4	47,774	3/4	62,819	3/4	77,895	3/4	92,979	3/4	108,067	3/4	123,151	3/4	138,221
2	2,853	2	17,943	2	33,029	2	48,088	2	63,133	2	78,210	2	93,293	2	108,382	2	123,465	2	138,535
1/4	3,167	1/4	18,257	1/4	33,343	1/4	48,402	1/4	63,446	1/4	78,524	1/4	93,607	1/4	108,696	1/4	123,779	1/4	138,849
1/2	3,482	1/2	18,571	1/2	33,658	1/2	48,715	1/2	63,759	1/2	78,838	1/2	93,922	1/2	109,010	1/2	124,093	1/2	139,163
3/4	3,796	3/4	18,886	3/4	33,972	3/4	49,029	3/4	64,073	3/4	79,152	3/4	94,236	3/4	109,325	3/4	124,407	3/4	139,476
3	4,110	3	19,200	3	34,286	3	49,343	3	64,386	3	79,466	3	94,550	3	109,639	3	124,721	3	139,790
1/4	4,425	1/4	19,514	1/4	34,600	1/4	49,656	1/4	64,700	1/4	79,780	1/4	94,865	1/4	109,953	1/4	125,035	1/4	140,104
1/2	4,739	1/2	19,829	1/2	34,914	1/2	49,970	1/2	65,014	1/2	80,094	1/2	95,179	1/2	110,268	1/2	125,349	1/2	140,417
3/4	5,054	3/4	20,143	3/4	35,228	3/4	50,284	3/4	65,327	3/4	80,409	3/4	95,493	3/4	110,582	3/4	125,663	3/4	140,731
4	5,368	4	20,457	4	35,542	4	50,597	4	65,641	4	80,723	4	95,808	4	110,897	4	125,977	4	141,045
1/4	5,682	1/4	20,772	1/4	35,856	1/4	50,911	1/4	65,955	1/4	81,037	1/4	96,122	1/4	111,211	1/4	126,291	1/4	141,358
1/2	5,997	1/2	21,086	1/2	36,170	1/2	51,225	1/2	66,270	1/2	81,351	1/2	96,437	1/2	111,525	1/2	126,605	1/2	141,672
3/4	6,311	3/4	21,400	3/4	36,483	3/4	51,539	3/4	66,584	3/4	81,665	3/4	96,751	3/4	111,840	3/4	126,919	3/4	141,986
5	6,625	5	21,715	5	36,797	5	51,852	5	66,898	5	81,979	5	97,065	5	112,154	5	127,233	5	142,300
1/4	6,940	1/4	22,029	1/4	37,111	1/4	52,166	1/4	67,213	1/4	82,293	1/4	97,380	1/4	112,468	1/4	127,547	1/4	142,613
1/2	7,254	1/2	22,344	1/2	37,424	1/2	52,479	1/2	67,527	1/2	82,607	1/2	97,694	1/2	112,783	1/2	127,861	1/2	142,927
3/4	7,569	3/4	22,658	3/4	37,738	3/4	52,793	3/4	67,841	3/4	82,922	3/4	98,008	3/4	113,097	3/4	128,175	3/4	143,241
6	7,883	6	22,972	6	38,051	6	53,106	6	68,155	6	83,236	6	98,323	6	113,411	6	128,489	6	143,554
1/4	8,197	1/4	23,287	1/4	38,365	1/4	53,419	1/4	68,470	1/4	83,550	1/4	98,637	1/4	113,726	1/4	128,803	1/4	143,868
1/2	8,512	1/2	23,601	1/2	38,679	1/2	53,733	1/2	68,784	1/2	83,864	1/2	98,951	1/2	114,040	1/2	129,117	1/2	144,182
3/4	8,826	3/4	23,915	3/4	38,992	3/4	54,046	3/4	69,098	3/4	84,178	3/4	99,266	3/4	114,354	3/4	129,431	3/4	144,495
7	9,140	7	24,230	7	39,306	7	54,359	7	69,413	7	84,492	7	99,580	7	114,669	7	129,745	7	144,809
1/4	9,455	1/4	24,544	1/4	39,620	1/4	54,673	1/4	69,727	1/4	84,806	1/4	99,894	1/4	114,983	1/4	130,059	1/4	145,115
1/2	9,769	1/2	24,858	1/2	39,933	1/2	54,986	1/2	70,041	1/2	85,121	1/2	100,209	1/2	115,297	1/2	130,373	1/2	145,421
3/4	10,084	3/4	25,173	3/4	40,247	3/4	55,299	3/4	70,356	3/4	85,435	3/4	100,523	3/4	115,612	3/4	130,687	3/4	145,727
8	10,398	8	25,487	8	40,561	8	55,613	8	70,670	8	85,749	8	100,837	8	115,926	8	131,001	8	146,033
1/4	10,712	1/4	25,801	1/4	40,874	1/4	55,926	1/4	70,984	1/4	86,063	1/4	101,152	1/4	116,240	1/4	131,315	1/4	146,321
1/2	11,027	1/2	26,116	1/2	41,188	1/2	56,239	1/2	71,298	1/2	86,377	1/2	101,466	1/2	116,555	1/2	131,629	1/2	146,609
3/4	11,341	3/4	26,430	3/4	41,501	3/4	56,553	3/4	71,613	3/4	86,692	3/4	101,780	3/4	116,869	3/4	131,943	3/4	146,896
9	11,655	9	26,744	9	41,815	9	56,866	9	71,927	9	87,006	9	102,095	9	117,183	9	132,257	9	147,184
1/4	11,970	1/4	27,059	1/4	42,129	1/4	57,179	1/4	72,241	1/4	87,320	1/4	102,409	1/4	117,498	1/4	132,571	1/4	147,451
1/2	12,284	1/2	27,373	1/2	42,442	1/2	57,493	1/2	72,555	1/2	87,635	1/2	102,723	1/2	117,812	1/2	132,885	1/2	147,718
3/4	12,598	3/4	27,687	3/4	42,756	3/4	57,806	3/4	72,869	3/4	87,949	3/4	103,038	3/4	118,127	3/4	133,199	3/4	147,985
10	12,913	10	28,001	10	43,070	10	58,119	10	73,183	10	88,263	10	103,352	10	118,441	10	133,513	10	148,253
1/4	13,227	1/4	28,316	1/4	43,383	1/4	58,433	1/4	73,497	1/4	88,578	1/4	103,667	1/4	118,755	1/4	133,827	1/4	148,499
1/2	13,542	1/2	28,630	1/2	43,697	1/2	58,746	1/2	73,812	1/2	88,892	1/2	103,981	1/2	119,069	1/2	134,141	1/2	148,745
3/4	13,856	3/4	28,944	3/4	44,011	3/4	59,059	3/4	74,126	3/4	89,207	3/4	104,295	3/4	119,383	3/4	134,455	3/4	148,992
11	14,170	11	29,258	11	44,324	11	59,373	11	74,440	11	89,521	11	104,610	11	119,697	11	134,769	11	149,238
1/4	14,485	1/4	29,573	1/4	44,638	1/4	59,686	1/4	74,754	1/4	89,835	1/4	104,924	1/4	120,011	1/4	135,083	1/4	149,472
1/2	14,799	1/2	29,887	1/2	44,951	1/2	59,999	1/2	75,068	1/2	90,150	1/2	105,238	1/2	120,325	1/2	135,397	1/2	149,706
3/4	15,113	3/4	30,201	3/4	45,265	3/4	60,313	3/4	75,382	3/4	90,464	3/4	105,553	3/4	120,639	3/4	135,711	3/4	149,940

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 10'- 6" OFF CENTERLINE AND 51'- 0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/8/01 BY: DAR-JD
 DATE COMPUTED: 8/13/01 BY: DAR
 DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**3 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 4 3/4"(TOP LIP 2" BALL VALVE)

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,174	0	161,288	0	172,402	0	183,516	0	194,549	0	203,767	0		0		0		0	
1/4	150,406	1/4	161,520	1/4	172,634	1/4	183,746	1/4	194,779	1/4	203,793	1/4		1/4		1/4		1/4	
1/2	150,637	1/2	161,751	1/2	172,865	1/2	183,976	1/2	195,009	1/2	203,819	1/2		1/2		1/2		1/2	
3/4	150,869	3/4	161,983	3/4	173,097	3/4	184,207	3/4	195,239	3/4	203,844	3/4		3/4		3/4		3/4	
1	151,100	1	162,214	1	173,328	1	184,437	1	195,468	1	203,870	1		1		1		1	
1/4	151,332	1/4	162,446	1/4	173,560	1/4	184,667	1/4	195,698	1/4	<u>203,873</u>	1/4		1/4		1/4		1/4	
1/2	151,563	1/2	162,677	1/2	173,791	1/2	184,897	1/2	195,928	1/2		1/2		1/2		1/2		1/2	
3/4	151,795	3/4	162,909	3/4	174,023	3/4	185,126	3/4	196,158	3/4		3/4		3/4		3/4		3/4	
2	152,026	2	163,140	2	174,254	2	185,356	2	196,388	2		2		2		2		2	
1/4	152,258	1/4	163,372	1/4	174,486	1/4	185,586	1/4	196,617	1/4		1/4		1/4		1/4		1/4	
1/2	152,489	1/2	163,603	1/2	174,717	1/2	185,816	1/2	196,845	1/2		1/2		1/2		1/2		1/2	
3/4	152,721	3/4	163,835	3/4	174,949	3/4	186,046	3/4	197,074	3/4		3/4		3/4		3/4		3/4	
3	152,952	3	164,066	3	175,180	3	186,276	3	197,303	3		3		3		3		3	
1/4	153,184	1/4	164,298	1/4	175,412	1/4	186,505	1/4	197,531	1/4		1/4		1/4		1/4		1/4	
1/2	153,416	1/2	164,530	1/2	175,644	1/2	186,735	1/2	197,759	1/2		1/2		1/2		1/2		1/2	
3/4	153,647	3/4	164,761	3/4	175,875	3/4	186,965	3/4	197,988	3/4		3/4		3/4		3/4		3/4	
4	153,879	4	164,993	4	176,107	4	187,195	4	198,216	4		4		4		4		4	
1/4	154,110	1/4	165,224	1/4	176,338	1/4	187,425	1/4	198,444	1/4		1/4		1/4		1/4		1/4	
1/2	154,342	1/2	165,456	1/2	176,570	1/2	187,654	1/2	198,673	1/2		1/2		1/2		1/2		1/2	
3/4	154,573	3/4	165,687	3/4	176,801	3/4	187,884	3/4	198,901	3/4		3/4		3/4		3/4		3/4	
5	154,805	5	165,919	5	177,033	5	188,114	5	199,129	5		5		5		5		5	
1/4	155,036	1/4	166,150	1/4	177,264	1/4	188,344	1/4	199,358	1/4		1/4		1/4		1/4		1/4	
1/2	155,268	1/2	166,382	1/2	177,496	1/2	188,574	1/2	199,586	1/2		1/2		1/2		1/2		1/2	
3/4	155,499	3/4	166,613	3/4	177,727	3/4	188,804	3/4	199,814	3/4		3/4		3/4		3/4		3/4	
6	155,731	6	166,845	6	177,959	6	189,033	6	200,043	6		6		6		6		6	
1/4	155,963	1/4	167,077	1/4	178,190	1/4	189,263	1/4	200,271	1/4		1/4		1/4		1/4		1/4	
1/2	156,194	1/2	167,308	1/2	178,422	1/2	189,493	1/2	200,499	1/2		1/2		1/2		1/2		1/2	
3/4	156,426	3/4	167,540	3/4	178,654	3/4	189,723	3/4	200,728	3/4		3/4		3/4		3/4		3/4	
7	156,657	7	167,771	7	178,885	7	189,953	7	200,956	7		7		7		7		7	
1/4	156,889	1/4	168,003	1/4	179,117	1/4	190,183	1/4	201,170	1/4		1/4		1/4		1/4		1/4	
1/2	157,120	1/2	168,234	1/2	179,348	1/2	190,412	1/2	201,384	1/2		1/2		1/2		1/2		1/2	
3/4	157,352	3/4	168,466	3/4	179,580	3/4	190,642	3/4	201,598	3/4		3/4		3/4		3/4		3/4	
8	157,583	8	168,697	8	179,811	8	190,872	8	201,812	8		8		8		8		8	
1/4	157,815	1/4	168,929	1/4	180,043	1/4	191,102	1/4	201,992	1/4		1/4		1/4		1/4		1/4	
1/2	158,046	1/2	169,160	1/2	180,274	1/2	191,332	1/2	202,172	1/2		1/2		1/2		1/2		1/2	
3/4	158,278	3/4	169,392	3/4	180,506	3/4	191,561	3/4	202,352	3/4		3/4		3/4		3/4		3/4	
9	158,509	9	169,623	9	180,737	9	191,791	9	202,532	9		9		9		9		9	
1/4	158,741	1/4	169,855	1/4	180,969	1/4	192,021	1/4	202,674	1/4		1/4		1/4		1/4		1/4	
1/2	158,973	1/2	170,087	1/2	181,201	1/2	192,251	1/2	202,815	1/2		1/2		1/2		1/2		1/2	
3/4	159,204	3/4	170,318	3/4	181,432	3/4	192,481	3/4	202,957	3/4		3/4		3/4		3/4		3/4	
10	159,436	10	170,550	10	181,664	10	192,711	10	203,098	10		10		10		10		10	
1/4	159,667	1/4	170,781	1/4	181,895	1/4	192,940	1/4	203,201	1/4		1/4		1/4		1/4		1/4	
1/2	159,899	1/2	171,013	1/2	182,127	1/2	193,170	1/2	203,304	1/2		1/2		1/2		1/2		1/2	
3/4	160,130	3/4	171,244	3/4	182,358	3/4	193,400	3/4	203,407	3/4		3/4		3/4		3/4		3/4	
11	160,362	11	171,476	11	182,590	11	193,630	11	203,510	11		11		11		11		11	
1/4	160,593	1/4	171,707	1/4	182,821	1/4	193,860	1/4	203,574	1/4		1/4		1/4		1/4		1/4	
1/2	160,825	1/2	171,939	1/2	183,053	1/2	194,090	1/2	203,638	1/2		1/2		1/2		1/2		1/2	
3/4	161,056	3/4	172,170	3/4	183,284	3/4	194,319	3/4	203,703	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6' 6" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,002	0	2,005	0	3,007	0	4,009	0	5,012	0		0		0		0	
1/4	21	1/4	1,023	1/4	2,026	1/4	3,028	1/4	4,030	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,044	1/2	2,046	1/2	3,049	1/2	4,051	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,065	3/4	2,067	3/4	3,070	3/4	4,072	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,086	1	2,088	1	3,091	1	4,093	1		1		1		1		1	
1/4	104	1/4	1,107	1/4	2,109	1/4	3,111	1/4	4,114	1/4		1/4		1/4		1/4		1/4	
1/2	125	1/2	1,128	1/2	2,130	1/2	3,132	1/2	4,135	1/2		1/2		1/2		1/2		1/2	
3/4	146	3/4	1,149	3/4	2,151	3/4	3,153	3/4	4,156	3/4		3/4		3/4		3/4		3/4	
2	167	2	1,169	2	2,172	2	3,174	2	4,177	2		2		2		2		2	
1/4	188	1/4	1,190	1/4	2,193	1/4	3,195	1/4	4,197	1/4		1/4		1/4		1/4		1/4	
1/2	209	1/2	1,211	1/2	2,214	1/2	3,216	1/2	4,218	1/2		1/2		1/2		1/2		1/2	
3/4	230	3/4	1,232	3/4	2,234	3/4	3,237	3/4	4,239	3/4		3/4		3/4		3/4		3/4	
3	251	3	1,253	3	2,255	3	3,258	3	4,260	3		3		3		3		3	
1/4	271	1/4	1,274	1/4	2,276	1/4	3,279	1/4	4,281	1/4		1/4		1/4		1/4		1/4	
1/2	292	1/2	1,295	1/2	2,297	1/2	3,299	1/2	4,302	1/2		1/2		1/2		1/2		1/2	
3/4	313	3/4	1,316	3/4	2,318	3/4	3,320	3/4	4,323	3/4		3/4		3/4		3/4		3/4	
4	334	4	1,336	4	2,339	4	3,341	4	4,344	4		4		4		4		4	
1/4	355	1/4	1,357	1/4	2,360	1/4	3,362	1/4	4,364	1/4		1/4		1/4		1/4		1/4	
1/2	376	1/2	1,378	1/2	2,381	1/2	3,383	1/2	4,385	1/2		1/2		1/2		1/2		1/2	
3/4	397	3/4	1,399	3/4	2,401	3/4	3,404	3/4	4,406	3/4		3/4		3/4		3/4		3/4	
5	418	5	1,420	5	2,422	5	3,425	5	4,427	5		5		5		5		5	
1/4	439	1/4	1,441	1/4	2,443	1/4	3,446	1/4	4,448	1/4		1/4		1/4		1/4		1/4	
1/2	459	1/2	1,462	1/2	2,464	1/2	3,466	1/2	4,469	1/2		1/2		1/2		1/2		1/2	
3/4	480	3/4	1,483	3/4	2,485	3/4	3,487	3/4	4,490	3/4		3/4		3/4		3/4		3/4	
6	501	6	1,504	6	2,506	6	3,508	6	4,511	6		6		6		6		6	
1/4	522	1/4	1,524	1/4	2,527	1/4	3,529	1/4	4,532	1/4		1/4		1/4		1/4		1/4	
1/2	543	1/2	1,545	1/2	2,548	1/2	3,550	1/2	4,552	1/2		1/2		1/2		1/2		1/2	
3/4	564	3/4	1,566	3/4	2,569	3/4	3,571	3/4	4,573	3/4		3/4		3/4		3/4		3/4	
7	585	7	1,587	7	2,589	7	3,592	7	4,594	7		7		7		7		7	
1/4	606	1/4	1,608	1/4	2,610	1/4	3,613	1/4	4,615	1/4		1/4		1/4		1/4		1/4	
1/2	626	1/2	1,629	1/2	2,631	1/2	3,634	1/2	4,636	1/2		1/2		1/2		1/2		1/2	
3/4	647	3/4	1,650	3/4	2,652	3/4	3,654	3/4	4,657	3/4		3/4		3/4		3/4		3/4	
8	668	8	1,671	8	2,673	8	3,675	8	4,678	8		8		8		8		8	
1/4	689	1/4	1,691	1/4	2,694	1/4	3,696	1/4	4,699	1/4		1/4		1/4		1/4		1/4	
1/2	710	1/2	1,712	1/2	2,715	1/2	3,717	1/2	4,719	1/2		1/2		1/2		1/2		1/2	
3/4	731	3/4	1,733	3/4	2,736	3/4	3,738	3/4	4,740	3/4		3/4		3/4		3/4		3/4	
9	752	9	1,754	9	2,756	9	3,759	9	4,761	9		9		9		9		9	
1/4	773	1/4	1,775	1/4	2,777	1/4	3,780	1/4	4,782	1/4		1/4		1/4		1/4		1/4	
1/2	794	1/2	1,796	1/2	2,798	1/2	3,801	1/2	4,803	1/2		1/2		1/2		1/2		1/2	
3/4	814	3/4	1,817	3/4	2,819	3/4	3,821	3/4	4,824	3/4		3/4		3/4		3/4		3/4	
10	835	10	1,838	10	2,840	10	3,842	10	4,845	10		10		10		10		10	
1/4	856	1/4	1,859	1/4	2,861	1/4	3,863	1/4	4,866	1/4		1/4		1/4		1/4		1/4	
1/2	877	1/2	1,879	1/2	2,882	1/2	3,884	1/2	4,887	1/2		1/2		1/2		1/2		1/2	
3/4	898	3/4	1,900	3/4	2,903	3/4	3,905	3/4	4,907	3/4		3/4		3/4		3/4		3/4	
11	919	11	1,921	11	2,924	11	3,926	11	4,928	11		11		11		11		11	
1/4	940	1/4	1,942	1/4	2,944	1/4	3,947	1/4	4,949	1/4		1/4		1/4		1/4		1/4	
1/2	961	1/2	1,963	1/2	2,965	1/2	3,968	1/2	4,970	1/2		1/2		1/2		1/2		1/2	
3/4	981	3/4	1,984	3/4	2,986	3/4	3,989	3/4	4,991	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT

**BARGE "GBL 230"
HULL NO. 01-2407**

**STBD SLOP
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-6 3/8" (TOP LIP 2" BALL VALVE)

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,017	0	2,034	0	3,051	0	4,068	0	5,084	0		0		0		0	
1/4	21	1/4	1,038	1/4	2,055	1/4	3,072	1/4	4,089	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,059	1/2	2,076	1/2	3,093	1/2	4,110	1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	1,080	3/4	2,097	3/4	3,114	3/4	4,131	3/4		3/4		3/4		3/4		3/4	
1	85	1	1,102	1	2,119	1	3,135	1	4,152	1		1		1		1		1	
1/4	106	1/4	1,123	1/4	2,140	1/4	3,157	1/4	4,173	1/4		1/4		1/4		1/4		1/4	
1/2	127	1/2	1,144	1/2	2,161	1/2	3,178	1/2	4,195	1/2		1/2		1/2		1/2		1/2	
3/4	148	3/4	1,165	3/4	2,182	3/4	3,199	3/4	4,216	3/4		3/4		3/4		3/4		3/4	
2	169	2	1,186	2	2,203	2	3,220	2	4,237	2		2		2		2		2	
1/4	191	1/4	1,208	1/4	2,224	1/4	3,241	1/4	4,258	1/4		1/4		1/4		1/4		1/4	
1/2	212	1/2	1,229	1/2	2,246	1/2	3,262	1/2	4,279	1/2		1/2		1/2		1/2		1/2	
3/4	233	3/4	1,250	3/4	2,267	3/4	3,284	3/4	4,301	3/4		3/4		3/4		3/4		3/4	
3	254	3	1,271	3	2,288	3	3,305	3	4,322	3		3		3		3		3	
1/4	275	1/4	1,292	1/4	2,309	1/4	3,326	1/4	4,343	1/4		1/4		1/4		1/4		1/4	
1/2	297	1/2	1,313	1/2	2,330	1/2	3,347	1/2	4,364	1/2		1/2		1/2		1/2		1/2	
3/4	318	3/4	1,335	3/4	2,352	3/4	3,368	3/4	4,385	3/4		3/4		3/4		3/4		3/4	
4	339	4	1,356	4	2,373	4	3,390	4	4,406	4		4		4		4		4	
1/4	360	1/4	1,377	1/4	2,394	1/4	3,411	1/4	4,428	1/4		1/4		1/4		1/4		1/4	
1/2	381	1/2	1,398	1/2	2,415	1/2	3,432	1/2	4,449	1/2		1/2		1/2		1/2		1/2	
3/4	403	3/4	1,419	3/4	2,436	3/4	3,453	3/4	4,470	3/4		3/4		3/4		3/4		3/4	
5	424	5	1,441	5	2,457	5	3,474	5	4,491	5		5		5		5		5	
1/4	445	1/4	1,462	1/4	2,479	1/4	3,496	1/4	4,512	1/4		1/4		1/4		1/4		1/4	
1/2	466	1/2	1,483	1/2	2,500	1/2	3,517	1/2	4,534	1/2		1/2		1/2		1/2		1/2	
3/4	487	3/4	1,504	3/4	2,521	3/4	3,538	3/4	4,555	3/4		3/4		3/4		3/4		3/4	
6	508	6	1,525	6	2,542	6	3,559	6	4,576	6		6		6		6		6	
1/4	530	1/4	1,547	1/4	2,563	1/4	3,580	1/4	4,597	1/4		1/4		1/4		1/4		1/4	
1/2	551	1/2	1,568	1/2	2,585	1/2	3,601	1/2	4,618	1/2		1/2		1/2		1/2		1/2	
3/4	572	3/4	1,589	3/4	2,606	3/4	3,623	3/4	4,640	3/4		3/4		3/4		3/4		3/4	
7	593	7	1,610	7	2,627	7	3,644	7	4,661	7		7		7		7		7	
1/4	614	1/4	1,631	1/4	2,648	1/4	3,665	1/4	4,682	1/4		1/4		1/4		1/4		1/4	
1/2	636	1/2	1,652	1/2	2,669	1/2	3,686	1/2	4,703	1/2		1/2		1/2		1/2		1/2	
3/4	657	3/4	1,674	3/4	2,690	3/4	3,707	3/4	4,724	3/4		3/4		3/4		3/4		3/4	
8	678	8	1,695	8	2,712	8	3,729	8	4,745	8		8		8		8		8	
1/4	699	1/4	1,716	1/4	2,733	1/4	3,750	1/4	4,767	1/4		1/4		1/4		1/4		1/4	
1/2	720	1/2	1,737	1/2	2,754	1/2	3,771	1/2	4,788	1/2		1/2		1/2		1/2		1/2	
3/4	741	3/4	1,758	3/4	2,775	3/4	3,792	3/4	4,809	3/4		3/4		3/4		3/4		3/4	
9	763	9	1,780	9	2,796	9	3,813	9	4,830	9		9		9		9		9	
1/4	784	1/4	1,801	1/4	2,818	1/4	3,834	1/4	4,851	1/4		1/4		1/4		1/4		1/4	
1/2	805	1/2	1,822	1/2	2,839	1/2	3,856	1/2	4,873	1/2		1/2		1/2		1/2		1/2	
3/4	826	3/4	1,843	3/4	2,860	3/4	3,877	3/4	4,894	3/4		3/4		3/4		3/4		3/4	
10	847	10	1,864	10	2,881	10	3,898	10	4,915	10		10		10		10		10	
1/4	869	1/4	1,885	1/4	2,902	1/4	3,919	1/4	4,936	1/4		1/4		1/4		1/4		1/4	
1/2	890	1/2	1,907	1/2	2,924	1/2	3,940	1/2	4,957	1/2		1/2		1/2		1/2		1/2	
3/4	911	3/4	1,928	3/4	2,945	3/4	3,962	3/4	4,978	3/4		3/4		3/4		3/4		3/4	
11	932	11	1,949	11	2,966	11	3,983	11	5,000	11		11		11		11		11	
1/4	953	1/4	1,970	1/4	2,987	1/4	4,004	1/4	5,021	1/4		1/4		1/4		1/4		1/4	
1/2	975	1/2	1,991	1/2	3,008	1/2	4,025	1/2	5,042	1/2		1/2		1/2		1/2		1/2	
3/4	996	3/4	2,013	3/4	3,029	3/4	4,046	3/4	5,063	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE

DATE STRAPPED: 8/8/01 BY: DAR-JD
DATE COMPUTED: 8/13/01 BY: DAR
DATE ISSUED: 8/13/01

ITS - CALEB BRETT