



BARGE "GBL 2330" GOLDING BROTHERS MARINE, LLC OUTAGE TABLE

1 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4770

Table with columns for keel height (0 FT. to 15 FT.), gauge types (0, 1/4, 1/2, 3/4), and capacity in U.S. gallons. The table lists capacities for various gauge types at each keel height.

CAPACITIES GIVEN IN U.S. GALLONS

STRAPPED: 1/28/11

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-10 1/2" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspectorate America Corporation signature and name.



BARGE "GBL 2330" GOLDING BROTHERS MARINE, LLC

OUTGAGE TABLE

1 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4770

Table with columns for height (0 FT. to 15 FT.) and capacity (N, 1/4, 1/2, 3/4) for each height. Includes a large diagonal line on the left side.

CAPACITIES GIVEN IN U.S. GALLONS

STRAPPED: 1/28/11

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-10 3/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION logo



**BARGE "GBL 2330"  
GOLDING BROTHERS MARINE, LLC**

**OUTAGE TABLE**

**2 PORT**

**BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN**

**HULL NO. 4770**

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0		0		0		0		0		0		0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

STRAPPED: 1/28/11

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-11" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

*[Signature]*  
INSPECTORATE AMERICA CORPORATION



# BARGE "GBL 2330" GOLDING BROTHERS MARINE, LLC

## OUTAGE TABLE

**2 STAR**

**BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN**

HULL NO. 4770

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	

CAPACITIES GIVEN IN U.S. GALLONS

STRAPPED: 1/28/11

\* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-10 3/4" (TO RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



### BARGE "GBL 2330" GOLDING BROTHERS MARINE, LLC OUTAGE TABLE

### 3 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4770

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
0	0	0	190,550	0	180,112	0	169,674	0	159,236	0	148,710	0	134,401	0	119,404	0	104,407	0	89,410	0	74,413	0	59,415	0	44,418	0	29,439	0	14,408		
1/4	1/4	1/4	190,333	1/4	179,895	1/4	169,456	1/4	159,018	1/4	148,460	1/4	134,088	1/4	119,091	1/4	104,094	1/4	89,097	1/4	74,100	1/4	59,103	1/4	44,106	1/4	29,127	1/4	14,094		
1/2	1/2	1/2	190,115	1/2	179,677	1/2	169,239	1/2	158,801	1/2	148,211	1/2	133,776	1/2	118,779	1/2	103,782	1/2	88,785	1/2	73,788	1/2	58,791	1/2	43,794	1/2	28,815	1/2	13,781		
3/4	3/4	3/4	189,898	3/4	179,460	3/4	169,021	3/4	158,583	3/4	147,961	3/4	133,464	3/4	118,466	3/4	103,469	3/4	88,472	3/4	73,475	3/4	58,478	3/4	43,481	3/4	28,503	3/4	13,468		
1	1	1	189,680	1	179,242	1	168,804	1	158,366	1	147,712	1	133,151	1	118,154	1	103,157	1	88,160	1	73,163	1	58,166	1	43,169	1	28,191	1	13,154		
1/4	1/4	1/4	189,463	1/4	179,025	1/4	168,587	1/4	158,148	1/4	147,448	1/4	132,839	1/4	117,842	1/4	102,844	1/4	87,847	1/4	72,850	1/4	57,853	1/4	42,856	1/4	27,879	1/4	12,841		
1/2	1/2	1/2	189,245	1/2	178,807	1/2	168,369	1/2	157,931	1/2	147,184	1/2	132,526	1/2	117,529	1/2	102,532	1/2	87,535	1/2	72,538	1/2	57,541	1/2	42,544	1/2	27,566	1/2	12,528		
3/4	3/4	3/4	189,028	3/4	178,590	3/4	168,152	3/4	157,713	3/4	146,920	3/4	132,214	3/4	117,217	3/4	102,220	3/4	87,223	3/4	72,225	3/4	57,228	3/4	42,232	3/4	27,252	3/4	12,216		
2	2	2	188,811	2	178,372	2	167,934	2	157,496	2	146,657	2	131,901	2	116,904	2	101,907	2	86,910	2	71,913	2	56,916	2	41,920	2	26,939	2	11,901		
1/4	1/4	1/4	188,593	1/4	178,155	1/4	167,717	1/4	157,278	1/4	146,379	1/4	131,689	1/4	116,592	1/4	101,595	1/4	86,598	1/4	71,601	1/4	56,604	1/4	41,608	1/4	26,625	1/4	11,688		
1/2	1/2	1/2	188,376	1/2	177,937	1/2	167,499	1/2	157,061	1/2	146,101	1/2	131,276	1/2	116,279	1/2	101,282	1/2	86,285	1/2	71,288	1/2	56,291	1/2	41,296	1/2	26,312	1/2	11,276		
3/4	3/4	3/4	188,158	3/4	177,720	3/4	167,282	3/4	156,844	3/4	145,823	3/4	130,964	3/4	115,967	3/4	100,970	3/4	85,973	3/4	70,976	3/4	55,979	3/4	40,984	3/4	25,999	3/4	10,961		
3	3	3	187,941	3	177,502	3	167,064	3	156,626	3	145,545	3	130,652	3	115,654	3	100,657	3	85,660	3	70,663	3	55,666	3	40,672	3	25,686	3	10,648		
1/4	1/4	1/4	187,723	1/4	177,285	1/4	166,847	1/4	156,409	1/4	145,252	1/4	130,339	1/4	115,342	1/4	100,345	1/4	85,348	1/4	70,351	1/4	55,354	1/4	40,360	1/4	25,372	1/4	10,335		
1/2	1/2	1/2	187,506	1/2	177,068	1/2	166,629	1/2	156,191	1/2	144,960	1/2	130,027	1/2	115,030	1/2	100,033	1/2	85,035	1/2	70,038	1/2	55,041	1/2	40,048	1/2	25,059	1/2	10,022		
3/4	3/4	3/4	187,288	3/4	176,850	3/4	166,412	3/4	155,974	3/4	144,668	3/4	129,714	3/4	114,717	3/4	99,720	3/4	84,723	3/4	69,726	3/4	54,729	3/4	39,736	3/4	24,746	3/4	9,708		
4	4	4	187,071	4	176,633	4	166,194	4	155,756	4	144,375	4	129,402	4	114,405	4	99,408	4	84,411	4	69,414	4	54,416	4	39,424	4	24,434	4	9,395		
1/4	1/4	1/4	186,853	1/4	176,415	1/4	165,977	1/4	155,539	1/4	144,099	1/4	128,099	1/4	114,092	1/4	99,095	1/4	84,098	1/4	69,101	1/4	54,104	1/4	39,112	1/4	24,119	1/4	9,082		
1/2	1/2	1/2	186,636	1/2	176,198	1/2	165,759	1/2	155,321	1/2	143,762	1/2	128,777	1/2	113,780	1/2	98,783	1/2	83,786	1/2	68,789	1/2	53,792	1/2	38,800	1/2	23,808	1/2	8,768		
3/4	3/4	3/4	186,418	3/4	175,980	3/4	165,542	3/4	155,104	3/4	143,456	3/4	128,464	3/4	113,467	3/4	98,470	3/4	83,473	3/4	68,476	3/4	53,479	3/4	38,488	3/4	23,493	3/4	8,456		
5	5	5	186,201	5	175,763	5	165,325	5	154,886	5	143,149	5	128,152	5	113,155	5	98,158	5	83,161	5	68,164	5	53,167	5	38,176	5	23,179	5	8,142		
1/4	1/4	1/4	185,984	1/4	175,545	1/4	165,107	1/4	154,669	1/4	142,837	1/4	127,840	1/4	112,843	1/4	97,846	1/4	82,849	1/4	67,851	1/4	52,854	1/4	37,864	1/4	22,866	1/4	7,829		
1/2	1/2	1/2	185,766	1/2	175,328	1/2	164,890	1/2	154,451	1/2	142,524	1/2	127,527	1/2	112,530	1/2	97,533	1/2	82,536	1/2	67,539	1/2	52,542	1/2	37,552	1/2	22,553	1/2	7,515		
3/4	3/4	3/4	185,549	3/4	175,110	3/4	164,672	3/4	154,234	3/4	142,212	3/4	127,215	3/4	112,218	3/4	97,221	3/4	82,224	3/4	67,226	3/4	52,229	3/4	37,240	3/4	22,239	3/4	7,202		
6	6	6	185,331	6	174,893	6	164,455	6	154,016	6	141,899	6	128,902	6	113,905	6	98,908	6	83,911	6	68,914	6	53,917	6	38,928	6	23,926	6	6,889		
1/4	1/4	1/4	185,114	1/4	174,675	1/4	164,237	1/4	153,799	1/4	141,587	1/4	128,590	1/4	113,593	1/4	98,596	1/4	83,599	1/4	68,602	1/4	53,604	1/4	38,615	1/4	23,618	1/4	6,576		
1/2	1/2	1/2	184,896	1/2	174,458	1/2	164,020	1/2	153,582	1/2	141,274	1/2	128,277	1/2	113,280	1/2	98,283	1/2	83,286	1/2	68,289	1/2	53,292	1/2	38,303	1/2	23,306	1/2	6,262		
3/4	3/4	3/4	184,679	3/4	174,241	3/4	163,802	3/4	153,364	3/4	140,962	3/4	128,065	3/4	113,068	3/4	98,071	3/4	83,074	3/4	68,077	3/4	53,080	3/4	38,083	3/4	23,086	3/4	5,949		
7	7	7	184,461	7	174,023	7	163,585	7	153,147	7	140,650	7	125,653	7	110,655	7	95,658	7	80,661	7	65,664	7	50,667	7	35,670	7	20,673	7	5,636		
1/4	1/4	1/4	184,244	1/4	173,806	1/4	163,367	1/4	152,929	1/4	140,337	1/4	125,340	1/4	110,343	1/4	95,346	1/4	80,349	1/4	65,352	1/4	50,355	1/4	35,367	1/4	20,360	1/4	5,322		
1/2	1/2	1/2	184,026	1/2	173,588	1/2	163,150	1/2	152,712	1/2	140,026	1/2	125,028	1/2	110,031	1/2	95,034	1/2	80,037	1/2	65,040	1/2	50,042	1/2	35,055	1/2	20,047	1/2	5,009		
3/4	3/4	3/4	183,809	3/4	173,371	3/4	162,932	3/4	152,494	3/4	139,712	3/4	124,715	3/4	109,718	3/4	94,721	3/4	79,724	3/4	64,727	3/4	49,730	3/4	34,743	3/4	19,733	3/4	4,696		
8	8	8	183,591	8	173,153	8	162,715	8	152,277	8	139,400	8	124,403	8	109,406	8	94,409	8	79,412	8	64,414	8	49,417	8	34,431	8	19,420	8	4,383		
1/4	1/4	1/4	183,374	1/4	172,936	1/4	162,498	1/4	152,059	1/4	139,087	1/4	124,090	1/4	109,093	1/4	94,096	1/4	79,099	1/4	64,102	1/4	49,105	1/4	34,119	1/4	19,107	1/4	4,069		
1/2	1/2	1/2	183,157	1/2	172,718	1/2	162,280	1/2	151,842	1/2	138,775	1/2	123,778	1/2	108,781	1/2	93,784	1/2	78,787	1/2	63,790	1/2	48,793	1/2	33,807	1/2	18,793	1/2	3,756		
3/4	3/4	3/4	182,939	3/4	172,501	3/4	162,063	3/4	151,624	3/4	138,463	3/4	123,466	3/4	108,469	3/4	93,472	3/4	78,474	3/4	63,477	3/4	48,480	3/4	33,495	3/4	18,480	3/4	3,443		
9	9	9	182,722	9	172,283	9	161,845	9	151,407	9	138,150	9	123,153	9	108,156	9	93,159	9	78,162	9	63,165	9	48,168	9	33,183	9	18,167	9	3,129		
1/4	1/4	1/4	182,504	1/4	172,066	1/4	161,628	1/4	151,189	1/4	137,838	1/4	122,841	1/4	107,844	1/4	92,846	1/4	77,849	1/4	62,852	1/4	47,855	1/4	32,871	1/4	17,854	1/4	2,816		
1/2	1/2	1/2	182,287	1/2	171,848	1/2	161,410	1/2	150,971	1/2	137,525	1/2	122,528	1/2	107,531	1/2	92,534	1/2	77,537	1/2	62,540	1/2	47,543	1/2	32,559	1/2	17,540	1/2	2,603		
3/4	3/4	3/4	182,069	3/4	171,631	3/4	161,193	3/4	150,755	3/4	137,213	3/4	122,216	3/4	107,219	3/4	92,222	3/4	77,224	3/4	62,227	3/4	47,230	3/4	32,247	3/4	17,227	3/4	2,190		
10	10	10	181,852	10	171,414	10	160,976	10	150,537	10	136,900	10	121,903	10	106,906	10	91,909	10	76,912	10	61,915	10	46,918	10	31,935	10	16,914	10	1,899		
1/4	1/4																														



## BARGE "GBL 2330" GOLDING BROTHERS MARINE, LLC

OUTAGE TABLE

**3 STAR**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4770

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.	N	15 FT.		
0		0		0	190,333	0	179,895	0	169,456	0	159,018	0	148,480	0	134,088	0	119,091	0	104,094	0	89,097	0	74,100	0	59,103	0	44,106	0	29,127	0	14,094		
1/4		1/4		1/4	190,115	1/4	179,677	1/4	169,239	1/4	158,801	1/4	148,211	1/4	133,776	1/4	118,779	1/4	103,782	1/4	88,785	1/4	73,788	1/4	58,791	1/4	43,794	1/4	28,815	1/4	13,781		
1/2		1/2		1/2	189,898	1/2	179,460	1/2	169,021	1/2	158,583	1/2	147,961	1/2	133,464	1/2	118,466	1/2	103,469	1/2	88,472	1/2	73,475	1/2	58,478	1/2	43,481	1/2	28,803	1/2	13,468		
3/4		3/4		3/4	189,680	3/4	179,242	3/4	168,804	3/4	158,366	3/4	147,712	3/4	133,151	3/4	118,154	3/4	103,157	3/4	88,160	3/4	73,163	3/4	58,166	3/4	43,169	3/4	28,191	3/4	13,154		
1		1		1	189,463	1	179,025	1	168,587	1	158,148	1	147,448	1	132,839	1	117,842	1	102,844	1	87,847	1	72,850	1	57,853	1	42,856	1	27,879	1	12,841		
1/4		1/4		1/4	189,245	1/4	178,807	1/4	168,369	1/4	157,931	1/4	147,184	1/4	132,526	1/4	117,529	1/4	102,532	1/4	87,535	1/4	72,538	1/4	57,541	1/4	42,544	1/4	27,565	1/4	12,528		
1/2		1/2		1/2	189,028	1/2	178,590	1/2	168,152	1/2	157,713	1/2	146,920	1/2	132,214	1/2	117,217	1/2	102,220	1/2	87,223	1/2	72,225	1/2	57,228	1/2	42,231	1/2	27,252	1/2	12,215		
3/4		3/4		3/4	188,811	3/4	178,372	3/4	167,934	3/4	157,496	3/4	146,677	3/4	131,901	3/4	116,904	3/4	101,907	3/4	86,910	3/4	71,913	3/4	56,916	3/4	41,920	3/4	26,939	3/4	11,901		
2		2		2	188,593	2	178,155	2	167,717	2	157,278	2	146,379	2	131,589	2	116,592	2	101,595	2	86,598	2	71,601	2	56,604	2	41,608	2	26,625	2	11,588		
1/4		1/4		1/4	188,376	1/4	177,937	1/4	167,499	1/4	157,061	1/4	146,101	1/4	131,276	1/4	116,279	1/4	101,282	1/4	86,285	1/4	71,288	1/4	56,291	1/4	41,296	1/4	26,312	1/4	11,275		
1/2		1/2		1/2	188,158	1/2	177,720	1/2	167,282	1/2	156,844	1/2	145,823	1/2	130,964	1/2	115,967	1/2	100,970	1/2	85,973	1/2	70,976	1/2	55,979	1/2	40,984	1/2	25,999	1/2	10,961		
3/4		3/4		3/4	187,941	3/4	177,502	3/4	167,064	3/4	156,626	3/4	145,545	3/4	130,652	3/4	115,654	3/4	100,657	3/4	85,660	3/4	70,663	3/4	55,666	3/4	40,672	3/4	25,686	3/4	10,648		
3		3		3	187,723	3	177,285	3	166,847	3	156,409	3	145,252	3	130,339	3	115,342	3	100,345	3	85,348	3	70,351	3	55,354	3	40,360	3	25,372	3	10,335		
1/4		1/4		1/4	187,506	1/4	177,068	1/4	166,629	1/4	156,191	1/4	144,900	1/4	130,027	1/4	114,903	1/4	100,033	1/4	85,036	1/4	70,038	1/4	55,041	1/4	40,048	1/4	25,059	1/4	10,022		
1/2		1/2		1/2	187,288	1/2	176,850	1/2	166,412	1/2	155,974	1/2	144,668	1/2	129,714	1/2	114,717	1/2	99,720	1/2	84,723	1/2	69,726	1/2	54,729	1/2	39,736	1/2	24,746	1/2	9,703		
3/4		3/4		3/4	194,571	3/4	187,071	3/4	176,933	3/4	166,194	3/4	155,756	3/4	144,375	3/4	129,402	3/4	114,405	3/4	99,408	3/4	84,411	3/4	69,414	3/4	54,416	3/4	39,424	3/4	9,395		
4		4		4	186,853	4	176,415	4	165,977	4	155,539	4	144,069	4	129,089	4	114,092	4	99,095	4	84,098	4	69,101	4	54,104	4	39,112	4	24,119	4	9,082		
1/4		1/4		1/4	186,636	1/4	176,198	1/4	165,769	1/4	155,321	1/4	143,762	1/4	128,777	1/4	113,780	1/4	98,783	1/4	83,786	1/4	68,789	1/4	53,792	1/4	38,800	1/4	23,806	1/4	8,768		
1/2		1/2		1/2	186,418	1/2	175,980	1/2	165,542	1/2	155,104	1/2	143,466	1/2	128,464	1/2	113,467	1/2	98,470	1/2	83,473	1/2	68,476	1/2	53,479	1/2	38,488	1/2	23,493	1/2	8,455		
3/4		3/4		3/4	186,201	3/4	175,763	3/4	165,325	3/4	154,886	3/4	143,149	3/4	128,152	3/4	113,155	3/4	98,158	3/4	83,161	3/4	68,164	3/4	53,167	3/4	38,176	3/4	23,179	3/4	8,142		
5		5		5	184,455	5	185,984	5	175,545	5	165,107	5	154,669	5	142,837	5	127,840	5	112,843	5	97,845	5	82,848	5	67,851	5	52,854	5	37,864	5	22,866	5	7,829
1/4		1/4		1/4	184,415	1/4	185,766	1/4	175,328	1/4	164,890	1/4	154,451	1/4	142,524	1/4	127,527	1/4	112,530	1/4	97,533	1/4	82,536	1/4	67,539	1/4	52,542	1/4	37,552	1/4	22,553	1/4	7,515
1/2		1/2		1/2	184,375	1/2	185,549	1/2	175,110	1/2	164,672	1/2	154,234	1/2	142,212	1/2	127,215	1/2	112,218	1/2	97,221	1/2	82,224	1/2	67,226	1/2	52,229	1/2	37,240	1/2	22,239	1/2	7,202
3/4		3/4		3/4	184,302	3/4	185,331	3/4	174,893	3/4	164,455	3/4	154,016	3/4	141,899	3/4	126,902	3/4	111,905	3/4	96,908	3/4	81,911	3/4	66,914	3/4	51,917	3/4	36,928	3/4	21,926	3/4	6,889
6		6		6	184,230	6	185,114	6	174,675	6	164,237	6	153,799	6	141,587	6	126,590	6	111,593	6	96,596	6	81,599	6	66,602	6	51,604	6	36,615	6	21,613	6	6,576
1/4		1/4		1/4	184,157	1/4	184,896	1/4	174,458	1/4	164,020	1/4	153,582	1/4	141,274	1/4	126,277	1/4	111,280	1/4	96,283	1/4	81,286	1/4	66,289	1/4	51,292	1/4	36,303	1/4	21,300	1/4	6,262
1/2		1/2		1/2	184,085	1/2	184,679	1/2	174,241	1/2	163,802	1/2	153,364	1/2	140,962	1/2	125,965	1/2	110,968	1/2	95,971	1/2	80,974	1/2	65,977	1/2	50,980	1/2	35,991	1/2	20,986	1/2	5,949
3/4		3/4		3/4	183,980	3/4	184,461	3/4	174,023	3/4	163,585	3/4	153,147	3/4	140,650	3/4	125,653	3/4	110,655	3/4	95,658	3/4	80,661	3/4	65,664	3/4	50,667	3/4	35,679	3/4	20,673	3/4	5,636
7		7		7	183,876	7	184,244	7	173,806	7	163,367	7	152,929	7	140,337	7	125,340	7	110,343	7	95,346	7	80,349	7	65,352	7	50,355	7	35,367	7	20,360	7	5,322
1/4		1/4		1/4	183,771	1/4	184,026	1/4	173,588	1/4	163,150	1/4	152,712	1/4	140,025	1/4	125,028	1/4	110,031	1/4	95,034	1/4	80,036	1/4	65,039	1/4	50,042	1/4	35,055	1/4	20,047	1/4	5,009
1/2		1/2		1/2	183,667	1/2	183,809	1/2	173,371	1/2	162,932	1/2	152,494	1/2	139,712	1/2	124,715	1/2	109,718	1/2	94,721	1/2	79,724	1/2	64,727	1/2	49,730	1/2	34,743	1/2	19,733	1/2	4,696
3/4		3/4		3/4	183,530	3/4	183,591	3/4	173,153	3/4	162,715	3/4	152,277	3/4	139,400	3/4	124,403	3/4	109,406	3/4	94,409	3/4	79,412	3/4	64,414	3/4	49,417	3/4	34,431	3/4	19,420	3/4	4,383
8		8		8	183,393	8	183,374	8	172,936	8	162,498	8	152,059	8	139,087	8	124,090	8	109,093	8	94,096	8	79,099	8	64,102	8	49,105	8	34,119	8	19,107	8	4,069
1/4		1/4		1/4	183,266	1/4	183,167	1/4	172,718	1/4	162,280	1/4	151,842	1/4	138,775	1/4	123,778	1/4	108,781	1/4	93,784	1/4	78,787	1/4	63,790	1/4	48,793	1/4	33,807	1/4	18,793	1/4	3,756
1/2		1/2		1/2	183,119	1/2	182,939	1/2	172,501	1/2	162,063	1/2	151,624	1/2	138,463	1/2	123,466	1/2	108,468	1/2	93,471	1/2	78,474	1/2	63,477	1/2	48,480	1/2	33,495	1/2	18,480	1/2	3,443
3/4		3/4		3/4	182,950	3/4	182,722	3/4	172,283	3/4	161,845	3/4	151,407	3/4	138,150	3/4	123,153	3/4	108,156	3/4	93,159	3/4	78,162	3/4	63,165	3/4	48,168	3/4	33,183	3/4	18,167	3/4	3,129
9		9		9	182,781	9	182,504	9	172,066	9	161,628	9	151,189	9	137,838	9	122,841	9	107,844	9	92,847	9	77,849	9	62,852	9	47,855	9	32,871	9	17,854	9	2,816
1/4		1/4		1/4	182,612	1/4	182,287	1/4	171,848	1/4	161,410	1/4	150,972	1/4	137,525	1/4	122,528	1/4	107,531	1/4	92,534	1/4	77,537	1/4	62,540	1/4	47,543	1/4	32,559	1/4	17,540	1/4	2,503
1/2		1/2		1/2	182,443	1/2	182,069	1/2	171,631	1/2	161,193	1/2	150,755																				



**BARGE "GBL 2330"**  
**GOLDING BARGE COMPANY, INC.**  
 OUTAGE TABLE

**PORT**  
**SLOP TANK**

**BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN**

**HULL NO. 4770**

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	0	0	4,769	0	3,607	0	2,445	0	1,283	0	121	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	4,745	1/4	3,583	1/4	2,421	1/4	1,259	1/4	97	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,721	1/2	3,559	1/2	2,397	1/2	1,235	1/2	73	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,697	3/4	3,535	3/4	2,372	3/4	1,210	3/4	48	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	1	1	4,672	1	3,510	1	2,348	1	1,185	1	24	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	1/4	1/4	4,648	1/4	3,486	1/4	2,324	1/4	1,162	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,624	1/2	3,462	1/2	2,300	1/2	1,138	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,600	3/4	3,438	3/4	2,276	3/4	1,114	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
2	2	2	4,576	2	3,413	2	2,251	2	1,089	2	0	2	0	2	0	2	0	2	0	2	0	2	0	2	0	2	0	2	0
1/4	1/4	1/4	4,551	1/4	3,389	1/4	2,227	1/4	1,065	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,527	1/2	3,365	1/2	2,203	1/2	1,041	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,503	3/4	3,341	3/4	2,179	3/4	1,017	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
3	3	3	4,479	3	3,317	3	2,155	3	993	3	0	3	0	3	0	3	0	3	0	3	0	3	0	3	0	3	0	3	0
1/4	1/4	1/4	4,454	1/4	3,292	1/4	2,130	1/4	968	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,430	1/2	3,268	1/2	2,106	1/2	944	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,406	3/4	3,244	3/4	2,082	3/4	920	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
4	4	4	4,382	4	3,220	4	2,058	4	896	4	0	4	0	4	0	4	0	4	0	4	0	4	0	4	0	4	0	4	0
1/4	1/4	1/4	4,358	1/4	3,196	1/4	2,034	1/4	872	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,333	1/2	3,171	1/2	2,009	1/2	847	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,309	3/4	3,147	3/4	1,985	3/4	823	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
5	5	5	4,285	5	3,123	5	1,961	5	799	5	0	5	0	5	0	5	0	5	0	5	0	5	0	5	0	5	0	5	0
1/4	1/4	1/4	4,261	1/4	3,099	1/4	1,937	1/4	775	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,237	1/2	3,075	1/2	1,913	1/2	750	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,212	3/4	3,050	3/4	1,888	3/4	726	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
6	6	6	4,188	6	3,026	6	1,864	6	702	6	0	6	0	6	0	6	0	6	0	6	0	6	0	6	0	6	0	6	0
1/4	1/4	1/4	4,164	1/4	3,002	1/4	1,840	1/4	678	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,140	1/2	2,978	1/2	1,816	1/2	654	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,116	3/4	2,953	3/4	1,791	3/4	629	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
7	7	7	4,091	7	2,929	7	1,767	7	605	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0
1/4	1/4	1/4	4,067	1/4	2,905	1/4	1,743	1/4	581	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,043	1/2	2,881	1/2	1,719	1/2	557	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	5,181	3/4	4,019	3/4	2,857	3/4	533	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
8	8	8	3,994	8	2,832	8	1,670	8	508	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0
1/4	1/4	1/4	5,132	1/4	3,970	1/4	2,808	1/4	484	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	5,108	1/2	3,946	1/2	2,784	1/2	460	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	5,084	3/4	3,922	3/4	2,760	3/4	436	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
9	9	9	3,898	9	2,736	9	1,674	9	412	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0
1/4	1/4	1/4	5,035	1/4	3,873	1/4	2,711	1/4	387	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	5,011	1/2	3,849	1/2	2,687	1/2	363	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,987	3/4	3,825	3/4	2,663	3/4	339	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
10	10	10	4,963	10	3,801	10	2,639	10	315	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0
1/4	1/4	1/4	4,939	1/4	3,777	1/4	2,615	1/4	291	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,914	1/2	3,752	1/2	2,590	1/2	266	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,890	3/4	3,728	3/4	2,566	3/4	242	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
11	11	11	4,866	11	3,704	11	2,542	11	218	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0
1/4	1/4	1/4	4,842	1/4	3,680	1/4	2,518	1/4	194	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	1/2	1/2	4,818	1/2	3,656	1/2	2,494	1/2	169	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	3/4	3/4	4,793	3/4	3,631	3/4	2,469	3/4	145	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0

CAPACITIES GIVEN IN U.S. GALLONS

STRAPPED: 1/28/11

REFERENCE GAUGE HEIGHT : 6'-1 1/4" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



**BARGE "GBL 2330"**  
**GOLDING BARGE COMPANY, INC.**  
 OUTAGE TABLE

**STAR**  
**SLOP TANK**

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4770

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	0	0	0	0	4,793	0	3,631	0	2,469	0	1,307	0	145	0		0		0		0		0		0		0		0	
1/4	1/4	1/4	1/4	1/4	4,769	1/4	3,607	1/4	2,445	1/4	1,283	1/4	121	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,745	1/2	3,583	1/2	2,421	1/2	1,259	1/2	97	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,721	3/4	3,559	3/4	2,397	3/4	1,235	3/4	73	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	1	1	1	1	4,697	1	3,535	1	2,372	1	1,210	1	48	1		1		1		1		1		1		1		1	
1/4	1/4	1/4	1/4	1/4	4,672	1/4	3,510	1/4	2,348	1/4	1,186	1/4	24	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,648	1/2	3,486	1/2	2,324	1/2	1,162	1/2	0	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,624	3/4	3,462	3/4	2,300	3/4	1,138	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	2	2	2	2	4,600	2	3,438	2	2,276	2	1,114	2		2		2		2		2		2		2		2		2	
1/4	1/4	1/4	1/4	1/4	4,576	1/4	3,413	1/4	2,251	1/4	1,089	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,551	1/2	3,389	1/2	2,227	1/2	1,065	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,527	3/4	3,365	3/4	2,203	3/4	1,041	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	3	3	3	3	4,503	3	3,341	3	2,179	3	1,017	3		3		3		3		3		3		3		3		3	
1/4	1/4	1/4	1/4	1/4	4,479	1/4	3,317	1/4	2,155	1/4	993	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,454	1/2	3,292	1/2	2,130	1/2	968	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,430	3/4	3,268	3/4	2,106	3/4	944	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	4	4	4	4	4,406	4	3,244	4	2,082	4	920	4		4		4		4		4		4		4		4		4	
1/4	1/4	1/4	1/4	1/4	4,382	1/4	3,220	1/4	2,058	1/4	896	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,358	1/2	3,196	1/2	2,034	1/2	872	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,333	3/4	3,171	3/4	2,009	3/4	847	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	5	5	5	5	4,309	5	3,147	5	1,985	5	823	5		5		5		5		5		5		5		5		5	
1/4	1/4	1/4	1/4	1/4	4,285	1/4	3,123	1/4	1,961	1/4	799	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,261	1/2	3,099	1/2	1,937	1/2	775	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,237	3/4	3,075	3/4	1,913	3/4	750	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	6	6	6	6	4,212	6	3,050	6	1,888	6	726	6		6		6		6		6		6		6		6		6	
1/4	1/4	1/4	1/4	1/4	4,188	1/4	3,026	1/4	1,864	1/4	702	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,164	1/2	3,002	1/2	1,840	1/2	678	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,140	3/4	2,978	3/4	1,816	3/4	654	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	7	7	7	7	4,116	7	2,953	7	1,791	7	629	7		7		7		7		7		7		7		7		7	
1/4	1/4	1/4	1/4	1/4	4,091	1/4	2,929	1/4	1,767	1/4	605	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,067	1/2	2,905	1/2	1,743	1/2	581	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,043	3/4	2,881	3/4	1,719	3/4	557	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	8	8	8	8	5,181	8	4,019	8	2,857	8	1,695	8	533	8		8		8		8		8		8		8		8	
1/4	1/4	1/4	1/4	1/4	5,157	1/4	3,994	1/4	2,832	1/4	1,670	1/4	508	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	5,132	1/2	3,970	1/2	2,808	1/2	1,646	1/2	484	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	5,108	3/4	3,946	3/4	2,784	3/4	1,622	3/4	460	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	9	9	9	9	5,084	9	3,922	9	2,760	9	1,598	9	436	9		9		9		9		9		9		9		9	
1/4	1/4	1/4	1/4	1/4	5,060	1/4	3,898	1/4	2,736	1/4	1,574	1/4	412	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	5,035	1/2	3,873	1/2	2,711	1/2	1,549	1/2	387	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	5,011	3/4	3,849	3/4	2,687	3/4	1,525	3/4	363	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	10	10	10	10	4,987	10	3,825	10	2,663	10	1,501	10	339	10		10		10		10		10		10		10		10	
1/4	1/4	1/4	1/4	1/4	4,963	1/4	3,801	1/4	2,639	1/4	1,477	1/4	315	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,939	1/2	3,777	1/2	2,615	1/2	1,453	1/2	291	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,914	3/4	3,752	3/4	2,590	3/4	1,428	3/4	266	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	11	11	11	11	4,890	11	3,728	11	2,566	11	1,404	11	242	11		11		11		11		11		11		11		11	
1/4	1/4	1/4	1/4	1/4	4,866	1/4	3,704	1/4	2,542	1/4	1,380	1/4	218	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1/2	1/2	1/2	1/2	4,842	1/2	3,680	1/2	2,518	1/2	1,356	1/2	194	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3/4	3/4	3/4	3/4	4,818	3/4	3,656	3/4	2,494	3/4	1,331	3/4	169	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITIES GIVEN IN U.S. GALLONS

STRAPPED: 1/28/11

REFERENCE GAUGE HEIGHT : 6'-1 1/2" (RIM OF 2" DIA. BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION