



# BARGE "GBL 2630"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
1 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 238'-06"

February 28, 2012

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "GBL 2630"

# 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	206,677	0	191,769	0	176,783	0	161,755	0	146,727	0	131,699	0	116,671	0	101,640
1/4	1/4	1/4	1/4	1/4	206,367	1/4	191,456	1/4	176,470	1/4	161,442	1/4	146,414	1/4	131,386	1/4	116,358	1/4	101,327
1/2	1/2	1/2	1/2	1/2	206,057	1/2	191,144	1/2	176,157	1/2	161,129	1/2	146,101	1/2	131,073	1/2	116,045	1/2	101,014
3/4	3/4	3/4	3/4	3/4	205,748	3/4	190,832	3/4	175,844	3/4	160,816	3/4	145,788	3/4	130,760	3/4	115,732	3/4	100,700
1		1		1	205,438	1	190,520	1	175,531	1	160,503	1	145,475	1	130,447	1	115,419	1	100,387
1/4	1/4	1/4	1/4	1/4	205,128	1/4	190,208	1/4	175,218	1/4	160,190	1/4	145,162	1/4	130,134	1/4	115,106	1/4	100,074
1/2	1/2	1/2	1/2	1/2	204,818	1/2	189,896	1/2	174,905	1/2	159,877	1/2	144,849	1/2	129,821	1/2	114,793	1/2	99,761
3/4	3/4	3/4	3/4	3/4	204,508	3/4	189,583	3/4	174,592	3/4	159,564	3/4	144,536	3/4	129,508	3/4	114,480	3/4	99,447
2		2		2	204,198	2	189,271	2	174,278	2	159,251	2	144,223	2	129,195	2	114,167	2	99,134
1/4	1/4	1/4	1/4	1/4	203,888	1/4	188,959	1/4	173,965	1/4	158,937	1/4	143,909	1/4	128,882	1/4	113,854	1/4	98,821
1/2	1/2	1/2	1/2	1/2	203,578	1/2	188,647	1/2	173,652	1/2	158,624	1/2	143,596	1/2	128,568	1/2	113,541	1/2	98,508
3/4	3/4	3/4	3/4	3/4	203,268	3/4	188,335	3/4	173,339	3/4	158,311	3/4	143,283	3/4	128,255	3/4	113,227	3/4	98,195
3		3		3	202,958	3	188,023	3	173,026	3	157,998	3	142,970	3	127,942	3	112,914	3	97,881
1/4	1/4	1/4	1/4	1/4	202,648	1/4	187,710	1/4	172,713	1/4	157,685	1/4	142,657	1/4	127,629	1/4	112,601	1/4	97,568
1/2	1/2	1/2	1/2	1/2	202,338	1/2	187,398	1/2	172,400	1/2	157,372	1/2	142,344	1/2	127,316	1/2	112,288	1/2	97,255
3/4	3/4	3/4	3/4	3/4	202,028	3/4	187,086	3/4	172,087	3/4	157,059	3/4	142,031	3/4	127,003	3/4	111,975	3/4	96,942
4		4		4	201,718	4	186,774	4	171,774	4	156,746	4	141,718	4	126,690	4	111,662	4	96,628
1/4	1/4	1/4	1/4	1/4	201,408	1/4	186,462	1/4	171,461	1/4	156,433	1/4	141,405	1/4	126,377	1/4	111,349	1/4	96,315
1/2	1/2	1/2	1/2	1/2	201,098	1/2	186,150	1/2	171,148	1/2	156,120	1/2	141,092	1/2	126,064	1/2	111,036	1/2	96,002
3/4	3/4	3/4	3/4	3/4	200,788	3/4	185,837	3/4	170,835	3/4	155,807	3/4	140,779	3/4	125,751	3/4	110,723	3/4	95,689
5		5		5	200,478	5	185,525	5	170,521	5	155,494	5	140,466	5	125,438	5	110,410	5	95,375
1/4	1/4	1/4	1/4	1/4	200,168	1/4	185,213	1/4	170,208	1/4	155,180	1/4	140,153	1/4	125,125	1/4	110,097	1/4	95,062
1/2	1/2	1/2	1/2	1/2	199,858	1/2	184,901	1/2	169,895	1/2	154,867	1/2	139,839	1/2	124,811	1/2	109,784	1/2	94,749
3/4	3/4	3/4	3/4	3/4	199,548	3/4	184,589	3/4	169,582	3/4	154,554	3/4	139,526	3/4	124,498	3/4	109,470	3/4	94,436
6		6		6	199,238	6	184,277	6	169,269	6	154,241	6	139,213	6	124,185	6	109,157	6	94,122
1/4	1/4	1/4	1/4	1/4	198,928	1/4	183,964	1/4	168,956	1/4	153,928	1/4	138,900	1/4	123,872	1/4	108,844	1/4	93,809
1/2	1/2	1/2	1/2	1/2	198,618	1/2	183,652	1/2	168,643	1/2	153,615	1/2	138,587	1/2	123,559	1/2	108,531	1/2	93,496
3/4	3/4	3/4	3/4	3/4	198,308	3/4	183,340	3/4	168,330	3/4	153,302	3/4	138,274	3/4	123,246	3/4	108,218	3/4	93,183
7		7		7	197,998	7	183,028	7	168,017	7	152,989	7	137,961	7	122,933	7	107,905	7	92,870
1/4	1/4	1/4	1/4	1/4	197,688	1/4	182,716	1/4	167,704	1/4	152,676	1/4	137,648	1/4	122,620	1/4	107,592	1/4	92,556
1/2	1/2	211,335	1/2	197,378	1/2	182,404	1/2	167,391	1/2	152,363	1/2	137,335	1/2	122,307	1/2	107,278	1/2	92,243	
3/4	3/4	211,165	3/4	197,068	3/4	182,091	3/4	167,078	3/4	152,050	3/4	137,022	3/4	121,994	3/4	106,965	3/4	91,930	
8		8		8	210,995	8	196,758	8	181,779	8	166,764	8	151,737	8	136,709	8	121,681	8	106,652
1/4	1/4	210,780	1/4	196,447	1/4	181,467	1/4	166,451	1/4	151,423	1/4	136,396	1/4	121,368	1/4	106,339	1/4	91,303	
1/2	1/2	210,565	1/2	196,136	1/2	181,155	1/2	166,138	1/2	151,110	1/2	136,082	1/2	121,054	1/2	106,025	1/2	90,990	
3/4	3/4	210,350	3/4	195,825	3/4	180,843	3/4	165,825	3/4	150,797	3/4	135,769	3/4	120,741	3/4	105,712	3/4	90,677	
9		9		9	210,135	9	195,515	9	180,531	9	165,512	9	150,484	9	135,456	9	120,428	9	90,364
1/4	1/4	209,875	1/4	195,203	1/4	180,218	1/4	165,199	1/4	150,171	1/4	135,143	1/4	120,115	1/4	105,086	1/4	90,050	
1/2	1/2	209,615	1/2	194,890	1/2	179,906	1/2	164,886	1/2	149,858	1/2	134,830	1/2	119,802	1/2	104,772	1/2	89,737	
3/4	3/4	209,355	3/4	194,578	3/4	179,594	3/4	164,573	3/4	149,545	3/4	134,517	3/4	119,489	3/4	104,459	3/4	89,424	
10		10		10	209,096	10	194,266	10	179,282	10	164,260	10	149,232	10	134,204	10	119,176	10	89,111
1/4	1/4	208,800	1/4	193,954	1/4	178,970	1/4	163,947	1/4	148,919	1/4	133,891	1/4	118,863	1/4	103,833	1/4	88,797	
1/2	1/2	208,504	1/2	193,642	1/2	178,658	1/2	163,634	1/2	148,606	1/2	133,578	1/2	118,550	1/2	103,520	1/2	88,484	
3/4	3/4	208,209	3/4	193,329	3/4	178,345	3/4	163,321	3/4	148,293	3/4	133,265	3/4	118,237	3/4	103,206	3/4	88,171	
11		11		11	207,913	11	193,017	11	178,033	11	163,008	11	147,980	11	132,952	11	117,924	11	87,858
1/4	1/4	207,604	1/4	192,705	1/4	177,721	1/4	162,694	1/4	147,666	1/4	132,639	1/4	117,611	1/4	102,580	1/4	87,545	
1/2	1/2	207,295	1/2	192,393	1/2	177,408	1/2	162,381	1/2	147,353	1/2	132,325	1/2	117,298	1/2	102,267	1/2	87,231	
3/4	3/4	206,986	3/4	192,081	3/4	177,096	3/4	162,068	3/4	147,040	3/4	132,012	3/4	116,984	3/4	101,953	3/4	86,918	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.  
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	86,605	0	71,580	0	56,556	0	41,521	0	26,486	0	11,821	0		0		0		0	
1/4	86,292	1/4	71,267	1/4	56,243	1/4	41,208	1/4	26,173	1/4	11,536	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,978	1/2	70,955	1/2	55,930	1/2	40,895	1/2	25,860	1/2	11,252	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,665	3/4	70,642	3/4	55,616	3/4	40,581	3/4	25,547	3/4	10,967	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	85,352	1	70,329	1	55,303	1	40,268	1	25,233	1	10,682	1	1	1	1	1	1	1	1
1/4	85,039	1/4	70,017	1/4	54,990	1/4	39,955	1/4	24,920	1/4	10,401	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	84,725	1/2	69,704	1/2	54,677	1/2	39,642	1/2	24,607	1/2	10,121	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	84,412	3/4	69,391	3/4	54,363	3/4	39,329	3/4	24,294	3/4	9,840	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	84,099	2	69,079	2	54,050	2	39,015	2	23,981	2	9,559	2	2	2	2	2	2	2	2
1/4	83,786	1/4	68,766	1/4	53,737	1/4	38,702	1/4	23,667	1/4	9,282	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,473	1/2	68,453	1/2	53,424	1/2	38,389	1/2	23,354	1/2	9,005	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,159	3/4	68,141	3/4	53,110	3/4	38,076	3/4	23,041	3/4	8,728	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	82,846	3	67,828	3	52,797	3	37,762	3	22,728	3	8,451	3	3	3	3	3	3	3	3
1/4	82,533	1/4	67,515	1/4	52,484	1/4	37,449	1/4	22,414	1/4	8,178	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	82,220	1/2	67,203	1/2	52,171	1/2	37,136	1/2	22,101	1/2	7,905	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	81,906	3/4	66,890	3/4	51,858	3/4	36,823	3/4	21,788	3/4	7,632	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	81,593	4	66,577	4	51,544	4	36,510	4	21,475	4	7,359	4	4	4	4	4	4	4	4
1/4	81,280	1/4	66,264	1/4	51,231	1/4	36,196	1/4	21,162	1/4	7,090	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	80,967	1/2	65,952	1/2	50,918	1/2	35,883	1/2	20,849	1/2	6,820	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,653	3/4	65,639	3/4	50,605	3/4	35,570	3/4	20,536	3/4	6,551	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	80,340	5	65,326	5	50,291	5	35,257	5	20,223	5	6,282	5	5	5	5	5	5	5	5
1/4	80,027	1/4	65,013	1/4	49,978	1/4	34,943	1/4	19,912	1/4	6,017	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,714	1/2	64,700	1/2	49,665	1/2	34,630	1/2	19,601	1/2	5,751	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,400	3/4	64,387	3/4	49,352	3/4	34,317	3/4	19,290	3/4	5,486	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	79,087	6	64,073	6	49,039	6	34,004	6	18,979	6	5,221	6	6	6	6	6	6	6	6
1/4	78,774	1/4	63,760	1/4	48,725	1/4	33,691	1/4	18,671	1/4	4,959	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,461	1/2	63,447	1/2	48,412	1/2	33,377	1/2	18,363	1/2	4,698	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,148	3/4	63,134	3/4	48,099	3/4	33,064	3/4	18,055	3/4	4,436	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	77,835	7	62,820	7	47,786	7	32,751	7	17,747	7	4,175	7	7	7	7	7	7	7	7
1/4	77,522	1/4	62,507	1/4	47,472	1/4	32,438	1/4	17,443	1/4	3,917	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,209	1/2	62,194	1/2	47,159	1/2	32,124	1/2	17,139	1/2	3,660	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	76,896	3/4	61,881	3/4	46,846	3/4	31,811	3/4	16,835	3/4	3,402	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	76,583	8	61,568	8	46,533	8	31,498	8	16,531	8	3,145	8	8	8	8	8	8	8	8
1/4	76,270	1/4	61,254	1/4	46,220	1/4	31,185	1/4	16,231	1/4	2,892	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,957	1/2	60,941	1/2	45,906	1/2	30,871	1/2	15,930	1/2	2,639	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,645	3/4	60,628	3/4	45,593	3/4	30,558	3/4	15,630	3/4	2,386	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	75,332	9	60,315	9	45,280	9	30,245	9	15,330	9	2,134	9	9	9	9	9	9	9	9
1/4	75,019	1/4	60,001	1/4	44,967	1/4	29,932	1/4	15,034	1/4	1,904	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74,707	1/2	59,688	1/2	44,653	1/2	29,619	1/2	14,738	1/2	1,675	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,394	3/4	59,375	3/4	44,340	3/4	29,305	3/4	14,441	3/4	1,446	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	74,081	10	59,062	10	44,027	10	28,992	10	14,145	10	1,216	10	10	10	10	10	10	10	10
1/4	73,769	1/4	58,749	1/4	43,714	1/4	28,679	1/4	13,853	1/4	1,048	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73,456	1/2	58,435	1/2	43,401	1/2	28,366	1/2	13,560	1/2	880	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	73,143	3/4	58,122	3/4	43,087	3/4	28,052	3/4	13,268	3/4	712	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	72,831	11	57,809	11	42,774	11	27,739	11	12,975	11	544	11	11	11	11	11	11	11	11
1/4	72,518	1/4	57,496	1/4	42,461	1/4	27,426	1/4	12,687	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	72,205	1/2	57,182	1/2	42,148	1/2	27,113	1/2	12,398	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	71,893	3/4	56,869	3/4	41,834	3/4	26,800	3/4	12,110	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

# 1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN			
0		0		0	206,186	0	191,283	0	176,304	0	161,283	0	146,262	0	131,242	0	116,221	0	101,197		
1/4	1/4	1/4	1/4	1/4	205,877	1/4	190,971	1/4	175,991	1/4	160,970	1/4	145,949	1/4	130,929	1/4	115,908	1/4	100,884		
1/2	1/2	1/2	1/2	1/2	205,567	1/2	190,659	1/2	175,678	1/2	160,657	1/2	145,637	1/2	130,616	1/2	115,595	1/2	100,571		
3/4	3/4	3/4	3/4	3/4	205,257	3/4	190,347	3/4	175,365	3/4	160,344	3/4	145,324	3/4	130,303	3/4	115,282	3/4	100,258		
1		1		1	204,947	1	190,035	1	175,052	1	160,031	1	145,011	1	129,990	1	114,969	1	99,945		
1/4	1/4	1/4	1/4	1/4	204,637	1/4	189,723	1/4	174,739	1/4	159,718	1/4	144,698	1/4	129,677	1/4	114,656	1/4	99,632		
1/2	1/2	1/2	1/2	1/2	204,328	1/2	189,411	1/2	174,426	1/2	159,405	1/2	144,385	1/2	129,364	1/2	114,344	1/2	99,319		
3/4	3/4	3/4	3/4	3/4	204,018	3/4	189,099	3/4	174,113	3/4	159,093	3/4	144,072	3/4	129,051	3/4	114,031	3/4	99,005		
2		2		2	203,708	2	188,787	2	173,800	2	158,780	2	143,759	2	128,738	2	113,718	2	98,692		
1/4	1/4	1/4	1/4	1/4	203,398	1/4	188,475	1/4	173,487	1/4	158,467	1/4	143,446	1/4	128,425	1/4	113,405	1/4	98,379		
1/2	1/2	1/2	1/2	1/2	203,088	1/2	188,163	1/2	173,174	1/2	158,154	1/2	143,133	1/2	128,112	1/2	113,092	1/2	98,066		
3/4	3/4	3/4	3/4	3/4	202,778	3/4	187,851	3/4	172,861	3/4	157,841	3/4	142,820	3/4	127,800	3/4	112,779	3/4	97,753		
3		3		3	202,469	3	187,539	3	172,549	3	157,528	3	142,507	3	127,487	3	112,466	3	97,440		
1/4	1/4	1/4	1/4	1/4	202,159	1/4	187,227	1/4	172,236	1/4	157,215	1/4	142,194	1/4	127,174	1/4	112,153	1/4	97,127		
1/2	1/2	1/2	1/2	1/2	201,849	1/2	186,915	1/2	171,923	1/2	156,902	1/2	141,881	1/2	126,861	1/2	111,840	1/2	96,814		
3/4	3/4	3/4	3/4	3/4	201,539	3/4	186,603	3/4	171,610	3/4	156,589	3/4	141,568	3/4	126,548	3/4	111,527	3/4	96,501		
4		4		4	201,229	4	186,291	4	171,297	4	156,276	4	141,256	4	126,235	4	111,214	4	96,188		
1/4	1/4	1/4	1/4	1/4	200,919	1/4	185,979	1/4	170,984	1/4	155,963	1/4	140,943	1/4	125,922	1/4	110,901	1/4	95,875		
1/2	1/2	1/2	1/2	1/2	200,610	1/2	185,667	1/2	170,671	1/2	155,650	1/2	140,630	1/2	125,609	1/2	110,588	1/2	95,562		
3/4	3/4	3/4	3/4	3/4	200,300	3/4	185,355	3/4	170,358	3/4	155,337	3/4	140,317	3/4	125,296	3/4	110,275	3/4	95,248		
5		5		5	199,990	5	185,042	5	170,045	5	155,024	5	140,004	5	124,983	5	109,963	5	94,935		
1/4	1/4	1/4	1/4	1/4	199,680	1/4	184,730	1/4	169,732	1/4	154,712	1/4	139,691	1/4	124,670	1/4	109,650	1/4	94,622		
1/2	1/2	1/2	1/2	1/2	199,370	1/2	184,418	1/2	169,419	1/2	154,399	1/2	139,378	1/2	124,357	1/2	109,337	1/2	94,309		
3/4	3/4	3/4	3/4	3/4	199,060	3/4	184,106	3/4	169,106	3/4	154,086	3/4	139,065	3/4	124,044	3/4	109,024	3/4	93,996		
6		6		6	198,751	6	183,794	6	168,793	6	153,773	6	138,752	6	123,731	6	108,711	6	93,683		
1/4	1/4	1/4	1/4	1/4	198,441	1/4	183,482	1/4	168,480	1/4	153,460	1/4	138,439	1/4	123,419	1/4	108,398	1/4	93,370		
1/2	1/2	1/2	1/2	1/2	198,131	1/2	183,170	1/2	168,168	1/2	153,147	1/2	138,126	1/2	123,106	1/2	108,085	1/2	93,057		
3/4	3/4	3/4	3/4	3/4	197,821	3/4	182,858	3/4	167,855	3/4	152,834	3/4	137,813	3/4	122,793	3/4	107,772	3/4	92,744		
7		7		7	197,511	7	182,546	7	167,542	7	152,521	7	137,500	7	122,480	7	107,459	7	92,431		
1/4	1/4	211,152	1/4	197,201	1/4	182,234	1/4	167,229	1/4	152,208	1/4	137,187	1/4	122,167	1/4	107,146	1/4	92,118			
1/2	1/2	210,982	1/2	196,892	1/2	181,922	1/2	166,916	1/2	151,895	1/2	136,875	1/2	121,854	1/2	106,833	1/2	91,805			
3/4	3/4	210,812	3/4	196,582	3/4	181,610	3/4	166,603	3/4	151,582	3/4	136,562	3/4	121,541	3/4	106,519	3/4	91,491			
8		8		8	210,597	8	196,271	8	181,298	8	166,290	8	151,269	8	136,249	8	121,228	8	106,206	8	91,178
1/4	1/4	210,382	1/4	195,960	1/4	180,986	1/4	165,977	1/4	150,956	1/4	135,936	1/4	120,915	1/4	105,893	1/4	90,865			
1/2	1/2	210,167	1/2	195,650	1/2	180,674	1/2	165,664	1/2	150,643	1/2	135,623	1/2	120,602	1/2	105,580	1/2	90,552			
3/4	3/4	209,952	3/4	195,339	3/4	180,362	3/4	165,351	3/4	150,331	3/4	135,312	3/4	120,289	3/4	105,267	3/4	90,239			
9		9		9	209,692	9	195,027	9	180,050	9	165,038	9	150,018	9	134,997	9	119,976	9	104,954	9	89,926
1/4	1/4	209,433	1/4	194,715	1/4	179,738	1/4	164,725	1/4	149,705	1/4	134,684	1/4	119,663	1/4	104,641	1/4	89,613			
1/2	1/2	209,173	1/2	194,403	1/2	179,426	1/2	164,412	1/2	149,392	1/2	134,371	1/2	119,350	1/2	104,328	1/2	89,300			
3/4	3/4	208,913	3/4	194,091	3/4	179,114	3/4	164,099	3/4	149,079	3/4	134,058	3/4	119,038	3/4	104,015	3/4	88,987			
10		10		10	208,618	10	193,779	10	178,802	10	163,787	10	148,766	10	133,745	10	118,725	10	103,702	10	88,674
1/4	1/4	208,323	1/4	193,467	1/4	178,490	1/4	163,474	1/4	148,453	1/4	133,432	1/4	118,412	1/4	103,389	1/4	88,361			
1/2	1/2	208,027	1/2	193,155	1/2	178,178	1/2	163,161	1/2	148,140	1/2	133,119	1/2	118,099	1/2	103,076	1/2	88,048			
3/4	3/4	207,732	3/4	192,843	3/4	177,866	3/4	162,848	3/4	147,827	3/4	132,806	3/4	117,786	3/4	102,762	3/4	87,734			
11		11		11	207,423	11	192,531	11	177,554	11	162,535	11	147,514	11	132,494	11	117,473	11	102,449	11	87,421
1/4	1/4	207,114	1/4	192,219	1/4	177,241	1/4	162,222	1/4	147,201	1/4	132,181	1/4	117,160	1/4	102,136	1/4	87,108			
1/2	1/2	206,805	1/2	191,907	1/2	176,929	1/2	161,909	1/2	146,888	1/2	131,868	1/2	116,847	1/2	101,823	1/2	86,795			
3/4	3/4	206,496	3/4	191,595	3/4	176,617	3/4	161,596	3/4	146,575	3/4	131,555	3/4	116,534	3/4	101,510	3/4	86,482			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.  
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	86,169	0	71,190	0	56,214	0	41,187	0	26,159	0	11,530	0		0		0		0	
1/4	85,856	1/4	70,880	1/4	55,901	1/4	40,874	1/4	25,846	1/4	11,245	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,543	1/2	70,569	1/2	55,588	1/2	40,561	1/2	25,533	1/2	10,961	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,230	3/4	70,258	3/4	55,275	3/4	40,247	3/4	25,220	3/4	10,676	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	84,917	1	69,948	1	54,962	1	39,934	1	24,907	1	10,395	1	1	1	1	1	1	1	1
1/4	84,604	1/4	69,637	1/4	54,649	1/4	39,621	1/4	24,594	1/4	10,115	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	84,291	1/2	69,326	1/2	54,336	1/2	39,308	1/2	24,281	1/2	9,834	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,978	3/4	69,016	3/4	54,023	3/4	38,995	3/4	23,968	3/4	9,553	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	83,664	2	68,705	2	53,710	2	38,682	2	23,655	2	9,277	2	2	2	2	2	2	2	2
1/4	83,351	1/4	68,394	1/4	53,397	1/4	38,369	1/4	23,342	1/4	9,000	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,038	1/2	68,083	1/2	53,084	1/2	38,056	1/2	23,028	1/2	8,723	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,725	3/4	67,773	3/4	52,770	3/4	37,743	3/4	22,715	3/4	8,446	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	82,412	3	67,462	3	52,457	3	37,430	3	22,402	3	8,173	3	3	3	3	3	3	3	3
1/4	82,099	1/4	67,151	1/4	52,144	1/4	37,117	1/4	22,089	1/4	7,900	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,786	1/2	66,840	1/2	51,831	1/2	36,804	1/2	21,776	1/2	7,627	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	81,473	3/4	66,530	3/4	51,518	3/4	36,491	3/4	21,463	3/4	7,354	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	81,160	4	66,218	4	51,205	4	36,178	4	21,150	4	7,085	4	4	4	4	4	4	4	4
1/4	80,847	1/4	65,907	1/4	50,892	1/4	35,864	1/4	20,838	1/4	6,816	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	80,534	1/2	65,596	1/2	50,579	1/2	35,551	1/2	20,525	1/2	6,547	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,221	3/4	65,285	3/4	50,266	3/4	35,238	3/4	20,212	3/4	6,278	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	79,907	5	64,973	5	49,953	5	34,925	5	19,901	5	6,013	5	5	5	5	5	5	5	5
1/4	79,594	1/4	64,661	1/4	49,640	1/4	34,612	1/4	19,590	1/4	5,748	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,281	1/2	64,349	1/2	49,327	1/2	34,299	1/2	19,279	1/2	5,483	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,968	3/4	64,037	3/4	49,014	3/4	33,986	3/4	18,968	3/4	5,217	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	78,656	6	63,724	6	48,700	6	33,673	6	18,660	6	4,956	6	6	6	6	6	6	6	6
1/4	78,343	1/4	63,412	1/4	48,387	1/4	33,360	1/4	18,353	1/4	4,695	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,031	1/2	63,100	1/2	48,074	1/2	33,047	1/2	18,045	1/2	4,433	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,718	3/4	62,788	3/4	47,761	3/4	32,734	3/4	17,737	3/4	4,172	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	77,407	7	62,475	7	47,448	7	32,421	7	17,433	7	3,915	7	7	7	7	7	7	7	7
1/4	77,095	1/4	62,162	1/4	47,135	1/4	32,108	1/4	17,129	1/4	3,658	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,784	1/2	61,849	1/2	46,822	1/2	31,795	1/2	16,825	1/2	3,400	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	76,473	3/4	61,537	3/4	46,509	3/4	31,481	3/4	16,522	3/4	3,143	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	76,162	8	61,223	8	46,196	8	31,168	8	16,222	8	2,890	8	8	8	8	8	8	8	8
1/4	75,851	1/4	60,910	1/4	45,883	1/4	30,855	1/4	15,922	1/4	2,638	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,541	1/2	60,597	1/2	45,570	1/2	30,542	1/2	15,622	1/2	2,385	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,230	3/4	60,284	3/4	45,257	3/4	30,229	3/4	15,322	3/4	2,132	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	74,919	9	59,971	9	44,944	9	29,916	9	15,025	9	1,903	9	9	9	9	9	9	9	9
1/4	74,608	1/4	59,658	1/4	44,631	1/4	29,603	1/4	14,729	1/4	1,674	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74,298	1/2	59,345	1/2	44,317	1/2	29,290	1/2	14,433	1/2	1,445	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	73,987	3/4	59,032	3/4	44,004	3/4	28,977	3/4	14,137	3/4	1,216	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	73,676	10	58,719	10	43,691	10	28,664	10	13,845	10	1,048	10	10	10	10	10	10	10	10
1/4	73,365	1/4	58,406	1/4	43,378	1/4	28,351	1/4	13,552	1/4	880	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73,055	1/2	58,093	1/2	43,065	1/2	28,038	1/2	13,260	1/2	712	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	72,744	3/4	57,780	3/4	42,752	3/4	27,725	3/4	12,968	3/4	544	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	72,433	11	57,467	11	42,439	11	27,411	11	12,679	11		11	11	11	11	11	11	11	11
1/4	72,123	1/4	57,153	1/4	42,126	1/4	27,098	1/4	12,391	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	71,812	1/2	56,840	1/2	41,813	1/2	26,785	1/2	12,103	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	71,501	3/4	56,527	3/4	41,500	3/4	26,472	3/4	11,814	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	0	0	210,261	0	195,326	0	180,308	0	165,248	0	150,188	0	135,127	0	120,066	0	105,002		
1/4	1/4	1/4	209,951	1/4	195,013	1/4	179,995	1/4	164,935	1/4	149,874	1/4	134,813	1/4	119,752	1/4	104,688		
1/2	1/2	1/2	209,641	1/2	194,700	1/2	179,682	1/2	164,621	1/2	149,560	1/2	134,499	1/2	119,439	1/2	104,374		
3/4	3/4	3/4	209,331	3/4	194,387	3/4	179,368	3/4	164,307	3/4	149,246	3/4	134,186	3/4	119,125	3/4	104,061		
1	1	1	209,020	1	194,074	1	179,054	1	163,993	1	148,933	1	133,872	1	118,811	1	103,747		
1/4	1/4	1/4	208,710	1/4	193,762	1/4	178,740	1/4	163,680	1/4	148,619	1/4	133,558	1/4	118,497	1/4	103,433		
1/2	1/2	1/2	208,399	1/2	193,449	1/2	178,427	1/2	163,366	1/2	148,305	1/2	133,244	1/2	118,183	1/2	103,119		
3/4	3/4	3/4	208,088	3/4	193,136	3/4	178,113	3/4	163,052	3/4	147,991	3/4	132,931	3/4	117,870	3/4	102,805		
2	2	2	207,778	2	192,823	2	177,799	2	162,738	2	147,678	2	132,617	2	117,556	2	102,491		
1/4	1/4	1/4	207,467	1/4	192,510	1/4	177,485	1/4	162,425	1/4	147,364	1/4	132,303	1/4	117,242	1/4	102,177		
1/2	1/2	1/2	207,156	1/2	192,197	1/2	177,172	1/2	162,111	1/2	147,050	1/2	131,989	1/2	116,928	1/2	101,863		
3/4	3/4	3/4	206,846	3/4	191,884	3/4	176,858	3/4	161,797	3/4	146,736	3/4	131,675	3/4	116,615	3/4	101,549		
3	3	3	206,535	3	191,572	3	176,544	3	161,483	3	146,422	3	131,362	3	116,301	3	101,235		
1/4	1/4	1/4	206,224	1/4	191,259	1/4	176,230	1/4	161,169	1/4	146,109	1/4	131,048	1/4	115,987	1/4	100,921		
1/2	1/2	1/2	205,914	1/2	190,946	1/2	175,917	1/2	160,856	1/2	145,795	1/2	130,734	1/2	115,673	1/2	100,607		
3/4	3/4	3/4	205,603	3/4	190,633	3/4	175,603	3/4	160,542	3/4	145,481	3/4	130,420	3/4	115,360	3/4	100,294		
4	4	4	205,292	4	190,320	4	175,289	4	160,228	4	145,167	4	130,107	4	115,046	4	99,980		
1/4	1/4	1/4	204,982	1/4	190,007	1/4	174,975	1/4	159,914	1/4	144,854	1/4	129,793	1/4	114,732	1/4	99,666		
1/2	1/2	1/2	204,671	1/2	189,694	1/2	174,661	1/2	159,601	1/2	144,540	1/2	129,479	1/2	114,418	1/2	99,352		
3/4	3/4	3/4	204,360	3/4	189,382	3/4	174,348	3/4	159,287	3/4	144,226	3/4	129,165	3/4	114,105	3/4	99,038		
5	5	5	204,050	5	189,069	5	174,034	5	158,973	5	143,912	5	128,852	5	113,791	5	98,724		
1/4	1/4	1/4	203,739	1/4	188,756	1/4	173,720	1/4	158,659	1/4	143,599	1/4	128,538	1/4	113,477	1/4	98,410		
1/2	1/2	1/2	203,428	1/2	188,443	1/2	173,406	1/2	158,346	1/2	143,285	1/2	128,224	1/2	113,163	1/2	98,096		
3/4	3/4	3/4	203,118	3/4	188,130	3/4	173,093	3/4	158,032	3/4	142,971	3/4	127,910	3/4	112,849	3/4	97,782		
6	6	6	202,807	6	187,817	6	172,779	6	157,718	6	142,657	6	127,596	6	112,536	6	97,468		
1/4	1/4	1/4	202,496	1/4	187,504	1/4	172,465	1/4	157,404	1/4	142,344	1/4	127,283	1/4	112,222	1/4	97,154		
1/2	1/2	1/2	202,186	1/2	187,192	1/2	172,151	1/2	157,091	1/2	142,030	1/2	126,969	1/2	111,908	1/2	96,840		
3/4	3/4	3/4	201,875	3/4	186,879	3/4	171,838	3/4	156,777	3/4	141,716	3/4	126,655	3/4	111,594	3/4	96,527		
7	7	7	201,564	7	186,566	7	171,524	7	156,463	7	141,402	7	126,341	7	111,281	7	96,213		
1/4	1/4	1/4	201,254	1/4	186,253	1/4	171,210	1/4	156,149	1/4	141,088	1/4	126,028	1/4	110,967	1/4	95,899		
1/2	1/2	1/2	200,943	1/2	185,940	1/2	170,896	1/2	155,835	1/2	140,775	1/2	125,714	1/2	110,653	1/2	95,585		
3/4	3/4	3/4	200,632	3/4	185,627	3/4	170,582	3/4	155,522	3/4	140,461	3/4	125,400	3/4	110,339	3/4	95,271		
8	8	214,310	200,322	8	185,314	8	170,269	8	155,208	8	140,147	8	125,086	8	110,025	8	94,957		
1/4	1/4	214,139	200,011	1/4	185,002	1/4	169,955	1/4	154,894	1/4	139,833	1/4	124,773	1/4	109,711	1/4	94,643		
1/2	1/2	213,968	199,700	1/2	184,689	1/2	169,641	1/2	154,580	1/2	139,520	1/2	124,459	1/2	109,397	1/2	94,329		
3/4	3/4	213,753	199,389	3/4	184,376	3/4	169,327	3/4	154,267	3/4	139,206	3/4	124,145	3/4	109,083	3/4	94,015		
9	9	213,537	199,077	9	184,063	9	169,014	9	153,953	9	138,892	9	123,831	9	108,769	9	93,701		
1/4	1/4	213,322	198,766	1/4	183,750	1/4	168,700	1/4	153,639	1/4	138,578	1/4	123,518	1/4	108,455	1/4	93,387		
1/2	1/2	213,106	198,454	1/2	183,437	1/2	168,386	1/2	153,325	1/2	138,265	1/2	123,204	1/2	108,142	1/2	93,073		
3/4	3/4	212,846	198,141	3/4	183,124	3/4	168,072	3/4	153,012	3/4	137,951	3/4	122,890	3/4	107,828	3/4	92,759		
10	10	212,586	197,829	10	182,812	10	167,759	10	152,698	10	137,637	10	122,576	10	107,514	10	92,446		
1/4	1/4	212,325	197,516	1/4	182,499	1/4	167,445	1/4	152,384	1/4	137,323	1/4	122,262	1/4	107,200	1/4	92,132		
1/2	1/2	212,065	197,203	1/2	182,186	1/2	167,131	1/2	152,070	1/2	137,009	1/2	121,949	1/2	106,886	1/2	91,818		
3/4	3/4	211,769	196,890	3/4	181,873	3/4	166,817	3/4	151,756	3/4	136,696	3/4	121,635	3/4	106,572	3/4	91,504		
11	11	211,473	196,577	11	181,560	11	166,504	11	151,443	11	136,382	11	121,321	11	106,258	11	91,190		
1/4	1/4	211,176	196,264	1/4	181,247	1/4	166,190	1/4	151,129	1/4	136,068	1/4	121,007	1/4	105,944	1/4	90,876		
1/2	1/2	210,880	195,951	1/2	180,935	1/2	165,876	1/2	150,815	1/2	135,754	1/2	120,694	1/2	105,630	1/2	90,562		
3/4	3/4	210,570	195,639	3/4	180,621	3/4	165,562	3/4	150,501	3/4	135,441	3/4	120,380	3/4	105,316	3/4	90,248		

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.  
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	89,934	0	74,866	0	59,798	0	44,738	0	29,685	0	14,617	0		0		0		0	
1/4	89,620	1/4	74,552	1/4	59,484	1/4	44,425	1/4	29,371	1/4	14,303	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	89,306	1/2	74,238	1/2	59,170	1/2	44,112	1/2	29,057	1/2	13,989	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	88,992	3/4	73,924	3/4	58,856	3/4	43,798	3/4	28,743	3/4	13,675	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	88,679	1	73,610	1	58,542	1	43,485	1	28,429	1	13,361	1	1	1	1	1	1	1	1
1/4	88,365	1/4	73,297	1/4	58,228	1/4	43,172	1/4	28,115	1/4	13,047	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	88,051	1/2	72,983	1/2	57,914	1/2	42,859	1/2	27,801	1/2	12,733	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	87,737	3/4	72,669	3/4	57,601	3/4	42,545	3/4	27,487	3/4	12,419	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	87,423	2	72,355	2	57,287	2	42,232	2	27,173	2	12,106	2	2	2	2	2	2	2	2
1/4	87,109	1/4	72,041	1/4	56,973	1/4	41,919	1/4	26,859	1/4	11,792	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86,795	1/2	71,727	1/2	56,659	1/2	41,605	1/2	26,545	1/2	11,478	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	86,481	3/4	71,413	3/4	56,345	3/4	41,292	3/4	26,232	3/4	11,164	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	86,167	3	71,099	3	56,031	3	40,979	3	25,918	3	10,850	3	3	3	3	3	3	3	3
1/4	85,853	1/4	70,785	1/4	55,717	1/4	40,665	1/4	25,604	1/4	10,536	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,539	1/2	70,471	1/2	55,403	1/2	40,352	1/2	25,290	1/2	10,222	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,225	3/4	70,157	3/4	55,089	3/4	40,039	3/4	24,976	3/4	9,908	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	84,912	4	69,843	4	54,775	4	39,725	4	24,662	4	9,594	4	4	4	4	4	4	4	4
1/4	84,598	1/4	69,529	1/4	54,461	1/4	39,412	1/4	24,348	1/4	9,280	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	84,284	1/2	69,216	1/2	54,147	1/2	39,099	1/2	24,034	1/2	8,966	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,970	3/4	68,902	3/4	53,834	3/4	38,785	3/4	23,720	3/4	8,653	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	83,656	5	68,588	5	53,520	5	38,472	5	23,406	5	8,339	5	5	5	5	5	5	5	5
1/4	83,342	1/4	68,274	1/4	53,206	1/4	38,158	1/4	23,092	1/4	8,025	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,028	1/2	67,960	1/2	52,892	1/2	37,845	1/2	22,778	1/2	7,711	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,714	3/4	67,646	3/4	52,578	3/4	37,531	3/4	22,465	3/4	7,397	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	82,400	6	67,332	6	52,264	6	37,218	6	22,151	6	7,083	6	6	6	6	6	6	6	6
1/4	82,086	1/4	67,018	1/4	51,950	1/4	36,904	1/4	21,837	1/4	6,769	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,772	1/2	66,704	1/2	51,636	1/2	36,591	1/2	21,523	1/2	6,455	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	81,458	3/4	66,390	3/4	51,322	3/4	36,277	3/4	21,209	3/4	6,141	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	81,144	7	66,076	7	51,008	7	35,963	7	20,895	7	5,827	7	7	7	7	7	7	7	7
1/4	80,831	1/4	65,762	1/4	50,694	1/4	35,649	1/4	20,581	1/4	5,514	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	80,517	1/2	65,449	1/2	50,380	1/2	35,335	1/2	20,267	1/2	5,200	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,203	3/4	65,135	3/4	50,067	3/4	35,021	3/4	19,953	3/4	4,886	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	79,889	8	64,821	8	49,753	8	34,707	8	19,639	8	4,572	8	8	8	8	8	8	8	8
1/4	79,575	1/4	64,507	1/4	49,439	1/4	34,393	1/4	19,325	1/4	4,259	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,261	1/2	64,193	1/2	49,125	1/2	34,079	1/2	19,012	1/2	3,945	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,947	3/4	63,879	3/4	48,812	3/4	33,765	3/4	18,698	3/4	3,632	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	78,633	9	63,565	9	48,499	9	33,451	9	18,384	9	3,319	9	9	9	9	9	9	9	9
1/4	78,319	1/4	63,251	1/4	48,185	1/4	33,138	1/4	18,070	1/4	3,006	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,005	1/2	62,937	1/2	47,872	1/2	32,824	1/2	17,756	1/2	2,693	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,691	3/4	62,623	3/4	47,558	3/4	32,510	3/4	17,442	3/4	2,399	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	77,377	10	62,309	10	47,245	10	32,196	10	17,128	10	2,106	10	10	10	10	10	10	10	10
1/4	77,064	1/4	61,995	1/4	46,932	1/4	31,882	1/4	16,814	1/4	1,813	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,750	1/2	61,682	1/2	46,618	1/2	31,568	1/2	16,500	1/2	1,519	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	76,436	3/4	61,368	3/4	46,305	3/4	31,254	3/4	16,186	3/4	1,297	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	76,122	11	61,054	11	45,992	11	30,940	11	15,872	11	1,075	11	11	11	11	11	11	11	11
1/4	75,808	1/4	60,740	1/4	45,678	1/4	30,626	1/4	15,559	1/4	852	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,494	1/2	60,426	1/2	45,365	1/2	30,312	1/2	15,245	1/2	630	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,180	3/4	60,112	3/4	45,052	3/4	29,998	3/4	14,931	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0	209,792	0	194,850	0	179,825	0	164,758	0	149,690	0	134,622	0	119,554	0	104,483
1/4	1/4	1/4	1/4	1/4	209,482	1/4	194,537	1/4	179,512	1/4	164,444	1/4	149,376	1/4	134,308	1/4	119,240	1/4	104,169
1/2	1/2	1/2	1/2	1/2	209,173	1/2	194,224	1/2	179,198	1/2	164,130	1/2	149,062	1/2	133,994	1/2	118,926	1/2	103,855
3/4	3/4	3/4	3/4	3/4	208,862	3/4	193,911	3/4	178,884	3/4	163,816	3/4	148,748	3/4	133,680	3/4	118,612	3/4	103,541
1		1		1	208,551	1	193,598	1	178,571	1	163,502	1	148,434	1	133,366	1	118,298	1	103,227
1/4	1/4	1/4	1/4	1/4	208,240	1/4	193,285	1/4	178,257	1/4	163,189	1/4	148,120	1/4	133,052	1/4	117,984	1/4	102,912
1/2	1/2	1/2	1/2	1/2	207,930	1/2	192,972	1/2	177,943	1/2	162,875	1/2	147,807	1/2	132,738	1/2	117,670	1/2	102,598
3/4	3/4	3/4	3/4	3/4	207,619	3/4	192,659	3/4	177,629	3/4	162,561	3/4	147,493	3/4	132,425	3/4	117,356	3/4	102,284
2		2		2	207,308	2	192,346	2	177,315	2	162,247	2	147,179	2	132,111	2	117,043	2	101,970
1/4	1/4	1/4	1/4	1/4	206,997	1/4	192,033	1/4	177,001	1/4	161,933	1/4	146,865	1/4	131,797	1/4	116,729	1/4	101,656
1/2	1/2	1/2	1/2	1/2	206,686	1/2	191,720	1/2	176,687	1/2	161,619	1/2	146,551	1/2	131,483	1/2	116,415	1/2	101,342
3/4	3/4	3/4	3/4	3/4	206,375	3/4	191,407	3/4	176,373	3/4	161,305	3/4	146,237	3/4	131,169	3/4	116,101	3/4	101,028
3		3		3	206,065	3	191,094	3	176,059	3	160,991	3	145,923	3	130,855	3	115,787	3	100,714
1/4	1/4	1/4	1/4	1/4	205,754	1/4	190,781	1/4	175,745	1/4	160,677	1/4	145,609	1/4	130,541	1/4	115,473	1/4	100,400
1/2	1/2	1/2	1/2	1/2	205,443	1/2	190,468	1/2	175,431	1/2	160,363	1/2	145,295	1/2	130,227	1/2	115,159	1/2	100,086
3/4	3/4	3/4	3/4	3/4	205,132	3/4	190,155	3/4	175,117	3/4	160,049	3/4	144,981	3/4	129,913	3/4	114,845	3/4	99,772
4		4		4	204,821	4	189,842	4	174,804	4	159,735	4	144,667	4	129,599	4	114,531	4	99,458
1/4	1/4	1/4	1/4	1/4	204,511	1/4	189,529	1/4	174,490	1/4	159,422	1/4	144,353	1/4	129,285	1/4	114,217	1/4	99,144
1/2	1/2	1/2	1/2	1/2	204,200	1/2	189,216	1/2	174,176	1/2	159,108	1/2	144,039	1/2	128,971	1/2	113,903	1/2	98,830
3/4	3/4	3/4	3/4	3/4	203,889	3/4	188,903	3/4	173,862	3/4	158,794	3/4	143,726	3/4	128,657	3/4	113,589	3/4	98,515
5		5		5	203,578	5	188,590	5	173,548	5	158,480	5	143,412	5	128,344	5	113,275	5	98,201
1/4	1/4	1/4	1/4	1/4	203,267	1/4	188,277	1/4	173,234	1/4	158,166	1/4	143,098	1/4	128,030	1/4	112,962	1/4	97,887
1/2	1/2	1/2	1/2	1/2	202,956	1/2	187,964	1/2	172,920	1/2	157,852	1/2	142,784	1/2	127,716	1/2	112,648	1/2	97,573
3/4	3/4	3/4	3/4	3/4	202,646	3/4	187,651	3/4	172,606	3/4	157,538	3/4	142,470	3/4	127,402	3/4	112,334	3/4	97,259
6		6		6	202,335	6	187,338	6	172,292	6	157,224	6	142,156	6	127,088	6	112,020	6	96,945
1/4	1/4	1/4	1/4	1/4	202,024	1/4	187,025	1/4	171,978	1/4	156,910	1/4	141,842	1/4	126,774	1/4	111,706	1/4	96,631
1/2	1/2	1/2	1/2	1/2	201,713	1/2	186,712	1/2	171,664	1/2	156,596	1/2	141,528	1/2	126,460	1/2	111,392	1/2	96,317
3/4	3/4	3/4	3/4	3/4	201,402	3/4	186,399	3/4	171,350	3/4	156,282	3/4	141,214	3/4	126,146	3/4	111,078	3/4	96,003
7		7		7	201,092	7	186,086	7	171,036	7	155,968	7	140,900	7	125,832	7	110,764	7	95,689
1/4	1/4	1/4	1/4	1/4	200,781	1/4	185,773	1/4	170,723	1/4	155,654	1/4	140,586	1/4	125,518	1/4	110,450	1/4	95,375
1/2	1/2	1/2	1/2	1/2	200,470	1/2	185,460	1/2	170,409	1/2	155,341	1/2	140,272	1/2	125,204	1/2	110,136	1/2	95,061
3/4	3/4	3/4	3/4	3/4	200,159	3/4	185,147	3/4	170,095	3/4	155,027	3/4	139,959	3/4	124,890	3/4	109,822	3/4	94,747
8		8	213,843	8	199,848	8	184,834	8	169,781	8	154,713	8	139,645	8	124,577	8	109,508	8	94,433
1/4	1/4	1/4	213,673	1/4	199,537	1/4	184,521	1/4	169,467	1/4	154,399	1/4	139,331	1/4	124,263	1/4	109,194	1/4	94,118
1/2	1/2	1/2	213,502	1/2	199,227	1/2	184,208	1/2	169,153	1/2	154,085	1/2	139,017	1/2	123,949	1/2	108,880	1/2	93,804
3/4	3/4	3/4	213,286	3/4	198,915	3/4	183,895	3/4	168,839	3/4	153,771	3/4	138,703	3/4	123,635	3/4	108,566	3/4	93,490
9		9	213,071	9	198,603	9	183,582	9	168,525	9	153,457	9	138,389	9	123,321	9	108,252	9	93,176
1/4	1/4	1/4	212,855	1/4	198,292	1/4	183,269	1/4	168,211	1/4	153,143	1/4	138,075	1/4	123,007	1/4	107,938	1/4	92,862
1/2	1/2	1/2	212,639	1/2	197,980	1/2	182,956	1/2	167,897	1/2	152,829	1/2	137,761	1/2	122,693	1/2	107,624	1/2	92,548
3/4	3/4	3/4	212,379	3/4	197,667	3/4	182,643	3/4	167,583	3/4	152,515	3/4	137,447	3/4	122,379	3/4	107,309	3/4	92,234
10		10	212,118	10	197,354	10	182,330	10	167,269	10	152,201	10	137,133	10	122,065	10	106,995	10	91,920
1/4	1/4	1/4	211,858	1/4	197,041	1/4	182,017	1/4	166,956	1/4	151,887	1/4	136,819	1/4	121,751	1/4	106,681	1/4	91,606
1/2	1/2	1/2	211,597	1/2	196,728	1/2	181,704	1/2	166,642	1/2	151,574	1/2	136,505	1/2	121,437	1/2	106,367	1/2	91,292
3/4	3/4	3/4	211,301	3/4	196,415	3/4	181,391	3/4	166,328	3/4	151,260	3/4	136,192	3/4	121,123	3/4	106,053	3/4	90,978
11		11	211,005	11	196,102	11	181,078	11	166,014	11	150,946	11	135,878	11	120,810	11	105,739	11	90,664
1/4	1/4	1/4	210,708	1/4	195,789	1/4	180,765	1/4	165,700	1/4	150,632	1/4	135,564	1/4	120,496	1/4	105,425	1/4	90,350
1/2	1/2	1/2	210,412	1/2	195,476	1/2	180,452	1/2	165,386	1/2	150,318	1/2	135,250	1/2	120,182	1/2	105,111	1/2	90,036
3/4	3/4	3/4	210,102	3/4	195,163	3/4	180,138	3/4	165,072	3/4	150,004	3/4	134,936	3/4	119,868	3/4	104,797	3/4	89,721

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.  
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "GBL 2630"

## 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	89,407	0	74,434	0	59,638	0	44,760	0	29,699	0	14,624	0		0		0		0	
1/4	89,093	1/4	74,126	1/4	59,330	1/4	44,447	1/4	29,385	1/4	14,310	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	88,779	1/2	73,817	1/2	59,021	1/2	44,133	1/2	29,071	1/2	13,996	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	88,465	3/4	73,509	3/4	58,713	3/4	43,820	3/4	28,757	3/4	13,682	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	88,151	1	73,201	1	58,405	1	43,506	1	28,443	1	13,368	1	1	1	1	1	1	1	1
1/4	87,837	1/4	72,893	1/4	58,097	1/4	43,193	1/4	28,129	1/4	13,054	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	87,523	1/2	72,584	1/2	57,788	1/2	42,879	1/2	27,815	1/2	12,740	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	87,209	3/4	72,276	3/4	57,480	3/4	42,566	3/4	27,500	3/4	12,425	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	86,895	2	71,968	2	57,172	2	42,252	2	27,186	2	12,111	2	2	2	2	2	2	2	2
1/4	86,581	1/4	71,660	1/4	56,864	1/4	41,939	1/4	26,872	1/4	11,797	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86,267	1/2	71,351	1/2	56,555	1/2	41,625	1/2	26,558	1/2	11,483	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,953	3/4	71,043	3/4	56,247	3/4	41,312	3/4	26,244	3/4	11,169	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	85,639	3	70,735	3	55,939	3	40,998	3	25,930	3	10,855	3	3	3	3	3	3	3	3
1/4	85,324	1/4	70,427	1/4	55,631	1/4	40,685	1/4	25,616	1/4	10,541	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,010	1/2	70,118	1/2	55,322	1/2	40,371	1/2	25,302	1/2	10,227	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	84,696	3/4	69,810	3/4	55,014	3/4	40,058	3/4	24,988	3/4	9,913	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	84,382	4	69,502	4	54,706	4	39,745	4	24,674	4	9,599	4	4	4	4	4	4	4	4
1/4	84,068	1/4	69,194	1/4	54,398	1/4	39,431	1/4	24,360	1/4	9,285	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,754	1/2	68,885	1/2	54,089	1/2	39,118	1/2	24,046	1/2	8,971	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,440	3/4	68,577	3/4	53,781	3/4	38,804	3/4	23,732	3/4	8,657	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	83,126	5	68,269	5	53,473	5	38,490	5	23,418	5	8,343	5	5	5	5	5	5	5	5
1/4	82,812	1/4	67,961	1/4	53,165	1/4	38,177	1/4	23,104	1/4	8,029	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	82,498	1/2	67,652	1/2	52,856	1/2	37,863	1/2	22,790	1/2	7,715	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,184	3/4	67,344	3/4	52,548	3/4	37,550	3/4	22,475	3/4	7,400	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	81,870	6	67,036	6	52,240	6	37,236	6	22,161	6	7,086	6	6	6	6	6	6	6	6
1/4	81,556	1/4	66,728	1/4	51,932	1/4	36,922	1/4	21,847	1/4	6,772	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,242	1/2	66,419	1/2	51,623	1/2	36,608	1/2	21,533	1/2	6,458	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,929	3/4	66,111	3/4	51,315	3/4	36,294	3/4	21,219	3/4	6,144	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	80,616	7	65,803	7	51,007	7	35,980	7	20,905	7	5,830	7	7	7	7	7	7	7	7
1/4	80,303	1/4	65,495	1/4	50,699	1/4	35,666	1/4	20,591	1/4	5,516	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,990	1/2	65,186	1/2	50,390	1/2	35,352	1/2	20,277	1/2	5,202	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,680	3/4	64,878	3/4	50,080	3/4	35,038	3/4	19,963	3/4	4,888	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	79,369	8	64,570	8	49,770	8	34,724	8	19,649	8	4,574	8	8	8	8	8	8	8	8
1/4	79,059	1/4	64,262	1/4	49,459	1/4	34,410	1/4	19,335	1/4	4,261	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,749	1/2	63,953	1/2	49,149	1/2	34,096	1/2	19,021	1/2	3,947	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,441	3/4	63,645	3/4	48,836	3/4	33,782	3/4	18,707	3/4	3,634	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	78,133	9	63,337	9	48,522	9	33,468	9	18,393	9	3,320	9	9	9	9	9	9	9	9
1/4	77,825	1/4	63,029	1/4	48,208	1/4	33,154	1/4	18,079	1/4	3,007	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,516	1/2	62,720	1/2	47,895	1/2	32,840	1/2	17,765	1/2	2,694	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,208	3/4	62,412	3/4	47,581	3/4	32,525	3/4	17,450	3/4	2,400	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	76,900	10	62,104	10	47,268	10	32,211	10	17,136	10	2,107	10	10	10	10	10	10	10	10
1/4	76,592	1/4	61,796	1/4	46,954	1/4	31,897	1/4	16,822	1/4	1,814	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,283	1/2	61,487	1/2	46,641	1/2	31,583	1/2	16,508	1/2	1,520	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,975	3/4	61,179	3/4	46,327	3/4	31,269	3/4	16,194	3/4	1,298	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	75,667	11	60,871	11	46,014	11	30,955	11	15,880	11	1,075	11	11	11	11	11	11	11	11
1/4	75,359	1/4	60,563	1/4	45,701	1/4	30,641	1/4	15,566	1/4	853	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,050	1/2	60,254	1/2	45,387	1/2	30,327	1/2	15,252	1/2	630	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,742	3/4	59,946	3/4	45,074	3/4	30,013	3/4	14,938	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	190,389	0	180,101	0	169,756	0	159,383	0	148,913	0	134,681	0	119,680	0	104,672		
1/4	1/4	1/4	1/4	1/4	190,176	1/4	179,885	1/4	169,540	1/4	159,167	1/4	148,673	1/4	134,368	1/4	119,367	1/4	104,359		
1/2	1/2	1/2	1/2	1/2	189,962	1/2	179,670	1/2	169,324	1/2	158,950	1/2	148,432	1/2	134,056	1/2	119,055	1/2	104,046		
3/4	3/4	3/4	3/4	3/4	189,748	3/4	179,454	3/4	169,108	3/4	158,734	3/4	148,179	3/4	133,743	3/4	118,742	3/4	103,733		
1		1		1	189,534	1	179,239	1	168,892	1	158,518	1	147,925	1	133,431	1	118,430	1	103,420		
1/4	1/4	1/4	1/4	1/4	189,320	1/4	179,023	1/4	168,676	1/4	158,302	1/4	147,671	1/4	133,118	1/4	118,117	1/4	103,107		
1/2	1/2	1/2	1/2	1/2	189,107	1/2	178,808	1/2	168,460	1/2	158,086	1/2	147,417	1/2	132,806	1/2	117,804	1/2	102,794		
3/4	3/4	3/4	3/4	3/4	188,893	3/4	178,592	3/4	168,244	3/4	157,870	3/4	147,150	3/4	132,493	3/4	117,492	3/4	102,481		
2		2		2	188,678	2	178,377	2	168,028	2	157,654	2	146,882	2	132,181	2	117,179	2	102,168		
1/4	1/4	1/4	1/4	1/4	188,464	1/4	178,161	1/4	167,811	1/4	157,438	1/4	146,615	1/4	131,868	1/4	116,867	1/4	101,855		
1/2	1/2	1/2	1/2	1/2	188,250	1/2	177,946	1/2	167,595	1/2	157,222	1/2	146,347	1/2	131,556	1/2	116,554	1/2	101,542		
3/4	3/4	3/4	3/4	3/4	188,036	3/4	177,730	3/4	167,379	3/4	157,005	3/4	146,066	3/4	131,243	3/4	116,242	3/4	101,230		
3		3		3	187,822	3	177,515	3	167,163	3	156,789	3	145,785	3	130,931	3	115,929	3	100,917		
1/4	1/4	1/4	1/4	1/4	187,608	1/4	177,299	1/4	166,947	1/4	156,573	1/4	145,504	1/4	130,618	1/4	115,617	1/4	100,604		
1/2	1/2	1/2	1/2	1/2	187,394	1/2	177,084	1/2	166,731	1/2	156,357	1/2	145,222	1/2	130,305	1/2	115,304	1/2	100,291		
3/4	3/4	3/4	3/4	3/4	187,180	3/4	176,868	3/4	166,515	3/4	156,141	3/4	144,927	3/4	129,993	3/4	114,992	3/4	99,978		
4		4		4	186,966	4	176,653	4	166,299	4	155,925	4	144,631	4	129,680	4	114,679	4	99,665		
1/4	1/4	1/4	1/4	1/4	186,752	1/4	176,437	1/4	166,082	1/4	155,709	1/4	144,335	1/4	129,368	1/4	114,367	1/4	99,352		
1/2	1/2	1/2	1/2	1/2	186,538	1/2	176,222	1/2	165,866	1/2	155,493	1/2	144,039	1/2	129,055	1/2	114,054	1/2	99,039		
3/4	3/4	3/4	3/4	3/4	186,324	3/4	176,006	3/4	165,650	3/4	155,276	3/4	143,731	3/4	128,743	3/4	113,742	3/4	98,726		
5		5		5	186,110	5	175,791	5	165,434	5	155,060	5	143,423	5	128,430	5	113,429	5	98,413		
1/4	1/4	1/4	1/4	1/4	185,896	1/4	175,575	1/4	165,218	1/4	154,844	1/4	143,115	1/4	128,118	1/4	113,117	1/4	98,100		
1/2	1/2	1/2	1/2	1/2	185,682	1/2	175,360	1/2	165,002	1/2	154,628	1/2	142,806	1/2	127,805	1/2	112,804	1/2	97,787		
3/4	3/4	3/4	3/4	3/4	185,468	3/4	175,144	3/4	164,786	3/4	154,412	3/4	142,494	3/4	127,493	3/4	112,492	3/4	97,474		
6		6		6	185,254	6	174,929	6	164,570	6	154,196	6	142,181	6	127,180	6	112,179	6	97,161		
1/4	1/4	1/4	1/4	1/4	185,040	1/4	174,713	1/4	164,354	1/4	153,980	1/4	141,869	1/4	126,868	1/4	111,867	1/4	96,848		
1/2	1/2	1/2	1/2	1/2	184,826	1/2	174,498	1/2	164,137	1/2	153,764	1/2	141,556	1/2	126,555	1/2	111,554	1/2	96,536		
3/4	3/4	3/4	3/4	3/4	184,612	3/4	174,282	3/4	163,921	3/4	153,547	3/4	141,244	3/4	126,243	3/4	111,241	3/4	96,223		
7		7		7	184,398	7	174,066	7	163,705	7	153,331	7	140,931	7	125,930	7	110,929	7	95,910		
1/4	1/4	1/4	1/4	1/4	184,184	1/4	173,851	1/4	163,489	1/4	153,115	1/4	140,619	1/4	125,618	1/4	110,616	1/4	95,597		
1/2	1/2	1/2	1/2	1/2	183,970	1/2	173,635	1/2	163,273	1/2	152,899	1/2	140,306	1/2	125,305	1/2	110,304	1/2	95,284		
3/4	3/4	3/4	3/4	3/4	183,756	3/4	173,420	3/4	163,057	3/4	152,683	3/4	139,994	3/4	124,993	3/4	109,991	3/4	94,971		
8		8	193,178	8	183,542	8	173,204	8	162,841	8	152,467	8	139,681	8	124,680	8	109,678	8	94,658		
1/4	1/4	1/4	1/4	1/4	183,328	1/4	172,989	1/4	162,625	1/4	152,251	1/4	139,369	1/4	124,368	1/4	109,366	1/4	94,345		
1/2	1/2	1/2	1/2	1/2	183,114	1/2	172,773	1/2	162,408	1/2	152,035	1/2	139,056	1/2	124,055	1/2	109,053	1/2	94,032		
3/4	3/4	3/4	3/4	3/4	182,900	3/4	172,558	3/4	162,192	3/4	151,818	3/4	138,744	3/4	123,742	3/4	108,740	3/4	93,719		
9		9	192,646	9	182,685	9	172,342	9	161,976	9	151,602	9	138,431	9	123,430	9	108,427	9	93,406		
1/4	1/4	1/4	1/4	1/4	182,471	1/4	172,127	1/4	161,760	1/4	151,386	1/4	138,119	1/4	123,117	1/4	108,114	1/4	93,093		
1/2	1/2	1/2	1/2	1/2	182,256	1/2	171,911	1/2	161,544	1/2	151,170	1/2	137,806	1/2	122,805	1/2	107,801	1/2	92,780		
3/4	3/4	3/4	3/4	3/4	182,040	3/4	171,696	3/4	161,328	3/4	150,952	3/4	137,494	3/4	122,492	3/4	107,488	3/4	92,467		
10		10	191,990	10	181,825	10	171,480	10	161,112	10	150,734	10	137,181	10	122,180	10	107,175	10	92,155		
1/4	1/4	1/4	1/4	1/4	181,609	1/4	171,265	1/4	160,896	1/4	150,516	1/4	136,869	1/4	121,867	1/4	106,862	1/4	91,842		
1/2	1/2	1/2	1/2	1/2	181,394	1/2	171,049	1/2	160,679	1/2	150,298	1/2	136,556	1/2	121,555	1/2	106,549	1/2	91,529		
3/4	3/4	3/4	3/4	3/4	181,178	3/4	170,834	3/4	160,463	3/4	150,072	3/4	136,243	3/4	121,242	3/4	106,236	3/4	91,216		
11		11	191,224	11	180,963	11	170,618	11	160,247	11	149,846	11	135,931	11	120,930	11	105,923	11	90,903		
1/4	1/4	1/4	1/4	1/4	180,747	1/4	170,403	1/4	160,031	1/4	149,619	1/4	135,618	1/4	120,617	1/4	105,611	1/4	90,590		
1/2	1/2	1/2	1/2	1/2	180,532	1/2	170,187	1/2	159,815	1/2	149,393	1/2	135,306	1/2	120,305	1/2	105,298	1/2	90,277		
3/4	3/4	3/4	3/4	3/4	180,316	3/4	169,972	3/4	159,599	3/4	149,153	3/4	134,993	3/4	119,992	3/4	104,985	3/4	89,964		

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.  
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	89,651	0	74,630	0	59,610	0	44,598	0	29,591	0	14,571	0		0		0		0	
1/4	89,338	1/4	74,317	1/4	59,297	1/4	44,285	1/4	29,278	1/4	14,258	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	89,025	1/2	74,005	1/2	58,984	1/2	43,973	1/2	28,965	1/2	13,945	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	88,712	3/4	73,692	3/4	58,671	3/4	43,661	3/4	28,652	3/4	13,632	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	88,399	1	73,379	1	58,358	1	43,348	1	28,339	1	13,319	1	1	1	1	1	1	1	1
1/4	88,086	1/4	73,066	1/4	58,045	1/4	43,036	1/4	28,027	1/4	13,006	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	87,773	1/2	72,753	1/2	57,732	1/2	42,724	1/2	27,714	1/2	12,693	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	87,461	3/4	72,440	3/4	57,419	3/4	42,411	3/4	27,401	3/4	12,380	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	87,148	2	72,127	2	57,106	2	42,099	2	27,088	2	12,068	2	2	2	2	2	2	2	2
1/4	86,835	1/4	71,814	1/4	56,793	1/4	41,787	1/4	26,775	1/4	11,755	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86,522	1/2	71,501	1/2	56,480	1/2	41,474	1/2	26,462	1/2	11,442	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	86,209	3/4	71,188	3/4	56,167	3/4	41,162	3/4	26,149	3/4	11,129	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	85,896	3	70,875	3	55,855	3	40,850	3	25,836	3	10,816	3	3	3	3	3	3	3	3
1/4	85,583	1/4	70,562	1/4	55,542	1/4	40,537	1/4	25,523	1/4	10,503	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,270	1/2	70,249	1/2	55,229	1/2	40,225	1/2	25,210	1/2	10,190	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	84,957	3/4	69,936	3/4	54,916	3/4	39,913	3/4	24,897	3/4	9,877	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	84,644	4	69,624	4	54,603	4	39,600	4	24,584	4	9,564	4	4	4	4	4	4	4	4
1/4	84,331	1/4	69,311	1/4	54,290	1/4	39,288	1/4	24,271	1/4	9,251	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	84,018	1/2	68,998	1/2	53,977	1/2	38,976	1/2	23,959	1/2	8,938	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,705	3/4	68,685	3/4	53,664	3/4	38,663	3/4	23,646	3/4	8,625	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	83,392	5	68,372	5	53,351	5	38,351	5	23,333	5	8,312	5	5	5	5	5	5	5	5
1/4	83,080	1/4	68,059	1/4	53,038	1/4	38,038	1/4	23,020	1/4	8,000	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	82,767	1/2	67,746	1/2	52,726	1/2	37,726	1/2	22,707	1/2	7,687	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,454	3/4	67,433	3/4	52,412	3/4	37,413	3/4	22,394	3/4	7,374	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	82,141	6	67,120	6	52,099	6	37,101	6	22,081	6	7,061	6	6	6	6	6	6	6	6
1/4	81,828	1/4	66,807	1/4	51,786	1/4	36,788	1/4	21,768	1/4	6,748	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,515	1/2	66,494	1/2	51,474	1/2	36,475	1/2	21,455	1/2	6,435	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	81,202	3/4	66,181	3/4	51,161	3/4	36,163	3/4	21,142	3/4	6,122	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	80,889	7	65,868	7	50,848	7	35,850	7	20,829	7	5,809	7	7	7	7	7	7	7	7
1/4	80,576	1/4	65,555	1/4	50,535	1/4	35,537	1/4	20,516	1/4	5,496	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	80,263	1/2	65,242	1/2	50,222	1/2	35,224	1/2	20,203	1/2	5,183	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,950	3/4	64,930	3/4	49,909	3/4	34,911	3/4	19,891	3/4	4,871	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	79,637	8	64,617	8	49,596	8	34,598	8	19,578	8	4,558	8	8	8	8	8	8	8	8
1/4	79,324	1/4	64,304	1/4	49,284	1/4	34,285	1/4	19,265	1/4	4,245	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,011	1/2	63,991	1/2	48,971	1/2	33,972	1/2	18,952	1/2	3,932	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,699	3/4	63,678	3/4	48,658	3/4	33,659	3/4	18,639	3/4	3,620	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	78,386	9	63,365	9	48,346	9	33,346	9	18,326	9	3,308	9	9	9	9	9	9	9	9
1/4	78,073	1/4	63,052	1/4	48,033	1/4	33,033	1/4	18,013	1/4	2,996	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,760	1/2	62,739	1/2	47,721	1/2	32,720	1/2	17,700	1/2	2,684	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,447	3/4	62,426	3/4	47,409	3/4	32,407	3/4	17,387	3/4	2,372	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	77,134	10	62,113	10	47,096	10	32,095	10	17,074	10	2,059	10	10	10	10	10	10	10	10
1/4	76,821	1/4	61,800	1/4	46,784	1/4	31,782	1/4	16,761	1/4	1,807	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,508	1/2	61,487	1/2	46,472	1/2	31,469	1/2	16,448	1/2	1,515	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	76,195	3/4	61,174	3/4	46,159	3/4	31,156	3/4	16,136	3/4	1,293	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	75,882	11	60,861	11	45,847	11	30,843	11	15,823	11	1,071	11	11	11	11	11	11	11	11
1/4	75,569	1/4	60,549	1/4	45,535	1/4	30,530	1/4	15,510	1/4	850	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,256	1/2	60,236	1/2	45,222	1/2	30,217	1/2	15,197	1/2	628	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,943	3/4	59,923	3/4	44,910	3/4	29,904	3/4	14,884	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN			
0		0		0	188,833	0	178,539	0	168,193	0	157,820	0	147,266	0	132,860	0	117,891	0	102,917		
1/4	1/4	1/4	1/4	1/4	188,619	1/4	178,324	1/4	167,977	1/4	157,604	1/4	147,013	1/4	132,548	1/4	117,579	1/4	102,605		
1/2	1/2	1/2	1/2	1/2	188,405	1/2	178,108	1/2	167,761	1/2	157,388	1/2	146,759	1/2	132,236	1/2	117,268	1/2	102,292		
3/4	3/4	3/4	3/4	3/4	188,191	3/4	177,893	3/4	167,545	3/4	157,172	3/4	146,506	3/4	131,925	3/4	116,956	3/4	101,980		
1		1		1	187,977	1	177,677	1	167,329	1	156,956	1	146,239	1	131,613	1	116,644	1	101,668		
1/4	1/4	1/4	1/4	1/4	187,763	1/4	177,462	1/4	167,113	1/4	156,740	1/4	145,972	1/4	131,301	1/4	116,333	1/4	101,355		
1/2	1/2	1/2	1/2	1/2	187,549	1/2	177,246	1/2	166,897	1/2	156,523	1/2	145,705	1/2	130,989	1/2	116,021	1/2	101,043		
3/4	3/4	3/4	3/4	3/4	187,335	3/4	177,031	3/4	166,681	3/4	156,307	3/4	145,439	3/4	130,677	3/4	115,710	3/4	100,731		
2		2		2	187,121	2	176,815	2	166,465	2	156,091	2	145,158	2	130,365	2	115,398	2	100,418		
1/4	1/4	1/4	1/4	1/4	186,907	1/4	176,600	1/4	166,248	1/4	155,875	1/4	144,877	1/4	130,053	1/4	115,086	1/4	100,106		
1/2	1/2	1/2	1/2	1/2	186,693	1/2	176,384	1/2	166,032	1/2	155,659	1/2	144,597	1/2	129,741	1/2	114,775	1/2	99,794		
3/4	3/4	3/4	3/4	3/4	186,479	3/4	176,169	3/4	165,816	3/4	155,443	3/4	144,316	3/4	129,429	3/4	114,463	3/4	99,481		
3		3		3	186,265	3	175,953	3	165,600	3	155,227	3	144,021	3	129,118	3	114,151	3	99,169		
1/4	1/4	1/4	1/4	1/4	186,051	1/4	175,738	1/4	165,384	1/4	155,011	1/4	143,726	1/4	128,806	1/4	113,840	1/4	98,856		
1/2	1/2	1/2	1/2	1/2	185,837	1/2	175,522	1/2	165,168	1/2	154,795	1/2	143,431	1/2	128,494	1/2	113,528	1/2	98,544		
3/4	3/4	3/4	3/4	3/4	185,623	3/4	175,307	3/4	164,952	3/4	154,578	3/4	143,136	3/4	128,182	3/4	113,216	3/4	98,232		
4		4		4	185,409	4	175,091	4	164,736	4	154,362	4	142,828	4	127,870	4	112,905	4	97,919		
1/4	1/4	1/4	1/4	1/4	185,195	1/4	174,876	1/4	164,520	1/4	154,146	1/4	142,520	1/4	127,558	1/4	112,593	1/4	97,607		
1/2	1/2	1/2	1/2	1/2	184,981	1/2	174,660	1/2	164,303	1/2	153,930	1/2	142,213	1/2	127,246	1/2	112,281	1/2	97,295		
3/4	3/4	3/4	3/4	3/4	184,767	3/4	174,445	3/4	164,087	3/4	153,714	3/4	141,905	3/4	126,934	3/4	111,970	3/4	96,982		
5		5		5	184,553	5	174,229	5	163,871	5	153,498	5	141,593	5	126,622	5	111,658	5	96,670		
1/4	1/4	1/4	1/4	1/4	184,339	1/4	174,014	1/4	163,655	1/4	153,282	1/4	141,281	1/4	126,310	1/4	111,347	1/4	96,358		
1/2	1/2	1/2	1/2	1/2	184,125	1/2	173,798	1/2	163,439	1/2	153,066	1/2	140,970	1/2	125,999	1/2	111,035	1/2	96,045		
3/4	3/4	3/4	3/4	3/4	183,911	3/4	173,583	3/4	163,223	3/4	152,850	3/4	140,658	3/4	125,687	3/4	110,723	3/4	95,733		
6		6		6	183,697	6	173,367	6	163,007	6	152,633	6	140,346	6	125,375	6	110,411	6	95,420		
1/4	1/4	1/4	1/4	1/4	183,483	1/4	173,152	1/4	162,791	1/4	152,417	1/4	140,034	1/4	125,063	1/4	110,100	1/4	95,108		
1/2	1/2	1/2	1/2	1/2	183,269	1/2	172,936	1/2	162,575	1/2	152,201	1/2	139,722	1/2	124,751	1/2	109,788	1/2	94,796		
3/4	3/4	3/4	3/4	3/4	183,055	3/4	172,721	3/4	162,358	3/4	151,985	3/4	139,410	3/4	124,439	3/4	109,476	3/4	94,483		
7		7		7	182,841	7	172,505	7	162,142	7	151,769	7	139,098	7	124,127	7	109,164	7	94,171		
1/4	1/4	1/4	1/4	1/4	182,627	1/4	172,290	1/4	161,926	1/4	151,553	1/4	138,786	1/4	123,815	1/4	108,852	1/4	93,859		
1/2	1/2	1/2	1/2	1/2	182,413	1/2	172,074	1/2	161,710	1/2	151,337	1/2	138,474	1/2	123,503	1/2	108,540	1/2	93,546		
3/4	3/4	3/4	3/4	3/4	182,207	3/4	182,199	3/4	171,859	3/4	161,494	3/4	138,162	3/4	123,192	3/4	108,227	3/4	93,234		
8		8		8	181,987	8	181,984	8	171,643	8	161,278	8	150,905	8	137,851	8	122,880	8	107,915	8	92,922
1/4	1/4	1/4	1/4	1/4	181,770	1/4	181,770	1/4	171,427	1/4	161,062	1/4	150,688	1/4	137,539	1/4	122,568	1/4	107,603	1/4	92,609
1/2	1/2	1/2	1/2	1/2	181,555	1/2	181,555	1/2	171,212	1/2	160,846	1/2	150,472	1/2	137,227	1/2	122,256	1/2	107,290	1/2	92,297
3/4	3/4	3/4	3/4	3/4	181,341	3/4	181,341	3/4	170,996	3/4	160,630	3/4	150,256	3/4	136,915	3/4	121,944	3/4	106,978	3/4	91,984
9		9		9	181,254	9	181,125	9	170,781	9	160,413	9	150,038	9	136,603	9	121,632	9	106,666	9	91,672
1/4	1/4	1/4	1/4	1/4	181,075	1/4	180,910	1/4	170,565	1/4	160,197	1/4	149,820	1/4	136,291	1/4	121,320	1/4	106,353	1/4	91,360
1/2	1/2	1/2	1/2	1/2	180,895	1/2	180,694	1/2	170,350	1/2	159,981	1/2	149,602	1/2	135,979	1/2	121,008	1/2	106,041	1/2	91,047
3/4	3/4	3/4	3/4	3/4	180,716	3/4	180,479	3/4	170,134	3/4	159,765	3/4	149,384	3/4	135,667	3/4	120,696	3/4	105,728	3/4	90,735
10		10		10	180,512	10	180,263	10	169,919	10	159,549	10	149,158	10	135,355	10	120,385	10	105,416	10	90,423
1/4	1/4	1/4	1/4	1/4	180,308	1/4	180,048	1/4	169,703	1/4	159,333	1/4	148,932	1/4	135,044	1/4	120,073	1/4	105,104	1/4	90,110
1/2	1/2	1/2	1/2	1/2	180,104	1/2	179,832	1/2	169,488	1/2	159,117	1/2	148,706	1/2	134,732	1/2	119,761	1/2	104,791	1/2	89,798
3/4	3/4	3/4	3/4	3/4	189,900	3/4	179,617	3/4	169,272	3/4	158,901	3/4	148,480	3/4	134,420	3/4	119,449	3/4	104,479	3/4	89,486
11		11		11	189,687	11	179,401	11	169,057	11	158,685	11	148,240	11	134,108	11	119,138	11	104,167	11	89,174
1/4	1/4	1/4	1/4	1/4	189,473	1/4	179,186	1/4	168,841	1/4	158,468	1/4	148,000	1/4	133,796	1/4	118,826	1/4	103,854	1/4	88,863
1/2	1/2	1/2	1/2	1/2	189,260	1/2	178,970	1/2	168,625	1/2	158,252	1/2	147,760	1/2	133,484	1/2	118,514	1/2	103,542	1/2	88,552
3/4	3/4	3/4	3/4	3/4	189,047	3/4	178,755	3/4	168,410	3/4	158,036	3/4	147,520	3/4	133,172	3/4	118,203	3/4	103,230	3/4	88,240

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.  
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## 3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	87,931	0	73,071	0	58,266	0	43,601	0	28,617	0	13,622	0		0		0		0	
1/4	87,622	1/4	72,759	1/4	57,965	1/4	43,290	1/4	28,304	1/4	13,310	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	87,312	1/2	72,446	1/2	57,663	1/2	42,978	1/2	27,992	1/2	12,997	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	87,003	3/4	72,134	3/4	57,362	3/4	42,666	3/4	27,680	3/4	12,685	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	86,693	1	71,822	1	57,061	1	42,354	1	27,367	1	12,372	1	1	1	1	1	1	1	1
1/4	86,384	1/4	71,510	1/4	56,760	1/4	42,042	1/4	27,055	1/4	12,060	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86,074	1/2	71,198	1/2	56,458	1/2	41,730	1/2	26,742	1/2	11,748	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,765	3/4	70,885	3/4	56,157	3/4	41,418	3/4	26,430	3/4	11,435	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	85,455	2	70,573	2	55,856	2	41,107	2	26,117	2	11,123	2	2	2	2	2	2	2	2
1/4	85,146	1/4	70,261	1/4	55,555	1/4	40,795	1/4	25,805	1/4	10,810	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	84,837	1/2	69,949	1/2	55,253	1/2	40,483	1/2	25,493	1/2	10,498	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	84,527	3/4	69,637	3/4	54,952	3/4	40,171	3/4	25,180	3/4	10,185	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	84,218	3	69,324	3	54,651	3	39,859	3	24,868	3	9,873	3	3	3	3	3	3	3	3
1/4	83,908	1/4	69,012	1/4	54,350	1/4	39,547	1/4	24,555	1/4	9,560	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,599	1/2	68,700	1/2	54,048	1/2	39,236	1/2	24,243	1/2	9,248	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,289	3/4	68,388	3/4	53,747	3/4	38,924	3/4	23,930	3/4	8,936	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	82,980	4	68,076	4	53,446	4	38,612	4	23,618	4	8,623	4	4	4	4	4	4	4	4
1/4	82,670	1/4	67,764	1/4	53,145	1/4	38,300	1/4	23,306	1/4	8,311	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	82,361	1/2	67,452	1/2	52,843	1/2	37,988	1/2	22,993	1/2	7,998	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,052	3/4	67,140	3/4	52,542	3/4	37,676	3/4	22,681	3/4	7,686	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	81,742	5	66,828	5	52,241	5	37,364	5	22,368	5	7,373	5	5	5	5	5	5	5	5
1/4	81,433	1/4	66,515	1/4	51,939	1/4	37,052	1/4	22,056	1/4	7,060	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,123	1/2	66,203	1/2	51,638	1/2	36,740	1/2	21,744	1/2	6,748	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,814	3/4	65,891	3/4	51,337	3/4	36,428	3/4	21,431	3/4	6,435	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	80,504	6	65,579	6	51,035	6	36,115	6	21,119	6	6,122	6	6	6	6	6	6	6	6
1/4	80,195	1/4	65,267	1/4	50,733	1/4	35,803	1/4	20,807	1/4	5,809	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,885	1/2	64,955	1/2	50,431	1/2	35,490	1/2	20,494	1/2	5,496	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,576	3/4	64,642	3/4	50,129	3/4	35,178	3/4	20,182	3/4	5,183	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	79,267	7	64,333	7	49,823	7	34,865	7	19,870	7	4,871	7	7	7	7	7	7	7	7
1/4	78,957	1/4	64,023	1/4	49,516	1/4	34,553	1/4	19,558	1/4	4,558	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,648	1/2	63,714	1/2	49,210	1/2	34,241	1/2	19,245	1/2	4,245	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,338	3/4	63,404	3/4	48,903	3/4	33,928	3/4	18,933	3/4	3,932	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	78,029	8	63,100	8	48,591	8	33,616	8	18,621	8	3,620	8	8	8	8	8	8	8	8
1/4	77,719	1/4	62,796	1/4	48,279	1/4	33,303	1/4	18,308	1/4	3,308	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,410	1/2	62,491	1/2	47,967	1/2	32,991	1/2	17,996	1/2	2,996	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,100	3/4	62,187	3/4	47,655	3/4	32,678	3/4	17,684	3/4	2,684	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	76,791	9	61,885	9	47,343	9	32,366	9	17,371	9	2,372	9	9	9	9	9	9	9	9
1/4	76,482	1/4	61,582	1/4	47,032	1/4	32,054	1/4	17,059	1/4	2,059	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,172	1/2	61,280	1/2	46,720	1/2	31,741	1/2	16,746	1/2	1,807	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,863	3/4	60,977	3/4	46,408	3/4	31,429	3/4	16,434	3/4	1,515	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	75,553	10	60,676	10	46,096	10	31,116	10	16,122	10	1,293	10	10	10	10	10	10	10	10
1/4	75,244	1/4	60,375	1/4	45,784	1/4	30,804	1/4	15,809	1/4	1,071	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74,934	1/2	60,073	1/2	45,472	1/2	30,491	1/2	15,497	1/2	850	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,625	3/4	59,772	3/4	45,161	3/4	30,179	3/4	15,184	3/4	628	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	74,314	11	59,471	11	44,849	11	29,867	11	14,872	11		11	11	11	11	11	11	11	11
1/4	74,004	1/4	59,170	1/4	44,537	1/4	29,554	1/4	14,559	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73,693	1/2	58,868	1/2	44,225	1/2	29,242	1/2	14,247	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	73,383	3/4	58,567	3/4	43,913	3/4	28,929	3/4	13,935	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## PORT SLOP ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	0	0	0	4,768	0	3,615	0	2,458	0	1,301	0	145	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	4,744	1/4	3,591	1/4	2,434	1/4	1,277	1/4	121	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,721	1/2	3,567	1/2	2,410	1/2	1,253	1/2	96	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,697	3/4	3,543	3/4	2,386	3/4	1,229	3/4	72	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	4,673	1	3,519	1	2,362	1	1,205	1	48	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	4,650	1/4	3,494	1/4	2,338	1/4	1,181	1/4	24	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,626	1/2	3,470	1/2	2,314	1/2	1,157	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,602	3/4	3,446	3/4	2,289	3/4	1,133	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	4,578	2	3,422	2	2,265	2	1,109	2	0	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	4,555	1/4	3,398	1/4	2,241	1/4	1,085	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,531	1/2	3,374	1/2	2,217	1/2	1,060	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,507	3/4	3,350	3/4	2,193	3/4	1,036	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	4,483	3	3,326	3	2,169	3	1,012	3	0	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	4,458	1/4	3,302	1/4	2,145	1/4	988	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,434	1/2	3,278	1/2	2,121	1/2	964	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,410	3/4	3,253	3/4	2,097	3/4	940	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4,386	4	3,229	4	2,073	4	916	4	0	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	4,362	1/4	3,205	1/4	2,048	1/4	892	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,338	1/2	3,181	1/2	2,024	1/2	868	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,314	3/4	3,157	3/4	2,000	3/4	844	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	4,290	5	3,133	5	1,976	5	819	5	0	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	4,266	1/4	3,109	1/4	1,952	1/4	795	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,242	1/2	3,085	1/2	1,928	1/2	771	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,217	3/4	3,061	3/4	1,904	3/4	747	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	4,193	6	3,037	6	1,880	6	723	6	0	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	4,169	1/4	3,012	1/4	1,856	1/4	699	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,145	1/2	2,988	1/2	1,832	1/2	675	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,121	3/4	2,964	3/4	1,807	3/4	651	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	4,097	7	2,940	7	1,783	7	627	7	0	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	4,073	1/4	2,916	1/4	1,759	1/4	603	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,049	1/2	2,892	1/2	1,735	1/2	578	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,025	3/4	2,868	3/4	1,711	3/4	554	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	5,194	8	4,001	8	2,844	8	1,687	8	530	8	0	8	8	8	8	8	8
1/4	1/4	1/4	5,146	1/4	3,976	1/4	2,820	1/4	1,663	1/4	506	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,099	1/2	3,952	1/2	2,796	1/2	1,639	1/2	482	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	5,075	3/4	3,928	3/4	2,771	3/4	1,615	3/4	458	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	5,051	9	3,904	9	2,747	9	1,591	9	434	9	0	9	9	9	9	9	9
1/4	1/4	1/4	5,028	1/4	3,880	1/4	2,723	1/4	1,567	1/4	410	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,004	1/2	3,856	1/2	2,699	1/2	1,542	1/2	386	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,981	3/4	3,832	3/4	2,675	3/4	1,518	3/4	362	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	4,957	10	3,808	10	2,651	10	1,494	10	337	10	0	10	10	10	10	10	10
1/4	1/4	1/4	4,933	1/4	3,784	1/4	2,627	1/4	1,470	1/4	313	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	4,910	1/2	3,760	1/2	2,603	1/2	1,446	1/2	289	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,886	3/4	3,735	3/4	2,579	3/4	1,422	3/4	265	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	4,862	11	3,711	11	2,555	11	1,398	11	241	11	0	11	11	11	11	11	11
1/4	1/4	1/4	4,839	1/4	3,687	1/4	2,530	1/4	1,374	1/4	217	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	4,815	1/2	3,663	1/2	2,506	1/2	1,350	1/2	193	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,792	3/4	3,639	3/4	2,482	3/4	1,326	3/4	169	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "GBL 2630"

## STBD SLOP ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	0	0	0	4,768	0	3,615	0	2,458	0	1,301	0	145	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	4,744	1/4	3,591	1/4	2,434	1/4	1,277	1/4	121	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,721	1/2	3,567	1/2	2,410	1/2	1,253	1/2	96	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,697	3/4	3,543	3/4	2,386	3/4	1,229	3/4	72	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	4,673	1	3,519	1	2,362	1	1,205	1	48	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	4,650	1/4	3,494	1/4	2,338	1/4	1,181	1/4	24	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,626	1/2	3,470	1/2	2,314	1/2	1,157	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,602	3/4	3,446	3/4	2,289	3/4	1,133	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	4,578	2	3,422	2	2,265	2	1,109	2	0	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	4,555	1/4	3,398	1/4	2,241	1/4	1,085	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,531	1/2	3,374	1/2	2,217	1/2	1,060	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,507	3/4	3,350	3/4	2,193	3/4	1,036	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	4,483	3	3,326	3	2,169	3	1,012	3	0	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	4,458	1/4	3,302	1/4	2,145	1/4	988	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,434	1/2	3,278	1/2	2,121	1/2	964	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,410	3/4	3,253	3/4	2,097	3/4	940	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4,386	4	3,229	4	2,073	4	916	4	0	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	4,362	1/4	3,205	1/4	2,048	1/4	892	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,338	1/2	3,181	1/2	2,024	1/2	868	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,314	3/4	3,157	3/4	2,000	3/4	844	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	4,290	5	3,133	5	1,976	5	819	5	0	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	4,266	1/4	3,109	1/4	1,952	1/4	795	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,242	1/2	3,085	1/2	1,928	1/2	771	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,217	3/4	3,061	3/4	1,904	3/4	747	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	4,193	6	3,037	6	1,880	6	723	6	0	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	4,169	1/4	3,012	1/4	1,856	1/4	699	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,145	1/2	2,988	1/2	1,832	1/2	675	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,121	3/4	2,964	3/4	1,807	3/4	651	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	4,097	7	2,940	7	1,783	7	627	7	0	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	4,073	1/4	2,916	1/4	1,759	1/4	603	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	4,049	1/2	2,892	1/2	1,735	1/2	578	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	4,025	3/4	2,868	3/4	1,711	3/4	554	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	5,194	8	4,001	8	2,844	8	1,687	8	530	8	0	8	8	8	8	8	8
1/4	1/4	1/4	5,146	1/4	3,976	1/4	2,820	1/4	1,663	1/4	506	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,099	1/2	3,952	1/2	2,796	1/2	1,639	1/2	482	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	5,075	3/4	3,928	3/4	2,771	3/4	1,615	3/4	458	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	5,051	9	3,904	9	2,747	9	1,591	9	434	9	0	9	9	9	9	9	9
1/4	1/4	1/4	5,028	1/4	3,880	1/4	2,723	1/4	1,567	1/4	410	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	5,004	1/2	3,856	1/2	2,699	1/2	1,542	1/2	386	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,981	3/4	3,832	3/4	2,675	3/4	1,518	3/4	362	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	4,957	10	3,808	10	2,651	10	1,494	10	337	10	0	10	10	10	10	10	10
1/4	1/4	1/4	4,933	1/4	3,784	1/4	2,627	1/4	1,470	1/4	313	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	4,910	1/2	3,760	1/2	2,603	1/2	1,446	1/2	289	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,886	3/4	3,735	3/4	2,579	3/4	1,422	3/4	265	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	4,862	11	3,711	11	2,555	11	1,398	11	241	11	0	11	11	11	11	11	11
1/4	1/4	1/4	4,839	1/4	3,687	1/4	2,530	1/4	1,374	1/4	217	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	4,815	1/2	3,663	1/2	2,506	1/2	1,350	1/2	193	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	4,792	3/4	3,639	3/4	2,482	3/4	1,326	3/4	169	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 02/27/2012 CL - SW  
CALCULATED: 02/28/2012 CL  
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>