

BARGE "GBL 430"
HULL NO. 01-2409

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	603	0	11,626	0	24,402	0	37,479	0	50,558	0	63,637	0	76,716	0	89,795	0	102,873	0	115,951
1/4	784	1/4	11,878	1/4	24,675	1/4	37,752	1/4	50,831	1/4	63,910	1/4	76,988	1/4	90,067	1/4	103,145	1/4	116,223
1/2	965	1/2	12,131	1/2	24,947	1/2	38,024	1/2	51,103	1/2	64,182	1/2	77,260	1/2	90,339	1/2	103,418	1/2	116,496
3/4	1,146	3/4	12,383	3/4	25,219	3/4	38,297	3/4	51,376	3/4	64,454	3/4	77,533	3/4	90,612	3/4	103,690	3/4	116,768
1	1,327	1	12,636	1	25,492	1	38,569	1	51,648	1	64,727	1	77,805	1	90,884	1	103,963	1	117,041
1/4	1,545	1/4	12,891	1/4	25,764	1/4	38,842	1/4	51,921	1/4	64,999	1/4	78,078	1/4	91,157	1/4	104,235	1/4	117,313
1/2	1,764	1/2	13,147	1/2	26,036	1/2	39,114	1/2	52,193	1/2	65,272	1/2	78,350	1/2	91,429	1/2	104,507	1/2	117,586
3/4	1,983	3/4	13,403	3/4	26,309	3/4	39,387	3/4	52,466	3/4	65,544	3/4	78,623	3/4	91,702	3/4	104,780	3/4	117,858
2	2,201	2	13,658	2	26,581	2	39,659	2	52,738	2	65,817	2	78,895	2	91,974	2	105,052	2	118,131
1/4	2,423	1/4	13,917	1/4	26,853	1/4	39,932	1/4	53,011	1/4	66,089	1/4	79,168	1/4	92,247	1/4	105,325	1/4	118,403
1/2	2,645	1/2	14,175	1/2	27,126	1/2	40,204	1/2	53,283	1/2	66,362	1/2	79,440	1/2	92,519	1/2	105,597	1/2	118,676
3/4	2,867	3/4	14,434	3/4	27,398	3/4	40,477	3/4	53,556	3/4	66,634	3/4	79,713	3/4	92,792	3/4	105,870	3/4	118,948
3	3,089	3	14,693	3	27,671	3	40,749	3	53,828	3	66,906	3	79,985	3	93,064	3	106,142	3	119,220
1/4	3,313	1/4	14,954	1/4	27,943	1/4	41,022	1/4	54,101	1/4	67,179	1/4	80,258	1/4	93,337	1/4	106,415	1/4	119,493
1/2	3,538	1/2	15,216	1/2	28,215	1/2	41,294	1/2	54,373	1/2	67,451	1/2	80,530	1/2	93,609	1/2	106,687	1/2	119,765
3/4	3,763	3/4	15,478	3/4	28,488	3/4	41,566	3/4	54,646	3/4	67,724	3/4	80,803	3/4	93,881	3/4	106,960	3/4	120,038
4	3,988	4	15,740	4	28,760	4	41,839	4	54,918	4	67,996	4	81,075	4	94,154	4	107,232	4	120,310
1/4	4,216	1/4	16,004	1/4	29,032	1/4	42,111	1/4	55,191	1/4	68,269	1/4	81,348	1/4	94,426	1/4	107,505	1/4	120,583
1/2	4,444	1/2	16,269	1/2	29,305	1/2	42,384	1/2	55,463	1/2	68,541	1/2	81,620	1/2	94,699	1/2	107,777	1/2	120,855
3/4	4,672	3/4	16,534	3/4	29,577	3/4	42,656	3/4	55,736	3/4	68,814	3/4	81,893	3/4	94,971	3/4	108,049	3/4	121,128
5	4,900	5	16,799	5	29,850	5	42,929	5	56,008	5	69,086	5	82,165	5	95,244	5	108,322	5	121,400
1/4	5,131	1/4	17,067	1/4	30,122	1/4	43,201	1/4	56,281	1/4	69,359	1/4	82,438	1/4	95,516	1/4	108,594	1/4	121,673
1/2	5,362	1/2	17,335	1/2	30,395	1/2	43,474	1/2	56,553	1/2	69,631	1/2	82,710	1/2	95,789	1/2	108,867	1/2	121,945
3/4	5,593	3/4	17,602	3/4	30,667	3/4	43,746	3/4	56,825	3/4	69,903	3/4	82,983	3/4	96,061	3/4	109,139	3/4	122,218
6	5,824	6	17,870	6	30,940	6	44,019	6	57,098	6	70,176	6	83,255	6	96,334	6	109,412	6	122,490
1/4	6,058	1/4	18,141	1/4	31,212	1/4	44,291	1/4	57,370	1/4	70,448	1/4	83,528	1/4	96,606	1/4	109,684	1/4	122,762
1/2	6,292	1/2	18,412	1/2	31,485	1/2	44,564	1/2	57,643	1/2	70,721	1/2	83,800	1/2	96,879	1/2	109,957	1/2	123,035
3/4	6,526	3/4	18,683	3/4	31,757	3/4	44,836	3/4	57,915	3/4	70,993	3/4	84,073	3/4	97,151	3/4	110,229	3/4	123,307
7	6,760	7	18,954	7	32,030	7	45,109	7	58,188	7	71,266	7	84,345	7	97,423	7	110,502	7	123,580
1/4	6,997	1/4	19,227	1/4	32,302	1/4	45,381	1/4	58,460	1/4	71,538	1/4	84,618	1/4	97,696	1/4	110,774	1/4	123,852
1/2	7,234	1/2	19,499	1/2	32,575	1/2	45,654	1/2	58,733	1/2	71,811	1/2	84,890	1/2	97,968	1/2	111,047	1/2	124,125
3/4	7,471	3/4	19,772	3/4	32,847	3/4	45,926	3/4	59,005	3/4	72,083	3/4	85,162	3/4	98,241	3/4	111,319	3/4	124,397
8	7,709	8	20,044	8	33,120	8	46,199	8	59,278	8	72,356	8	85,435	8	98,513	8	111,591	8	124,670
1/4	7,949	1/4	20,316	1/4	33,392	1/4	46,471	1/4	59,550	1/4	72,628	1/4	85,707	1/4	98,786	1/4	111,864	1/4	124,942
1/2	8,189	1/2	20,589	1/2	33,665	1/2	46,744	1/2	59,823	1/2	72,901	1/2	85,980	1/2	99,058	1/2	112,136	1/2	125,215
3/4	8,429	3/4	20,861	3/4	33,937	3/4	47,016	3/4	60,095	3/4	73,173	3/4	86,252	3/4	99,331	3/4	112,409	3/4	125,487
9	8,669	9	21,134	9	34,209	9	47,289	9	60,368	9	73,446	9	86,525	9	99,603	9	112,681	9	125,760
1/4	8,913	1/4	21,406	1/4	34,482	1/4	47,561	1/4	60,640	1/4	73,718	1/4	86,797	1/4	99,876	1/4	112,954	1/4	126,032
1/2	9,156	1/2	21,678	1/2	34,754	1/2	47,834	1/2	60,913	1/2	73,991	1/2	87,070	1/2	100,148	1/2	113,226	1/2	126,304
3/4	9,399	3/4	21,951	3/4	35,027	3/4	48,106	3/4	61,185	3/4	74,263	3/4	87,342	3/4	100,421	3/4	113,499	3/4	126,577
10	9,643	10	22,223	10	35,299	10	48,379	10	61,457	10	74,536	10	87,615	10	100,693	10	113,771	10	126,849
1/4	9,889	1/4	22,496	1/4	35,572	1/4	48,651	1/4	61,730	1/4	74,808	1/4	87,887	1/4	100,965	1/4	114,044	1/4	127,122
1/2	10,135	1/2	22,768	1/2	35,844	1/2	48,923	1/2	62,002	1/2	75,081	1/2	88,160	1/2	101,238	1/2	114,316	1/2	127,394
3/4	10,382	3/4	23,040	3/4	36,117	3/4	49,196	3/4	62,275	3/4	75,353	3/4	88,432	3/4	101,510	3/4	114,589	3/4	127,667
11	10,628	11	23,313	11	36,389	11	49,468	11	62,547	11	75,626	11	88,705	11	101,783	11	114,861	11	127,939
1/4	10,877	1/4	23,585	1/4	36,662	1/4	49,741	1/4	62,820	1/4	75,898	1/4	88,977	1/4	102,055	1/4	115,134	1/4	128,212
1/2	11,127	1/2	23,857	1/2	36,934	1/2	50,013	1/2	63,092	1/2	76,171	1/2	89,250	1/2	102,328	1/2	115,406	1/2	128,484
3/4	11,376	3/4	24,130	3/4	37,207	3/4	50,286	3/4	63,365	3/4	76,443	3/4	89,522	3/4	102,600	3/4	115,678	3/4	128,757

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 8" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
 DATE COMPUTED: 11/9/01 BY: DAR
 DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

1 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	129,029	0	142,107	0	155,185	0	168,264	0	181,243	0	191,880	0		0		0		0	
1/4	129,302	1/4	142,380	1/4	155,458	1/4	168,534	1/4	181,513	1/4	191,899	1/4		1/4		1/4		1/4	
1/2	129,574	1/2	142,652	1/2	155,730	1/2	168,804	1/2	181,784	1/2	191,918	1/2		1/2		1/2		1/2	
3/4	129,846	3/4	142,925	3/4	156,003	3/4	169,075	3/4	182,054	3/4	191,936	3/4		3/4		3/4		3/4	
1	130,119	1	143,197	1	156,275	1	169,345	1	182,324	1	191,955	1		1		1		1	
1/4	130,391	1/4	143,470	1/4	156,548	1/4	169,616	1/4	182,595	1/4		1/4		1/4		1/4		1/4	
1/2	130,664	1/2	143,742	1/2	156,820	1/2	169,886	1/2	182,865	1/2		1/2		1/2		1/2		1/2	
3/4	130,936	3/4	144,014	3/4	157,093	3/4	170,156	3/4	183,136	3/4		3/4		3/4		3/4		3/4	
2	131,209	2	144,287	2	157,365	2	170,427	2	183,406	2		2		2		2		2	
1/4	131,481	1/4	144,559	1/4	157,638	1/4	170,697	1/4	183,675	1/4		1/4		1/4		1/4		1/4	
1/2	131,754	1/2	144,832	1/2	157,910	1/2	170,968	1/2	183,943	1/2		1/2		1/2		1/2		1/2	
3/4	132,026	3/4	145,104	3/4	158,182	3/4	171,238	3/4	184,212	3/4		3/4		3/4		3/4		3/4	
3	132,299	3	145,377	3	158,455	3	171,508	3	184,480	3		3		3		3		3	
1/4	132,571	1/4	145,649	1/4	158,727	1/4	171,779	1/4	184,749	1/4		1/4		1/4		1/4		1/4	
1/2	132,844	1/2	145,922	1/2	159,000	1/2	172,049	1/2	185,018	1/2		1/2		1/2		1/2		1/2	
3/4	133,116	3/4	146,194	3/4	159,272	3/4	172,320	3/4	185,286	3/4		3/4		3/4		3/4		3/4	
4	133,388	4	146,467	4	159,545	4	172,590	4	185,555	4		4		4		4		4	
1/4	133,661	1/4	146,739	1/4	159,817	1/4	172,860	1/4	185,823	1/4		1/4		1/4		1/4		1/4	
1/2	133,933	1/2	147,012	1/2	160,090	1/2	173,131	1/2	186,092	1/2		1/2		1/2		1/2		1/2	
3/4	134,206	3/4	147,284	3/4	160,362	3/4	173,401	3/4	186,361	3/4		3/4		3/4		3/4		3/4	
5	134,478	5	147,556	5	160,635	5	173,672	5	186,629	5		5		5		5		5	
1/4	134,751	1/4	147,829	1/4	160,907	1/4	173,942	1/4	186,898	1/4		1/4		1/4		1/4		1/4	
1/2	135,023	1/2	148,101	1/2	161,180	1/2	174,212	1/2	187,167	1/2		1/2		1/2		1/2		1/2	
3/4	135,296	3/4	148,374	3/4	161,452	3/4	174,483	3/4	187,435	3/4		3/4		3/4		3/4		3/4	
6	135,568	6	148,646	6	161,725	6	174,753	6	187,704	6		6		6		6		6	
1/4	135,841	1/4	148,919	1/4	161,997	1/4	175,024	1/4	187,972	1/4		1/4		1/4		1/4		1/4	
1/2	136,113	1/2	149,191	1/2	162,269	1/2	175,294	1/2	188,241	1/2		1/2		1/2		1/2		1/2	
3/4	136,386	3/4	149,464	3/4	162,542	3/4	175,564	3/4	188,510	3/4		3/4		3/4		3/4		3/4	
7	136,658	7	149,736	7	162,814	7	175,835	7	188,778	7		7		7		7		7	
1/4	136,930	1/4	150,009	1/4	163,087	1/4	176,105	1/4	189,024	1/4		1/4		1/4		1/4		1/4	
1/2	137,203	1/2	150,281	1/2	163,359	1/2	176,376	1/2	189,270	1/2		1/2		1/2		1/2		1/2	
3/4	137,475	3/4	150,554	3/4	163,632	3/4	176,646	3/4	189,516	3/4		3/4		3/4		3/4		3/4	
8	137,748	8	150,826	8	163,904	8	176,916	8	189,762	8		8		8		8		8	
1/4	138,020	1/4	151,098	1/4	164,177	1/4	177,187	1/4	189,962	1/4		1/4		1/4		1/4		1/4	
1/2	138,293	1/2	151,371	1/2	164,449	1/2	177,457	1/2	190,163	1/2		1/2		1/2		1/2		1/2	
3/4	138,565	3/4	151,643	3/4	164,722	3/4	177,728	3/4	190,363	3/4		3/4		3/4		3/4		3/4	
9	138,838	9	151,916	9	164,994	9	177,998	9	190,564	9		9		9		9		9	
1/4	139,110	1/4	152,188	1/4	165,267	1/4	178,268	1/4	190,719	1/4		1/4		1/4		1/4		1/4	
1/2	139,383	1/2	152,461	1/2	165,539	1/2	178,539	1/2	190,874	1/2		1/2		1/2		1/2		1/2	
3/4	139,655	3/4	152,733	3/4	165,811	3/4	178,809	3/4	191,029	3/4		3/4		3/4		3/4		3/4	
10	139,928	10	153,006	10	166,084	10	179,080	10	191,184	10		10		10		10		10	
1/4	140,200	1/4	153,278	1/4	166,356	1/4	179,350	1/4	191,294	1/4		1/4		1/4		1/4		1/4	
1/2	140,472	1/2	153,551	1/2	166,629	1/2	179,620	1/2	191,403	1/2		1/2		1/2		1/2		1/2	
3/4	140,745	3/4	153,823	3/4	166,901	3/4	179,891	3/4	191,513	3/4		3/4		3/4		3/4		3/4	
11	141,017	11	154,096	11	167,174	11	180,161	11	191,623	11		11		11		11		11	
1/4	141,290	1/4	154,368	1/4	167,446	1/4	180,432	1/4	191,687	1/4		1/4		1/4		1/4		1/4	
1/2	141,562	1/2	154,640	1/2	167,719	1/2	180,702	1/2	191,751	1/2		1/2		1/2		1/2		1/2	
3/4	141,835	3/4	154,913	3/4	167,991	3/4	180,972	3/4	191,816	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
DATE COMPUTED: 11/9/01 BY: DAR
DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	602	0	11,619	0	24,388	0	37,458	0	50,530	0	63,598	0	76,664	0	89,736	0	102,807	0	115,878
1/4	783	1/4	11,872	1/4	24,660	1/4	37,730	1/4	50,802	1/4	63,870	1/4	76,937	1/4	90,008	1/4	103,079	1/4	116,150
1/2	964	1/2	12,124	1/2	24,933	1/2	38,003	1/2	51,074	1/2	64,142	1/2	77,209	1/2	90,281	1/2	103,351	1/2	116,422
3/4	1,145	3/4	12,376	3/4	25,205	3/4	38,275	3/4	51,347	3/4	64,414	3/4	77,481	3/4	90,553	3/4	103,624	3/4	116,694
1	1,326	1	12,629	1	25,477	1	38,547	1	51,619	1	64,686	1	77,754	1	90,825	1	103,896	1	116,967
1/4	1,544	1/4	12,884	1/4	25,749	1/4	38,820	1/4	51,891	1/4	64,958	1/4	78,026	1/4	91,097	1/4	104,168	1/4	117,239
1/2	1,763	1/2	13,139	1/2	26,022	1/2	39,092	1/2	52,164	1/2	65,231	1/2	78,298	1/2	91,370	1/2	104,441	1/2	117,511
3/4	1,982	3/4	13,395	3/4	26,294	3/4	39,364	3/4	52,436	3/4	65,503	3/4	78,571	3/4	91,642	3/4	104,713	3/4	117,784
2	2,200	2	13,650	2	26,566	2	39,637	2	52,708	2	65,775	2	78,843	2	91,914	2	104,985	2	118,056
1/4	2,422	1/4	13,909	1/4	26,838	1/4	39,909	1/4	52,981	1/4	66,047	1/4	79,115	1/4	92,187	1/4	105,258	1/4	118,328
1/2	2,644	1/2	14,167	1/2	27,110	1/2	40,181	1/2	53,253	1/2	66,319	1/2	79,388	1/2	92,459	1/2	105,530	1/2	118,601
3/4	2,865	3/4	14,426	3/4	27,383	3/4	40,454	3/4	53,525	3/4	66,591	3/4	79,660	3/4	92,731	3/4	105,802	3/4	118,873
3	3,087	3	14,684	3	27,655	3	40,726	3	53,798	3	66,863	3	79,932	3	93,004	3	106,074	3	119,145
1/4	3,312	1/4	14,946	1/4	27,927	1/4	40,998	1/4	54,070	1/4	67,136	1/4	80,205	1/4	93,276	1/4	106,347	1/4	119,418
1/2	3,536	1/2	15,208	1/2	28,199	1/2	41,271	1/2	54,342	1/2	67,408	1/2	80,477	1/2	93,548	1/2	106,619	1/2	119,690
3/4	3,761	3/4	15,469	3/4	28,472	3/4	41,543	3/4	54,615	3/4	67,680	3/4	80,749	3/4	93,821	3/4	106,891	3/4	119,962
4	3,986	4	15,731	4	28,744	4	41,815	4	54,887	4	67,952	4	81,022	4	94,093	4	107,164	4	120,234
1/4	4,214	1/4	15,995	1/4	29,016	1/4	42,088	1/4	55,159	1/4	68,224	1/4	81,294	1/4	94,365	1/4	107,436	1/4	120,507
1/2	4,441	1/2	16,260	1/2	29,288	1/2	42,360	1/2	55,432	1/2	68,496	1/2	81,566	1/2	94,637	1/2	107,708	1/2	120,779
3/4	4,669	3/4	16,525	3/4	29,561	3/4	42,632	3/4	55,704	3/4	68,768	3/4	81,839	3/4	94,910	3/4	107,981	3/4	121,051
5	4,897	5	16,789	5	29,833	5	42,905	5	55,976	5	69,040	5	82,111	5	95,182	5	108,253	5	121,324
1/4	5,128	1/4	17,057	1/4	30,105	1/4	43,177	1/4	56,249	1/4	69,313	1/4	82,383	1/4	95,454	1/4	108,525	1/4	121,596
1/2	5,359	1/2	17,325	1/2	30,377	1/2	43,449	1/2	56,521	1/2	69,585	1/2	82,656	1/2	95,727	1/2	108,798	1/2	121,868
3/4	5,590	3/4	17,592	3/4	30,650	3/4	43,722	3/4	56,793	3/4	69,857	3/4	82,928	3/4	95,999	3/4	109,070	3/4	122,141
6	5,820	6	17,860	6	30,922	6	43,994	6	57,066	6	70,129	6	83,200	6	96,271	6	109,342	6	122,413
1/4	6,054	1/4	18,131	1/4	31,194	1/4	44,266	1/4	57,338	1/4	70,401	1/4	83,473	1/4	96,544	1/4	109,614	1/4	122,685
1/2	6,288	1/2	18,402	1/2	31,467	1/2	44,539	1/2	57,610	1/2	70,673	1/2	83,745	1/2	96,816	1/2	109,887	1/2	122,958
3/4	6,522	3/4	18,673	3/4	31,739	3/4	44,811	3/4	57,883	3/4	70,946	3/4	84,017	3/4	97,088	3/4	110,159	3/4	123,230
7	6,756	7	18,943	7	32,011	7	45,083	7	58,155	7	71,218	7	84,290	7	97,361	7	110,431	7	123,502
1/4	6,993	1/4	19,216	1/4	32,284	1/4	45,356	1/4	58,427	1/4	71,490	1/4	84,562	1/4	97,633	1/4	110,704	1/4	123,774
1/2	7,230	1/2	19,488	1/2	32,556	1/2	45,628	1/2	58,699	1/2	71,762	1/2	84,834	1/2	97,905	1/2	110,976	1/2	124,047
3/4	7,467	3/4	19,760	3/4	32,828	3/4	45,900	3/4	58,972	3/4	72,035	3/4	85,107	3/4	98,177	3/4	111,248	3/4	124,319
8	7,704	8	20,033	8	33,101	8	46,172	8	59,244	8	72,307	8	85,379	8	98,450	8	111,521	8	124,591
1/4	7,944	1/4	20,305	1/4	33,373	1/4	46,445	1/4	59,516	1/4	72,579	1/4	85,651	1/4	98,722	1/4	111,793	1/4	124,864
1/2	8,184	1/2	20,577	1/2	33,645	1/2	46,717	1/2	59,788	1/2	72,852	1/2	85,924	1/2	98,994	1/2	112,065	1/2	125,136
3/4	8,424	3/4	20,849	3/4	33,918	3/4	46,989	3/4	60,060	3/4	73,124	3/4	86,196	3/4	99,267	3/4	112,338	3/4	125,408
9	8,664	9	21,122	9	34,190	9	47,262	9	60,332	9	73,396	9	86,468	9	99,539	9	112,610	9	125,681
1/4	8,908	1/4	21,394	1/4	34,462	1/4	47,534	1/4	60,604	1/4	73,669	1/4	86,740	1/4	99,811	1/4	112,882	1/4	125,953
1/2	9,151	1/2	21,666	1/2	34,735	1/2	47,806	1/2	60,877	1/2	73,941	1/2	87,013	1/2	100,084	1/2	113,154	1/2	126,225
3/4	9,394	3/4	21,938	3/4	35,007	3/4	48,079	3/4	61,149	3/4	74,213	3/4	87,285	3/4	100,356	3/4	113,427	3/4	126,498
10	9,637	10	22,211	10	35,279	10	48,351	10	61,421	10	74,486	10	87,557	10	100,628	10	113,699	10	126,770
1/4	9,883	1/4	22,483	1/4	35,552	1/4	48,623	1/4	61,693	1/4	74,758	1/4	87,830	1/4	100,901	1/4	113,971	1/4	127,042
1/2	10,130	1/2	22,755	1/2	35,824	1/2	48,896	1/2	61,965	1/2	75,030	1/2	88,102	1/2	101,173	1/2	114,244	1/2	127,314
3/4	10,376	3/4	23,027	3/4	36,096	3/4	49,168	3/4	62,237	3/4	75,303	3/4	88,374	3/4	101,445	3/4	114,516	3/4	127,587
11	10,622	11	23,299	11	36,369	11	49,440	11	62,509	11	75,575	11	88,647	11	101,717	11	114,788	11	127,859
1/4	10,871	1/4	23,572	1/4	36,641	1/4	49,713	1/4	62,781	1/4	75,847	1/4	88,919	1/4	101,990	1/4	115,061	1/4	128,131
1/2	11,121	1/2	23,844	1/2	36,913	1/2	49,985	1/2	63,054	1/2	76,120	1/2	89,191	1/2	102,262	1/2	115,333	1/2	128,404
3/4	11,370	3/4	24,116	3/4	37,186	3/4	50,257	3/4	63,326	3/4	76,392	3/4	89,464	3/4	102,534	3/4	115,605	3/4	128,676

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 38'- 8" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
 DATE COMPUTED: 11/9/01 BY: DAR
 DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	128,948	0	142,019	0	155,090	0	168,161	0	181,132	0	191,763	0		0		0		0	
1/4	129,221	1/4	142,291	1/4	155,362	1/4	168,431	1/4	181,402	1/4	191,782	1/4		1/4		1/4		1/4	
1/2	129,493	1/2	142,564	1/2	155,634	1/2	168,701	1/2	181,673	1/2	191,801	1/2		1/2		1/2		1/2	
3/4	129,765	3/4	142,836	3/4	155,907	3/4	168,971	3/4	181,943	3/4	191,820	3/4		3/4		3/4		3/4	
1	130,038	1	143,108	1	156,179	1	169,242	1	182,213	1	191,838	1		1		1		1	
1/4	130,310	1/4	143,381	1/4	156,451	1/4	169,512	1/4	182,483	1/4		1/4		1/4		1/4		1/4	
1/2	130,582	1/2	143,653	1/2	156,724	1/2	169,782	1/2	182,754	1/2		1/2		1/2		1/2		1/2	
3/4	130,854	3/4	143,925	3/4	156,996	3/4	170,052	3/4	183,024	3/4		3/4		3/4		3/4		3/4	
2	131,127	2	144,198	2	157,268	2	170,323	2	183,294	2		2		2		2		2	
1/4	131,399	1/4	144,470	1/4	157,541	1/4	170,593	1/4	183,563	1/4		1/4		1/4		1/4		1/4	
1/2	131,671	1/2	144,742	1/2	157,813	1/2	170,863	1/2	183,831	1/2		1/2		1/2		1/2		1/2	
3/4	131,944	3/4	145,014	3/4	158,085	3/4	171,133	3/4	184,099	3/4		3/4		3/4		3/4		3/4	
3	132,216	3	145,287	3	158,358	3	171,404	3	184,368	3		3		3		3		3	
1/4	132,488	1/4	145,559	1/4	158,630	1/4	171,674	1/4	184,636	1/4		1/4		1/4		1/4		1/4	
1/2	132,761	1/2	145,831	1/2	158,902	1/2	171,944	1/2	184,905	1/2		1/2		1/2		1/2		1/2	
3/4	133,033	3/4	146,104	3/4	159,174	3/4	172,214	3/4	185,173	3/4		3/4		3/4		3/4		3/4	
4	133,305	4	146,376	4	159,447	4	172,484	4	185,442	4		4		4		4		4	
1/4	133,578	1/4	146,648	1/4	159,719	1/4	172,755	1/4	185,710	1/4		1/4		1/4		1/4		1/4	
1/2	133,850	1/2	146,921	1/2	159,991	1/2	173,025	1/2	185,979	1/2		1/2		1/2		1/2		1/2	
3/4	134,122	3/4	147,193	3/4	160,264	3/4	173,295	3/4	186,247	3/4		3/4		3/4		3/4		3/4	
5	134,394	5	147,465	5	160,536	5	173,565	5	186,516	5		5		5		5		5	
1/4	134,667	1/4	147,738	1/4	160,808	1/4	173,836	1/4	186,784	1/4		1/4		1/4		1/4		1/4	
1/2	134,939	1/2	148,010	1/2	161,081	1/2	174,106	1/2	187,053	1/2		1/2		1/2		1/2		1/2	
3/4	135,211	3/4	148,282	3/4	161,353	3/4	174,376	3/4	187,321	3/4		3/4		3/4		3/4		3/4	
6	135,484	6	148,554	6	161,625	6	174,646	6	187,589	6		6		6		6		6	
1/4	135,756	1/4	148,827	1/4	161,898	1/4	174,917	1/4	187,858	1/4		1/4		1/4		1/4		1/4	
1/2	136,028	1/2	149,099	1/2	162,170	1/2	175,187	1/2	188,126	1/2		1/2		1/2		1/2		1/2	
3/4	136,301	3/4	149,371	3/4	162,442	3/4	175,457	3/4	188,395	3/4		3/4		3/4		3/4		3/4	
7	136,573	7	149,644	7	162,714	7	175,727	7	188,663	7		7		7		7		7	
1/4	136,845	1/4	149,916	1/4	162,987	1/4	175,998	1/4	188,909	1/4		1/4		1/4		1/4		1/4	
1/2	137,118	1/2	150,188	1/2	163,259	1/2	176,268	1/2	189,155	1/2		1/2		1/2		1/2		1/2	
3/4	137,390	3/4	150,461	3/4	163,531	3/4	176,538	3/4	189,401	3/4		3/4		3/4		3/4		3/4	
8	137,662	8	150,733	8	163,804	8	176,808	8	189,646	8		8		8		8		8	
1/4	137,934	1/4	151,005	1/4	164,076	1/4	177,079	1/4	189,847	1/4		1/4		1/4		1/4		1/4	
1/2	138,207	1/2	151,278	1/2	164,348	1/2	177,349	1/2	190,047	1/2		1/2		1/2		1/2		1/2	
3/4	138,479	3/4	151,550	3/4	164,621	3/4	177,619	3/4	190,247	3/4		3/4		3/4		3/4		3/4	
9	138,751	9	151,822	9	164,893	9	177,889	9	190,448	9		9		9		9		9	
1/4	139,024	1/4	152,094	1/4	165,165	1/4	178,160	1/4	190,603	1/4		1/4		1/4		1/4		1/4	
1/2	139,296	1/2	152,367	1/2	165,438	1/2	178,430	1/2	190,758	1/2		1/2		1/2		1/2		1/2	
3/4	139,568	3/4	152,639	3/4	165,710	3/4	178,700	3/4	190,913	3/4		3/4		3/4		3/4		3/4	
10	139,841	10	152,911	10	165,982	10	178,970	10	191,068	10		10		10		10		10	
1/4	140,113	1/4	153,184	1/4	166,254	1/4	179,240	1/4	191,177	1/4		1/4		1/4		1/4		1/4	
1/2	140,385	1/2	153,456	1/2	166,527	1/2	179,511	1/2	191,287	1/2		1/2		1/2		1/2		1/2	
3/4	140,658	3/4	153,728	3/4	166,799	3/4	179,781	3/4	191,397	3/4		3/4		3/4		3/4		3/4	
11	140,930	11	154,001	11	167,071	11	180,051	11	191,506	11		11		11		11		11	
1/4	141,202	1/4	154,273	1/4	167,344	1/4	180,321	1/4	191,570	1/4		1/4		1/4		1/4		1/4	
1/2	141,474	1/2	154,545	1/2	167,616	1/2	180,592	1/2	191,635	1/2		1/2		1/2		1/2		1/2	
3/4	141,747	3/4	154,818	3/4	167,888	3/4	180,862	3/4	191,699	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
DATE COMPUTED: 11/9/01 BY: DAR
DATE ISSUED: 11/9/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	863	0	15,766	0	30,877	0	45,987	0	61,100	0	76,212	0	91,325	0	106,438	0	121,551	0	136,664
1/4	1,126	1/4	16,081	1/4	31,192	1/4	46,302	1/4	61,415	1/4	76,527	1/4	91,640	1/4	106,753	1/4	121,866	1/4	136,979
1/2	1,388	1/2	16,396	1/2	31,507	1/2	46,617	1/2	61,729	1/2	76,842	1/2	91,955	1/2	107,068	1/2	122,181	1/2	137,293
3/4	1,650	3/4	16,711	3/4	31,822	3/4	46,932	3/4	62,044	3/4	77,157	3/4	92,270	3/4	107,383	3/4	122,495	3/4	137,608
1	1,913	1	17,025	1	32,136	1	47,246	1	62,359	1	77,472	1	92,585	1	107,697	1	122,810	1	137,923
1/4	2,228	1/4	17,340	1/4	32,451	1/4	47,561	1/4	62,674	1/4	77,787	1/4	92,900	1/4	108,012	1/4	123,125	1/4	138,238
1/2	2,542	1/2	17,655	1/2	32,766	1/2	47,876	1/2	62,989	1/2	78,102	1/2	93,214	1/2	108,327	1/2	123,440	1/2	138,553
3/4	2,857	3/4	17,970	3/4	33,080	3/4	48,191	3/4	63,304	3/4	78,416	3/4	93,529	3/4	108,642	3/4	123,755	3/4	138,868
2	3,172	2	18,285	2	33,395	2	48,506	2	63,618	2	78,731	2	93,844	2	108,957	2	124,070	2	139,182
1/4	3,487	1/4	18,600	1/4	33,710	1/4	48,821	1/4	63,933	1/4	79,046	1/4	94,159	1/4	109,272	1/4	124,385	1/4	139,497
1/2	3,802	1/2	18,915	1/2	34,025	1/2	49,135	1/2	64,248	1/2	79,361	1/2	94,474	1/2	109,587	1/2	124,699	1/2	139,812
3/4	4,117	3/4	19,229	3/4	34,339	3/4	49,450	3/4	64,563	3/4	79,676	3/4	94,789	3/4	109,901	3/4	125,014	3/4	140,127
3	4,431	3	19,544	3	34,654	3	49,765	3	64,878	3	79,991	3	95,103	3	110,216	3	125,329	3	140,442
1/4	4,746	1/4	19,859	1/4	34,969	1/4	50,080	1/4	65,193	1/4	80,306	1/4	95,418	1/4	110,531	1/4	125,644	1/4	140,757
1/2	5,061	1/2	20,174	1/2	35,284	1/2	50,395	1/2	65,508	1/2	80,620	1/2	95,733	1/2	110,846	1/2	125,959	1/2	141,072
3/4	5,376	3/4	20,489	3/4	35,598	3/4	50,710	3/4	65,822	3/4	80,935	3/4	96,048	3/4	111,161	3/4	126,274	3/4	141,386
4	5,691	4	20,804	4	35,913	4	51,024	4	66,137	4	81,250	4	96,363	4	111,476	4	126,588	4	141,701
1/4	6,006	1/4	21,119	1/4	36,228	1/4	51,339	1/4	66,452	1/4	81,565	1/4	96,678	1/4	111,791	1/4	126,903	1/4	142,016
1/2	6,321	1/2	21,433	1/2	36,543	1/2	51,654	1/2	66,767	1/2	81,880	1/2	96,993	1/2	112,105	1/2	127,218	1/2	142,331
3/4	6,635	3/4	21,748	3/4	36,857	3/4	51,969	3/4	67,082	3/4	82,195	3/4	97,307	3/4	112,420	3/4	127,533	3/4	142,646
5	6,950	5	22,063	5	37,172	5	52,284	5	67,397	5	82,509	5	97,622	5	112,735	5	127,848	5	142,961
1/4	7,265	1/4	22,378	1/4	37,487	1/4	52,599	1/4	67,712	1/4	82,824	1/4	97,937	1/4	113,050	1/4	128,163	1/4	143,276
1/2	7,580	1/2	22,693	1/2	37,802	1/2	52,914	1/2	68,026	1/2	83,139	1/2	98,252	1/2	113,365	1/2	128,478	1/2	143,590
3/4	7,895	3/4	23,008	3/4	38,117	3/4	53,228	3/4	68,341	3/4	83,454	3/4	98,567	3/4	113,680	3/4	128,792	3/4	143,905
6	8,210	6	23,322	6	38,431	6	53,543	6	68,656	6	83,769	6	98,882	6	113,994	6	129,107	6	144,220
1/4	8,525	1/4	23,637	1/4	38,746	1/4	53,858	1/4	68,971	1/4	84,084	1/4	99,197	1/4	114,309	1/4	129,422	1/4	144,535
1/2	8,839	1/2	23,952	1/2	39,061	1/2	54,173	1/2	69,286	1/2	84,399	1/2	99,511	1/2	114,624	1/2	129,737	1/2	144,850
3/4	9,154	3/4	24,267	3/4	39,376	3/4	54,488	3/4	69,601	3/4	84,713	3/4	99,826	3/4	114,939	3/4	130,052	3/4	145,165
7	9,469	7	24,582	7	39,691	7	54,803	7	69,915	7	85,028	7	100,141	7	115,254	7	130,367	7	145,479
1/4	9,784	1/4	24,897	1/4	40,006	1/4	55,118	1/4	70,230	1/4	85,343	1/4	100,456	1/4	115,569	1/4	130,682	1/4	145,794
1/2	10,099	1/2	25,212	1/2	40,320	1/2	55,432	1/2	70,545	1/2	85,658	1/2	100,771	1/2	115,884	1/2	130,996	1/2	146,109
3/4	10,414	3/4	25,526	3/4	40,635	3/4	55,747	3/4	70,860	3/4	85,973	3/4	101,086	3/4	116,198	3/4	131,311	3/4	146,424
8	10,728	8	25,841	8	40,950	8	56,062	8	71,175	8	86,288	8	101,400	8	116,513	8	131,626	8	146,739
1/4	11,043	1/4	26,156	1/4	41,265	1/4	56,377	1/4	71,490	1/4	86,603	1/4	101,715	1/4	116,828	1/4	131,941	1/4	147,054
1/2	11,358	1/2	26,471	1/2	41,580	1/2	56,692	1/2	71,805	1/2	86,917	1/2	102,030	1/2	117,143	1/2	132,256	1/2	147,369
3/4	11,673	3/4	26,786	3/4	41,895	3/4	57,007	3/4	72,119	3/4	87,232	3/4	102,345	3/4	117,458	3/4	132,571	3/4	147,683
9	11,988	9	27,100	9	42,209	9	57,321	9	72,434	9	87,547	9	102,660	9	117,773	9	132,885	9	147,998
1/4	12,303	1/4	27,415	1/4	42,524	1/4	57,636	1/4	72,749	1/4	87,862	1/4	102,975	1/4	118,088	1/4	133,200	1/4	148,313
1/2	12,618	1/2	27,730	1/2	42,839	1/2	57,951	1/2	73,064	1/2	88,177	1/2	103,290	1/2	118,402	1/2	133,515	1/2	148,628
3/4	12,932	3/4	28,045	3/4	43,154	3/4	58,266	3/4	73,379	3/4	88,492	3/4	103,604	3/4	118,717	3/4	133,830	3/4	148,943
10	13,247	10	28,359	10	43,469	10	58,581	10	73,694	10	88,806	10	103,919	10	119,032	10	134,145	10	149,258
1/4	13,562	1/4	28,674	1/4	43,783	1/4	58,896	1/4	74,009	1/4	89,121	1/4	104,234	1/4	119,347	1/4	134,460	1/4	149,573
1/2	13,877	1/2	28,989	1/2	44,098	1/2	59,211	1/2	74,323	1/2	89,436	1/2	104,549	1/2	119,662	1/2	134,775	1/2	149,887
3/4	14,192	3/4	29,304	3/4	44,413	3/4	59,525	3/4	74,638	3/4	89,751	3/4	104,864	3/4	119,977	3/4	135,089	3/4	150,202
11	14,507	11	29,618	11	44,728	11	59,840	11	74,953	11	90,066	11	105,179	11	120,291	11	135,404	11	150,517
1/4	14,822	1/4	29,933	1/4	45,043	1/4	60,155	1/4	75,268	1/4	90,381	1/4	105,494	1/4	120,606	1/4	135,719	1/4	150,832
1/2	15,136	1/2	30,248	1/2	45,358	1/2	60,470	1/2	75,583	1/2	90,696	1/2	105,808	1/2	120,921	1/2	136,034	1/2	151,147
3/4	15,451	3/4	30,563	3/4	45,672	3/4	60,785	3/4	75,898	3/4	91,010	3/4	106,123	3/4	121,236	3/4	136,349	3/4	151,462

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 43'- 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
 DATE COMPUTED: 11/9/01 BY: DAR
 DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

2 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,776	0	166,889	0	182,002	0	197,115	0	212,129	0	224,447	0		0		0		0	
1/4	152,091	1/4	167,204	1/4	182,317	1/4	197,428	1/4	212,441	1/4	224,470	1/4		1/4		1/4		1/4	
1/2	152,406	1/2	167,519	1/2	182,632	1/2	197,740	1/2	212,754	1/2	224,492	1/2		1/2		1/2		1/2	
3/4	152,721	3/4	167,834	3/4	182,947	3/4	198,053	3/4	213,067	3/4	224,514	3/4		3/4		3/4		3/4	
1	153,036	1	168,149	1	183,261	1	198,366	1	213,380	1	224,537	1		1		1		1	
1/4	153,351	1/4	168,464	1/4	183,576	1/4	198,679	1/4	213,692	1/4		1/4		1/4		1/4		1/4	
1/2	153,666	1/2	168,778	1/2	183,891	1/2	198,992	1/2	214,005	1/2		1/2		1/2		1/2		1/2	
3/4	153,980	3/4	169,093	3/4	184,206	3/4	199,304	3/4	214,318	3/4		3/4		3/4		3/4		3/4	
2	154,295	2	169,408	2	184,521	2	199,617	2	214,631	2		2		2		2		2	
1/4	154,610	1/4	169,723	1/4	184,836	1/4	199,930	1/4	214,942	1/4		1/4		1/4		1/4		1/4	
1/2	154,925	1/2	170,038	1/2	185,151	1/2	200,243	1/2	215,253	1/2		1/2		1/2		1/2		1/2	
3/4	155,240	3/4	170,353	3/4	185,465	3/4	200,556	3/4	215,564	3/4		3/4		3/4		3/4		3/4	
3	155,555	3	170,667	3	185,780	3	200,868	3	215,875	3		3		3		3		3	
1/4	155,870	1/4	170,982	1/4	186,095	1/4	201,181	1/4	216,186	1/4		1/4		1/4		1/4		1/4	
1/2	156,184	1/2	171,297	1/2	186,410	1/2	201,494	1/2	216,497	1/2		1/2		1/2		1/2		1/2	
3/4	156,499	3/4	171,612	3/4	186,725	3/4	201,807	3/4	216,808	3/4		3/4		3/4		3/4		3/4	
4	156,814	4	171,927	4	187,040	4	202,119	4	217,119	4		4		4		4		4	
1/4	157,129	1/4	172,242	1/4	187,355	1/4	202,432	1/4	217,430	1/4		1/4		1/4		1/4		1/4	
1/2	157,444	1/2	172,557	1/2	187,669	1/2	202,745	1/2	217,741	1/2		1/2		1/2		1/2		1/2	
3/4	157,759	3/4	172,871	3/4	187,984	3/4	203,058	3/4	218,052	3/4		3/4		3/4		3/4		3/4	
5	158,073	5	173,186	5	188,299	5	203,371	5	218,363	5		5		5		5		5	
1/4	158,388	1/4	173,501	1/4	188,614	1/4	203,683	1/4	218,674	1/4		1/4		1/4		1/4		1/4	
1/2	158,703	1/2	173,816	1/2	188,929	1/2	203,996	1/2	218,985	1/2		1/2		1/2		1/2		1/2	
3/4	159,018	3/4	174,131	3/4	189,244	3/4	204,309	3/4	219,296	3/4		3/4		3/4		3/4		3/4	
6	159,333	6	174,446	6	189,558	6	204,622	6	219,607	6		6		6		6		6	
1/4	159,648	1/4	174,761	1/4	189,873	1/4	204,934	1/4	219,918	1/4		1/4		1/4		1/4		1/4	
1/2	159,963	1/2	175,075	1/2	190,188	1/2	205,247	1/2	220,229	1/2		1/2		1/2		1/2		1/2	
3/4	160,277	3/4	175,390	3/4	190,503	3/4	205,560	3/4	220,540	3/4		3/4		3/4		3/4		3/4	
7	160,592	7	175,705	7	190,818	7	205,873	7	220,851	7		7		7		7		7	
1/4	160,907	1/4	176,020	1/4	191,133	1/4	206,186	1/4	221,136	1/4		1/4		1/4		1/4		1/4	
1/2	161,222	1/2	176,335	1/2	191,448	1/2	206,498	1/2	221,420	1/2		1/2		1/2		1/2		1/2	
3/4	161,537	3/4	176,650	3/4	191,762	3/4	206,811	3/4	221,705	3/4		3/4		3/4		3/4		3/4	
8	161,852	8	176,964	8	192,077	8	207,124	8	221,990	8		8		8		8		8	
1/4	162,167	1/4	177,279	1/4	192,392	1/4	207,437	1/4	222,222	1/4		1/4		1/4		1/4		1/4	
1/2	162,481	1/2	177,594	1/2	192,707	1/2	207,750	1/2	222,455	1/2		1/2		1/2		1/2		1/2	
3/4	162,796	3/4	177,909	3/4	193,022	3/4	208,062	3/4	222,687	3/4		3/4		3/4		3/4		3/4	
9	163,111	9	178,224	9	193,337	9	208,375	9	222,919	9		9		9		9		9	
1/4	163,426	1/4	178,539	1/4	193,652	1/4	208,688	1/4	223,099	1/4		1/4		1/4		1/4		1/4	
1/2	163,741	1/2	178,854	1/2	193,966	1/2	209,001	1/2	223,279	1/2		1/2		1/2		1/2		1/2	
3/4	164,056	3/4	179,168	3/4	194,281	3/4	209,313	3/4	223,459	3/4		3/4		3/4		3/4		3/4	
10	164,370	10	179,483	10	194,596	10	209,626	10	223,638	10		10		10		10		10	
1/4	164,685	1/4	179,798	1/4	194,911	1/4	209,939	1/4	223,766	1/4		1/4		1/4		1/4		1/4	
1/2	165,000	1/2	180,113	1/2	195,226	1/2	210,252	1/2	223,893	1/2		1/2		1/2		1/2		1/2	
3/4	165,315	3/4	180,428	3/4	195,541	3/4	210,565	3/4	224,020	3/4		3/4		3/4		3/4		3/4	
11	165,630	11	180,743	11	195,855	11	210,877	11	224,148	11		11		11		11		11	
1/4	165,945	1/4	181,058	1/4	196,170	1/4	211,190	1/4	224,223	1/4		1/4		1/4		1/4		1/4	
1/2	166,260	1/2	181,372	1/2	196,485	1/2	211,503	1/2	224,297	1/2		1/2		1/2		1/2		1/2	
3/4	166,574	3/4	181,687	3/4	196,800	3/4	211,816	3/4	224,372	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
DATE COMPUTED: 11/9/01 BY: DAR
DATE ISSUED: 11/9/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	865	0	15,795	0	30,933	0	46,036	0	61,130	0	76,224	0	91,337	0	106,477	0	121,617	0	136,758
1/4	1,128	1/4	16,110	1/4	31,248	1/4	46,351	1/4	61,444	1/4	76,538	1/4	91,653	1/4	106,793	1/4	121,933	1/4	137,073
1/2	1,390	1/2	16,425	1/2	31,564	1/2	46,665	1/2	61,758	1/2	76,853	1/2	91,968	1/2	107,108	1/2	122,248	1/2	137,388
3/4	1,653	3/4	16,741	3/4	31,879	3/4	46,979	3/4	62,073	3/4	77,167	3/4	92,283	3/4	107,424	3/4	122,564	3/4	137,704
1	1,916	1	17,056	1	32,194	1	47,294	1	62,387	1	77,482	1	92,599	1	107,739	1	122,879	1	138,019
1/4	2,232	1/4	17,372	1/4	32,510	1/4	47,608	1/4	62,702	1/4	77,796	1/4	92,914	1/4	108,054	1/4	123,195	1/4	138,335
1/2	2,547	1/2	17,687	1/2	32,825	1/2	47,922	1/2	63,016	1/2	78,111	1/2	93,230	1/2	108,370	1/2	123,510	1/2	138,650
3/4	2,862	3/4	18,003	3/4	33,140	3/4	48,237	3/4	63,331	3/4	78,425	3/4	93,545	3/4	108,685	3/4	123,825	3/4	138,966
2	3,178	2	18,318	2	33,456	2	48,551	2	63,645	2	78,739	2	93,860	2	109,001	2	124,141	2	139,281
1/4	3,493	1/4	18,633	1/4	33,771	1/4	48,866	1/4	63,960	1/4	79,054	1/4	94,176	1/4	109,316	1/4	124,456	1/4	139,596
1/2	3,809	1/2	18,949	1/2	34,086	1/2	49,180	1/2	64,274	1/2	79,368	1/2	94,491	1/2	109,631	1/2	124,772	1/2	139,912
3/4	4,124	3/4	19,264	3/4	34,402	3/4	49,494	3/4	64,589	3/4	79,683	3/4	94,807	3/4	109,947	3/4	125,087	3/4	140,227
3	4,439	3	19,580	3	34,717	3	49,809	3	64,903	3	79,997	3	95,122	3	110,262	3	125,402	3	140,543
1/4	4,755	1/4	19,895	1/4	35,032	1/4	50,123	1/4	65,218	1/4	80,312	1/4	95,438	1/4	110,578	1/4	125,718	1/4	140,858
1/2	5,070	1/2	20,210	1/2	35,347	1/2	50,438	1/2	65,532	1/2	80,626	1/2	95,753	1/2	110,893	1/2	126,033	1/2	141,173
3/4	5,386	3/4	20,526	3/4	35,661	3/4	50,752	3/4	65,846	3/4	80,941	3/4	96,068	3/4	111,209	3/4	126,349	3/4	141,489
4	5,701	4	20,841	4	35,976	4	51,067	4	66,161	4	81,255	4	96,384	4	111,524	4	126,664	4	141,804
1/4	6,017	1/4	21,157	1/4	36,291	1/4	51,381	1/4	66,475	1/4	81,570	1/4	96,699	1/4	111,839	1/4	126,980	1/4	142,120
1/2	6,332	1/2	21,472	1/2	36,605	1/2	51,696	1/2	66,790	1/2	81,884	1/2	97,015	1/2	112,155	1/2	127,295	1/2	142,435
3/4	6,647	3/4	21,788	3/4	36,919	3/4	52,010	3/4	67,104	3/4	82,199	3/4	97,330	3/4	112,470	3/4	127,610	3/4	142,751
5	6,963	5	22,103	5	37,234	5	52,325	5	67,419	5	82,513	5	97,646	5	112,786	5	127,926	5	143,066
1/4	7,278	1/4	22,418	1/4	37,548	1/4	52,639	1/4	67,733	1/4	82,827	1/4	97,961	1/4	113,101	1/4	128,241	1/4	143,381
1/2	7,594	1/2	22,734	1/2	37,862	1/2	52,954	1/2	68,048	1/2	83,142	1/2	98,276	1/2	113,417	1/2	128,557	1/2	143,697
3/4	7,909	3/4	23,049	3/4	38,177	3/4	53,268	3/4	68,362	3/4	83,456	3/4	98,592	3/4	113,732	3/4	128,872	3/4	144,012
6	8,224	6	23,365	6	38,491	6	53,582	6	68,677	6	83,771	6	98,907	6	114,047	6	129,188	6	144,328
1/4	8,540	1/4	23,680	1/4	38,806	1/4	53,897	1/4	68,991	1/4	84,085	1/4	99,223	1/4	114,363	1/4	129,503	1/4	144,643
1/2	8,855	1/2	23,995	1/2	39,120	1/2	54,211	1/2	69,306	1/2	84,400	1/2	99,538	1/2	114,678	1/2	129,818	1/2	144,959
3/4	9,171	3/4	24,311	3/4	39,434	3/4	54,526	3/4	69,620	3/4	84,714	3/4	99,853	3/4	114,994	3/4	130,134	3/4	145,274
7	9,486	7	24,626	7	39,749	7	54,840	7	69,935	7	85,029	7	100,169	7	115,309	7	130,449	7	145,589
1/4	9,802	1/4	24,942	1/4	40,063	1/4	55,155	1/4	70,249	1/4	85,344	1/4	100,484	1/4	115,624	1/4	130,765	1/4	145,905
1/2	10,117	1/2	25,257	1/2	40,377	1/2	55,469	1/2	70,563	1/2	85,660	1/2	100,800	1/2	115,940	1/2	131,080	1/2	146,220
3/4	10,432	3/4	25,573	3/4	40,692	3/4	55,784	3/4	70,878	3/4	85,975	3/4	101,115	3/4	116,255	3/4	131,395	3/4	146,536
8	10,748	8	25,888	8	41,006	8	56,098	8	71,192	8	86,290	8	101,431	8	116,571	8	131,711	8	146,851
1/4	11,063	1/4	26,203	1/4	41,321	1/4	56,413	1/4	71,507	1/4	86,606	1/4	101,746	1/4	116,886	1/4	132,026	1/4	147,166
1/2	11,379	1/2	26,519	1/2	41,635	1/2	56,727	1/2	71,821	1/2	86,921	1/2	102,061	1/2	117,202	1/2	132,342	1/2	147,482
3/4	11,694	3/4	26,834	3/4	41,949	3/4	57,042	3/4	72,136	3/4	87,237	3/4	102,377	3/4	117,517	3/4	132,657	3/4	147,797
9	12,010	9	27,149	9	42,264	9	57,356	9	72,450	9	87,552	9	102,692	9	117,832	9	132,973	9	148,113
1/4	12,325	1/4	27,465	1/4	42,578	1/4	57,670	1/4	72,765	1/4	87,868	1/4	103,008	1/4	118,148	1/4	133,288	1/4	148,428
1/2	12,640	1/2	27,780	1/2	42,892	1/2	57,985	1/2	73,079	1/2	88,183	1/2	103,323	1/2	118,463	1/2	133,603	1/2	148,744
3/4	12,956	3/4	28,095	3/4	43,207	3/4	58,299	3/4	73,394	3/4	88,498	3/4	103,639	3/4	118,779	3/4	133,919	3/4	149,059
10	13,271	10	28,411	10	43,521	10	58,614	10	73,708	10	88,814	10	103,954	10	119,094	10	134,234	10	149,374
1/4	13,587	1/4	28,726	1/4	43,836	1/4	58,928	1/4	74,023	1/4	89,129	1/4	104,269	1/4	119,410	1/4	134,550	1/4	149,690
1/2	13,902	1/2	29,041	1/2	44,150	1/2	59,243	1/2	74,337	1/2	89,445	1/2	104,585	1/2	119,725	1/2	134,865	1/2	150,005
3/4	14,217	3/4	29,357	3/4	44,464	3/4	59,557	3/4	74,651	3/4	89,760	3/4	104,900	3/4	120,040	3/4	135,181	3/4	150,321
11	14,533	11	29,672	11	44,779	11	59,872	11	74,966	11	90,075	11	105,216	11	120,356	11	135,496	11	150,636
1/4	14,848	1/4	29,987	1/4	45,093	1/4	60,186	1/4	75,280	1/4	90,391	1/4	105,531	1/4	120,671	1/4	135,811	1/4	150,952
1/2	15,164	1/2	30,303	1/2	45,407	1/2	60,501	1/2	75,595	1/2	90,706	1/2	105,846	1/2	120,987	1/2	136,127	1/2	151,267
3/4	15,479	3/4	30,618	3/4	45,722	3/4	60,815	3/4	75,909	3/4	91,022	3/4	106,162	3/4	121,302	3/4	136,442	3/4	151,582

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 43'- 9" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
 DATE COMPUTED: 11/9/01 BY: DAR
 DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,898	0	167,038	0	182,178	0	197,318	0	212,359	0	224,700	0		0		0		0	
1/4	152,213	1/4	167,353	1/4	182,494	1/4	197,632	1/4	212,673	1/4	224,723	1/4		1/4		1/4		1/4	
1/2	152,529	1/2	167,669	1/2	182,809	1/2	197,945	1/2	212,986	1/2	224,745	1/2		1/2		1/2		1/2	
3/4	152,844	3/4	167,984	3/4	183,124	3/4	198,258	3/4	213,299	3/4	224,768	3/4		3/4		3/4		3/4	
1	153,159	1	168,300	1	183,440	1	198,572	1	213,613	1	224,790	1		1		1		1	
1/4	153,475	1/4	168,615	1/4	183,755	1/4	198,885	1/4	213,926	1/4		1/4		1/4		1/4		1/4	
1/2	153,790	1/2	168,930	1/2	184,071	1/2	199,198	1/2	214,239	1/2		1/2		1/2		1/2		1/2	
3/4	154,106	3/4	169,246	3/4	184,386	3/4	199,512	3/4	214,553	3/4		3/4		3/4		3/4		3/4	
2	154,421	2	169,561	2	184,701	2	199,825	2	214,866	2		2		2		2		2	
1/4	154,737	1/4	169,877	1/4	185,017	1/4	200,138	1/4	215,178	1/4		1/4		1/4		1/4		1/4	
1/2	155,052	1/2	170,192	1/2	185,332	1/2	200,452	1/2	215,489	1/2		1/2		1/2		1/2		1/2	
3/4	155,367	3/4	170,508	3/4	185,648	3/4	200,765	3/4	215,801	3/4		3/4		3/4		3/4		3/4	
3	155,683	3	170,823	3	185,963	3	201,079	3	216,112	3		3		3		3		3	
1/4	155,998	1/4	171,138	1/4	186,279	1/4	201,392	1/4	216,424	1/4		1/4		1/4		1/4		1/4	
1/2	156,314	1/2	171,454	1/2	186,594	1/2	201,705	1/2	216,736	1/2		1/2		1/2		1/2		1/2	
3/4	156,629	3/4	171,769	3/4	186,909	3/4	202,019	3/4	217,047	3/4		3/4		3/4		3/4		3/4	
4	156,944	4	172,085	4	187,225	4	202,332	4	217,359	4		4		4		4		4	
1/4	157,260	1/4	172,400	1/4	187,540	1/4	202,645	1/4	217,670	1/4		1/4		1/4		1/4		1/4	
1/2	157,575	1/2	172,715	1/2	187,856	1/2	202,959	1/2	217,982	1/2		1/2		1/2		1/2		1/2	
3/4	157,891	3/4	173,031	3/4	188,171	3/4	203,272	3/4	218,293	3/4		3/4		3/4		3/4		3/4	
5	158,206	5	173,346	5	188,486	5	203,585	5	218,605	5		5		5		5		5	
1/4	158,522	1/4	173,662	1/4	188,802	1/4	203,899	1/4	218,917	1/4		1/4		1/4		1/4		1/4	
1/2	158,837	1/2	173,977	1/2	189,117	1/2	204,212	1/2	219,228	1/2		1/2		1/2		1/2		1/2	
3/4	159,152	3/4	174,293	3/4	189,433	3/4	204,525	3/4	219,540	3/4		3/4		3/4		3/4		3/4	
6	159,468	6	174,608	6	189,748	6	204,839	6	219,851	6		6		6		6		6	
1/4	159,783	1/4	174,923	1/4	190,064	1/4	205,152	1/4	220,163	1/4		1/4		1/4		1/4		1/4	
1/2	160,099	1/2	175,239	1/2	190,379	1/2	205,465	1/2	220,474	1/2		1/2		1/2		1/2		1/2	
3/4	160,414	3/4	175,554	3/4	190,694	3/4	205,779	3/4	220,786	3/4		3/4		3/4		3/4		3/4	
7	160,730	7	175,870	7	191,010	7	206,092	7	221,098	7		7		7		7		7	
1/4	161,045	1/4	176,185	1/4	191,325	1/4	206,406	1/4	221,383	1/4		1/4		1/4		1/4		1/4	
1/2	161,360	1/2	176,501	1/2	191,641	1/2	206,719	1/2	221,668	1/2		1/2		1/2		1/2		1/2	
3/4	161,676	3/4	176,816	3/4	191,956	3/4	207,032	3/4	221,953	3/4		3/4		3/4		3/4		3/4	
8	161,991	8	177,131	8	192,272	8	207,346	8	222,239	8		8		8		8		8	
1/4	162,307	1/4	177,447	1/4	192,587	1/4	207,659	1/4	222,471	1/4		1/4		1/4		1/4		1/4	
1/2	162,622	1/2	177,762	1/2	192,902	1/2	207,972	1/2	222,704	1/2		1/2		1/2		1/2		1/2	
3/4	162,937	3/4	178,078	3/4	193,218	3/4	208,286	3/4	222,937	3/4		3/4		3/4		3/4		3/4	
9	163,253	9	178,393	9	193,533	9	208,599	9	223,170	9		9		9		9		9	
1/4	163,568	1/4	178,708	1/4	193,849	1/4	208,912	1/4	223,350	1/4		1/4		1/4		1/4		1/4	
1/2	163,884	1/2	179,024	1/2	194,164	1/2	209,226	1/2	223,530	1/2		1/2		1/2		1/2		1/2	
3/4	164,199	3/4	179,339	3/4	194,479	3/4	209,539	3/4	223,710	3/4		3/4		3/4		3/4		3/4	
10	164,515	10	179,655	10	194,795	10	209,852	10	223,890	10		10		10		10		10	
1/4	164,830	1/4	179,970	1/4	195,110	1/4	210,166	1/4	224,018	1/4		1/4		1/4		1/4		1/4	
1/2	165,145	1/2	180,286	1/2	195,426	1/2	210,479	1/2	224,145	1/2		1/2		1/2		1/2		1/2	
3/4	165,461	3/4	180,601	3/4	195,741	3/4	210,792	3/4	224,273	3/4		3/4		3/4		3/4		3/4	
11	165,776	11	180,916	11	196,057	11	211,106	11	224,400	11		11		11		11		11	
1/4	166,092	1/4	181,232	1/4	196,372	1/4	211,419	1/4	224,475	1/4		1/4		1/4		1/4		1/4	
1/2	166,407	1/2	181,547	1/2	196,687	1/2	211,733	1/2	224,550	1/2		1/2		1/2		1/2		1/2	
3/4	166,723	3/4	181,863	3/4	197,003	3/4	212,046	3/4	224,625	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
DATE COMPUTED: 11/9/01 BY: DAR
DATE ISSUED: 11/9/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	863	0	15,768	0	30,882	0	45,993	0	61,108	0	76,223	0	91,338	0	106,453	0	121,565	0	136,663
1/4	1,126	1/4	16,083	1/4	31,196	1/4	46,308	1/4	61,423	1/4	76,538	1/4	91,653	1/4	106,768	1/4	121,879	1/4	136,978
1/2	1,388	1/2	16,398	1/2	31,511	1/2	46,623	1/2	61,738	1/2	76,853	1/2	91,968	1/2	107,082	1/2	122,194	1/2	137,292
3/4	1,651	3/4	16,713	3/4	31,826	3/4	46,938	3/4	62,053	3/4	77,168	3/4	92,282	3/4	107,397	3/4	122,508	3/4	137,606
1	1,913	1	17,028	1	32,141	1	47,253	1	62,368	1	77,482	1	92,597	1	107,712	1	122,823	1	137,920
1/4	2,228	1/4	17,343	1/4	32,455	1/4	47,568	1/4	62,682	1/4	77,797	1/4	92,912	1/4	108,027	1/4	123,138	1/4	138,235
1/2	2,543	1/2	17,658	1/2	32,770	1/2	47,883	1/2	62,997	1/2	78,112	1/2	93,227	1/2	108,342	1/2	123,452	1/2	138,549
3/4	2,858	3/4	17,973	3/4	33,085	3/4	48,197	3/4	63,312	3/4	78,427	3/4	93,542	3/4	108,657	3/4	123,767	3/4	138,863
2	3,173	2	18,287	2	33,400	2	48,512	2	63,627	2	78,742	2	93,857	2	108,972	2	124,081	2	139,177
1/4	3,487	1/4	18,602	1/4	33,715	1/4	48,827	1/4	63,942	1/4	79,057	1/4	94,172	1/4	109,287	1/4	124,396	1/4	139,492
1/2	3,802	1/2	18,917	1/2	34,029	1/2	49,142	1/2	64,257	1/2	79,372	1/2	94,487	1/2	109,602	1/2	124,710	1/2	139,806
3/4	4,117	3/4	19,232	3/4	34,344	3/4	49,457	3/4	64,572	3/4	79,687	3/4	94,802	3/4	109,916	3/4	125,025	3/4	140,120
3	4,432	3	19,547	3	34,659	3	49,772	3	64,887	3	80,002	3	95,116	3	110,231	3	125,339	3	140,434
1/4	4,747	1/4	19,862	1/4	34,974	1/4	50,087	1/4	65,202	1/4	80,317	1/4	95,431	1/4	110,546	1/4	125,654	1/4	140,749
1/2	5,062	1/2	20,177	1/2	35,288	1/2	50,402	1/2	65,517	1/2	80,631	1/2	95,746	1/2	110,861	1/2	125,969	1/2	141,063
3/4	5,377	3/4	20,492	3/4	35,603	3/4	50,717	3/4	65,831	3/4	80,946	3/4	96,061	3/4	111,176	3/4	126,283	3/4	141,377
4	5,692	4	20,807	4	35,918	4	51,031	4	66,146	4	81,261	4	96,376	4	111,491	4	126,598	4	141,692
1/4	6,007	1/4	21,121	1/4	36,233	1/4	51,346	1/4	66,461	1/4	81,576	1/4	96,691	1/4	111,806	1/4	126,912	1/4	142,006
1/2	6,321	1/2	21,436	1/2	36,548	1/2	51,661	1/2	66,776	1/2	81,891	1/2	97,006	1/2	112,121	1/2	127,227	1/2	142,320
3/4	6,636	3/4	21,751	3/4	36,862	3/4	51,976	3/4	67,091	3/4	82,206	3/4	97,321	3/4	112,436	3/4	127,541	3/4	142,634
5	6,951	5	22,066	5	37,177	5	52,291	5	67,406	5	82,521	5	97,636	5	112,750	5	127,856	5	142,949
1/4	7,266	1/4	22,381	1/4	37,492	1/4	52,606	1/4	67,721	1/4	82,836	1/4	97,951	1/4	113,065	1/4	128,170	1/4	143,263
1/2	7,581	1/2	22,696	1/2	37,807	1/2	52,921	1/2	68,036	1/2	83,151	1/2	98,265	1/2	113,380	1/2	128,485	1/2	143,577
3/4	7,896	3/4	23,011	3/4	38,122	3/4	53,236	3/4	68,351	3/4	83,465	3/4	98,580	3/4	113,695	3/4	128,800	3/4	143,891
6	8,211	6	23,326	6	38,437	6	53,551	6	68,665	6	83,780	6	98,895	6	114,010	6	129,114	6	144,206
1/4	8,526	1/4	23,641	1/4	38,752	1/4	53,865	1/4	68,980	1/4	84,095	1/4	99,210	1/4	114,325	1/4	129,429	1/4	144,520
1/2	8,841	1/2	23,955	1/2	39,066	1/2	54,180	1/2	69,295	1/2	84,410	1/2	99,525	1/2	114,640	1/2	129,743	1/2	144,834
3/4	9,156	3/4	24,270	3/4	39,381	3/4	54,495	3/4	69,610	3/4	84,725	3/4	99,840	3/4	114,955	3/4	130,058	3/4	145,148
7	9,470	7	24,585	7	39,696	7	54,810	7	69,925	7	85,040	7	100,155	7	115,270	7	130,372	7	145,463
1/4	9,785	1/4	24,900	1/4	40,011	1/4	55,125	1/4	70,240	1/4	85,355	1/4	100,470	1/4	115,585	1/4	130,687	1/4	145,766
1/2	10,100	1/2	25,215	1/2	40,326	1/2	55,440	1/2	70,555	1/2	85,670	1/2	100,785	1/2	115,899	1/2	131,001	1/2	146,070
3/4	10,415	3/4	25,530	3/4	40,641	3/4	55,755	3/4	70,870	3/4	85,985	3/4	101,099	3/4	116,214	3/4	131,316	3/4	146,374
8	10,730	8	25,845	8	40,956	8	56,070	8	71,185	8	86,299	8	101,414	8	116,529	8	131,631	8	146,678
1/4	11,045	1/4	26,160	1/4	41,270	1/4	56,385	1/4	71,500	1/4	86,614	1/4	101,729	1/4	116,844	1/4	131,945	1/4	146,961
1/2	11,360	1/2	26,475	1/2	41,585	1/2	56,700	1/2	71,814	1/2	86,929	1/2	102,044	1/2	117,159	1/2	132,260	1/2	147,244
3/4	11,675	3/4	26,789	3/4	41,900	3/4	57,014	3/4	72,129	3/4	87,244	3/4	102,359	3/4	117,474	3/4	132,574	3/4	147,528
9	11,990	9	27,104	9	42,215	9	57,329	9	72,444	9	87,559	9	102,674	9	117,789	9	132,889	9	147,811
1/4	12,304	1/4	27,419	1/4	42,530	1/4	57,644	1/4	72,759	1/4	87,874	1/4	102,989	1/4	118,104	1/4	133,203	1/4	148,073
1/2	12,619	1/2	27,734	1/2	42,845	1/2	57,959	1/2	73,074	1/2	88,189	1/2	103,304	1/2	118,419	1/2	133,518	1/2	148,335
3/4	12,934	3/4	28,049	3/4	43,160	3/4	58,274	3/4	73,389	3/4	88,504	3/4	103,619	3/4	118,733	3/4	133,832	3/4	148,598
10	13,249	10	28,363	10	43,475	10	58,589	10	73,704	10	88,819	10	103,933	10	119,048	10	134,147	10	148,860
1/4	13,564	1/4	28,678	1/4	43,789	1/4	58,904	1/4	74,019	1/4	89,134	1/4	104,248	1/4	119,363	1/4	134,462	1/4	149,102
1/2	13,879	1/2	28,993	1/2	44,104	1/2	59,219	1/2	74,334	1/2	89,448	1/2	104,563	1/2	119,677	1/2	134,776	1/2	149,344
3/4	14,194	3/4	29,308	3/4	44,419	3/4	59,534	3/4	74,648	3/4	89,763	3/4	104,878	3/4	119,992	3/4	135,091	3/4	149,585
11	14,509	11	29,622	11	44,734	11	59,848	11	74,963	11	90,078	11	105,193	11	120,307	11	135,405	11	149,827
1/4	14,824	1/4	29,937	1/4	45,049	1/4	60,163	1/4	75,278	1/4	90,393	1/4	105,508	1/4	120,621	1/4	135,720	1/4	150,059
1/2	15,138	1/2	30,252	1/2	45,364	1/2	60,478	1/2	75,593	1/2	90,708	1/2	105,823	1/2	120,936	1/2	136,034	1/2	150,291
3/4	15,453	3/4	30,567	3/4	45,679	3/4	60,793	3/4	75,908	3/4	91,023	3/4	106,138	3/4	121,250	3/4	136,349	3/4	150,523

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 27'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
 DATE COMPUTED: 11/9/01 BY: DAR
 DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

3 PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,755	0	161,887	0	173,019	0	184,152	0	195,202	0	204,259	0		0		0		0	
1/4	150,986	1/4	162,119	1/4	173,251	1/4	184,382	1/4	195,432	1/4	204,275	1/4		1/4		1/4		1/4	
1/2	151,218	1/2	162,351	1/2	173,483	1/2	184,612	1/2	195,662	1/2	204,291	1/2		1/2		1/2		1/2	
3/4	151,450	3/4	162,583	3/4	173,715	3/4	184,842	3/4	195,892	3/4	204,307	3/4		3/4		3/4		3/4	
1	151,682	1	162,815	1	173,947	1	185,073	1	196,122	1	204,323	1		1		1		1	
1/4	151,914	1/4	163,047	1/4	174,179	1/4	185,303	1/4	196,353	1/4		1/4		1/4		1/4		1/4	
1/2	152,146	1/2	163,278	1/2	174,411	1/2	185,533	1/2	196,583	1/2		1/2		1/2		1/2		1/2	
3/4	152,378	3/4	163,510	3/4	174,643	3/4	185,763	3/4	196,813	3/4		3/4		3/4		3/4		3/4	
2	152,610	2	163,742	2	174,875	2	185,993	2	197,043	2		2		2		2		2	
1/4	152,842	1/4	163,974	1/4	175,107	1/4	186,224	1/4	197,272	1/4		1/4		1/4		1/4		1/4	
1/2	153,074	1/2	164,206	1/2	175,339	1/2	186,454	1/2	197,501	1/2		1/2		1/2		1/2		1/2	
3/4	153,306	3/4	164,438	3/4	175,571	3/4	186,684	3/4	197,729	3/4		3/4		3/4		3/4		3/4	
3	153,538	3	164,670	3	175,802	3	186,914	3	197,958	3		3		3		3		3	
1/4	153,770	1/4	164,902	1/4	176,034	1/4	187,144	1/4	198,187	1/4		1/4		1/4		1/4		1/4	
1/2	154,001	1/2	165,134	1/2	176,266	1/2	187,375	1/2	198,416	1/2		1/2		1/2		1/2		1/2	
3/4	154,233	3/4	165,366	3/4	176,498	3/4	187,605	3/4	198,644	3/4		3/4		3/4		3/4		3/4	
4	154,465	4	165,598	4	176,730	4	187,835	4	198,873	4		4		4		4		4	
1/4	154,697	1/4	165,830	1/4	176,962	1/4	188,065	1/4	199,102	1/4		1/4		1/4		1/4		1/4	
1/2	154,929	1/2	166,062	1/2	177,194	1/2	188,295	1/2	199,331	1/2		1/2		1/2		1/2		1/2	
3/4	155,161	3/4	166,294	3/4	177,426	3/4	188,526	3/4	199,559	3/4		3/4		3/4		3/4		3/4	
5	155,393	5	166,525	5	177,658	5	188,756	5	199,788	5		5		5		5		5	
1/4	155,625	1/4	166,757	1/4	177,890	1/4	188,986	1/4	200,017	1/4		1/4		1/4		1/4		1/4	
1/2	155,857	1/2	166,989	1/2	178,122	1/2	189,216	1/2	200,245	1/2		1/2		1/2		1/2		1/2	
3/4	156,089	3/4	167,221	3/4	178,354	3/4	189,446	3/4	200,474	3/4		3/4		3/4		3/4		3/4	
6	156,321	6	167,453	6	178,586	6	189,677	6	200,703	6		6		6		6		6	
1/4	156,553	1/4	167,685	1/4	178,817	1/4	189,907	1/4	200,932	1/4		1/4		1/4		1/4		1/4	
1/2	156,785	1/2	167,917	1/2	179,049	1/2	190,137	1/2	201,160	1/2		1/2		1/2		1/2		1/2	
3/4	157,017	3/4	168,149	3/4	179,281	3/4	190,367	3/4	201,389	3/4		3/4		3/4		3/4		3/4	
7	157,248	7	168,381	7	179,513	7	190,598	7	201,618	7		7		7		7		7	
1/4	157,480	1/4	168,613	1/4	179,745	1/4	190,828	1/4	201,827	1/4		1/4		1/4		1/4		1/4	
1/2	157,712	1/2	168,845	1/2	179,977	1/2	191,058	1/2	202,037	1/2		1/2		1/2		1/2		1/2	
3/4	157,944	3/4	169,077	3/4	180,209	3/4	191,288	3/4	202,246	3/4		3/4		3/4		3/4		3/4	
8	158,176	8	169,309	8	180,441	8	191,518	8	202,455	8		8		8		8		8	
1/4	158,408	1/4	169,540	1/4	180,673	1/4	191,749	1/4	202,626	1/4		1/4		1/4		1/4		1/4	
1/2	158,640	1/2	169,772	1/2	180,905	1/2	191,979	1/2	202,796	1/2		1/2		1/2		1/2		1/2	
3/4	158,872	3/4	170,004	3/4	181,137	3/4	192,209	3/4	202,967	3/4		3/4		3/4		3/4		3/4	
9	159,104	9	170,236	9	181,369	9	192,439	9	203,137	9		9		9		9		9	
1/4	159,336	1/4	170,468	1/4	181,601	1/4	192,669	1/4	203,269	1/4		1/4		1/4		1/4		1/4	
1/2	159,568	1/2	170,700	1/2	181,832	1/2	192,900	1/2	203,402	1/2		1/2		1/2		1/2		1/2	
3/4	159,800	3/4	170,932	3/4	182,064	3/4	193,130	3/4	203,534	3/4		3/4		3/4		3/4		3/4	
10	160,032	10	171,164	10	182,296	10	193,360	10	203,666	10		10		10		10		10	
1/4	160,263	1/4	171,396	1/4	182,528	1/4	193,590	1/4	203,759	1/4		1/4		1/4		1/4		1/4	
1/2	160,495	1/2	171,628	1/2	182,760	1/2	193,820	1/2	203,853	1/2		1/2		1/2		1/2		1/2	
3/4	160,727	3/4	171,860	3/4	182,992	3/4	194,051	3/4	203,946	3/4		3/4		3/4		3/4		3/4	
11	160,959	11	172,092	11	183,224	11	194,281	11	204,039	11		11		11		11		11	
1/4	161,191	1/4	172,324	1/4	183,456	1/4	194,511	1/4	204,094	1/4		1/4		1/4		1/4		1/4	
1/2	161,423	1/2	172,555	1/2	183,688	1/2	194,741	1/2	204,149	1/2		1/2		1/2		1/2		1/2	
3/4	161,655	3/4	172,787	3/4	183,920	3/4	194,971	3/4	204,204	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
DATE COMPUTED: 11/9/01 BY: DAR
DATE ISSUED: 11/9/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	862	0	15,746	0	30,838	0	45,905	0	60,956	0	76,031	0	91,117	0	106,210	0	121,300	0	136,376
1/4	1,124	1/4	16,061	1/4	31,152	1/4	46,219	1/4	61,269	1/4	76,345	1/4	91,432	1/4	106,525	1/4	121,614	1/4	136,690
1/2	1,386	1/2	16,375	1/2	31,467	1/2	46,532	1/2	61,583	1/2	76,660	1/2	91,746	1/2	106,839	1/2	121,928	1/2	137,004
3/4	1,648	3/4	16,690	3/4	31,781	3/4	46,846	3/4	61,896	3/4	76,974	3/4	92,061	3/4	107,154	3/4	122,243	3/4	137,318
1	1,910	1	17,004	1	32,095	1	47,160	1	62,210	1	77,288	1	92,375	1	107,468	1	122,557	1	137,632
1/4	2,225	1/4	17,319	1/4	32,410	1/4	47,474	1/4	62,523	1/4	77,602	1/4	92,690	1/4	107,782	1/4	122,871	1/4	137,945
1/2	2,539	1/2	17,633	1/2	32,724	1/2	47,787	1/2	62,836	1/2	77,917	1/2	93,004	1/2	108,097	1/2	123,185	1/2	138,259
3/4	2,854	3/4	17,947	3/4	33,038	3/4	48,101	3/4	63,150	3/4	78,231	3/4	93,318	3/4	108,411	3/4	123,499	3/4	138,573
2	3,168	2	18,262	2	33,353	2	48,415	2	63,463	2	78,545	2	93,633	2	108,726	2	123,813	2	138,887
1/4	3,483	1/4	18,576	1/4	33,667	1/4	48,728	1/4	63,777	1/4	78,859	1/4	93,947	1/4	109,040	1/4	124,127	1/4	139,200
1/2	3,797	1/2	18,891	1/2	33,981	1/2	49,042	1/2	64,090	1/2	79,174	1/2	94,262	1/2	109,355	1/2	124,441	1/2	139,514
3/4	4,112	3/4	19,205	3/4	34,296	3/4	49,356	3/4	64,403	3/4	79,488	3/4	94,576	3/4	109,669	3/4	124,755	3/4	139,828
3	4,426	3	19,520	3	34,610	3	49,670	3	64,717	3	79,802	3	94,891	3	109,983	3	125,069	3	140,142
1/4	4,740	1/4	19,834	1/4	34,924	1/4	49,984	1/4	65,031	1/4	80,116	1/4	95,205	1/4	110,298	1/4	125,383	1/4	140,456
1/2	5,055	1/2	20,149	1/2	35,238	1/2	50,297	1/2	65,345	1/2	80,430	1/2	95,520	1/2	110,612	1/2	125,697	1/2	140,769
3/4	5,369	3/4	20,463	3/4	35,552	3/4	50,611	3/4	65,659	3/4	80,745	3/4	95,834	3/4	110,927	3/4	126,012	3/4	141,083
4	5,684	4	20,777	4	35,866	4	50,925	4	65,973	4	81,059	4	96,148	4	111,241	4	126,326	4	141,397
1/4	5,998	1/4	21,092	1/4	36,180	1/4	51,239	1/4	66,288	1/4	81,373	1/4	96,463	1/4	111,556	1/4	126,640	1/4	141,711
1/2	6,313	1/2	21,406	1/2	36,493	1/2	51,553	1/2	66,602	1/2	81,687	1/2	96,777	1/2	111,870	1/2	126,954	1/2	142,025
3/4	6,627	3/4	21,721	3/4	36,807	3/4	51,866	3/4	66,916	3/4	82,002	3/4	97,092	3/4	112,185	3/4	127,268	3/4	142,338
5	6,942	5	22,035	5	37,121	5	52,180	5	67,231	5	82,316	5	97,406	5	112,499	5	127,582	5	142,652
1/4	7,256	1/4	22,350	1/4	37,434	1/4	52,494	1/4	67,545	1/4	82,630	1/4	97,721	1/4	112,813	1/4	127,896	1/4	142,966
1/2	7,571	1/2	22,664	1/2	37,748	1/2	52,807	1/2	67,860	1/2	82,944	1/2	98,035	1/2	113,128	1/2	128,210	1/2	143,280
3/4	7,885	3/4	22,978	3/4	38,062	3/4	53,120	3/4	68,174	3/4	83,258	3/4	98,349	3/4	113,442	3/4	128,524	3/4	143,593
6	8,200	6	23,293	6	38,376	6	53,434	6	68,488	6	83,573	6	98,664	6	113,757	6	128,838	6	143,907
1/4	8,514	1/4	23,607	1/4	38,689	1/4	53,747	1/4	68,803	1/4	83,887	1/4	98,978	1/4	114,071	1/4	129,152	1/4	144,221
1/2	8,828	1/2	23,922	1/2	39,003	1/2	54,061	1/2	69,117	1/2	84,201	1/2	99,293	1/2	114,386	1/2	129,467	1/2	144,535
3/4	9,143	3/4	24,236	3/4	39,317	3/4	54,374	3/4	69,432	3/4	84,515	3/4	99,607	3/4	114,700	3/4	129,781	3/4	144,849
7	9,457	7	24,551	7	39,630	7	54,687	7	69,746	7	84,830	7	99,922	7	115,014	7	130,095	7	145,162
1/4	9,772	1/4	24,865	1/4	39,944	1/4	55,001	1/4	70,060	1/4	85,144	1/4	100,236	1/4	115,329	1/4	130,409	1/4	145,466
1/2	10,086	1/2	25,180	1/2	40,258	1/2	55,314	1/2	70,375	1/2	85,458	1/2	100,550	1/2	115,643	1/2	130,723	1/2	145,769
3/4	10,401	3/4	25,494	3/4	40,572	3/4	55,628	3/4	70,689	3/4	85,772	3/4	100,865	3/4	115,958	3/4	131,037	3/4	146,073
8	10,715	8	25,808	8	40,885	8	55,941	8	71,004	8	86,086	8	101,179	8	116,272	8	131,351	8	146,376
1/4	11,030	1/4	26,123	1/4	41,199	1/4	56,255	1/4	71,318	1/4	86,401	1/4	101,494	1/4	116,587	1/4	131,665	1/4	146,659
1/2	11,344	1/2	26,437	1/2	41,513	1/2	56,568	1/2	71,632	1/2	86,715	1/2	101,808	1/2	116,901	1/2	131,979	1/2	146,942
3/4	11,659	3/4	26,752	3/4	41,827	3/4	56,881	3/4	71,946	3/4	87,030	3/4	102,123	3/4	117,215	3/4	132,293	3/4	147,224
9	11,973	9	27,066	9	42,140	9	57,195	9	72,261	9	87,344	9	102,437	9	117,530	9	132,607	9	147,507
1/4	12,287	1/4	27,380	1/4	42,454	1/4	57,508	1/4	72,575	1/4	87,659	1/4	102,751	1/4	117,844	1/4	132,921	1/4	147,769
1/2	12,602	1/2	27,695	1/2	42,768	1/2	57,822	1/2	72,889	1/2	87,973	1/2	103,066	1/2	118,159	1/2	133,236	1/2	148,031
3/4	12,916	3/4	28,009	3/4	43,081	3/4	58,135	3/4	73,203	3/4	88,288	3/4	103,380	3/4	118,473	3/4	133,550	3/4	148,293
10	13,231	10	28,323	10	43,395	10	58,449	10	73,517	10	88,602	10	103,695	10	118,788	10	133,864	10	148,555
1/4	13,545	1/4	28,638	1/4	43,709	1/4	58,762	1/4	73,832	1/4	88,916	1/4	104,009	1/4	119,102	1/4	134,178	1/4	148,796
1/2	13,860	1/2	28,952	1/2	44,023	1/2	59,075	1/2	74,146	1/2	89,231	1/2	104,324	1/2	119,416	1/2	134,492	1/2	149,038
3/4	14,174	3/4	29,266	3/4	44,336	3/4	59,389	3/4	74,460	3/4	89,545	3/4	104,638	3/4	119,730	3/4	134,806	3/4	149,279
11	14,489	11	29,581	11	44,650	11	59,702	11	74,774	11	89,860	11	104,953	11	120,044	11	135,120	11	149,520
1/4	14,803	1/4	29,895	1/4	44,964	1/4	60,016	1/4	75,089	1/4	90,174	1/4	105,267	1/4	120,358	1/4	135,434	1/4	149,752
1/2	15,117	1/2	30,209	1/2	45,277	1/2	60,329	1/2	75,403	1/2	90,489	1/2	105,581	1/2	120,672	1/2	135,748	1/2	149,983
3/4	15,432	3/4	30,524	3/4	45,591	3/4	60,642	3/4	75,717	3/4	90,803	3/4	105,896	3/4	120,986	3/4	136,062	3/4	150,215

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 27'- 6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
 DATE COMPUTED: 11/9/01 BY: DAR
 DATE ISSUED: 11/9/01

ITS - CALEB BRETT

BARGE "GBL 430"
HULL NO. 01-2409

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,447	0	161,564	0	172,680	0	183,797	0	194,832	0	203,876	0		0		0		0	
1/4	150,678	1/4	161,795	1/4	172,912	1/4	184,027	1/4	195,062	1/4	203,893	1/4		1/4		1/4		1/4	
1/2	150,910	1/2	162,027	1/2	173,144	1/2	184,257	1/2	195,292	1/2	203,909	1/2		1/2		1/2		1/2	
3/4	151,141	3/4	162,258	3/4	173,375	3/4	184,487	3/4	195,522	3/4	203,925	3/4		3/4		3/4		3/4	
1	151,373	1	162,490	1	173,607	1	184,717	1	195,752	1	203,941	1		1		1		1	
1/4	151,605	1/4	162,722	1/4	173,839	1/4	184,947	1/4	195,982	1/4		1/4		1/4		1/4		1/4	
1/2	151,836	1/2	162,953	1/2	174,070	1/2	185,177	1/2	196,211	1/2		1/2		1/2		1/2		1/2	
3/4	152,068	3/4	163,185	3/4	174,302	3/4	185,407	3/4	196,441	3/4		3/4		3/4		3/4		3/4	
2	152,299	2	163,416	2	174,533	2	185,637	2	196,671	2		2		2		2		2	
1/4	152,531	1/4	163,648	1/4	174,765	1/4	185,866	1/4	196,900	1/4		1/4		1/4		1/4		1/4	
1/2	152,763	1/2	163,880	1/2	174,997	1/2	186,096	1/2	197,128	1/2		1/2		1/2		1/2		1/2	
3/4	152,994	3/4	164,111	3/4	175,228	3/4	186,326	3/4	197,356	3/4		3/4		3/4		3/4		3/4	
3	153,226	3	164,343	3	175,460	3	186,556	3	197,585	3		3		3		3		3	
1/4	153,457	1/4	164,574	1/4	175,691	1/4	186,786	1/4	197,813	1/4		1/4		1/4		1/4		1/4	
1/2	153,689	1/2	164,806	1/2	175,923	1/2	187,016	1/2	198,042	1/2		1/2		1/2		1/2		1/2	
3/4	153,921	3/4	165,038	3/4	176,155	3/4	187,246	3/4	198,270	3/4		3/4		3/4		3/4		3/4	
4	154,152	4	165,269	4	176,386	4	187,476	4	198,498	4		4		4		4		4	
1/4	154,384	1/4	165,501	1/4	176,618	1/4	187,706	1/4	198,727	1/4		1/4		1/4		1/4		1/4	
1/2	154,615	1/2	165,732	1/2	176,849	1/2	187,935	1/2	198,955	1/2		1/2		1/2		1/2		1/2	
3/4	154,847	3/4	165,964	3/4	177,081	3/4	188,165	3/4	199,184	3/4		3/4		3/4		3/4		3/4	
5	155,079	5	166,196	5	177,313	5	188,395	5	199,412	5		5		5		5		5	
1/4	155,310	1/4	166,427	1/4	177,544	1/4	188,625	1/4	199,640	1/4		1/4		1/4		1/4		1/4	
1/2	155,542	1/2	166,659	1/2	177,776	1/2	188,855	1/2	199,869	1/2		1/2		1/2		1/2		1/2	
3/4	155,773	3/4	166,890	3/4	178,007	3/4	189,085	3/4	200,097	3/4		3/4		3/4		3/4		3/4	
6	156,005	6	167,122	6	178,239	6	189,315	6	200,326	6		6		6		6		6	
1/4	156,237	1/4	167,354	1/4	178,471	1/4	189,545	1/4	200,554	1/4		1/4		1/4		1/4		1/4	
1/2	156,468	1/2	167,585	1/2	178,702	1/2	189,775	1/2	200,782	1/2		1/2		1/2		1/2		1/2	
3/4	156,700	3/4	167,817	3/4	178,934	3/4	190,004	3/4	201,011	3/4		3/4		3/4		3/4		3/4	
7	156,931	7	168,048	7	179,165	7	190,234	7	201,239	7		7		7		7		7	
1/4	157,163	1/4	168,280	1/4	179,397	1/4	190,464	1/4	201,448	1/4		1/4		1/4		1/4		1/4	
1/2	157,395	1/2	168,512	1/2	179,629	1/2	190,694	1/2	201,657	1/2		1/2		1/2		1/2		1/2	
3/4	157,626	3/4	168,743	3/4	179,860	3/4	190,924	3/4	201,867	3/4		3/4		3/4		3/4		3/4	
8	157,858	8	168,975	8	180,092	8	191,154	8	202,076	8		8		8		8		8	
1/4	158,089	1/4	169,206	1/4	180,323	1/4	191,384	1/4	202,246	1/4		1/4		1/4		1/4		1/4	
1/2	158,321	1/2	169,438	1/2	180,555	1/2	191,614	1/2	202,416	1/2		1/2		1/2		1/2		1/2	
3/4	158,553	3/4	169,670	3/4	180,787	3/4	191,844	3/4	202,586	3/4		3/4		3/4		3/4		3/4	
9	158,784	9	169,901	9	181,018	9	192,073	9	202,757	9		9		9		9		9	
1/4	159,016	1/4	170,133	1/4	181,250	1/4	192,303	1/4	202,889	1/4		1/4		1/4		1/4		1/4	
1/2	159,247	1/2	170,364	1/2	181,481	1/2	192,533	1/2	203,021	1/2		1/2		1/2		1/2		1/2	
3/4	159,479	3/4	170,596	3/4	181,713	3/4	192,763	3/4	203,152	3/4		3/4		3/4		3/4		3/4	
10	159,711	10	170,828	10	181,945	10	192,993	10	203,284	10		10		10		10		10	
1/4	159,942	1/4	171,059	1/4	182,176	1/4	193,223	1/4	203,378	1/4		1/4		1/4		1/4		1/4	
1/2	160,174	1/2	171,291	1/2	182,408	1/2	193,453	1/2	203,471	1/2		1/2		1/2		1/2		1/2	
3/4	160,405	3/4	171,522	3/4	182,639	3/4	193,683	3/4	203,564	3/4		3/4		3/4		3/4		3/4	
11	160,637	11	171,754	11	182,871	11	193,913	11	203,658	11		11		11		11		11	
1/4	160,869	1/4	171,986	1/4	183,103	1/4	194,142	1/4	203,712	1/4		1/4		1/4		1/4		1/4	
1/2	161,100	1/2	172,217	1/2	183,334	1/2	194,372	1/2	203,767	1/2		1/2		1/2		1/2		1/2	
3/4	161,332	3/4	172,449	3/4	183,566	3/4	194,602	3/4	203,822	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 10/30/01 BY: DAR-RS
DATE COMPUTED: 11/9/01 BY: DAR
DATE ISSUED: 11/9/01

ITS - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,009	0	2,018	0	3,027	0	4,036	0		0		0		0		0	
1/4	21	1/4	1,030	1/4	2,039	1/4	3,048	1/4	4,057	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,051	1/2	2,060	1/2	3,069	1/2	4,078	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,072	3/4	2,081	3/4	3,090	3/4	4,099	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,093	1	2,102	1	3,111	1	4,120	1		1		1		1		1	
1/4	105	1/4	1,114	1/4	2,123	1/4	3,132	1/4	4,141	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,135	1/2	2,144	1/2	3,153	1/2	4,162	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,156	3/4	2,165	3/4	3,174	3/4	4,183	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,177	2	2,186	2	3,195	2	4,204	2		2		2		2		2	
1/4	189	1/4	1,198	1/4	2,207	1/4	3,216	1/4	4,225	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,219	1/2	2,228	1/2	3,237	1/2	4,246	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,240	3/4	2,249	3/4	3,258	3/4	4,267	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,261	3	2,270	3	3,279	3	4,288	3		3		3		3		3	
1/4	273	1/4	1,282	1/4	2,291	1/4	3,300	1/4	4,310	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,303	1/2	2,312	1/2	3,321	1/2	4,331	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,324	3/4	2,333	3/4	3,342	3/4	4,352	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,345	4	2,354	4	3,364	4	4,373	4		4		4		4		4	
1/4	357	1/4	1,366	1/4	2,375	1/4	3,385	1/4	4,394	1/4		1/4		1/4		1/4		1/4	
1/2	378	1/2	1,387	1/2	2,397	1/2	3,406	1/2	4,415	1/2		1/2		1/2		1/2		1/2	
3/4	399	3/4	1,408	3/4	2,418	3/4	3,427	3/4	4,436	3/4		3/4		3/4		3/4		3/4	
5	420	5	1,429	5	2,439	5	3,448	5	4,457	5		5		5		5		5	
1/4	441	1/4	1,451	1/4	2,460	1/4	3,469	1/4	4,478	1/4		1/4		1/4		1/4		1/4	
1/2	462	1/2	1,472	1/2	2,481	1/2	3,490	1/2	4,499	1/2		1/2		1/2		1/2		1/2	
3/4	484	3/4	1,493	3/4	2,502	3/4	3,511	3/4	4,520	3/4		3/4		3/4		3/4		3/4	
6	505	6	1,514	6	2,523	6	3,532	6	4,541	6		6		6		6		6	
1/4	526	1/4	1,535	1/4	2,544	1/4	3,553	1/4	4,562	1/4		1/4		1/4		1/4		1/4	
1/2	547	1/2	1,556	1/2	2,565	1/2	3,574	1/2	4,583	1/2		1/2		1/2		1/2		1/2	
3/4	568	3/4	1,577	3/4	2,586	3/4	3,595	3/4	4,604	3/4		3/4		3/4		3/4		3/4	
7	589	7	1,598	7	2,607	7	3,616	7	4,625	7		7		7		7		7	
1/4	610	1/4	1,619	1/4	2,628	1/4	3,637	1/4	4,646	1/4		1/4		1/4		1/4		1/4	
1/2	631	1/2	1,640	1/2	2,649	1/2	3,658	1/2	4,667	1/2		1/2		1/2		1/2		1/2	
3/4	652	3/4	1,661	3/4	2,670	3/4	3,679	3/4	4,688	3/4		3/4		3/4		3/4		3/4	
8	673	8	1,682	8	2,691	8	3,700	8	4,709	8		8		8		8		8	
1/4	694	1/4	1,703	1/4	2,712	1/4	3,721	1/4	4,730	1/4		1/4		1/4		1/4		1/4	
1/2	715	1/2	1,724	1/2	2,733	1/2	3,742	1/2	4,751	1/2		1/2		1/2		1/2		1/2	
3/4	736	3/4	1,745	3/4	2,754	3/4	3,763	3/4	4,772	3/4		3/4		3/4		3/4		3/4	
9	757	9	1,766	9	2,775	9	3,784	9	4,793	9		9		9		9		9	
1/4	778	1/4	1,787	1/4	2,796	1/4	3,805	1/4	4,814	1/4		1/4		1/4		1/4		1/4	
1/2	799	1/2	1,808	1/2	2,817	1/2	3,826	1/2	4,835	1/2		1/2		1/2		1/2		1/2	
3/4	820	3/4	1,829	3/4	2,838	3/4	3,847	3/4	4,856	3/4		3/4		3/4		3/4		3/4	
10	841	10	1,850	10	2,859	10	3,868	10	4,877	10		10		10		10		10	
1/4	862	1/4	1,871	1/4	2,880	1/4	3,889	1/4	4,898	1/4		1/4		1/4		1/4		1/4	
1/2	883	1/2	1,892	1/2	2,901	1/2	3,910	1/2	4,919	1/2		1/2		1/2		1/2		1/2	
3/4	904	3/4	1,913	3/4	2,922	3/4	3,931	3/4	4,940	3/4		3/4		3/4		3/4		3/4	
11	925	11	1,934	11	2,943	11	3,952	11	4,961	11		11		11		11		11	
1/4	946	1/4	1,955	1/4	2,964	1/4	3,973	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	967	1/2	1,976	1/2	2,985	1/2	3,994	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	988	3/4	1,997	3/4	3,006	3/4	4,015	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	997	0	1,994	0	2,991	0	3,988	0		0		0		0		0	
1/4	21	1/4	1,018	1/4	2,015	1/4	3,012	1/4	4,009	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,039	1/2	2,036	1/2	3,033	1/2	4,030	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,059	3/4	2,056	3/4	3,053	3/4	4,051	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,080	1	2,077	1	3,074	1	4,071	1		1		1		1		1	
1/4	104	1/4	1,101	1/4	2,098	1/4	3,095	1/4	4,092	1/4		1/4		1/4		1/4		1/4	
1/2	125	1/2	1,122	1/2	2,119	1/2	3,116	1/2	4,113	1/2		1/2		1/2		1/2		1/2	
3/4	145	3/4	1,142	3/4	2,140	3/4	3,137	3/4	4,134	3/4		3/4		3/4		3/4		3/4	
2	166	2	1,163	2	2,160	2	3,157	2	4,154	2		2		2		2		2	
1/4	187	1/4	1,184	1/4	2,181	1/4	3,178	1/4	4,175	1/4		1/4		1/4		1/4		1/4	
1/2	208	1/2	1,205	1/2	2,202	1/2	3,199	1/2	4,196	1/2		1/2		1/2		1/2		1/2	
3/4	228	3/4	1,226	3/4	2,223	3/4	3,220	3/4	4,217	3/4		3/4		3/4		3/4		3/4	
3	249	3	1,246	3	2,243	3	3,240	3	4,237	3		3		3		3		3	
1/4	270	1/4	1,267	1/4	2,264	1/4	3,261	1/4	4,258	1/4		1/4		1/4		1/4		1/4	
1/2	291	1/2	1,288	1/2	2,285	1/2	3,282	1/2	4,279	1/2		1/2		1/2		1/2		1/2	
3/4	312	3/4	1,309	3/4	2,306	3/4	3,303	3/4	4,300	3/4		3/4		3/4		3/4		3/4	
4	332	4	1,329	4	2,326	4	3,324	4	4,321	4		4		4		4		4	
1/4	353	1/4	1,350	1/4	2,347	1/4	3,344	1/4	4,341	1/4		1/4		1/4		1/4		1/4	
1/2	374	1/2	1,371	1/2	2,368	1/2	3,365	1/2	4,362	1/2		1/2		1/2		1/2		1/2	
3/4	395	3/4	1,392	3/4	2,389	3/4	3,386	3/4	4,383	3/4		3/4		3/4		3/4		3/4	
5	415	5	1,412	5	2,410	5	3,407	5	4,404	5		5		5		5		5	
1/4	436	1/4	1,433	1/4	2,430	1/4	3,427	1/4	4,424	1/4		1/4		1/4		1/4		1/4	
1/2	457	1/2	1,454	1/2	2,451	1/2	3,448	1/2	4,445	1/2		1/2		1/2		1/2		1/2	
3/4	478	3/4	1,475	3/4	2,472	3/4	3,469	3/4	4,466	3/4		3/4		3/4		3/4		3/4	
6	499	6	1,496	6	2,493	6	3,490	6	4,487	6		6		6		6		6	
1/4	519	1/4	1,516	1/4	2,513	1/4	3,510	1/4	4,508	1/4		1/4		1/4		1/4		1/4	
1/2	540	1/2	1,537	1/2	2,534	1/2	3,531	1/2	4,528	1/2		1/2		1/2		1/2		1/2	
3/4	561	3/4	1,558	3/4	2,555	3/4	3,552	3/4	4,549	3/4		3/4		3/4		3/4		3/4	
7	582	7	1,579	7	2,576	7	3,573	7	4,570	7		7		7		7		7	
1/4	602	1/4	1,599	1/4	2,597	1/4	3,594	1/4	4,591	1/4		1/4		1/4		1/4		1/4	
1/2	623	1/2	1,620	1/2	2,617	1/2	3,614	1/2	4,611	1/2		1/2		1/2		1/2		1/2	
3/4	644	3/4	1,641	3/4	2,638	3/4	3,635	3/4	4,632	3/4		3/4		3/4		3/4		3/4	
8	665	8	1,662	8	2,659	8	3,656	8	4,653	8		8		8		8		8	
1/4	685	1/4	1,683	1/4	2,680	1/4	3,677	1/4	4,674	1/4		1/4		1/4		1/4		1/4	
1/2	706	1/2	1,703	1/2	2,700	1/2	3,697	1/2	4,694	1/2		1/2		1/2		1/2		1/2	
3/4	727	3/4	1,724	3/4	2,721	3/4	3,718	3/4	4,715	3/4		3/4		3/4		3/4		3/4	
9	748	9	1,745	9	2,742	9	3,739	9	4,736	9		9		9		9		9	
1/4	769	1/4	1,766	1/4	2,763	1/4	3,760	1/4	4,757	1/4		1/4		1/4		1/4		1/4	
1/2	789	1/2	1,786	1/2	2,783	1/2	3,781	1/2	4,778	1/2		1/2		1/2		1/2		1/2	
3/4	810	3/4	1,807	3/4	2,804	3/4	3,801	3/4	4,798	3/4		3/4		3/4		3/4		3/4	
10	831	10	1,828	10	2,825	10	3,822	10	4,819	10		10		10		10		10	
1/4	852	1/4	1,849	1/4	2,846	1/4	3,843	1/4	4,840	1/4		1/4		1/4		1/4		1/4	
1/2	872	1/2	1,869	1/2	2,867	1/2	3,864	1/2	4,861	1/2		1/2		1/2		1/2		1/2	
3/4	893	3/4	1,890	3/4	2,887	3/4	3,884	3/4	4,881	3/4		3/4		3/4		3/4		3/4	
11	914	11	1,911	11	2,908	11	3,905	11	4,902	11		11		11		11		11	
1/4	935	1/4	1,932	1/4	2,929	1/4	3,926	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	956	1/2	1,953	1/2	2,950	1/2	3,947	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	976	3/4	1,973	3/4	2,970	3/4	3,967	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.