



BARGE: GBL 4330

HULL No. JEFFBOAT 13-2803

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 3"

IN	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.			
	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
	0	14.56	0	347.83	0	697.29	0	1,045.55	0	1,394.41	0	1,743.55	0	2,093.03	0	2,442.50	0	2,791.76	0	3,140.84	0	3,489.92	0	3,839.00	0	4,188.08	0	4,537.16	0	4,886.24		

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.
 NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
 NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
 OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

DATE STRAPPED: 10/28/2014 BY: JMF
 DATE COMPUTED: 11/6/2014 BY: WHF
 DATE ISSUED: 11/8/2014

INTERTEK



BARGE: GBL 4330

HULL No. JEFFBOAT 13-2803

SLOP STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 7"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	71	6	549	0	1,092	6	1,635	0	2,177	6	2,720	0	3,263	6	3,806	0	4,349	6	4,892	0	5,298
1/8	77	1/8	560	1/8	1,103	1/8	1,646	1/8	2,189	1/8	2,732	1/8	3,274	1/8	3,817	1/8	4,360	1/8	4,903	1/8	5,301
1/4	83	1/4	571	1/4	1,114	1/4	1,657	1/4	2,200	1/4	2,743	1/4	3,286	1/4	3,829	1/4	4,371	1/4	4,914	1/4	5,304
3/8	89	3/8	583	3/8	1,126	3/8	1,668	3/8	2,211	3/8	2,754	3/8	3,297	3/8	3,840	3/8	4,383	3/8	4,926	3/8	5,307
1/2	96	1/2	594	1/2	1,137	1/2	1,680	1/2	2,223	1/2	2,766	1/2	3,308	1/2	3,851	1/2	4,394	1/2	4,937	1/2	5,309
5/8	103	5/8	605	5/8	1,148	5/8	1,691	5/8	2,234	5/8	2,777	5/8	3,320	5/8	3,863	5/8	4,405	5/8	4,948	5/8	5,311
3/4	110	3/4	617	3/4	1,160	3/4	1,702	3/4	2,245	3/4	2,788	3/4	3,331	3/4	3,874	3/4	4,417	3/4	4,960	3/4	5,313
7/8	117	7/8	628	7/8	1,171	7/8	1,714	7/8	2,257	7/8	2,799	7/8	3,342	7/8	3,885	7/8	4,428	7/8	4,971	7/8	5,315
1	125	7	639	1	1,182	7	1,725	1	2,268	7	2,811	1	3,354	7	3,896	1	4,439	7	4,982	1	5,317
1/8	132	1/8	651	1/8	1,194	1/8	1,736	1/8	2,279	1/8	2,822	1/8	3,365	1/8	3,908	1/8	4,451	1/8	4,993	1/8	5,318
1/4	140	1/4	662	1/4	1,205	1/4	1,748	1/4	2,291	1/4	2,833	1/4	3,376	1/4	3,919	1/4	4,462	1/4	5,005	1/4	5,319
3/8	149	3/8	673	3/8	1,216	3/8	1,759	3/8	2,302	3/8	2,845	3/8	3,388	3/8	3,930	3/8	4,473	3/8	5,016	3/8	5,320
1/2	157	1/2	685	1/2	1,227	1/2	1,770	1/2	2,313	1/2	2,856	1/2	3,399	1/2	3,942	1/2	4,485	1/2	5,027	1/2	5,320
5/8	166	5/8	696	5/8	1,239	5/8	1,782	5/8	2,324	5/8	2,867	5/8	3,410	5/8	3,953	5/8	4,496	5/8	5,039	5/8	5,321
3/4	175	3/4	707	3/4	1,250	3/4	1,793	3/4	2,336	3/4	2,879	3/4	3,421	3/4	3,964	3/4	4,507	3/4	5,050	3/4	5,321
7/8	184	7/8	719	7/8	1,261	7/8	1,804	7/8	2,347	7/8	2,890	7/8	3,433	7/8	3,976	7/8	4,518	7/8	5,061	7/8	
2	193	8	730	2	1,273	8	1,816	2	2,358	8	2,901	2	3,444	8	3,987	2	4,530	8	5,072	2	
1/8	203	1/8	741	1/8	1,284	1/8	1,827	1/8	2,370	1/8	2,913	1/8	3,455	1/8	3,998	1/8	4,541	1/8	5,083	1/8	
1/4	213	1/4	752	1/4	1,295	1/4	1,838	1/4	2,381	1/4	2,924	1/4	3,467	1/4	4,010	1/4	4,552	1/4	5,093	1/4	
3/8	223	3/8	764	3/8	1,307	3/8	1,849	3/8	2,392	3/8	2,935	3/8	3,478	3/8	4,021	3/8	4,564	3/8	5,104	3/8	
1/2	234	1/2	775	1/2	1,318	1/2	1,861	1/2	2,404	1/2	2,946	1/2	3,489	1/2	4,032	1/2	4,575	1/2	5,114	1/2	
5/8	244	5/8	786	5/8	1,329	5/8	1,872	5/8	2,415	5/8	2,958	5/8	3,501	5/8	4,043	5/8	4,586	5/8	5,123	5/8	
3/4	255	3/4	798	3/4	1,341	3/4	1,883	3/4	2,426	3/4	2,969	3/4	3,512	3/4	4,055	3/4	4,598	3/4	5,133	3/4	
7/8	266	7/8	809	7/8	1,352	7/8	1,895	7/8	2,438	7/8	2,980	7/8	3,523	7/8	4,066	7/8	4,609	7/8	5,142	7/8	
3	277	9	820	3	1,363	9	1,906	3	2,449	9	2,992	3	3,535	9	4,077	3	4,620	9	5,151	3	
1/8	289	1/8	832	1/8	1,374	1/8	1,917	1/8	2,460	1/8	3,003	1/8	3,546	1/8	4,089	1/8	4,632	1/8	5,160	1/8	
1/4	300	1/4	843	1/4	1,386	1/4	1,929	1/4	2,471	1/4	3,014	1/4	3,557	1/4	4,100	1/4	4,643	1/4	5,169	1/4	
3/8	311	3/8	854	3/8	1,397	3/8	1,940	3/8	2,483	3/8	3,026	3/8	3,568	3/8	4,111	3/8	4,654	3/8	5,177	3/8	
1/2	323	1/2	866	1/2	1,408	1/2	1,951	1/2	2,494	1/2	3,037	1/2	3,580	1/2	4,123	1/2	4,665	1/2	5,185	1/2	
5/8	334	5/8	877	5/8	1,420	5/8	1,963	5/8	2,505	5/8	3,048	5/8	3,591	5/8	4,134	5/8	4,677	5/8	5,193	5/8	
3/4	345	3/4	888	3/4	1,431	3/4	1,974	3/4	2,517	3/4	3,060	3/4	3,602	3/4	4,145	3/4	4,688	3/4	5,201	3/4	
7/8	357	7/8	899	7/8	1,442	7/8	1,985	7/8	2,528	7/8	3,071	7/8	3,614	7/8	4,157	7/8	4,699	7/8	5,208	7/8	
4	368	10	911	4	1,454	10	1,996	4	2,539	10	3,082	4	3,625	10	4,168	4	4,711	10	5,215	4	
1/8	379	1/8	922	1/8	1,465	1/8	2,008	1/8	2,551	1/8	3,093	1/8	3,636	1/8	4,179	1/8	4,722	1/8	5,222	1/8	
1/4	391	1/4	933	1/4	1,476	1/4	2,019	1/4	2,562	1/4	3,105	1/4	3,648	1/4	4,190	1/4	4,733	1/4	5,229	1/4	
3/8	402	3/8	945	3/8	1,488	3/8	2,030	3/8	2,573	3/8	3,116	3/8	3,659	3/8	4,202	3/8	4,745	3/8	5,235	3/8	
1/2	413	1/2	956	1/2	1,499	1/2	2,042	1/2	2,585	1/2	3,127	1/2	3,670	1/2	4,213	1/2	4,756	1/2	5,242	1/2	
5/8	424	5/8	967	5/8	1,510	5/8	2,053	5/8	2,596	5/8	3,139	5/8	3,682	5/8	4,224	5/8	4,767	5/8	5,248	5/8	
3/4	436	3/4	979	3/4	1,521	3/4	2,064	3/4	2,607	3/4	3,150	3/4	3,693	3/4	4,236	3/4	4,779	3/4	5,253	3/4	
7/8	447	7/8	990	7/8	1,533	7/8	2,076	7/8	2,618	7/8	3,161	7/8	3,704	7/8	4,247	7/8	4,790	7/8	5,259	7/8	
5	458	11	1,001	5	1,544	11	2,087	5	2,630	11	3,173	5	3,715	11	4,258	5	4,801	11	5,264	5	
1/8	470	1/8	1,013	1/8	1,555	1/8	2,098	1/8	2,641	1/8	3,184	1/8	3,727	1/8	4,270	1/8	4,812	1/8	5,269	1/8	
1/4	481	1/4	1,024	1/4	1,567	1/4	2,110	1/4	2,652	1/4	3,195	1/4	3,738	1/4	4,281	1/4	4,824	1/4	5,274	1/4	
3/8	492	3/8	1,035	3/8	1,578	3/8	2,121	3/8	2,664	3/8	3,207	3/8	3,749	3/8	4,292	3/8	4,835	3/8	5,279	3/8	
1/2	504	1/2	1,046	1/2	1,589	1/2	2,132	1/2	2,675	1/2	3,218	1/2	3,761	1/2	4,304	1/2	4,846	1/2	5,283	1/2	
5/8	515	5/8	1,058	5/8	1,601	5/8	2,143	5/8	2,686	5/8	3,229	5/8	3,772	5/8	4,315	5/8	4,858	5/8	5,287	5/8	
3/4	526	3/4	1,069	3/4	1,612	3/4	2,155	3/4	2,698	3/4	3,240	3/4	3,783	3/4	4,326	3/4	4,869	3/4	5,291	3/4	
7/8	538	7/8	1,080	7/8	1,623	7/8	2,166	7/8	2,709	7/8	3,252	7/8	3,795	7/8	4,337	7/8	4,880	7/8	5,294	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 10/28/2014 BY: JMF
DATE COMPUTED: 11/6/2014 BY: WHF
DATE ISSUED: 11/8/2014

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK

