



BARGE "GBL 5030"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 5'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 3 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 238'-06"

September 18, 2015

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 5030"

1 PORT

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	543	0	12,895	0	27,561	0	42,577	0	57,593	0	72,596	0	87,604	0	102,620	0	117,632	0	132,641
1/4	711	1/4	13,185	1/4	27,874	1/4	42,890	1/4	57,906	1/4	72,908	1/4	87,917	1/4	102,933	1/4	117,945	1/4	132,954
1/2	878	1/2	13,474	1/2	28,187	1/2	43,202	1/2	58,218	1/2	73,220	1/2	88,230	1/2	103,246	1/2	118,257	1/2	133,267
3/4	1,046	3/4	13,763	3/4	28,499	3/4	43,515	3/4	58,531	3/4	73,532	3/4	88,542	3/4	103,559	3/4	118,570	3/4	133,579
1	1,214	1	14,053	1	28,812	1	43,828	1	58,844	1	73,845	1	88,855	1	103,872	1	118,883	1	133,892
1/4	1,442	1/4	14,346	1/4	29,125	1/4	44,141	1/4	59,157	1/4	74,157	1/4	89,168	1/4	104,185	1/4	119,196	1/4	134,205
1/2	1,671	1/2	14,639	1/2	29,438	1/2	44,454	1/2	59,470	1/2	74,469	1/2	89,481	1/2	104,497	1/2	119,508	1/2	134,517
3/4	1,899	3/4	14,932	3/4	29,751	3/4	44,767	3/4	59,783	3/4	74,781	3/4	89,794	3/4	104,810	3/4	119,821	3/4	134,830
2	2,128	2	15,225	2	30,064	2	45,079	2	60,095	2	75,094	2	90,107	2	105,123	2	120,134	2	135,143
1/4	2,380	1/4	15,522	1/4	30,376	1/4	45,392	1/4	60,408	1/4	75,406	1/4	90,420	1/4	105,436	1/4	120,446	1/4	135,455
1/2	2,632	1/2	15,819	1/2	30,689	1/2	45,705	1/2	60,721	1/2	75,718	1/2	90,732	1/2	105,749	1/2	120,759	1/2	135,768
3/4	2,884	3/4	16,116	3/4	31,002	3/4	46,018	3/4	61,034	3/4	76,031	3/4	91,045	3/4	106,062	3/4	121,072	3/4	136,081
3	3,136	3	16,413	3	31,315	3	46,331	3	61,347	3	76,343	3	91,358	3	106,374	3	121,384	3	136,393
1/4	3,392	1/4	16,713	1/4	31,628	1/4	46,644	1/4	61,660	1/4	76,656	1/4	91,671	1/4	106,687	1/4	121,697	1/4	136,706
1/2	3,648	1/2	17,013	1/2	31,940	1/2	46,956	1/2	61,972	1/2	76,968	1/2	91,984	1/2	107,000	1/2	122,010	1/2	137,019
3/4	3,904	3/4	17,314	3/4	32,253	3/4	47,269	3/4	62,285	3/4	77,281	3/4	92,297	3/4	107,313	3/4	122,322	3/4	137,331
4	4,161	4	17,614	4	32,566	4	47,582	4	62,598	4	77,593	4	92,609	4	107,626	4	122,635	4	137,644
1/4	4,421	1/4	17,918	1/4	32,879	1/4	47,895	1/4	62,911	1/4	77,906	1/4	92,922	1/4	107,939	1/4	122,948	1/4	137,957
1/2	4,681	1/2	18,223	1/2	33,192	1/2	48,208	1/2	63,224	1/2	78,219	1/2	93,235	1/2	108,251	1/2	123,260	1/2	138,270
3/4	4,941	3/4	18,527	3/4	33,505	3/4	48,521	3/4	63,537	3/4	78,532	3/4	93,548	3/4	108,564	3/4	123,573	3/4	138,582
5	5,201	5	18,831	5	33,817	5	48,833	5	63,849	5	78,844	5	93,861	5	108,877	5	123,886	5	138,895
1/4	5,465	1/4	19,139	1/4	34,130	1/4	49,146	1/4	64,162	1/4	79,157	1/4	94,174	1/4	109,189	1/4	124,199	1/4	139,208
1/2	5,729	1/2	19,446	1/2	34,443	1/2	49,459	1/2	64,475	1/2	79,470	1/2	94,486	1/2	109,502	1/2	124,511	1/2	139,520
3/4	5,992	3/4	19,754	3/4	34,756	3/4	49,772	3/4	64,788	3/4	79,783	3/4	94,799	3/4	109,815	3/4	124,824	3/4	139,833
6	6,256	6	20,062	6	35,069	6	50,085	6	65,100	6	80,096	6	95,112	6	110,128	6	125,137	6	140,146
1/4	6,524	1/4	20,373	1/4	35,382	1/4	50,398	1/4	65,413	1/4	80,409	1/4	95,425	1/4	110,440	1/4	125,449	1/4	140,458
1/2	6,791	1/2	20,684	1/2	35,694	1/2	50,710	1/2	65,725	1/2	80,721	1/2	95,738	1/2	110,753	1/2	125,762	1/2	140,771
3/4	7,059	3/4	20,995	3/4	36,007	3/4	51,023	3/4	66,038	3/4	81,034	3/4	96,051	3/4	111,066	3/4	126,075	3/4	141,084
7	7,326	7	21,306	7	36,320	7	51,336	7	66,350	7	81,347	7	96,363	7	111,378	7	126,387	7	141,396
1/4	7,597	1/4	21,618	1/4	36,633	1/4	51,649	1/4	66,663	1/4	81,660	1/4	96,676	1/4	111,691	1/4	126,700	1/4	141,709
1/2	7,868	1/2	21,931	1/2	36,946	1/2	51,962	1/2	66,975	1/2	81,973	1/2	96,989	1/2	112,004	1/2	127,013	1/2	142,022
3/4	8,139	3/4	22,243	3/4	37,259	3/4	52,275	3/4	67,287	3/4	82,286	3/4	97,302	3/4	112,316	3/4	127,325	3/4	142,335
8	8,410	8	22,556	8	37,571	8	52,587	8	67,599	8	82,598	8	97,615	8	112,629	8	127,638	8	142,647
1/4	8,685	1/4	22,868	1/4	37,884	1/4	52,900	1/4	67,912	1/4	82,911	1/4	97,928	1/4	112,942	1/4	127,951	1/4	142,960
1/2	8,960	1/2	23,181	1/2	38,197	1/2	53,213	1/2	68,224	1/2	83,224	1/2	98,241	1/2	113,254	1/2	128,264	1/2	143,273
3/4	9,235	3/4	23,494	3/4	38,510	3/4	53,526	3/4	68,536	3/4	83,537	3/4	98,553	3/4	113,567	3/4	128,576	3/4	143,585
9	9,510	9	23,807	9	38,823	9	53,839	9	68,848	9	83,850	9	98,866	9	113,880	9	128,889	9	143,898
1/4	9,788	1/4	24,120	1/4	39,136	1/4	54,152	1/4	69,161	1/4	84,163	1/4	99,179	1/4	114,192	1/4	129,202	1/4	144,211
1/2	10,067	1/2	24,433	1/2	39,448	1/2	54,464	1/2	69,473	1/2	84,476	1/2	99,492	1/2	114,505	1/2	129,514	1/2	144,523
3/4	10,345	3/4	24,745	3/4	39,761	3/4	54,777	3/4	69,785	3/4	84,788	3/4	99,805	3/4	114,818	3/4	129,827	3/4	144,836
10	10,623	10	25,058	10	40,074	10	55,090	10	70,098	10	85,101	10	100,118	10	115,131	10	130,140	10	145,149
1/4	10,906	1/4	25,371	1/4	40,387	1/4	55,403	1/4	70,410	1/4	85,414	1/4	100,430	1/4	115,443	1/4	130,452	1/4	145,461
1/2	11,188	1/2	25,684	1/2	40,700	1/2	55,716	1/2	70,722	1/2	85,727	1/2	100,743	1/2	115,756	1/2	130,765	1/2	145,774
3/4	11,470	3/4	25,997	3/4	41,013	3/4	56,029	3/4	71,034	3/4	86,040	3/4	101,056	3/4	116,069	3/4	131,078	3/4	146,087
11	11,752	11	26,310	11	41,325	11	56,341	11	71,347	11	86,353	11	101,369	11	116,381	11	131,390	11	146,399
1/4	12,038	1/4	26,622	1/4	41,638	1/4	56,654	1/4	71,659	1/4	86,665	1/4	101,682	1/4	116,694	1/4	131,703	1/4	146,712
1/2	12,323	1/2	26,935	1/2	41,951	1/2	56,967	1/2	71,971	1/2	86,978	1/2	101,995	1/2	117,007	1/2	132,016	1/2	147,025
3/4	12,609	3/4	27,248	3/4	42,264	3/4	57,280	3/4	72,283	3/4	87,291	3/4	102,307	3/4	117,319	3/4	132,328	3/4	147,338

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,650	0	162,659	0	177,666	0	192,631	0	207,509	0		0		0		0		0	
1/4	147,963	1/4	162,972	1/4	177,978	1/4	192,943	1/4	207,804	1/4		1/4		1/4		1/4		1/4	
1/2	148,276	1/2	163,285	1/2	178,290	1/2	193,255	1/2	208,099	1/2		1/2		1/2		1/2		1/2	
3/4	148,588	3/4	163,597	3/4	178,601	3/4	193,567	3/4	208,394	3/4		3/4		3/4		3/4		3/4	
1	148,901	1	163,910	1	178,913	1	193,878	1	208,689	1	1			1		1		1	
1/4	149,214	1/4	164,223	1/4	179,225	1/4	194,190	1/4	208,949	1/4		1/4		1/4		1/4		1/4	
1/2	149,526	1/2	164,535	1/2	179,537	1/2	194,502	1/2	209,208	1/2		1/2		1/2		1/2		1/2	
3/4	149,839	3/4	164,848	3/4	179,849	3/4	194,814	3/4	209,468	3/4		3/4		3/4		3/4		3/4	
2	150,152	2	165,161	2	180,160	2	195,126	2	209,727	2	2			2		2		2	
1/4	150,464	1/4	165,474	1/4	180,472	1/4	195,436	1/4	209,942	1/4		1/4		1/4		1/4		1/4	
1/2	150,777	1/2	165,786	1/2	180,784	1/2	195,746	1/2	210,157	1/2		1/2		1/2		1/2		1/2	
3/4	151,090	3/4	166,099	3/4	181,096	3/4	196,057	3/4	210,371	3/4		3/4		3/4		3/4		3/4	
3	151,403	3	166,412	3	181,407	3	196,367	3	210,586	3	3			3		3		3	
1/4	151,715	1/4	166,724	1/4	181,719	1/4	196,677	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,028	1/2	167,037	1/2	182,031	1/2	196,986	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,341	3/4	167,350	3/4	182,343	3/4	197,296	3/4		3/4		3/4		3/4		3/4		3/4	
4	152,653	4	167,662	4	182,655	4	197,606	4	4		4			4		4		4	
1/4	152,966	1/4	167,975	1/4	182,966	1/4	197,915	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,279	1/2	168,288	1/2	183,278	1/2	198,225	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,591	3/4	168,600	3/4	183,590	3/4	198,534	3/4		3/4		3/4		3/4		3/4		3/4	
5	153,904	5	168,913	5	183,902	5	198,844	5	5		5			5		5		5	
1/4	154,217	1/4	169,226	1/4	184,213	1/4	199,154	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,529	1/2	169,538	1/2	184,525	1/2	199,463	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,842	3/4	169,851	3/4	184,837	3/4	199,773	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,155	6	170,164	6	185,149	6	200,082	6	6		6			6		6		6	
1/4	155,467	1/4	170,477	1/4	185,461	1/4	200,392	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,780	1/2	170,789	1/2	185,772	1/2	200,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,093	3/4	171,102	3/4	186,084	3/4	201,011	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,406	7	171,415	7	186,396	7	201,321	7	7		7			7		7		7	
1/4	156,718	1/4	171,727	1/4	186,708	1/4	201,630	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,031	1/2	172,040	1/2	187,019	1/2	201,940	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,344	3/4	172,353	3/4	187,331	3/4	202,249	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,656	8	172,665	8	187,643	8	202,559	8	8		8			8		8		8	
1/4	157,969	1/4	172,978	1/4	187,955	1/4	202,869	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,282	1/2	173,291	1/2	188,267	1/2	203,178	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,594	3/4	173,603	3/4	188,578	3/4	203,488	3/4		3/4		3/4		3/4		3/4		3/4	
9	158,907	9	173,916	9	188,890	9	203,797	9	9		9			9		9		9	
1/4	159,220	1/4	174,229	1/4	189,202	1/4	204,107	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,532	1/2	174,541	1/2	189,514	1/2	204,417	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,845	3/4	174,854	3/4	189,825	3/4	204,726	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,158	10	175,167	10	190,137	10	205,036	10	10		10			10		10		10	
1/4	160,470	1/4	175,480	1/4	190,449	1/4	205,346	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,783	1/2	175,792	1/2	190,761	1/2	205,655	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,096	3/4	176,105	3/4	191,073	3/4	205,964	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,409	11	176,418	11	191,384	11	206,274	11	11		11			11		11		11	
1/4	161,721	1/4	176,730	1/4	191,696	1/4	206,583	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,034	1/2	177,042	1/2	192,008	1/2	206,891	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,347	3/4	177,354	3/4	192,320	3/4	207,200	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

1 STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	543	0	12,895	0	27,561	0	42,577	0	57,593	0	72,546	0	87,525	0	102,541	0	117,553	0	132,562
1/4	711	1/4	13,185	1/4	27,874	1/4	42,890	1/4	57,906	1/4	72,856	1/4	87,837	1/4	102,854	1/4	117,865	1/4	132,874
1/2	878	1/2	13,474	1/2	28,187	1/2	43,202	1/2	58,218	1/2	73,167	1/2	88,150	1/2	103,167	1/2	118,178	1/2	133,187
3/4	1,046	3/4	13,763	3/4	28,499	3/4	43,515	3/4	58,531	3/4	73,477	3/4	88,463	3/4	103,479	3/4	118,491	3/4	133,500
1	1,214	1	14,053	1	28,812	1	43,828	1	58,844	1	73,787	1	88,776	1	103,792	1	118,803	1	133,812
1/4	1,442	1/4	14,346	1/4	29,125	1/4	44,141	1/4	59,157	1/4	74,098	1/4	89,089	1/4	104,105	1/4	119,116	1/4	134,125
1/2	1,671	1/2	14,639	1/2	29,438	1/2	44,454	1/2	59,470	1/2	74,408	1/2	89,402	1/2	104,418	1/2	119,429	1/2	134,438
3/4	1,899	3/4	14,932	3/4	29,751	3/4	44,767	3/4	59,783	3/4	74,719	3/4	89,714	3/4	104,731	3/4	119,741	3/4	134,751
2	2,128	2	15,225	2	30,064	2	45,079	2	60,095	2	75,029	2	90,027	2	105,044	2	120,054	2	135,063
1/4	2,380	1/4	15,522	1/4	30,376	1/4	45,392	1/4	60,408	1/4	75,340	1/4	90,340	1/4	105,356	1/4	120,367	1/4	135,376
1/2	2,632	1/2	15,819	1/2	30,689	1/2	45,705	1/2	60,721	1/2	75,650	1/2	90,653	1/2	105,669	1/2	120,680	1/2	135,689
3/4	2,884	3/4	16,116	3/4	31,002	3/4	46,018	3/4	61,034	3/4	75,961	3/4	90,966	3/4	105,982	3/4	120,992	3/4	136,001
3	3,136	3	16,413	3	31,315	3	46,331	3	61,347	3	76,272	3	91,279	3	106,295	3	121,305	3	136,314
1/4	3,392	1/4	16,713	1/4	31,628	1/4	46,644	1/4	61,659	1/4	76,583	1/4	91,591	1/4	106,608	1/4	121,618	1/4	136,627
1/2	3,648	1/2	17,013	1/2	31,940	1/2	46,956	1/2	61,972	1/2	76,894	1/2	91,904	1/2	106,921	1/2	121,930	1/2	136,939
3/4	3,904	3/4	17,314	3/4	32,253	3/4	47,269	3/4	62,284	3/4	77,205	3/4	92,217	3/4	107,234	3/4	122,243	3/4	137,252
4	4,161	4	17,614	4	32,566	4	47,582	4	62,597	4	77,516	4	92,530	4	107,546	4	122,556	4	137,565
1/4	4,421	1/4	17,918	1/4	32,879	1/4	47,895	1/4	62,909	1/4	77,828	1/4	92,843	1/4	107,859	1/4	122,868	1/4	137,877
1/2	4,681	1/2	18,223	1/2	33,192	1/2	48,208	1/2	63,221	1/2	78,140	1/2	93,156	1/2	108,172	1/2	123,181	1/2	138,190
3/4	4,941	3/4	18,527	3/4	33,505	3/4	48,521	3/4	63,533	3/4	78,453	3/4	93,468	3/4	108,485	3/4	123,494	3/4	138,503
5	5,201	5	18,831	5	33,817	5	48,833	5	63,845	5	78,765	5	93,781	5	108,797	5	123,806	5	138,816
1/4	5,465	1/4	19,139	1/4	34,130	1/4	49,146	1/4	64,157	1/4	79,078	1/4	94,094	1/4	109,110	1/4	124,119	1/4	139,128
1/2	5,729	1/2	19,446	1/2	34,443	1/2	49,459	1/2	64,469	1/2	79,391	1/2	94,407	1/2	109,423	1/2	124,432	1/2	139,441
3/4	5,992	3/4	19,754	3/4	34,756	3/4	49,772	3/4	64,780	3/4	79,703	3/4	94,720	3/4	109,735	3/4	124,744	3/4	139,754
6	6,256	6	20,062	6	35,069	6	50,085	6	65,092	6	80,016	6	95,033	6	110,048	6	125,057	6	140,066
1/4	6,524	1/4	20,373	1/4	35,382	1/4	50,398	1/4	65,403	1/4	80,329	1/4	95,346	1/4	110,361	1/4	125,370	1/4	140,379
1/2	6,791	1/2	20,684	1/2	35,694	1/2	50,710	1/2	65,714	1/2	80,642	1/2	95,658	1/2	110,673	1/2	125,683	1/2	140,692
3/4	7,059	3/4	20,995	3/4	36,007	3/4	51,023	3/4	66,025	3/4	80,955	3/4	95,971	3/4	110,986	3/4	125,995	3/4	141,004
7	7,326	7	21,306	7	36,320	7	51,336	7	66,336	7	81,268	7	96,284	7	111,299	7	126,308	7	141,317
1/4	7,597	1/4	21,618	1/4	36,633	1/4	51,649	1/4	66,647	1/4	81,581	1/4	96,597	1/4	111,612	1/4	126,621	1/4	141,630
1/2	7,868	1/2	21,931	1/2	36,946	1/2	51,962	1/2	66,957	1/2	81,893	1/2	96,910	1/2	111,924	1/2	126,933	1/2	141,942
3/4	8,139	3/4	22,243	3/4	37,259	3/4	52,275	3/4	67,268	3/4	82,206	3/4	97,223	3/4	112,237	3/4	127,246	3/4	142,255
8	8,410	8	22,556	8	37,571	8	52,587	8	67,578	8	82,519	8	97,535	8	112,550	8	127,559	8	142,568
1/4	8,685	1/4	22,868	1/4	37,884	1/4	52,900	1/4	67,889	1/4	82,832	1/4	97,848	1/4	112,862	1/4	127,871	1/4	142,880
1/2	8,960	1/2	23,181	1/2	38,197	1/2	53,213	1/2	68,199	1/2	83,145	1/2	98,161	1/2	113,175	1/2	128,184	1/2	143,193
3/4	9,235	3/4	23,494	3/4	38,510	3/4	53,526	3/4	68,510	3/4	83,458	3/4	98,474	3/4	113,488	3/4	128,497	3/4	143,506
9	9,510	9	23,807	9	38,823	9	53,839	9	68,820	9	83,770	9	98,787	9	113,800	9	128,809	9	143,819
1/4	9,788	1/4	24,120	1/4	39,136	1/4	54,152	1/4	69,130	1/4	84,083	1/4	99,100	1/4	114,113	1/4	129,122	1/4	144,131
1/2	10,067	1/2	24,433	1/2	39,448	1/2	54,464	1/2	69,441	1/2	84,396	1/2	99,412	1/2	114,426	1/2	129,435	1/2	144,444
3/4	10,345	3/4	24,745	3/4	39,761	3/4	54,777	3/4	69,751	3/4	84,709	3/4	99,725	3/4	114,738	3/4	129,748	3/4	144,757
10	10,623	10	25,058	10	40,074	10	55,090	10	70,062	10	85,022	10	100,038	10	115,051	10	130,060	10	145,069
1/4	10,906	1/4	25,371	1/4	40,387	1/4	55,403	1/4	70,372	1/4	85,335	1/4	100,351	1/4	115,364	1/4	130,373	1/4	145,382
1/2	11,188	1/2	25,684	1/2	40,700	1/2	55,716	1/2	70,683	1/2	85,647	1/2	100,664	1/2	115,677	1/2	130,686	1/2	145,695
3/4	11,470	3/4	25,997	3/4	41,013	3/4	56,029	3/4	70,993	3/4	85,960	3/4	100,977	3/4	115,989	3/4	130,998	3/4	146,007
11	11,752	11	26,310	11	41,325	11	56,341	11	71,304	11	86,273	11	101,290	11	116,302	11	131,311	11	146,320
1/4	12,038	1/4	26,622	1/4	41,638	1/4	56,654	1/4	71,614	1/4	86,586	1/4	101,602	1/4	116,615	1/4	131,624	1/4	146,633
1/2	12,323	1/2	26,935	1/2	41,951	1/2	56,967	1/2	71,925	1/2	86,899	1/2	101,915	1/2	116,927	1/2	131,936	1/2	146,945
3/4	12,609	3/4	27,248	3/4	42,264	3/4	57,280	3/4	72,235	3/4	87,212	3/4	102,228	3/4	117,240	3/4	132,249	3/4	147,258

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-06" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,571	0	162,580	0	177,587	0	192,552	0	207,429	0		0		0		0		0	
1/4	147,883	1/4	162,893	1/4	177,898	1/4	192,864	1/4	207,724	1/4		1/4		1/4		1/4		1/4	
1/2	148,196	1/2	163,205	1/2	178,210	1/2	193,176	1/2	208,020	1/2		1/2		1/2		1/2		1/2	
3/4	148,509	3/4	163,518	3/4	178,522	3/4	193,487	3/4	208,315	3/4		3/4		3/4		3/4		3/4	
1	148,822	1	163,831	1	178,834	1	193,799	1	208,610	1	1	1		1		1		1	
1/4	149,134	1/4	164,143	1/4	179,146	1/4	194,111	1/4	208,869	1/4		1/4		1/4		1/4		1/4	
1/2	149,447	1/2	164,456	1/2	179,457	1/2	194,423	1/2	209,129	1/2		1/2		1/2		1/2		1/2	
3/4	149,760	3/4	164,769	3/4	179,769	3/4	194,734	3/4	209,388	3/4		3/4		3/4		3/4		3/4	
2	150,072	2	165,081	2	180,081	2	195,046	2	209,648	2	2	2		2		2		2	
1/4	150,385	1/4	165,394	1/4	180,393	1/4	195,357	1/4	209,862	1/4		1/4		1/4		1/4		1/4	
1/2	150,698	1/2	165,707	1/2	180,704	1/2	195,667	1/2	210,077	1/2		1/2		1/2		1/2		1/2	
3/4	151,010	3/4	166,019	3/4	181,016	3/4	195,977	3/4	210,292	3/4		3/4		3/4		3/4		3/4	
3	151,323	3	166,332	3	181,328	3	196,288	3	210,507	3	3	3		3		3		3	
1/4	151,636	1/4	166,645	1/4	181,640	1/4	196,597	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	151,948	1/2	166,958	1/2	181,952	1/2	196,907	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,261	3/4	167,270	3/4	182,263	3/4	197,217	3/4		3/4		3/4		3/4		3/4		3/4	
4	152,574	4	167,583	4	182,575	4	197,526	4	4	4	4	4		4		4		4	
1/4	152,887	1/4	167,896	1/4	182,887	1/4	197,836	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,199	1/2	168,208	1/2	183,199	1/2	198,145	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,512	3/4	168,521	3/4	183,510	3/4	198,455	3/4		3/4		3/4		3/4		3/4		3/4	
5	153,825	5	168,834	5	183,822	5	198,765	5	5	5	5	5		5		5		5	
1/4	154,137	1/4	169,146	1/4	184,134	1/4	199,074	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,450	1/2	169,459	1/2	184,446	1/2	199,384	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,763	3/4	169,772	3/4	184,758	3/4	199,693	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,075	6	170,084	6	185,069	6	200,003	6	6	6	6	6		6		6		6	
1/4	155,388	1/4	170,397	1/4	185,381	1/4	200,312	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,701	1/2	170,710	1/2	185,693	1/2	200,622	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,013	3/4	171,022	3/4	186,005	3/4	200,932	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,326	7	171,335	7	186,316	7	201,241	7	7	7	7	7		7		7		7	
1/4	156,639	1/4	171,648	1/4	186,628	1/4	201,551	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,951	1/2	171,961	1/2	186,940	1/2	201,860	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,264	3/4	172,273	3/4	187,252	3/4	202,170	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,577	8	172,586	8	187,564	8	202,480	8	8	8	8	8		8		8		8	
1/4	157,890	1/4	172,899	1/4	187,875	1/4	202,789	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,202	1/2	173,211	1/2	188,187	1/2	203,099	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,515	3/4	173,524	3/4	188,499	3/4	203,408	3/4		3/4		3/4		3/4		3/4		3/4	
9	158,828	9	173,837	9	188,811	9	203,718	9	9	9	9	9		9		9		9	
1/4	159,140	1/4	174,149	1/4	189,122	1/4	204,028	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,453	1/2	174,462	1/2	189,434	1/2	204,337	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,766	3/4	174,775	3/4	189,746	3/4	204,647	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,078	10	175,087	10	190,058	10	204,957	10	10	10	10	10		10		10		10	
1/4	160,391	1/4	175,400	1/4	190,370	1/4	205,266	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,704	1/2	175,713	1/2	190,681	1/2	205,576	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,016	3/4	176,026	3/4	190,993	3/4	205,885	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,329	11	176,338	11	191,305	11	206,194	11	11	11	11	11		11		11		11	
1/4	161,642	1/4	176,650	1/4	191,617	1/4	206,503	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,954	1/2	176,962	1/2	191,928	1/2	206,812	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,267	3/4	177,275	3/4	192,240	3/4	207,120	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	631	0	15,259	0	30,340	0	45,407	0	60,482	0	75,564	0	90,646	0	105,728	0	120,806	0	135,881
1/4	853	1/4	15,573	1/4	30,655	1/4	45,721	1/4	60,796	1/4	75,878	1/4	90,960	1/4	106,043	1/4	121,120	1/4	136,195
1/2	1,076	1/2	15,887	1/2	30,969	1/2	46,034	1/2	61,110	1/2	76,193	1/2	91,275	1/2	106,357	1/2	121,434	1/2	136,509
3/4	1,298	3/4	16,201	3/4	31,283	3/4	46,348	3/4	61,425	3/4	76,507	3/4	91,589	3/4	106,671	3/4	121,748	3/4	136,823
1	1,521	1	16,516	1	31,597	1	46,662	1	61,739	1	76,821	1	91,903	1	106,985	1	122,062	1	137,137
1/4	1,814	1/4	16,830	1/4	31,911	1/4	46,975	1/4	62,053	1/4	77,135	1/4	92,217	1/4	107,299	1/4	122,376	1/4	137,451
1/2	2,108	1/2	17,144	1/2	32,226	1/2	47,289	1/2	62,367	1/2	77,449	1/2	92,531	1/2	107,614	1/2	122,690	1/2	137,765
3/4	2,402	3/4	17,458	3/4	32,540	3/4	47,603	3/4	62,681	3/4	77,764	3/4	92,846	3/4	107,928	3/4	123,004	3/4	138,079
2	2,695	2	17,772	2	32,854	2	47,916	2	62,996	2	78,078	2	93,160	2	108,242	2	123,318	2	138,393
1/4	3,008	1/4	18,087	1/4	33,168	1/4	48,230	1/4	63,310	1/4	78,392	1/4	93,474	1/4	108,556	1/4	123,632	1/4	138,707
1/2	3,322	1/2	18,401	1/2	33,483	1/2	48,544	1/2	63,624	1/2	78,706	1/2	93,788	1/2	108,870	1/2	123,946	1/2	139,021
3/4	3,635	3/4	18,715	3/4	33,797	3/4	48,857	3/4	63,938	3/4	79,020	3/4	94,103	3/4	109,185	3/4	124,260	3/4	139,335
3	3,948	3	19,029	3	34,111	3	49,171	3	64,253	3	79,335	3	94,417	3	109,499	3	124,575	3	139,649
1/4	4,262	1/4	19,343	1/4	34,425	1/4	49,485	1/4	64,567	1/4	79,649	1/4	94,731	1/4	109,813	1/4	124,889	1/4	139,963
1/2	4,576	1/2	19,658	1/2	34,739	1/2	49,799	1/2	64,881	1/2	79,963	1/2	95,045	1/2	110,127	1/2	125,203	1/2	140,277
3/4	4,890	3/4	19,972	3/4	35,054	3/4	50,113	3/4	65,195	3/4	80,277	3/4	95,359	3/4	110,442	3/4	125,517	3/4	140,591
4	5,204	4	20,286	4	35,368	4	50,427	4	65,509	4	80,591	4	95,674	4	110,756	4	125,831	4	140,906
1/4	5,519	1/4	20,600	1/4	35,682	1/4	50,741	1/4	65,824	1/4	80,906	1/4	95,988	1/4	111,070	1/4	126,145	1/4	141,220
1/2	5,833	1/2	20,914	1/2	35,996	1/2	51,056	1/2	66,138	1/2	81,220	1/2	96,302	1/2	111,384	1/2	126,459	1/2	141,534
3/4	6,147	3/4	21,229	3/4	36,310	3/4	51,370	3/4	66,452	3/4	81,534	3/4	96,616	3/4	111,698	3/4	126,773	3/4	141,848
5	6,461	5	21,543	5	36,625	5	51,684	5	66,766	5	81,848	5	96,930	5	112,012	5	127,087	5	142,162
1/4	6,775	1/4	21,857	1/4	36,938	1/4	51,998	1/4	67,080	1/4	82,163	1/4	97,245	1/4	112,326	1/4	127,401	1/4	142,476
1/2	7,090	1/2	22,171	1/2	37,252	1/2	52,313	1/2	67,395	1/2	82,477	1/2	97,559	1/2	112,640	1/2	127,715	1/2	142,790
3/4	7,404	3/4	22,485	3/4	37,566	3/4	52,627	3/4	67,709	3/4	82,791	3/4	97,873	3/4	112,954	3/4	128,029	3/4	143,104
6	7,718	6	22,800	6	37,880	6	52,941	6	68,023	6	83,105	6	98,187	6	113,268	6	128,343	6	143,418
1/4	8,032	1/4	23,114	1/4	38,194	1/4	53,255	1/4	68,337	1/4	83,419	1/4	98,501	1/4	113,582	1/4	128,657	1/4	143,732
1/2	8,346	1/2	23,428	1/2	38,508	1/2	53,569	1/2	68,651	1/2	83,734	1/2	98,816	1/2	113,897	1/2	128,971	1/2	144,046
3/4	8,661	3/4	23,742	3/4	38,821	3/4	53,884	3/4	68,966	3/4	84,048	3/4	99,130	3/4	114,211	3/4	129,285	3/4	144,360
7	8,975	7	24,056	7	39,135	7	54,198	7	69,280	7	84,362	7	99,444	7	114,525	7	129,599	7	144,674
1/4	9,289	1/4	24,371	1/4	39,449	1/4	54,512	1/4	69,594	1/4	84,676	1/4	99,758	1/4	114,839	1/4	129,913	1/4	144,988
1/2	9,603	1/2	24,685	1/2	39,762	1/2	54,826	1/2	69,908	1/2	84,990	1/2	100,073	1/2	115,153	1/2	130,228	1/2	145,302
3/4	9,917	3/4	24,999	3/4	40,076	3/4	55,140	3/4	70,223	3/4	85,305	3/4	100,387	3/4	115,467	3/4	130,542	3/4	145,616
8	10,232	8	25,313	8	40,389	8	55,455	8	70,537	8	85,619	8	100,701	8	115,781	8	130,856	8	145,930
1/4	10,546	1/4	25,627	1/4	40,703	1/4	55,769	1/4	70,851	1/4	85,933	1/4	101,015	1/4	116,095	1/4	131,170	1/4	146,245
1/2	10,860	1/2	25,942	1/2	41,017	1/2	56,083	1/2	71,165	1/2	86,247	1/2	101,329	1/2	116,409	1/2	131,484	1/2	146,559
3/4	11,174	3/4	26,256	3/4	41,330	3/4	56,397	3/4	71,479	3/4	86,561	3/4	101,644	3/4	116,723	3/4	131,798	3/4	146,873
9	11,488	9	26,570	9	41,644	9	56,711	9	71,794	9	86,876	9	101,958	9	117,037	9	132,112	9	147,187
1/4	11,803	1/4	26,884	1/4	41,957	1/4	57,026	1/4	72,108	1/4	87,190	1/4	102,272	1/4	117,351	1/4	132,426	1/4	147,501
1/2	12,117	1/2	27,198	1/2	42,271	1/2	57,340	1/2	72,422	1/2	87,504	1/2	102,586	1/2	117,665	1/2	132,740	1/2	147,815
3/4	12,431	3/4	27,513	3/4	42,585	3/4	57,654	3/4	72,736	3/4	87,818	3/4	102,900	3/4	117,979	3/4	133,054	3/4	148,129
10	12,745	10	27,827	10	42,898	10	57,968	10	73,050	10	88,133	10	103,215	10	118,293	10	133,368	10	148,443
1/4	13,059	1/4	28,141	1/4	43,212	1/4	58,283	1/4	73,365	1/4	88,447	1/4	103,529	1/4	118,607	1/4	133,682	1/4	148,757
1/2	13,374	1/2	28,455	1/2	43,526	1/2	58,597	1/2	73,679	1/2	88,761	1/2	103,843	1/2	118,921	1/2	133,996	1/2	149,071
3/4	13,688	3/4	28,769	3/4	43,839	3/4	58,911	3/4	73,993	3/4	89,075	3/4	104,157	3/4	119,236	3/4	134,310	3/4	149,385
11	14,002	11	29,084	11	44,153	11	59,225	11	74,307	11	89,389	11	104,472	11	119,550	11	134,624	11	149,699
1/4	14,316	1/4	29,398	1/4	44,466	1/4	59,539	1/4	74,621	1/4	89,704	1/4	104,786	1/4	119,864	1/4	134,938	1/4	150,013
1/2	14,630	1/2	29,712	1/2	44,780	1/2	59,854	1/2	74,936	1/2	90,018	1/2	105,100	1/2	120,178	1/2	135,252	1/2	150,327
3/4	14,945	3/4	30,026	3/4	45,094	3/4	60,168	3/4	75,250	3/4	90,332	3/4	105,414	3/4	120,492	3/4	135,567	3/4	150,641

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-06" OFF CENTERLINE AND 43'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,955	0	166,030	0	181,103	0	196,134	0	211,076	0		0		0		0		0	
1/4	151,269	1/4	166,344	1/4	181,416	1/4	196,447	1/4	211,373	1/4		1/4		1/4		1/4		1/4	
1/2	151,584	1/2	166,658	1/2	181,729	1/2	196,760	1/2	211,669	1/2		1/2		1/2		1/2		1/2	
3/4	151,898	3/4	166,972	3/4	182,042	3/4	197,073	3/4	211,966	3/4		3/4		3/4		3/4		3/4	
1	152,212	1	167,286	1	182,355	1	197,386	1	212,262	1	1	1		1		1		1	
1/4	152,526	1/4	167,600	1/4	182,668	1/4	197,699	1/4	212,523	1/4		1/4		1/4		1/4		1/4	
1/2	152,840	1/2	167,915	1/2	182,982	1/2	198,013	1/2	212,783	1/2		1/2		1/2		1/2		1/2	
3/4	153,154	3/4	168,229	3/4	183,295	3/4	198,326	3/4	213,044	3/4		3/4		3/4		3/4		3/4	
2	153,468	2	168,543	2	183,608	2	198,639	2	213,305	2	2	2		2		2		2	
1/4	153,782	1/4	168,857	1/4	183,921	1/4	198,951	1/4	213,520	1/4		1/4		1/4		1/4		1/4	
1/2	154,096	1/2	169,171	1/2	184,234	1/2	199,262	1/2	213,736	1/2		1/2		1/2		1/2		1/2	
3/4	154,410	3/4	169,485	3/4	184,547	3/4	199,574	3/4	213,952	3/4		3/4		3/4		3/4		3/4	
3	154,724	3	169,799	3	184,860	3	199,886	3	214,168	3	3	3		3		3		3	
1/4	155,038	1/4	170,113	1/4	185,174	1/4	200,197	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,352	1/2	170,427	1/2	185,487	1/2	200,508	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,666	3/4	170,741	3/4	185,800	3/4	200,819	3/4		3/4		3/4		3/4		3/4		3/4	
4	155,980	4	171,055	4	186,113	4	201,130	4	201,130	4	4	4		4		4		4	
1/4	156,294	1/4	171,369	1/4	186,426	1/4	201,441	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,608	1/2	171,683	1/2	186,739	1/2	201,752	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,923	3/4	171,997	3/4	187,052	3/4	202,063	3/4		3/4		3/4		3/4		3/4		3/4	
5	157,237	5	172,311	5	187,366	5	202,374	5	202,374	5	5	5		5		5		5	
1/4	157,551	1/4	172,625	1/4	187,679	1/4	202,685	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,865	1/2	172,939	1/2	187,992	1/2	202,996	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,179	3/4	173,254	3/4	188,305	3/4	203,307	3/4		3/4		3/4		3/4		3/4		3/4	
6	158,493	6	173,568	6	188,618	6	203,617	6	203,617	6	6	6		6		6		6	
1/4	158,807	1/4	173,882	1/4	188,931	1/4	203,928	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,121	1/2	174,196	1/2	189,244	1/2	204,239	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,435	3/4	174,510	3/4	189,558	3/4	204,550	3/4		3/4		3/4		3/4		3/4		3/4	
7	159,749	7	174,824	7	189,871	7	204,861	7	204,861	7	7	7		7		7		7	
1/4	160,063	1/4	175,138	1/4	190,184	1/4	205,172	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,377	1/2	175,452	1/2	190,497	1/2	205,483	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,691	3/4	175,766	3/4	190,810	3/4	205,794	3/4		3/4		3/4		3/4		3/4		3/4	
8	161,005	8	176,080	8	191,123	8	206,105	8	206,105	8	8	8		8		8		8	
1/4	161,319	1/4	176,394	1/4	191,437	1/4	206,416	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,633	1/2	176,708	1/2	191,750	1/2	206,727	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,947	3/4	177,022	3/4	192,063	3/4	207,038	3/4		3/4		3/4		3/4		3/4		3/4	
9	162,261	9	177,336	9	192,376	9	207,349	9	207,349	9	9	9		9		9		9	
1/4	162,576	1/4	177,650	1/4	192,689	1/4	207,660	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,890	1/2	177,964	1/2	193,002	1/2	207,971	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,204	3/4	178,278	3/4	193,315	3/4	208,282	3/4		3/4		3/4		3/4		3/4		3/4	
10	163,518	10	178,593	10	193,629	10	208,593	10	208,593	10	10	10		10		10		10	
1/4	163,832	1/4	178,907	1/4	193,942	1/4	208,904	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,146	1/2	179,221	1/2	194,255	1/2	209,215	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,460	3/4	179,535	3/4	194,568	3/4	209,525	3/4		3/4		3/4		3/4		3/4		3/4	
11	164,774	11	179,849	11	194,881	11	209,836	11	209,836	11	11	11		11		11		11	
1/4	165,088	1/4	180,162	1/4	195,194	1/4	210,146	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,402	1/2	180,476	1/2	195,507	1/2	210,456	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,716	3/4	180,789	3/4	195,821	3/4	210,766	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

2 STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	631	0	15,259	0	30,340	0	45,407	0	60,281	0	75,084	0	90,076	0	105,158	0	120,235	0	135,310
1/4	853	1/4	15,573	1/4	30,655	1/4	45,721	1/4	60,590	1/4	75,392	1/4	90,390	1/4	105,472	1/4	120,549	1/4	135,624
1/2	1,076	1/2	15,887	1/2	30,969	1/2	46,034	1/2	60,898	1/2	75,701	1/2	90,704	1/2	105,786	1/2	120,864	1/2	135,938
3/4	1,298	3/4	16,201	3/4	31,283	3/4	46,348	3/4	61,206	3/4	76,009	3/4	91,018	3/4	106,101	3/4	121,178	3/4	136,252
1	1,521	1	16,516	1	31,597	1	46,662	1	61,515	1	76,317	1	91,333	1	106,415	1	121,492	1	136,566
1/4	1,814	1/4	16,830	1/4	31,911	1/4	46,975	1/4	61,823	1/4	76,626	1/4	91,647	1/4	106,729	1/4	121,806	1/4	136,880
1/2	2,108	1/2	17,144	1/2	32,226	1/2	47,289	1/2	62,132	1/2	76,934	1/2	91,961	1/2	107,043	1/2	122,120	1/2	137,195
3/4	2,402	3/4	17,458	3/4	32,540	3/4	47,603	3/4	62,440	3/4	77,243	3/4	92,275	3/4	107,357	3/4	122,434	3/4	137,509
2	2,695	2	17,772	2	32,854	2	47,916	2	62,748	2	77,551	2	92,590	2	107,672	2	122,748	2	137,823
1/4	3,008	1/4	18,087	1/4	33,168	1/4	48,230	1/4	63,057	1/4	77,859	1/4	92,904	1/4	107,986	1/4	123,062	1/4	138,137
1/2	3,322	1/2	18,401	1/2	33,483	1/2	48,544	1/2	63,365	1/2	78,168	1/2	93,218	1/2	108,300	1/2	123,376	1/2	138,451
3/4	3,635	3/4	18,715	3/4	33,797	3/4	48,857	3/4	63,673	3/4	78,476	3/4	93,532	3/4	108,614	3/4	123,690	3/4	138,765
3	3,948	3	19,029	3	34,111	3	49,171	3	63,982	3	78,785	3	93,846	3	108,928	3	124,004	3	139,079
1/4	4,262	1/4	19,343	1/4	34,425	1/4	49,481	1/4	64,290	1/4	79,095	1/4	94,161	1/4	109,243	1/4	124,318	1/4	139,393
1/2	4,576	1/2	19,658	1/2	34,739	1/2	49,792	1/2	64,599	1/2	79,405	1/2	94,475	1/2	109,557	1/2	124,632	1/2	139,707
3/4	4,890	3/4	19,972	3/4	35,054	3/4	50,102	3/4	64,907	3/4	79,715	3/4	94,789	3/4	109,871	3/4	124,946	3/4	140,021
4	5,204	4	20,286	4	35,368	4	50,413	4	65,215	4	80,025	4	95,103	4	110,185	4	125,260	4	140,335
1/4	5,519	1/4	20,600	1/4	35,682	1/4	50,721	1/4	65,524	1/4	80,339	1/4	95,417	1/4	110,499	1/4	125,574	1/4	140,649
1/2	5,833	1/2	20,914	1/2	35,996	1/2	51,029	1/2	65,832	1/2	80,652	1/2	95,732	1/2	110,814	1/2	125,888	1/2	140,963
3/4	6,147	3/4	21,229	3/4	36,310	3/4	51,338	3/4	66,141	3/4	80,965	3/4	96,046	3/4	111,128	3/4	126,203	3/4	141,277
5	6,461	5	21,543	5	36,625	5	51,646	5	66,449	5	81,278	5	96,360	5	111,442	5	126,517	5	141,591
1/4	6,775	1/4	21,857	1/4	36,938	1/4	51,955	1/4	66,757	1/4	81,592	1/4	96,674	1/4	111,756	1/4	126,831	1/4	141,905
1/2	7,090	1/2	22,171	1/2	37,252	1/2	52,263	1/2	67,066	1/2	81,906	1/2	96,988	1/2	112,070	1/2	127,145	1/2	142,219
3/4	7,404	3/4	22,485	3/4	37,566	3/4	52,571	3/4	67,374	3/4	82,221	3/4	97,303	3/4	112,384	3/4	127,459	3/4	142,534
6	7,718	6	22,800	6	37,880	6	52,880	6	67,683	6	82,535	6	97,617	6	112,698	6	127,773	6	142,848
1/4	8,032	1/4	23,114	1/4	38,194	1/4	53,188	1/4	67,991	1/4	82,849	1/4	97,931	1/4	113,012	1/4	128,087	1/4	143,162
1/2	8,346	1/2	23,428	1/2	38,508	1/2	53,497	1/2	68,299	1/2	83,163	1/2	98,245	1/2	113,326	1/2	128,401	1/2	143,476
3/4	8,661	3/4	23,742	3/4	38,821	3/4	53,805	3/4	68,608	3/4	83,477	3/4	98,560	3/4	113,640	3/4	128,715	3/4	143,790
7	8,975	7	24,056	7	39,135	7	54,113	7	68,916	7	83,792	7	98,874	7	113,954	7	129,029	7	144,104
1/4	9,289	1/4	24,371	1/4	39,449	1/4	54,422	1/4	69,225	1/4	84,106	1/4	99,188	1/4	114,268	1/4	129,343	1/4	144,418
1/2	9,603	1/2	24,685	1/2	39,762	1/2	54,730	1/2	69,533	1/2	84,420	1/2	99,502	1/2	114,582	1/2	129,657	1/2	144,732
3/4	9,917	3/4	24,999	3/4	40,076	3/4	55,039	3/4	69,841	3/4	84,734	3/4	99,816	3/4	114,896	3/4	129,971	3/4	145,046
8	10,232	8	25,313	8	40,389	8	55,347	8	70,150	8	85,048	8	100,131	8	115,210	8	130,285	8	145,360
1/4	10,546	1/4	25,627	1/4	40,703	1/4	55,655	1/4	70,458	1/4	85,363	1/4	100,445	1/4	115,525	1/4	130,599	1/4	145,674
1/2	10,860	1/2	25,942	1/2	41,017	1/2	55,964	1/2	70,766	1/2	85,677	1/2	100,759	1/2	115,839	1/2	130,913	1/2	145,988
3/4	11,174	3/4	26,256	3/4	41,330	3/4	56,272	3/4	71,075	3/4	85,991	3/4	101,073	3/4	116,153	3/4	131,227	3/4	146,302
9	11,488	9	26,570	9	41,644	9	56,581	9	71,383	9	86,305	9	101,387	9	116,467	9	131,542	9	146,616
1/4	11,803	1/4	26,884	1/4	41,957	1/4	56,889	1/4	71,692	1/4	86,620	1/4	101,702	1/4	116,781	1/4	131,856	1/4	146,930
1/2	12,117	1/2	27,198	1/2	42,271	1/2	57,197	1/2	72,000	1/2	86,934	1/2	102,016	1/2	117,095	1/2	132,170	1/2	147,244
3/4	12,431	3/4	27,513	3/4	42,585	3/4	57,506	3/4	72,308	3/4	87,248	3/4	102,330	3/4	117,409	3/4	132,484	3/4	147,558
10	12,745	10	27,827	10	42,898	10	57,814	10	72,617	10	87,562	10	102,644	10	117,723	10	132,798	10	147,873
1/4	13,059	1/4	28,141	1/4	43,212	1/4	58,122	1/4	72,925	1/4	87,876	1/4	102,958	1/4	118,037	1/4	133,112	1/4	148,187
1/2	13,374	1/2	28,455	1/2	43,526	1/2	58,431	1/2	73,234	1/2	88,191	1/2	103,273	1/2	118,351	1/2	133,426	1/2	148,501
3/4	13,688	3/4	28,769	3/4	43,839	3/4	58,739	3/4	73,542	3/4	88,505	3/4	103,587	3/4	118,665	3/4	133,740	3/4	148,815
11	14,002	11	29,084	11	44,153	11	59,048	11	73,850	11	88,819	11	103,901	11	118,979	11	134,054	11	149,129
1/4	14,316	1/4	29,398	1/4	44,466	1/4	59,356	1/4	74,159	1/4	89,133	1/4	104,215	1/4	119,293	1/4	134,368	1/4	149,443
1/2	14,630	1/2	29,712	1/2	44,780	1/2	59,664	1/2	74,467	1/2	89,447	1/2	104,530	1/2	119,607	1/2	134,682	1/2	149,757
3/4	14,945	3/4	30,026	3/4	45,094	3/4	59,973	3/4	74,776	3/4	89,762	3/4	104,844	3/4	119,921	3/4	134,996	3/4	150,071

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-06" OFF CENTERLINE AND 43'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,385	0	165,460	0	180,532	0	195,563	0	210,506	0		0		0		0		0	
1/4	150,699	1/4	165,774	1/4	180,845	1/4	195,876	1/4	210,803	1/4		1/4		1/4		1/4		1/4	
1/2	151,013	1/2	166,088	1/2	181,159	1/2	196,190	1/2	211,099	1/2		1/2		1/2		1/2		1/2	
3/4	151,327	3/4	166,402	3/4	181,472	3/4	196,503	3/4	211,395	3/4		3/4		3/4		3/4		3/4	
1	151,641	1	166,716	1	181,785	1	196,816	1	211,692	1	1			1		1		1	
1/4	151,955	1/4	167,030	1/4	182,098	1/4	197,129	1/4	211,953	1/4		1/4		1/4		1/4		1/4	
1/2	152,269	1/2	167,344	1/2	182,411	1/2	197,442	1/2	212,213	1/2		1/2		1/2		1/2		1/2	
3/4	152,583	3/4	167,658	3/4	182,724	3/4	197,755	3/4	212,474	3/4		3/4		3/4		3/4		3/4	
2	152,897	2	167,972	2	183,037	2	198,068	2	212,734	2	2			2		2		2	
1/4	153,212	1/4	168,286	1/4	183,351	1/4	198,380	1/4	212,950	1/4		1/4		1/4		1/4		1/4	
1/2	153,526	1/2	168,600	1/2	183,664	1/2	198,692	1/2	213,166	1/2		1/2		1/2		1/2		1/2	
3/4	153,840	3/4	168,914	3/4	183,977	3/4	199,004	3/4	213,381	3/4		3/4		3/4		3/4		3/4	
3	154,154	3	169,228	3	184,290	3	199,316	3	213,597	3	3			3		3		3	
1/4	154,468	1/4	169,543	1/4	184,603	1/4	199,627	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,782	1/2	169,857	1/2	184,916	1/2	199,937	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,096	3/4	170,171	3/4	185,229	3/4	200,248	3/4		3/4		3/4		3/4		3/4		3/4	
4	155,410	4	170,485	4	185,543	4	200,559	4	200,559	4	4			4		4		4	
1/4	155,724	1/4	170,799	1/4	185,856	1/4	200,870	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,038	1/2	171,113	1/2	186,169	1/2	201,181	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,352	3/4	171,427	3/4	186,482	3/4	201,492	3/4		3/4		3/4		3/4		3/4		3/4	
5	156,666	5	171,741	5	186,795	5	201,803	5	201,803	5	5			5		5		5	
1/4	156,980	1/4	172,055	1/4	187,108	1/4	202,114	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,294	1/2	172,369	1/2	187,422	1/2	202,425	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,608	3/4	172,683	3/4	187,735	3/4	202,736	3/4		3/4		3/4		3/4		3/4		3/4	
6	157,922	6	172,997	6	188,048	6	203,047	6	203,047	6	6			6		6		6	
1/4	158,236	1/4	173,311	1/4	188,361	1/4	203,358	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,551	1/2	173,625	1/2	188,674	1/2	203,669	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,865	3/4	173,939	3/4	188,987	3/4	203,980	3/4		3/4		3/4		3/4		3/4		3/4	
7	159,179	7	174,253	7	189,300	7	204,291	7	204,291	7	7			7		7		7	
1/4	159,493	1/4	174,567	1/4	189,614	1/4	204,602	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,807	1/2	174,882	1/2	189,927	1/2	204,913	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,121	3/4	175,196	3/4	190,240	3/4	205,224	3/4		3/4		3/4		3/4		3/4		3/4	
8	160,435	8	175,510	8	190,553	8	205,535	8	205,535	8	8			8		8		8	
1/4	160,749	1/4	175,824	1/4	190,866	1/4	205,846	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,063	1/2	176,138	1/2	191,179	1/2	206,157	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,377	3/4	176,452	3/4	191,492	3/4	206,468	3/4		3/4		3/4		3/4		3/4		3/4	
9	161,691	9	176,766	9	191,806	9	206,779	9	206,779	9	9			9		9		9	
1/4	162,005	1/4	177,080	1/4	192,119	1/4	207,090	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,319	1/2	177,394	1/2	192,432	1/2	207,401	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,633	3/4	177,708	3/4	192,745	3/4	207,712	3/4		3/4		3/4		3/4		3/4		3/4	
10	162,947	10	178,022	10	193,058	10	208,023	10	208,023	10	10			10		10		10	
1/4	163,261	1/4	178,336	1/4	193,371	1/4	208,333	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,575	1/2	178,650	1/2	193,684	1/2	208,644	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,889	3/4	178,964	3/4	193,998	3/4	208,955	3/4		3/4		3/4		3/4		3/4		3/4	
11	164,204	11	179,278	11	194,311	11	209,266	11	209,266	11	11			11		11		11	
1/4	164,518	1/4	179,592	1/4	194,624	1/4	209,576	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,832	1/2	179,905	1/2	194,937	1/2	209,886	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,146	3/4	180,219	3/4	195,250	3/4	210,196	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	627	0	15,170	0	30,164	0	45,144	0	60,131	0	75,125	0	90,120	0	105,114	0	120,095	0	135,070
1/4	848	1/4	15,483	1/4	30,477	1/4	45,455	1/4	60,443	1/4	75,438	1/4	90,432	1/4	105,427	1/4	120,407	1/4	135,382
1/2	1,070	1/2	15,795	1/2	30,789	1/2	45,767	1/2	60,755	1/2	75,750	1/2	90,744	1/2	105,739	1/2	120,719	1/2	135,694
3/4	1,291	3/4	16,107	3/4	31,102	3/4	46,079	3/4	61,068	3/4	76,062	3/4	91,057	3/4	106,051	3/4	121,031	3/4	136,006
1	1,512	1	16,420	1	31,414	1	46,391	1	61,380	1	76,375	1	91,369	1	106,364	1	121,343	1	136,318
1/4	1,804	1/4	16,732	1/4	31,726	1/4	46,702	1/4	61,693	1/4	76,687	1/4	91,682	1/4	106,676	1/4	121,655	1/4	136,630
1/2	2,096	1/2	17,045	1/2	32,039	1/2	47,014	1/2	62,005	1/2	76,999	1/2	91,994	1/2	106,988	1/2	121,967	1/2	136,942
3/4	2,388	3/4	17,357	3/4	32,351	3/4	47,326	3/4	62,317	3/4	77,312	3/4	92,306	3/4	107,301	3/4	122,279	3/4	137,254
2	2,680	2	17,669	2	32,663	2	47,638	2	62,630	2	77,624	2	92,619	2	107,613	2	122,591	2	137,566
1/4	2,991	1/4	17,982	1/4	32,976	1/4	47,950	1/4	62,942	1/4	77,937	1/4	92,931	1/4	107,926	1/4	122,903	1/4	137,878
1/2	3,303	1/2	18,294	1/2	33,288	1/2	48,262	1/2	63,254	1/2	78,249	1/2	93,243	1/2	108,238	1/2	123,215	1/2	138,190
3/4	3,614	3/4	18,606	3/4	33,601	3/4	48,574	3/4	63,567	3/4	78,561	3/4	93,556	3/4	108,550	3/4	123,527	3/4	138,502
3	3,926	3	18,919	3	33,913	3	48,885	3	63,879	3	78,874	3	93,868	3	108,863	3	123,839	3	138,814
1/4	4,238	1/4	19,231	1/4	34,225	1/4	49,198	1/4	64,192	1/4	79,186	1/4	94,181	1/4	109,175	1/4	124,151	1/4	139,126
1/2	4,550	1/2	19,544	1/2	34,538	1/2	49,510	1/2	64,504	1/2	79,499	1/2	94,493	1/2	109,487	1/2	124,463	1/2	139,438
3/4	4,862	3/4	19,856	3/4	34,850	3/4	49,822	3/4	64,816	3/4	79,811	3/4	94,805	3/4	109,799	3/4	124,775	3/4	139,750
4	5,174	4	20,168	4	35,162	4	50,134	4	65,129	4	80,123	4	95,118	4	110,112	4	125,087	4	140,062
1/4	5,487	1/4	20,481	1/4	35,475	1/4	50,447	1/4	65,441	1/4	80,436	1/4	95,430	1/4	110,424	1/4	125,399	1/4	140,374
1/2	5,799	1/2	20,793	1/2	35,787	1/2	50,759	1/2	65,754	1/2	80,748	1/2	95,743	1/2	110,736	1/2	125,711	1/2	140,686
3/4	6,111	3/4	21,105	3/4	36,100	3/4	51,071	3/4	66,066	3/4	81,060	3/4	96,055	3/4	111,048	3/4	126,023	3/4	140,998
5	6,424	5	21,418	5	36,412	5	51,384	5	66,378	5	81,373	5	96,367	5	111,360	5	126,335	5	141,310
1/4	6,736	1/4	21,730	1/4	36,724	1/4	51,696	1/4	66,691	1/4	81,685	1/4	96,680	1/4	111,672	1/4	126,647	1/4	141,622
1/2	7,049	1/2	22,043	1/2	37,036	1/2	52,009	1/2	67,003	1/2	81,998	1/2	96,992	1/2	111,984	1/2	126,959	1/2	141,934
3/4	7,361	3/4	22,355	3/4	37,348	3/4	52,321	3/4	67,315	3/4	82,310	3/4	97,304	3/4	112,296	3/4	127,271	3/4	142,246
6	7,673	6	22,667	6	37,660	6	52,633	6	67,628	6	82,622	6	97,617	6	112,608	6	127,583	6	142,558
1/4	7,986	1/4	22,980	1/4	37,972	1/4	52,946	1/4	67,940	1/4	82,935	1/4	97,929	1/4	112,919	1/4	127,895	1/4	142,870
1/2	8,298	1/2	23,292	1/2	38,284	1/2	53,258	1/2	68,253	1/2	83,247	1/2	98,242	1/2	113,231	1/2	128,206	1/2	143,182
3/4	8,610	3/4	23,604	3/4	38,596	3/4	53,571	3/4	68,565	3/4	83,560	3/4	98,554	3/4	113,543	3/4	128,518	3/4	143,493
7	8,923	7	23,917	7	38,908	7	53,883	7	68,877	7	83,872	7	98,866	7	113,855	7	128,830	7	143,805
1/4	9,235	1/4	24,229	1/4	39,220	1/4	54,195	1/4	69,190	1/4	84,184	1/4	99,179	1/4	114,167	1/4	129,142	1/4	144,116
1/2	9,548	1/2	24,542	1/2	39,531	1/2	54,508	1/2	69,502	1/2	84,497	1/2	99,491	1/2	114,479	1/2	129,454	1/2	144,427
3/4	9,860	3/4	24,854	3/4	39,843	3/4	54,820	3/4	69,815	3/4	84,809	3/4	99,804	3/4	114,791	3/4	129,766	3/4	144,738
8	10,172	8	25,166	8	40,155	8	55,132	8	70,127	8	85,121	8	100,116	8	115,103	8	130,078	8	145,049
1/4	10,485	1/4	25,479	1/4	40,467	1/4	55,445	1/4	70,439	1/4	85,434	1/4	100,428	1/4	115,415	1/4	130,390	1/4	145,359
1/2	10,797	1/2	25,791	1/2	40,778	1/2	55,757	1/2	70,752	1/2	85,746	1/2	100,741	1/2	115,727	1/2	130,702	1/2	145,669
3/4	11,109	3/4	26,103	3/4	41,090	3/4	56,070	3/4	71,064	3/4	86,059	3/4	101,053	3/4	116,039	3/4	131,014	3/4	145,979
9	11,422	9	26,416	9	41,402	9	56,382	9	71,377	9	86,371	9	101,365	9	116,351	9	131,326	9	146,289
1/4	11,734	1/4	26,728	1/4	41,714	1/4	56,694	1/4	71,689	1/4	86,683	1/4	101,678	1/4	116,663	1/4	131,638	1/4	146,599
1/2	12,047	1/2	27,041	1/2	42,026	1/2	57,007	1/2	72,001	1/2	86,996	1/2	101,990	1/2	116,975	1/2	131,950	1/2	146,909
3/4	12,359	3/4	27,353	3/4	42,337	3/4	57,319	3/4	72,314	3/4	87,308	3/4	102,303	3/4	117,287	3/4	132,262	3/4	147,219
10	12,671	10	27,665	10	42,649	10	57,632	10	72,626	10	87,621	10	102,615	10	117,599	10	132,574	10	147,529
1/4	12,984	1/4	27,978	1/4	42,961	1/4	57,944	1/4	72,938	1/4	87,933	1/4	102,927	1/4	117,911	1/4	132,886	1/4	147,839
1/2	13,296	1/2	28,290	1/2	43,273	1/2	58,256	1/2	73,251	1/2	88,245	1/2	103,240	1/2	118,223	1/2	133,198	1/2	148,150
3/4	13,608	3/4	28,602	3/4	43,585	3/4	58,569	3/4	73,563	3/4	88,558	3/4	103,552	3/4	118,535	3/4	133,510	3/4	148,460
11	13,921	11	28,915	11	43,896	11	58,881	11	73,876	11	88,870	11	103,865	11	118,847	11	133,822	11	148,770
1/4	14,233	1/4	29,227	1/4	44,208	1/4	59,193	1/4	74,188	1/4	89,182	1/4	104,177	1/4	119,159	1/4	134,134	1/4	149,081
1/2	14,546	1/2	29,540	1/2	44,520	1/2	59,506	1/2	74,500	1/2	89,495	1/2	104,489	1/2	119,471	1/2	134,446	1/2	149,391
3/4	14,858	3/4	29,852	3/4	44,832	3/4	59,818	3/4	74,813	3/4	89,807	3/4	104,802	3/4	119,783	3/4	134,758	3/4	149,701

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,012	0	161,465	0	171,816	0	182,138	0	192,398	0		0		0		0		0	
1/4	150,322	1/4	161,681	1/4	172,031	1/4	182,353	1/4	192,597	1/4		1/4		1/4		1/4		1/4	
1/2	150,632	1/2	161,897	1/2	172,246	1/2	182,568	1/2	192,796	1/2		1/2		1/2		1/2		1/2	
3/4	150,943	3/4	162,112	3/4	172,461	3/4	182,783	3/4	192,995	3/4		3/4		3/4		3/4		3/4	
1	151,253	1	162,328	1	172,676	1	182,998	1	193,194	1		1		1		1		1	
1/4	151,519	1/4	162,544	1/4	172,891	1/4	183,213	1/4	193,358	1/4		1/4		1/4		1/4		1/4	
1/2	151,786	1/2	162,759	1/2	173,106	1/2	183,428	1/2	193,521	1/2		1/2		1/2		1/2		1/2	
3/4	152,052	3/4	162,975	3/4	173,321	3/4	183,643	3/4	193,685	3/4		3/4		3/4		3/4		3/4	
2	152,318	2	163,191	2	173,536	2	183,858	2	193,848	2		2		2		2		2	
1/4	152,558	1/4	163,406	1/4	173,751	1/4	184,073	1/4	193,967	1/4		1/4		1/4		1/4		1/4	
1/2	152,798	1/2	163,622	1/2	173,966	1/2	184,287	1/2	194,086	1/2		1/2		1/2		1/2		1/2	
3/4	153,038	3/4	163,838	3/4	174,181	3/4	184,501	3/4	194,204	3/4		3/4		3/4		3/4		3/4	
3	153,278	3	164,053	3	174,396	3	184,715	3	194,323	3		3		3		3		3	
1/4	153,518	1/4	164,269	1/4	174,611	1/4	184,928	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,758	1/2	164,485	1/2	174,826	1/2	185,142	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,997	3/4	164,700	3/4	175,041	3/4	185,356	3/4		3/4		3/4		3/4		3/4		3/4	
4	154,237	4	164,916	4	175,256	4	185,569	4		4		4		4		4		4	
1/4	154,477	1/4	165,132	1/4	175,471	1/4	185,783	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,717	1/2	165,347	1/2	175,686	1/2	185,996	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,957	3/4	165,563	3/4	175,902	3/4	186,210	3/4		3/4		3/4		3/4		3/4		3/4	
5	155,197	5	165,779	5	176,117	5	186,423	5		5		5		5		5		5	
1/4	155,437	1/4	165,994	1/4	176,332	1/4	186,637	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,677	1/2	166,210	1/2	176,547	1/2	186,850	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,916	3/4	166,426	3/4	176,762	3/4	187,064	3/4		3/4		3/4		3/4		3/4		3/4	
6	156,156	6	166,641	6	176,977	6	187,277	6		6		6		6		6		6	
1/4	156,396	1/4	166,857	1/4	177,192	1/4	187,491	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,636	1/2	167,073	1/2	177,407	1/2	187,705	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,876	3/4	167,288	3/4	177,622	3/4	187,918	3/4		3/4		3/4		3/4		3/4		3/4	
7	157,116	7	167,504	7	177,837	7	188,132	7		7		7		7		7		7	
1/4	157,341	1/4	167,720	1/4	178,052	1/4	188,345	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,565	1/2	167,935	1/2	178,267	1/2	188,559	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,790	3/4	168,151	3/4	178,482	3/4	188,772	3/4		3/4		3/4		3/4		3/4		3/4	
8	158,015	8	168,367	8	178,697	8	188,986	8		8		8		8		8		8	
1/4	158,230	1/4	168,582	1/4	178,912	1/4	189,199	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,446	1/2	168,798	1/2	179,127	1/2	189,413	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,662	3/4	169,013	3/4	179,342	3/4	189,626	3/4		3/4		3/4		3/4		3/4		3/4	
9	158,877	9	169,229	9	179,557	9	189,840	9		9		9		9		9		9	
1/4	159,093	1/4	169,445	1/4	179,772	1/4	190,054	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,309	1/2	169,660	1/2	179,988	1/2	190,267	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,524	3/4	169,876	3/4	180,203	3/4	190,481	3/4		3/4		3/4		3/4		3/4		3/4	
10	159,740	10	170,092	10	180,418	10	190,694	10		10		10		10		10		10	
1/4	159,956	1/4	170,307	1/4	180,633	1/4	190,908	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,171	1/2	170,523	1/2	180,848	1/2	191,121	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,387	3/4	170,739	3/4	181,063	3/4	191,334	3/4		3/4		3/4		3/4		3/4		3/4	
11	160,603	11	170,954	11	181,278	11	191,548	11		11		11		11		11		11	
1/4	160,818	1/4	171,170	1/4	181,493	1/4	191,760	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,034	1/2	171,385	1/2	181,708	1/2	191,973	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,250	3/4	171,600	3/4	181,923	3/4	192,185	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

3 STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	627	0	15,158	0	30,126	0	45,082	0	59,667	0	74,494	0	89,328	0	104,296	0	119,240	0	134,184
1/4	848	1/4	15,470	1/4	30,438	1/4	45,393	1/4	59,968	1/4	74,803	1/4	89,640	1/4	104,607	1/4	119,551	1/4	134,495
1/2	1,070	1/2	15,782	1/2	30,750	1/2	45,704	1/2	60,269	1/2	75,112	1/2	89,952	1/2	104,919	1/2	119,862	1/2	134,807
3/4	1,291	3/4	16,093	3/4	31,062	3/4	46,016	3/4	60,569	3/4	75,420	3/4	90,264	3/4	105,231	3/4	120,173	3/4	135,118
1	1,512	1	16,405	1	31,374	1	46,327	1	60,870	1	75,729	1	90,576	1	105,543	1	120,485	1	135,429
1/4	1,804	1/4	16,717	1/4	31,686	1/4	46,638	1/4	61,172	1/4	76,038	1/4	90,887	1/4	105,855	1/4	120,796	1/4	135,741
1/2	2,096	1/2	17,029	1/2	31,998	1/2	46,950	1/2	61,474	1/2	76,347	1/2	91,199	1/2	106,166	1/2	121,107	1/2	136,052
3/4	2,388	3/4	17,341	3/4	32,310	3/4	47,261	3/4	61,776	3/4	76,656	3/4	91,511	3/4	106,478	3/4	121,419	3/4	136,363
2	2,680	2	17,653	2	32,621	2	47,572	2	62,078	2	76,965	2	91,823	2	106,790	2	121,730	2	136,675
1/4	2,991	1/4	17,965	1/4	32,933	1/4	47,884	1/4	62,381	1/4	77,274	1/4	92,135	1/4	107,102	1/4	122,041	1/4	136,986
1/2	3,303	1/2	18,277	1/2	33,245	1/2	48,195	1/2	62,685	1/2	77,583	1/2	92,446	1/2	107,414	1/2	122,353	1/2	137,297
3/4	3,614	3/4	18,588	3/4	33,557	3/4	48,506	3/4	62,989	3/4	77,892	3/4	92,758	3/4	107,726	3/4	122,664	3/4	137,609
3	3,926	3	18,900	3	33,869	3	48,818	3	63,293	3	78,201	3	93,070	3	108,037	3	122,975	3	137,920
1/4	4,238	1/4	19,212	1/4	34,181	1/4	49,124	1/4	63,602	1/4	78,509	1/4	93,382	1/4	108,349	1/4	123,287	1/4	138,231
1/2	4,550	1/2	19,524	1/2	34,493	1/2	49,430	1/2	63,911	1/2	78,818	1/2	93,694	1/2	108,661	1/2	123,598	1/2	138,543
3/4	4,862	3/4	19,835	3/4	34,805	3/4	49,736	3/4	64,220	3/4	79,127	3/4	94,006	3/4	108,972	3/4	123,909	3/4	138,854
4	5,174	4	20,147	4	35,116	4	50,042	4	64,529	4	79,436	4	94,317	4	109,284	4	124,221	4	139,165
1/4	5,487	1/4	20,459	1/4	35,428	1/4	50,343	1/4	64,840	1/4	79,745	1/4	94,629	1/4	109,595	1/4	124,532	1/4	139,477
1/2	5,799	1/2	20,770	1/2	35,740	1/2	50,644	1/2	65,152	1/2	80,054	1/2	94,941	1/2	109,906	1/2	124,843	1/2	139,788
3/4	6,111	3/4	21,082	3/4	36,052	3/4	50,946	3/4	65,464	3/4	80,363	3/4	95,253	3/4	110,218	3/4	125,155	3/4	140,100
5	6,424	5	21,394	5	36,364	5	51,247	5	65,775	5	80,672	5	95,565	5	110,529	5	125,466	5	140,411
1/4	6,736	1/4	21,706	1/4	36,676	1/4	51,548	1/4	66,087	1/4	80,981	1/4	95,876	1/4	110,840	1/4	125,777	1/4	140,722
1/2	7,048	1/2	22,018	1/2	36,987	1/2	51,849	1/2	66,399	1/2	81,290	1/2	96,188	1/2	111,151	1/2	126,089	1/2	141,034
3/4	7,360	3/4	22,329	3/4	37,299	3/4	52,149	3/4	66,710	3/4	81,598	3/4	96,500	3/4	111,462	3/4	126,400	3/4	141,345
6	7,672	6	22,641	6	37,610	6	52,450	6	67,022	6	81,907	6	96,812	6	111,773	6	126,712	6	141,656
1/4	7,984	1/4	22,953	1/4	37,922	1/4	52,751	1/4	67,333	1/4	82,216	1/4	97,124	1/4	112,084	1/4	127,023	1/4	141,968
1/2	8,296	1/2	23,265	1/2	38,233	1/2	53,052	1/2	67,645	1/2	82,525	1/2	97,436	1/2	112,395	1/2	127,334	1/2	142,279
3/4	8,608	3/4	23,577	3/4	38,545	3/4	53,352	3/4	67,956	3/4	82,834	3/4	97,747	3/4	112,707	3/4	127,646	3/4	142,590
7	8,920	7	23,889	7	38,856	7	53,653	7	68,268	7	83,143	7	98,059	7	113,018	7	127,957	7	142,902
1/4	9,232	1/4	24,201	1/4	39,167	1/4	53,954	1/4	68,579	1/4	83,452	1/4	98,371	1/4	113,329	1/4	128,268	1/4	143,212
1/2	9,544	1/2	24,513	1/2	39,478	1/2	54,254	1/2	68,891	1/2	83,761	1/2	98,683	1/2	113,640	1/2	128,580	1/2	143,522
3/4	9,856	3/4	24,824	3/4	39,790	3/4	54,555	3/4	69,202	3/4	84,070	3/4	98,995	3/4	113,951	3/4	128,891	3/4	143,832
8	10,168	8	25,136	8	40,101	8	54,856	8	69,514	8	84,379	8	99,306	8	114,262	8	129,202	8	144,142
1/4	10,480	1/4	25,448	1/4	40,412	1/4	55,157	1/4	69,826	1/4	84,687	1/4	99,618	1/4	114,573	1/4	129,514	1/4	144,452
1/2	10,791	1/2	25,760	1/2	40,724	1/2	55,457	1/2	70,137	1/2	84,996	1/2	99,930	1/2	114,884	1/2	129,825	1/2	144,761
3/4	11,103	3/4	26,072	3/4	41,035	3/4	55,758	3/4	70,449	3/4	85,305	3/4	100,242	3/4	115,195	3/4	130,136	3/4	145,071
9	11,415	9	26,384	9	41,346	9	56,059	9	70,761	9	85,614	9	100,554	9	115,506	9	130,448	9	145,380
1/4	11,727	1/4	26,696	1/4	41,658	1/4	56,359	1/4	71,072	1/4	85,923	1/4	100,866	1/4	115,817	1/4	130,759	1/4	145,689
1/2	12,039	1/2	27,008	1/2	41,969	1/2	56,660	1/2	71,384	1/2	86,232	1/2	101,177	1/2	116,129	1/2	131,070	1/2	145,999
3/4	12,351	3/4	27,319	3/4	42,280	3/4	56,961	3/4	71,696	3/4	86,541	3/4	101,489	3/4	116,440	3/4	131,382	3/4	146,308
10	12,663	10	27,631	10	42,591	10	57,262	10	72,007	10	86,850	10	101,801	10	116,751	10	131,693	10	146,618
1/4	12,975	1/4	27,943	1/4	42,903	1/4	57,562	1/4	72,319	1/4	87,159	1/4	102,113	1/4	117,062	1/4	132,004	1/4	146,928
1/2	13,287	1/2	28,255	1/2	43,214	1/2	57,863	1/2	72,631	1/2	87,468	1/2	102,425	1/2	117,373	1/2	132,316	1/2	147,238
3/4	13,598	3/4	28,567	3/4	43,525	3/4	58,164	3/4	72,942	3/4	87,776	3/4	102,736	3/4	117,684	3/4	132,627	3/4	147,548
11	13,910	11	28,879	11	43,837	11	58,464	11	73,254	11	88,085	11	103,048	11	117,995	11	132,939	11	147,858
1/4	14,222	1/4	29,191	1/4	44,148	1/4	58,765	1/4	73,564	1/4	88,396	1/4	103,360	1/4	118,306	1/4	133,250	1/4	148,168
1/2	14,534	1/2	29,503	1/2	44,459	1/2	59,066	1/2	73,874	1/2	88,707	1/2	103,672	1/2	118,617	1/2	133,561	1/2	148,478
3/4	14,846	3/4	29,814	3/4	44,770	3/4	59,367	3/4	74,184	3/4	89,018	3/4	103,984	3/4	118,928	3/4	133,873	3/4	148,788

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-06" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	149,098	0	160,551	0	170,901	0	181,223	0	191,482	0		0		0		0		0	
1/4	149,409	1/4	160,767	1/4	171,116	1/4	181,438	1/4	191,681	1/4		1/4		1/4		1/4		1/4	
1/2	149,719	1/2	160,982	1/2	171,331	1/2	181,653	1/2	191,880	1/2		1/2		1/2		1/2		1/2	
3/4	150,029	3/4	161,198	3/4	171,546	3/4	181,868	3/4	192,080	3/4		3/4		3/4		3/4		3/4	
1	150,339	1	161,414	1	171,761	1	182,083	1	192,279	1		1		1		1		1	
1/4	150,606	1/4	161,629	1/4	171,976	1/4	182,298	1/4	192,442	1/4		1/4		1/4		1/4		1/4	
1/2	150,872	1/2	161,845	1/2	172,191	1/2	182,513	1/2	192,605	1/2		1/2		1/2		1/2		1/2	
3/4	151,138	3/4	162,061	3/4	172,406	3/4	182,728	3/4	192,769	3/4		3/4		3/4		3/4		3/4	
2	151,404	2	162,276	2	172,621	2	182,943	2	192,932	2		2		2		2		2	
1/4	151,644	1/4	162,492	1/4	172,836	1/4	183,157	1/4	193,051	1/4		1/4		1/4		1/4		1/4	
1/2	151,884	1/2	162,708	1/2	173,051	1/2	183,371	1/2	193,170	1/2		1/2		1/2		1/2		1/2	
3/4	152,124	3/4	162,923	3/4	173,266	3/4	183,585	3/4	193,289	3/4		3/4		3/4		3/4		3/4	
3	152,364	3	163,139	3	173,481	3	183,800	3	193,407	3		3		3		3		3	
1/4	152,604	1/4	163,354	1/4	173,696	1/4	184,013	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,844	1/2	163,570	1/2	173,911	1/2	184,227	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,083	3/4	163,786	3/4	174,126	3/4	184,440	3/4		3/4		3/4		3/4		3/4		3/4	
4	153,323	4	164,001	4	174,341	4	184,654	4		4		4		4		4		4	
1/4	153,563	1/4	164,217	1/4	174,556	1/4	184,867	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,803	1/2	164,433	1/2	174,772	1/2	185,081	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,043	3/4	164,648	3/4	174,987	3/4	185,294	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,283	5	164,864	5	175,202	5	185,508	5		5		5		5		5		5	
1/4	154,523	1/4	165,080	1/4	175,417	1/4	185,721	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,763	1/2	165,295	1/2	175,632	1/2	185,935	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,002	3/4	165,511	3/4	175,847	3/4	186,148	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,242	6	165,727	6	176,062	6	186,362	6		6		6		6		6		6	
1/4	155,482	1/4	165,942	1/4	176,277	1/4	186,575	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,722	1/2	166,158	1/2	176,492	1/2	186,789	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,962	3/4	166,374	3/4	176,707	3/4	187,003	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,202	7	166,589	7	176,922	7	187,216	7		7		7		7		7		7	
1/4	156,426	1/4	166,805	1/4	177,137	1/4	187,430	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,651	1/2	167,021	1/2	177,352	1/2	187,643	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,876	3/4	167,236	3/4	177,567	3/4	187,857	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,101	8	167,452	8	177,782	8	188,070	8		8		8		8		8		8	
1/4	157,316	1/4	167,668	1/4	177,997	1/4	188,284	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,532	1/2	167,883	1/2	178,212	1/2	188,497	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,748	3/4	168,099	3/4	178,427	3/4	188,711	3/4		3/4		3/4		3/4		3/4		3/4	
9	157,963	9	168,314	9	178,642	9	188,924	9		9		9		9		9		9	
1/4	158,179	1/4	168,530	1/4	178,857	1/4	189,138	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,395	1/2	168,746	1/2	179,072	1/2	189,351	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,610	3/4	168,961	3/4	179,287	3/4	189,565	3/4		3/4		3/4		3/4		3/4		3/4	
10	158,826	10	169,177	10	179,502	10	189,779	10		10		10		10		10		10	
1/4	159,041	1/4	169,393	1/4	179,718	1/4	189,992	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,257	1/2	169,608	1/2	179,933	1/2	190,205	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,473	3/4	169,824	3/4	180,148	3/4	190,419	3/4		3/4		3/4		3/4		3/4		3/4	
11	159,688	11	170,040	11	180,363	11	190,632	11		11		11		11		11		11	
1/4	159,904	1/4	170,255	1/4	180,578	1/4	190,845	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,120	1/2	170,470	1/2	180,793	1/2	191,057	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,335	3/4	170,685	3/4	181,008	3/4	191,270	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

PORT SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,156	0	2,312	0	3,468	0	4,624	0		0		0		0		0	
1/4	24	1/4	1,180	1/4	2,336	1/4	3,492	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,204	1/2	2,360	1/2	3,516	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	1,228	3/4	2,384	3/4	3,540	3/4		3/4		3/4		3/4		3/4		3/4	
1	96	1	1,252	1	2,408	1	3,564	1	1	1	1	1	1	1	1	1	1	1	1
1/4	120	1/4	1,276	1/4	2,432	1/4	3,588	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	144	1/2	1,300	1/2	2,456	1/2	3,612	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,325	3/4	2,481	3/4	3,637	3/4		3/4		3/4		3/4		3/4		3/4	
2	193	2	1,349	2	2,505	2	3,661	2	2	2	2	2	2	2	2	2	2	2	2
1/4	217	1/4	1,373	1/4	2,529	1/4	3,685	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	241	1/2	1,397	1/2	2,553	1/2	3,709	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	265	3/4	1,421	3/4	2,577	3/4	3,733	3/4		3/4		3/4		3/4		3/4		3/4	
3	289	3	1,445	3	2,601	3	3,757	3	3	3	3	3	3	3	3	3	3	3	3
1/4	313	1/4	1,469	1/4	2,625	1/4	3,781	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	337	1/2	1,493	1/2	2,649	1/2	3,805	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	361	3/4	1,517	3/4	2,673	3/4	3,829	3/4		3/4		3/4		3/4		3/4		3/4	
4	385	4	1,541	4	2,697	4	3,853	4	4	4	4	4	4	4	4	4	4	4	4
1/4	409	1/4	1,565	1/4	2,721	1/4	3,877	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	1,589	1/2	2,745	1/2	3,901	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	458	3/4	1,614	3/4	2,770	3/4	3,926	3/4		3/4		3/4		3/4		3/4		3/4	
5	482	5	1,638	5	2,794	5	3,950	5	5	5	5	5	5	5	5	5	5	5	5
1/4	506	1/4	1,662	1/4	2,818	1/4	3,974	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	530	1/2	1,686	1/2	2,842	1/2	3,998	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	554	3/4	1,710	3/4	2,866	3/4	4,022	3/4		3/4		3/4		3/4		3/4		3/4	
6	578	6	1,734	6	2,890	6	4,046	6	6	6	6	6	6	6	6	6	6	6	6
1/4	602	1/4	1,758	1/4	2,914	1/4	4,070	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	626	1/2	1,782	1/2	2,938	1/2	4,094	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	650	3/4	1,806	3/4	2,962	3/4	4,118	3/4		3/4		3/4		3/4		3/4		3/4	
7	674	7	1,830	7	2,986	7	4,142	7	7	7	7	7	7	7	7	7	7	7	7
1/4	698	1/4	1,854	1/4	3,010	1/4	4,166	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	722	1/2	1,878	1/2	3,034	1/2	4,190	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	747	3/4	1,903	3/4	3,059	3/4	4,215	3/4		3/4		3/4		3/4		3/4		3/4	
8	771	8	1,927	8	3,083	8	4,239	8	8	8	8	8	8	8	8	8	8	8	8
1/4	795	1/4	1,951	1/4	3,107	1/4	4,263	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	819	1/2	1,975	1/2	3,131	1/2	4,287	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	843	3/4	1,999	3/4	3,155	3/4	4,311	3/4		3/4		3/4		3/4		3/4		3/4	
9	867	9	2,023	9	3,179	9	4,335	9	9	9	9	9	9	9	9	9	9	9	9
1/4	891	1/4	2,047	1/4	3,203	1/4	4,359	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	915	1/2	2,071	1/2	3,227	1/2	4,383	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	939	3/4	2,095	3/4	3,251	3/4	4,407	3/4		3/4		3/4		3/4		3/4		3/4	
10	963	10	2,119	10	3,275	10	4,431	10	10	10	10	10	10	10	10	10	10	10	10
1/4	987	1/4	2,143	1/4	3,299	1/4	4,455	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,011	1/2	2,167	1/2	3,323	1/2	4,479	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,192	3/4	3,348	3/4	4,504	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,060	11	2,216	11	3,372	11	4,528	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1,084	1/4	2,240	1/4	3,396	1/4	4,552	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,108	1/2	2,264	1/2	3,420	1/2	4,576	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,132	3/4	2,288	3/4	3,444	3/4	4,600	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

STBD SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,168	0	2,337	0	3,505	0	4,673	0		0		0		0		0	
1/4	24	1/4	1,193	1/4	2,361	1/4	3,529	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	49	1/2	1,217	1/2	2,385	1/2	3,554	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	73	3/4	1,241	3/4	2,410	3/4	3,578	3/4		3/4		3/4		3/4		3/4		3/4	
1	97	1	1,266	1	2,434	1	3,602	1	1	1	1	1	1	1	1	1	1	1	1
1/4	122	1/4	1,290	1/4	2,458	1/4	3,627	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	146	1/2	1,314	1/2	2,483	1/2	3,651	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170	3/4	1,339	3/4	2,507	3/4	3,675	3/4		3/4		3/4		3/4		3/4		3/4	
2	195	2	1,363	2	2,531	2	3,700	2	2	2	2	2	2	2	2	2	2	2	2
1/4	219	1/4	1,387	1/4	2,556	1/4	3,724	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	243	1/2	1,412	1/2	2,580	1/2	3,748	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	268	3/4	1,436	3/4	2,604	3/4	3,773	3/4		3/4		3/4		3/4		3/4		3/4	
3	292	3	1,460	3	2,629	3	3,797	3	3	3	3	3	3	3	3	3	3	3	3
1/4	316	1/4	1,485	1/4	2,653	1/4	3,822	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	341	1/2	1,509	1/2	2,677	1/2	3,846	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	365	3/4	1,533	3/4	2,702	3/4	3,870	3/4		3/4		3/4		3/4		3/4		3/4	
4	389	4	1,558	4	2,726	4	3,895	4	4	4	4	4	4	4	4	4	4	4	4
1/4	414	1/4	1,582	1/4	2,751	1/4	3,919	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	438	1/2	1,606	1/2	2,775	1/2	3,943	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	462	3/4	1,631	3/4	2,799	3/4	3,968	3/4		3/4		3/4		3/4		3/4		3/4	
5	487	5	1,655	5	2,824	5	3,992	5	5	5	5	5	5	5	5	5	5	5	5
1/4	511	1/4	1,680	1/4	2,848	1/4	4,016	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	535	1/2	1,704	1/2	2,872	1/2	4,041	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	560	3/4	1,728	3/4	2,897	3/4	4,065	3/4		3/4		3/4		3/4		3/4		3/4	
6	584	6	1,753	6	2,921	6	4,089	6	6	6	6	6	6	6	6	6	6	6	6
1/4	609	1/4	1,777	1/4	2,945	1/4	4,114	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	633	1/2	1,801	1/2	2,970	1/2	4,138	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	657	3/4	1,826	3/4	2,994	3/4	4,162	3/4		3/4		3/4		3/4		3/4		3/4	
7	682	7	1,850	7	3,018	7	4,187	7	7	7	7	7	7	7	7	7	7	7	7
1/4	706	1/4	1,874	1/4	3,043	1/4	4,211	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	730	1/2	1,899	1/2	3,067	1/2	4,235	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	755	3/4	1,923	3/4	3,091	3/4	4,260	3/4		3/4		3/4		3/4		3/4		3/4	
8	779	8	1,947	8	3,116	8	4,284	8	8	8	8	8	8	8	8	8	8	8	8
1/4	803	1/4	1,972	1/4	3,140	1/4	4,308	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	828	1/2	1,996	1/2	3,164	1/2	4,333	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	852	3/4	2,020	3/4	3,189	3/4	4,357	3/4		3/4		3/4		3/4		3/4		3/4	
9	876	9	2,045	9	3,213	9	4,381	9	9	9	9	9	9	9	9	9	9	9	9
1/4	901	1/4	2,069	1/4	3,237	1/4	4,406	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	925	1/2	2,093	1/2	3,262	1/2	4,430	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	949	3/4	2,118	3/4	3,286	3/4	4,454	3/4		3/4		3/4		3/4		3/4		3/4	
10	974	10	2,142	10	3,310	10	4,479	10	10	10	10	10	10	10	10	10	10	10	10
1/4	998	1/4	2,166	1/4	3,335	1/4	4,503	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,022	1/2	2,191	1/2	3,359	1/2	4,527	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,047	3/4	2,215	3/4	3,383	3/4	4,552	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,071	11	2,239	11	3,408	11	4,576	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1,095	1/4	2,264	1/4	3,432	1/4	4,600	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,120	1/2	2,288	1/2	3,456	1/2	4,625	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,144	3/4	2,312	3/4	3,481	3/4	4,649	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5030"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GUAGE HEIGHT 4'-06"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	100	0	257	0	412	0		0		0		0		0		0	
1/4	1	1/4	103	1/4	260	1/4	415	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	106	1/2	263	1/2	417	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	109	3/4	267	3/4	420	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	112	1	270	1	423	1		1		1		1		1		1	
1/4	4	1/4	115	1/4	273	1/4	426	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	119	1/2	277	1/2	429	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	122	3/4	280	3/4	431	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	125	2	284	2	434	2		2		2		2		2		2	
1/4	9	1/4	128	1/4	287	1/4	437	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	131	1/2	290	1/2	440	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	12	3/4	134	3/4	294	3/4	442	3/4		3/4		3/4		3/4		3/4		3/4	
3	13	3	137	3	297	3	445	3		3		3		3		3		3	
1/4	15	1/4	140	1/4	300	1/4	447	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	144	1/2	304	1/2	450	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19	3/4	147	3/4	307	3/4	452	3/4		3/4		3/4		3/4		3/4		3/4	
4	20	4	150	4	311	4	455	4		4		4		4		4		4	
1/4	22	1/4	153	1/4	314	1/4	457	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24	1/2	156	1/2	317	1/2	460	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	160	3/4	320	3/4	462	3/4		3/4		3/4		3/4		3/4		3/4	
5	28	5	163	5	324	5	465	5		5		5		5		5		5	
1/4	31	1/4	166	1/4	327	1/4	467	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	169	1/2	330	1/2	469	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	35	3/4	173	3/4	334	3/4	471	3/4		3/4		3/4		3/4		3/4		3/4	
6	37	6	176	6	337	6	474	6		6		6		6		6		6	
1/4	39	1/4	179	1/4	340	1/4	476	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	183	1/2	343	1/2	478	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	186	3/4	347	3/4	480	3/4		3/4		3/4		3/4		3/4		3/4	
7	46	7	189	7	350	7	482	7		7		7		7		7		7	
1/4	49	1/4	192	1/4	353	1/4	484	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	51	1/2	196	1/2	356	1/2	486	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	199	3/4	360	3/4	488	3/4		3/4		3/4		3/4		3/4		3/4	
8	56	8	202	8	363	8	489	8		8		8		8		8		8	
1/4	59	1/4	206	1/4	366	1/4	491	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	209	1/2	369	1/2	493	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	213	3/4	372	3/4	494	3/4		3/4		3/4		3/4		3/4		3/4	
9	67	9	216	9	375	9	496	9		9		9		9		9		9	
1/4	69	1/4	219	1/4	379	1/4	497	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	72	1/2	223	1/2	382	1/2	499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	226	3/4	385	3/4	500	3/4		3/4		3/4		3/4		3/4		3/4	
10	78	10	229	10	388	10	502	10		10		10		10		10		10	
1/4	80	1/4	233	1/4	391	1/4	502	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	83	1/2	236	1/2	394	1/2	502	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	86	3/4	240	3/4	397	3/4	502	3/4		3/4		3/4		3/4		3/4		3/4	
11	89	11	243	11	400	11	502	11		11		11		11		11		11	
1/4	92	1/4	246	1/4	403	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	250	1/2	406	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	98	3/4	253	3/4	409	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 9/18/2015 CL
CALCULATED: 9/18/2015 CL
PRINTED: 9/21/2015 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>