



BARGE "GBL 5232B"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4
2 STBD	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4
3 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 5'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 3 PORT IS - 00-5/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 3 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 3/8"

LENGTH BETWEEN DRAFT MARKS: 284'-09"

January 21, 2016

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 5232B"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	168,320	0	182,644	0	196,645	0	210,604	0	224,475	0		0		0		0		0	
1/4	168,670	1/4	182,936	1/4	196,936	1/4	210,895	1/4	224,747	1/4		1/4		1/4		1/4		1/4	
1/2	169,020	1/2	183,228	1/2	197,227	1/2	211,186	1/2	225,020	1/2		1/2		1/2		1/2		1/2	
3/4	169,370	3/4	183,520	3/4	197,518	3/4	211,477	3/4	225,292	3/4		3/4		3/4		3/4		3/4	
1	169,721	1	183,811	1	197,808	1	211,768	1	225,564	1		1		1		1		1	
1/4	170,034	1/4	184,103	1/4	198,099	1/4	212,058	1/4	225,797	1/4		1/4		1/4		1/4		1/4	
1/2	170,348	1/2	184,395	1/2	198,390	1/2	212,349	1/2	226,029	1/2		1/2		1/2		1/2		1/2	
3/4	170,662	3/4	184,687	3/4	198,681	3/4	212,640	3/4	226,262	3/4		3/4		3/4		3/4		3/4	
2	170,975	2	184,978	2	198,972	2	212,931	2	226,494	2		2		2		2		2	
1/4	171,267	1/4	185,270	1/4	199,262	1/4	213,220	1/4	226,677	1/4		1/4		1/4		1/4		1/4	
1/2	171,559	1/2	185,562	1/2	199,553	1/2	213,510	1/2	226,859	1/2		1/2		1/2		1/2		1/2	
3/4	171,850	3/4	185,853	3/4	199,844	3/4	213,799	3/4	227,041	3/4		3/4		3/4		3/4		3/4	
3	172,142	3	186,145	3	200,135	3	214,089	3	227,224	3		3		3		3		3	
1/4	172,434	1/4	186,437	1/4	200,426	1/4	214,377	1/4	227,356	1/4		1/4		1/4		1/4		1/4	
1/2	172,726	1/2	186,729	1/2	200,717	1/2	214,666	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	173,017	3/4	187,020	3/4	201,007	3/4	214,955	3/4		3/4		3/4		3/4		3/4		3/4	
4	173,309	4	187,312	4	201,298	4	215,243	4		4		4		4		4		4	
1/4	173,601	1/4	187,604	1/4	201,589	1/4	215,532	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	173,893	1/2	187,896	1/2	201,880	1/2	215,820	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	174,184	3/4	188,187	3/4	202,171	3/4	216,109	3/4		3/4		3/4		3/4		3/4		3/4	
5	174,476	5	188,479	5	202,461	5	216,398	5		5		5		5		5		5	
1/4	174,768	1/4	188,771	1/4	202,752	1/4	216,686	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	175,059	1/2	189,062	1/2	203,043	1/2	216,975	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	175,351	3/4	189,354	3/4	203,334	3/4	217,264	3/4		3/4		3/4		3/4		3/4		3/4	
6	175,643	6	189,646	6	203,625	6	217,552	6		6		6		6		6		6	
1/4	175,935	1/4	189,938	1/4	203,916	1/4	217,841	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	176,226	1/2	190,229	1/2	204,206	1/2	218,129	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	176,518	3/4	190,521	3/4	204,497	3/4	218,418	3/4		3/4		3/4		3/4		3/4		3/4	
7	176,810	7	190,813	7	204,788	7	218,707	7		7		7		7		7		7	
1/4	177,102	1/4	191,105	1/4	205,079	1/4	218,995	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	177,393	1/2	191,396	1/2	205,370	1/2	219,284	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	177,685	3/4	191,688	3/4	205,660	3/4	219,573	3/4		3/4		3/4		3/4		3/4		3/4	
8	177,977	8	191,980	8	205,951	8	219,861	8		8		8		8		8		8	
1/4	178,268	1/4	192,271	1/4	206,242	1/4	220,150	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	178,560	1/2	192,563	1/2	206,533	1/2	220,438	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	178,852	3/4	192,855	3/4	206,824	3/4	220,727	3/4		3/4		3/4		3/4		3/4		3/4	
9	179,144	9	193,147	9	207,115	9	221,016	9		9		9		9		9		9	
1/4	179,435	1/4	193,438	1/4	207,405	1/4	221,304	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	179,727	1/2	193,730	1/2	207,696	1/2	221,593	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	180,019	3/4	194,022	3/4	207,987	3/4	221,882	3/4		3/4		3/4		3/4		3/4		3/4	
10	180,311	10	194,314	10	208,278	10	222,170	10		10		10		10		10		10	
1/4	180,602	1/4	194,605	1/4	208,569	1/4	222,459	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	180,894	1/2	194,897	1/2	208,859	1/2	222,747	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	181,186	3/4	195,189	3/4	209,150	3/4	223,036	3/4		3/4		3/4		3/4		3/4		3/4	
11	181,477	11	195,481	11	209,441	11	223,324	11		11		11		11		11		11	
1/4	181,769	1/4	195,772	1/4	209,732	1/4	223,612	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	182,061	1/2	196,063	1/2	210,023	1/2	223,899	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	182,353	3/4	196,354	3/4	210,314	3/4	224,187	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/22/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 1/2016

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	168,222	0	182,543	0	196,540	0	210,495	0	224,361	0		0		0		0		0	
1/4	168,572	1/4	182,834	1/4	196,830	1/4	210,785	1/4	224,633	1/4		1/4		1/4		1/4		1/4	
1/2	168,922	1/2	183,126	1/2	197,121	1/2	211,076	1/2	224,906	1/2		1/2		1/2		1/2		1/2	
3/4	169,272	3/4	183,418	3/4	197,412	3/4	211,367	3/4	225,178	3/4		3/4		3/4		3/4		3/4	
1	169,623	1	183,709	1	197,702	1	211,658	1	225,450	1		1		1		1		1	
1/4	169,936	1/4	184,001	1/4	197,993	1/4	211,948	1/4	225,683	1/4		1/4		1/4		1/4		1/4	
1/2	170,250	1/2	184,293	1/2	198,284	1/2	212,239	1/2	225,915	1/2		1/2		1/2		1/2		1/2	
3/4	170,563	3/4	184,584	3/4	198,575	3/4	212,530	3/4	226,148	3/4		3/4		3/4		3/4		3/4	
2	170,877	2	184,876	2	198,865	2	212,821	2	226,380	2		2		2		2		2	
1/4	171,169	1/4	185,168	1/4	199,156	1/4	213,110	1/4	226,562	1/4		1/4		1/4		1/4		1/4	
1/2	171,460	1/2	185,459	1/2	199,447	1/2	213,399	1/2	226,745	1/2		1/2		1/2		1/2		1/2	
3/4	171,752	3/4	185,751	3/4	199,738	3/4	213,689	3/4	226,927	3/4		3/4		3/4		3/4		3/4	
3	172,043	3	186,043	3	200,028	3	213,978	3	227,109	3		3		3		3		3	
1/4	172,335	1/4	186,334	1/4	200,319	1/4	214,267	1/4	227,242	1/4		1/4		1/4		1/4		1/4	
1/2	172,627	1/2	186,626	1/2	200,610	1/2	214,555	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	172,918	3/4	186,917	3/4	200,901	3/4	214,844	3/4		3/4		3/4		3/4		3/4		3/4	
4	173,210	4	187,209	4	201,191	4	215,132	4		4		4		4		4		4	
1/4	173,502	1/4	187,501	1/4	201,482	1/4	215,421	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	173,793	1/2	187,792	1/2	201,773	1/2	215,709	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	174,085	3/4	188,084	3/4	202,063	3/4	215,998	3/4		3/4		3/4		3/4		3/4		3/4	
5	174,377	5	188,376	5	202,354	5	216,286	5		5		5		5		5		5	
1/4	174,668	1/4	188,667	1/4	202,645	1/4	216,575	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	174,960	1/2	188,959	1/2	202,936	1/2	216,863	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	175,252	3/4	189,251	3/4	203,226	3/4	217,152	3/4		3/4		3/4		3/4		3/4		3/4	
6	175,543	6	189,542	6	203,517	6	217,441	6		6		6		6		6		6	
1/4	175,835	1/4	189,834	1/4	203,808	1/4	217,729	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	176,127	1/2	190,126	1/2	204,099	1/2	218,018	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	176,418	3/4	190,417	3/4	204,389	3/4	218,306	3/4		3/4		3/4		3/4		3/4		3/4	
7	176,710	7	190,709	7	204,680	7	218,595	7		7		7		7		7		7	
1/4	177,001	1/4	191,001	1/4	204,971	1/4	218,883	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	177,293	1/2	191,292	1/2	205,262	1/2	219,172	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	177,585	3/4	191,584	3/4	205,552	3/4	219,460	3/4		3/4		3/4		3/4		3/4		3/4	
8	177,876	8	191,875	8	205,843	8	219,749	8		8		8		8		8		8	
1/4	178,168	1/4	192,167	1/4	206,134	1/4	220,037	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	178,460	1/2	192,459	1/2	206,424	1/2	220,326	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	178,751	3/4	192,750	3/4	206,715	3/4	220,615	3/4		3/4		3/4		3/4		3/4		3/4	
9	179,043	9	193,042	9	207,006	9	220,903	9		9		9		9		9		9	
1/4	179,335	1/4	193,334	1/4	207,297	1/4	221,192	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	179,626	1/2	193,625	1/2	207,587	1/2	221,480	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	179,918	3/4	193,917	3/4	207,878	3/4	221,769	3/4		3/4		3/4		3/4		3/4		3/4	
10	180,210	10	194,209	10	208,169	10	222,057	10		10		10		10		10		10	
1/4	180,501	1/4	194,500	1/4	208,460	1/4	222,346	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	180,793	1/2	194,792	1/2	208,750	1/2	222,634	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	181,085	3/4	195,084	3/4	209,041	3/4	222,923	3/4		3/4		3/4		3/4		3/4		3/4	
11	181,376	11	195,375	11	209,332	11	223,211	11		11		11		11		11		11	
1/4	181,668	1/4	195,666	1/4	209,623	1/4	223,498	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	181,959	1/2	195,957	1/2	209,913	1/2	223,786	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	182,251	3/4	196,248	3/4	210,204	3/4	224,073	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/22/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 1/2016

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	162,794	0	179,051	0	195,306	0	211,520	0	227,645	0		0		0		0		0	
1/4	163,132	1/4	179,390	1/4	195,644	1/4	211,858	1/4	227,965	1/4		1/4		1/4		1/4		1/4	
1/2	163,471	1/2	179,729	1/2	195,982	1/2	212,196	1/2	228,284	1/2		1/2		1/2		1/2		1/2	
3/4	163,810	3/4	180,067	3/4	196,320	3/4	212,533	3/4	228,604	3/4		3/4		3/4		3/4		3/4	
1	164,149	1	180,406	1	196,658	1	212,871	1	228,924	1		1		1		1		1	
1/4	164,487	1/4	180,745	1/4	196,995	1/4	213,209	1/4	229,206	1/4		1/4		1/4		1/4		1/4	
1/2	164,826	1/2	181,083	1/2	197,333	1/2	213,547	1/2	229,487	1/2		1/2		1/2		1/2		1/2	
3/4	165,165	3/4	181,422	3/4	197,671	3/4	213,884	3/4	229,768	3/4		3/4		3/4		3/4		3/4	
2	165,503	2	181,761	2	198,009	2	214,222	2	230,049	2		2		2		2		2	
1/4	165,842	1/4	182,100	1/4	198,346	1/4	214,559	1/4	230,282	1/4		1/4		1/4		1/4		1/4	
1/2	166,181	1/2	182,438	1/2	198,684	1/2	214,895	1/2	230,515	1/2		1/2		1/2		1/2		1/2	
3/4	166,519	3/4	182,777	3/4	199,022	3/4	215,231	3/4	230,748	3/4		3/4		3/4		3/4		3/4	
3	166,858	3	183,116	3	199,360	3	215,568	3	230,981	3		3		3		3		3	
1/4	167,197	1/4	183,454	1/4	199,698	1/4	215,903	1/4	231,165	1/4		1/4		1/4		1/4		1/4	
1/2	167,536	1/2	183,793	1/2	200,035	1/2	216,239	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,874	3/4	184,132	3/4	200,373	3/4	216,575	3/4		3/4		3/4		3/4		3/4		3/4	
4	168,213	4	184,470	4	200,711	4	216,910	4		4		4		4		4		4	
1/4	168,552	1/4	184,809	1/4	201,049	1/4	217,246	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,890	1/2	185,148	1/2	201,386	1/2	217,581	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169,229	3/4	185,486	3/4	201,724	3/4	217,917	3/4		3/4		3/4		3/4		3/4		3/4	
5	169,568	5	185,825	5	202,062	5	218,253	5		5		5		5		5		5	
1/4	169,906	1/4	186,164	1/4	202,400	1/4	218,588	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	170,245	1/2	186,503	1/2	202,738	1/2	218,924	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170,584	3/4	186,841	3/4	203,075	3/4	219,259	3/4		3/4		3/4		3/4		3/4		3/4	
6	170,923	6	187,180	6	203,413	6	219,595	6		6		6		6		6		6	
1/4	171,261	1/4	187,519	1/4	203,751	1/4	219,930	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	171,600	1/2	187,857	1/2	204,089	1/2	220,266	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	171,939	3/4	188,196	3/4	204,427	3/4	220,602	3/4		3/4		3/4		3/4		3/4		3/4	
7	172,277	7	188,535	7	204,764	7	220,937	7		7		7		7		7		7	
1/4	172,616	1/4	188,873	1/4	205,102	1/4	221,273	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	172,955	1/2	189,212	1/2	205,440	1/2	221,608	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	173,293	3/4	189,551	3/4	205,778	3/4	221,944	3/4		3/4		3/4		3/4		3/4		3/4	
8	173,632	8	189,890	8	206,115	8	222,280	8		8		8		8		8		8	
1/4	173,971	1/4	190,228	1/4	206,453	1/4	222,615	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	174,309	1/2	190,567	1/2	206,791	1/2	222,951	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	174,648	3/4	190,906	3/4	207,129	3/4	223,286	3/4		3/4		3/4		3/4		3/4		3/4	
9	174,987	9	191,244	9	207,467	9	223,622	9		9		9		9		9		9	
1/4	175,326	1/4	191,583	1/4	207,804	1/4	223,958	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	175,664	1/2	191,922	1/2	208,142	1/2	224,293	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	176,003	3/4	192,260	3/4	208,480	3/4	224,629	3/4		3/4		3/4		3/4		3/4		3/4	
10	176,342	10	192,599	10	208,818	10	224,965	10		10		10		10		10		10	
1/4	176,680	1/4	192,938	1/4	209,155	1/4	225,300	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	177,019	1/2	193,277	1/2	209,493	1/2	225,635	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	177,358	3/4	193,615	3/4	209,831	3/4	225,971	3/4		3/4		3/4		3/4		3/4		3/4	
11	177,696	11	193,954	11	210,169	11	226,306	11		11		11		11		11		11	
1/4	178,035	1/4	194,292	1/4	210,507	1/4	226,641	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	178,374	1/2	194,630	1/2	210,844	1/2	226,975	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	178,713	3/4	194,968	3/4	211,182	3/4	227,310	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/22/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 1/2016

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	162,277	0	178,540	0	194,801	0	211,020	0	227,150	0		0		0		0		0	
1/4	162,616	1/4	178,879	1/4	195,139	1/4	211,358	1/4	227,470	1/4		1/4		1/4		1/4		1/4	
1/2	162,955	1/2	179,218	1/2	195,477	1/2	211,696	1/2	227,790	1/2		1/2		1/2		1/2		1/2	
3/4	163,294	3/4	179,557	3/4	195,814	3/4	212,033	3/4	228,110	3/4		3/4		3/4		3/4		3/4	
1	163,632	1	179,895	1	196,152	1	212,371	1	228,430	1		1		1		1		1	
1/4	163,971	1/4	180,234	1/4	196,490	1/4	212,709	1/4	228,712	1/4		1/4		1/4		1/4		1/4	
1/2	164,310	1/2	180,573	1/2	196,828	1/2	213,047	1/2	228,993	1/2		1/2		1/2		1/2		1/2	
3/4	164,649	3/4	180,912	3/4	197,166	3/4	213,385	3/4	229,274	3/4		3/4		3/4		3/4		3/4	
2	164,988	2	181,251	2	197,504	2	213,723	2	229,556	2		2		2		2		2	
1/4	165,326	1/4	181,589	1/4	197,842	1/4	214,060	1/4	229,789	1/4		1/4		1/4		1/4		1/4	
1/2	165,665	1/2	181,928	1/2	198,180	1/2	214,396	1/2	230,022	1/2		1/2		1/2		1/2		1/2	
3/4	166,004	3/4	182,267	3/4	198,518	3/4	214,733	3/4	230,255	3/4		3/4		3/4		3/4		3/4	
3	166,343	3	182,606	3	198,856	3	215,069	3	230,487	3		3		3		3		3	
1/4	166,682	1/4	182,945	1/4	199,193	1/4	215,405	1/4	230,672	1/4		1/4		1/4		1/4		1/4	
1/2	167,021	1/2	183,283	1/2	199,531	1/2	215,740	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,359	3/4	183,622	3/4	199,869	3/4	216,076	3/4		3/4		3/4		3/4		3/4		3/4	
4	167,698	4	183,961	4	200,207	4	216,412	4		4		4		4		4		4	
1/4	168,037	1/4	184,300	1/4	200,545	1/4	216,748	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,376	1/2	184,639	1/2	200,883	1/2	217,083	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,715	3/4	184,978	3/4	201,221	3/4	217,419	3/4		3/4		3/4		3/4		3/4		3/4	
5	169,053	5	185,316	5	201,559	5	217,755	5		5		5		5		5		5	
1/4	169,392	1/4	185,655	1/4	201,897	1/4	218,090	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	169,731	1/2	185,994	1/2	202,234	1/2	218,426	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170,070	3/4	186,333	3/4	202,572	3/4	218,762	3/4		3/4		3/4		3/4		3/4		3/4	
6	170,409	6	186,672	6	202,910	6	219,098	6		6		6		6		6		6	
1/4	170,747	1/4	187,010	1/4	203,248	1/4	219,433	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	171,086	1/2	187,349	1/2	203,586	1/2	219,769	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	171,425	3/4	187,688	3/4	203,924	3/4	220,105	3/4		3/4		3/4		3/4		3/4		3/4	
7	171,764	7	188,027	7	204,262	7	220,440	7		7		7		7		7		7	
1/4	172,103	1/4	188,366	1/4	204,600	1/4	220,776	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	172,441	1/2	188,704	1/2	204,938	1/2	221,112	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	172,780	3/4	189,043	3/4	205,276	3/4	221,447	3/4		3/4		3/4		3/4		3/4		3/4	
8	173,119	8	189,382	8	205,613	8	221,783	8		8		8		8		8		8	
1/4	173,458	1/4	189,721	1/4	205,951	1/4	222,119	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	173,797	1/2	190,060	1/2	206,289	1/2	222,455	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	174,136	3/4	190,398	3/4	206,627	3/4	222,790	3/4		3/4		3/4		3/4		3/4		3/4	
9	174,474	9	190,737	9	206,965	9	223,126	9		9		9		9		9		9	
1/4	174,813	1/4	191,076	1/4	207,303	1/4	223,462	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	175,152	1/2	191,415	1/2	207,641	1/2	223,797	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	175,491	3/4	191,754	3/4	207,979	3/4	224,133	3/4		3/4		3/4		3/4		3/4		3/4	
10	175,830	10	192,093	10	208,317	10	224,469	10		10		10		10		10		10	
1/4	176,168	1/4	192,431	1/4	208,655	1/4	224,805	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	176,507	1/2	192,770	1/2	208,992	1/2	225,140	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	176,846	3/4	193,109	3/4	209,330	3/4	225,476	3/4		3/4		3/4		3/4		3/4		3/4	
11	177,185	11	193,448	11	209,668	11	225,811	11		11		11		11		11		11	
1/4	177,524	1/4	193,786	1/4	210,006	1/4	226,146	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	177,862	1/2	194,124	1/2	210,344	1/2	226,481	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	178,201	3/4	194,463	3/4	210,682	3/4	226,815	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/22/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 1/2016

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	806	0	16,878	0	33,061	0	49,223	0	65,408	0	81,592	0	97,776	0	113,961	0	130,126	0	146,291
1/4	1,115	1/4	17,215	1/4	33,399	1/4	49,560	1/4	65,745	1/4	81,929	1/4	98,114	1/4	114,298	1/4	130,463	1/4	146,628
1/2	1,424	1/2	17,552	1/2	33,736	1/2	49,898	1/2	66,082	1/2	82,266	1/2	98,451	1/2	114,634	1/2	130,800	1/2	146,964
3/4	1,733	3/4	17,889	3/4	34,073	3/4	50,235	3/4	66,419	3/4	82,603	3/4	98,788	3/4	114,971	3/4	131,136	3/4	147,301
1	2,042	1	18,226	1	34,410	1	50,572	1	66,756	1	82,941	1	99,125	1	115,308	1	131,473	1	147,638
1/4	2,379	1/4	18,563	1/4	34,747	1/4	50,909	1/4	67,093	1/4	83,278	1/4	99,462	1/4	115,645	1/4	131,810	1/4	147,975
1/2	2,717	1/2	18,901	1/2	35,084	1/2	51,246	1/2	67,431	1/2	83,615	1/2	99,799	1/2	115,982	1/2	132,147	1/2	148,311
3/4	3,054	3/4	19,238	3/4	35,422	3/4	51,583	3/4	67,768	3/4	83,952	3/4	100,137	3/4	116,318	3/4	132,483	3/4	148,648
2	3,391	2	19,575	2	35,759	2	51,921	2	68,105	2	84,289	2	100,474	2	116,655	2	132,820	2	148,985
1/4	3,728	1/4	19,912	1/4	36,096	1/4	52,258	1/4	68,442	1/4	84,627	1/4	100,811	1/4	116,992	1/4	133,157	1/4	149,322
1/2	4,065	1/2	20,249	1/2	36,432	1/2	52,595	1/2	68,779	1/2	84,964	1/2	101,148	1/2	117,329	1/2	133,494	1/2	149,659
3/4	4,402	3/4	20,586	3/4	36,769	3/4	52,932	3/4	69,117	3/4	85,301	3/4	101,485	3/4	117,666	3/4	133,830	3/4	149,995
3	4,740	3	20,924	3	37,106	3	53,269	3	69,454	3	85,638	3	101,822	3	118,002	3	134,167	3	150,332
1/4	5,077	1/4	21,261	1/4	37,442	1/4	53,607	1/4	69,791	1/4	85,975	1/4	102,160	1/4	118,339	1/4	134,504	1/4	150,669
1/2	5,414	1/2	21,598	1/2	37,779	1/2	53,944	1/2	70,128	1/2	86,312	1/2	102,497	1/2	118,676	1/2	134,841	1/2	151,006
3/4	5,751	3/4	21,935	3/4	38,115	3/4	54,281	3/4	70,465	3/4	86,650	3/4	102,834	3/4	119,013	3/4	135,178	3/4	151,342
4	6,088	4	22,272	4	38,452	4	54,618	4	70,802	4	86,987	4	103,171	4	119,349	4	135,514	4	151,679
1/4	6,425	1/4	22,609	1/4	38,789	1/4	54,955	1/4	71,140	1/4	87,324	1/4	103,508	1/4	119,686	1/4	135,851	1/4	152,014
1/2	6,763	1/2	22,947	1/2	39,125	1/2	55,292	1/2	71,477	1/2	87,661	1/2	103,845	1/2	120,023	1/2	136,188	1/2	152,349
3/4	7,100	3/4	23,284	3/4	39,462	3/4	55,630	3/4	71,814	3/4	87,998	3/4	104,183	3/4	120,360	3/4	136,525	3/4	152,684
5	7,437	5	23,621	5	39,798	5	55,967	5	72,151	5	88,335	5	104,520	5	120,696	5	136,861	5	153,019
1/4	7,774	1/4	23,958	1/4	40,135	1/4	56,304	1/4	72,488	1/4	88,673	1/4	104,857	1/4	121,033	1/4	137,198	1/4	153,353
1/2	8,111	1/2	24,295	1/2	40,472	1/2	56,641	1/2	72,825	1/2	89,010	1/2	105,194	1/2	121,370	1/2	137,535	1/2	153,688
3/4	8,448	3/4	24,632	3/4	40,808	3/4	56,978	3/4	73,163	3/4	89,347	3/4	105,531	3/4	121,707	3/4	137,872	3/4	154,023
6	8,786	6	24,970	6	41,145	6	57,315	6	73,500	6	89,684	6	105,869	6	122,044	6	138,208	6	154,358
1/4	9,123	1/4	25,307	1/4	41,481	1/4	57,653	1/4	73,837	1/4	90,021	1/4	106,206	1/4	122,380	1/4	138,545	1/4	154,693
1/2	9,460	1/2	25,644	1/2	41,818	1/2	57,990	1/2	74,174	1/2	90,359	1/2	106,543	1/2	122,717	1/2	138,882	1/2	155,028
3/4	9,797	3/4	25,981	3/4	42,154	3/4	58,327	3/4	74,511	3/4	90,696	3/4	106,880	3/4	123,054	3/4	139,219	3/4	155,363
7	10,134	7	26,318	7	42,491	7	58,664	7	74,848	7	91,033	7	107,217	7	123,391	7	139,556	7	155,697
1/4	10,471	1/4	26,655	1/4	42,828	1/4	59,001	1/4	75,186	1/4	91,370	1/4	107,554	1/4	123,727	1/4	139,892	1/4	156,033
1/2	10,809	1/2	26,993	1/2	43,164	1/2	59,338	1/2	75,523	1/2	91,707	1/2	107,892	1/2	124,064	1/2	140,229	1/2	156,368
3/4	11,146	3/4	27,330	3/4	43,501	3/4	59,676	3/4	75,860	3/4	92,044	3/4	108,229	3/4	124,401	3/4	140,566	3/4	156,703
8	11,483	8	27,667	8	43,837	8	60,013	8	76,197	8	92,382	8	108,566	8	124,738	8	140,903	8	157,038
1/4	11,820	1/4	28,004	1/4	44,174	1/4	60,350	1/4	76,534	1/4	92,719	1/4	108,903	1/4	125,074	1/4	141,239	1/4	157,373
1/2	12,157	1/2	28,341	1/2	44,510	1/2	60,687	1/2	76,872	1/2	93,056	1/2	109,240	1/2	125,411	1/2	141,576	1/2	157,708
3/4	12,494	3/4	28,678	3/4	44,847	3/4	61,024	3/4	77,209	3/4	93,393	3/4	109,577	3/4	125,748	3/4	141,913	3/4	158,044
9	12,832	9	29,015	9	45,184	9	61,362	9	77,546	9	93,730	9	109,915	9	126,085	9	142,250	9	158,379
1/4	13,169	1/4	29,353	1/4	45,520	1/4	61,699	1/4	77,883	1/4	94,067	1/4	110,252	1/4	126,422	1/4	142,586	1/4	158,714
1/2	13,506	1/2	29,690	1/2	45,857	1/2	62,036	1/2	78,220	1/2	94,405	1/2	110,589	1/2	126,758	1/2	142,923	1/2	159,049
3/4	13,843	3/4	30,027	3/4	46,193	3/4	62,373	3/4	78,557	3/4	94,742	3/4	110,926	3/4	127,095	3/4	143,260	3/4	159,384
10	14,180	10	30,364	10	46,530	10	62,710	10	78,895	10	95,079	10	111,263	10	127,432	10	143,597	10	159,719
1/4	14,517	1/4	30,701	1/4	46,867	1/4	63,047	1/4	79,232	1/4	95,416	1/4	111,600	1/4	127,769	1/4	143,934	1/4	159,984
1/2	14,855	1/2	31,038	1/2	47,203	1/2	63,385	1/2	79,569	1/2	95,753	1/2	111,938	1/2	128,105	1/2	144,270	1/2	160,249
3/4	15,192	3/4	31,376	3/4	47,540	3/4	63,722	3/4	79,906	3/4	96,090	3/4	112,275	3/4	128,442	3/4	144,607	3/4	160,513
11	15,529	11	31,713	11	47,876	11	64,059	11	80,243	11	96,428	11	112,612	11	128,779	11	144,944	11	160,778
1/4	15,866	1/4	32,050	1/4	48,213	1/4	64,396	1/4	80,580	1/4	96,765	1/4	112,949	1/4	129,116	1/4	145,281	1/4	161,042
1/2	16,203	1/2	32,387	1/2	48,550	1/2	64,733	1/2	80,918	1/2	97,102	1/2	113,286	1/2	129,452	1/2	145,617	1/2	161,307
3/4	16,540	3/4	32,724	3/4	48,887	3/4	65,070	3/4	81,255	3/4	97,439	3/4	113,624	3/4	129,789	3/4	145,954	3/4	161,571

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "GBL 5232B"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-06 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	161,836	0	173,765	0	185,298	0	196,805	0	207,373	0		0		0		0		0	
1/4	162,101	1/4	174,005	1/4	185,538	1/4	197,044	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,365	1/2	174,246	1/2	185,777	1/2	197,282	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,630	3/4	174,486	3/4	186,017	3/4	197,520	3/4		3/4		3/4		3/4		3/4		3/4	
1	162,894	1	174,727	1	186,257	1	197,759	1	1	1	1	1	1	1	1	1	1	1	1
1/4	163,159	1/4	174,967	1/4	186,497	1/4	197,997	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,424	1/2	175,207	1/2	186,737	1/2	198,236	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,688	3/4	175,448	3/4	186,977	3/4	198,474	3/4		3/4		3/4		3/4		3/4		3/4	
2	163,953	2	175,688	2	187,217	2	198,712	2	2	2	2	2	2	2	2	2	2	2	2
1/4	164,217	1/4	175,929	1/4	187,457	1/4	198,951	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,482	1/2	176,169	1/2	187,696	1/2	199,189	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,746	3/4	176,410	3/4	187,936	3/4	199,427	3/4		3/4		3/4		3/4		3/4		3/4	
3	165,011	3	176,650	3	188,176	3	199,666	3	3	3	3	3	3	3	3	3	3	3	3
1/4	165,276	1/4	176,891	1/4	188,416	1/4	199,904	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,540	1/2	177,131	1/2	188,656	1/2	200,142	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,805	3/4	177,372	3/4	188,896	3/4	200,381	3/4		3/4		3/4		3/4		3/4		3/4	
4	166,069	4	177,612	4	189,136	4	200,619	4	4	4	4	4	4	4	4	4	4	4	4
1/4	166,310	1/4	177,853	1/4	189,376	1/4	200,858	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,550	1/2	178,093	1/2	189,615	1/2	201,096	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,791	3/4	178,334	3/4	189,855	3/4	201,334	3/4		3/4		3/4		3/4		3/4		3/4	
5	167,031	5	178,574	5	190,095	5	201,573	5	5	5	5	5	5	5	5	5	5	5	5
1/4	167,272	1/4	178,815	1/4	190,335	1/4	201,811	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,512	1/2	179,055	1/2	190,575	1/2	202,049	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,753	3/4	179,296	3/4	190,815	3/4	202,288	3/4		3/4		3/4		3/4		3/4		3/4	
6	167,993	6	179,536	6	191,055	6	202,526	6	6	6	6	6	6	6	6	6	6	6	6
1/4	168,234	1/4	179,777	1/4	191,294	1/4	202,764	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,474	1/2	180,017	1/2	191,534	1/2	203,003	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,715	3/4	180,257	3/4	191,774	3/4	203,241	3/4		3/4		3/4		3/4		3/4		3/4	
7	168,955	7	180,498	7	192,014	7	203,480	7	7	7	7	7	7	7	7	7	7	7	7
1/4	169,196	1/4	180,738	1/4	192,254	1/4	203,718	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	169,436	1/2	180,979	1/2	192,494	1/2	203,956	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169,677	3/4	181,219	3/4	192,734	3/4	204,194	3/4		3/4		3/4		3/4		3/4		3/4	
8	169,917	8	181,460	8	192,974	8	204,432	8	8	8	8	8	8	8	8	8	8	8	8
1/4	170,157	1/4	181,700	1/4	193,213	1/4	204,669	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	170,398	1/2	181,940	1/2	193,453	1/2	204,905	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170,638	3/4	182,179	3/4	193,693	3/4	205,142	3/4		3/4		3/4		3/4		3/4		3/4	
9	170,879	9	182,419	9	193,933	9	205,379	9	9	9	9	9	9	9	9	9	9	9	9
1/4	171,119	1/4	182,659	1/4	194,173	1/4	205,594	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	171,360	1/2	182,899	1/2	194,413	1/2	205,808	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	171,600	3/4	183,139	3/4	194,653	3/4	206,022	3/4		3/4		3/4		3/4		3/4		3/4	
10	171,841	10	183,379	10	194,892	10	206,236	10	10	10	10	10	10	10	10	10	10	10	10
1/4	172,081	1/4	183,619	1/4	195,132	1/4	206,403	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	172,322	1/2	183,859	1/2	195,372	1/2	206,569	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	172,562	3/4	184,098	3/4	195,612	3/4	206,735	3/4		3/4		3/4		3/4		3/4		3/4	
11	172,803	11	184,338	11	195,852	11	206,901	11	11	11	11	11	11	11	11	11	11	11	11
1/4	173,043	1/4	184,578	1/4	196,090	1/4	207,019	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	173,284	1/2	184,818	1/2	196,329	1/2	207,137	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	173,524	3/4	185,058	3/4	196,567	3/4	207,255	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/22/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 1/2016

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-07"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	806	0	16,854	0	33,009	0	49,144	0	64,795	0	80,895	0	96,956	0	113,109	0	129,233	0	145,364
1/4	1,115	1/4	17,191	1/4	33,346	1/4	49,471	1/4	65,131	1/4	81,229	1/4	97,292	1/4	113,445	1/4	129,569	1/4	145,700
1/2	1,424	1/2	17,527	1/2	33,683	1/2	49,798	1/2	65,468	1/2	81,563	1/2	97,629	1/2	113,782	1/2	129,905	1/2	146,036
3/4	1,733	3/4	17,863	3/4	34,019	3/4	50,126	3/4	65,804	3/4	81,896	3/4	97,965	3/4	114,118	3/4	130,241	3/4	146,372
1	2,042	1	18,200	1	34,356	1	50,453	1	66,140	1	82,230	1	98,302	1	114,454	1	130,577	1	146,708
1/4	2,379	1/4	18,536	1/4	34,692	1/4	50,779	1/4	66,477	1/4	82,564	1/4	98,638	1/4	114,790	1/4	130,913	1/4	147,044
1/2	2,716	1/2	18,873	1/2	35,029	1/2	51,104	1/2	66,813	1/2	82,897	1/2	98,975	1/2	115,126	1/2	131,249	1/2	147,380
3/4	3,053	3/4	19,209	3/4	35,366	3/4	51,429	3/4	67,149	3/4	83,231	3/4	99,311	3/4	115,461	3/4	131,585	3/4	147,716
2	3,390	2	19,546	2	35,702	2	51,755	2	67,486	2	83,564	2	99,648	2	115,797	2	131,921	2	148,052
1/4	3,727	1/4	19,882	1/4	36,038	1/4	52,080	1/4	67,822	1/4	83,898	1/4	99,984	1/4	116,133	1/4	132,257	1/4	148,388
1/2	4,064	1/2	20,219	1/2	36,374	1/2	52,406	1/2	68,158	1/2	84,232	1/2	100,321	1/2	116,469	1/2	132,593	1/2	148,724
3/4	4,400	3/4	20,555	3/4	36,711	3/4	52,731	3/4	68,495	3/4	84,565	3/4	100,657	3/4	116,805	3/4	132,929	3/4	149,060
3	4,737	3	20,892	3	37,047	3	53,057	3	68,831	3	84,899	3	100,994	3	117,140	3	133,265	3	149,396
1/4	5,074	1/4	21,229	1/4	37,383	1/4	53,382	1/4	69,167	1/4	85,232	1/4	101,330	1/4	117,476	1/4	133,601	1/4	149,732
1/2	5,410	1/2	21,565	1/2	37,719	1/2	53,707	1/2	69,503	1/2	85,566	1/2	101,667	1/2	117,812	1/2	133,937	1/2	150,068
3/4	5,747	3/4	21,902	3/4	38,055	3/4	54,033	3/4	69,839	3/4	85,900	3/4	102,004	3/4	118,148	3/4	134,274	3/4	150,405
4	6,083	4	22,238	4	38,391	4	54,358	4	70,176	4	86,233	4	102,340	4	118,484	4	134,610	4	150,741
1/4	6,420	1/4	22,575	1/4	38,727	1/4	54,684	1/4	70,512	1/4	86,567	1/4	102,677	1/4	118,819	1/4	134,946	1/4	151,075
1/2	6,757	1/2	22,912	1/2	39,063	1/2	55,009	1/2	70,848	1/2	86,900	1/2	103,013	1/2	119,155	1/2	135,282	1/2	151,409
3/4	7,093	3/4	23,248	3/4	39,399	3/4	55,335	3/4	71,185	3/4	87,234	3/4	103,350	3/4	119,491	3/4	135,618	3/4	151,743
5	7,430	5	23,585	5	39,735	5	55,660	5	71,521	5	87,568	5	103,686	5	119,827	5	135,954	5	152,077
1/4	7,766	1/4	23,921	1/4	40,071	1/4	55,986	1/4	71,857	1/4	87,901	1/4	104,023	1/4	120,163	1/4	136,290	1/4	152,411
1/2	8,103	1/2	24,258	1/2	40,407	1/2	56,311	1/2	72,194	1/2	88,235	1/2	104,359	1/2	120,499	1/2	136,626	1/2	152,746
3/4	8,440	3/4	24,594	3/4	40,743	3/4	56,636	3/4	72,530	3/4	88,569	3/4	104,696	3/4	120,834	3/4	136,962	3/4	153,080
6	8,776	6	24,931	6	41,079	6	56,962	6	72,867	6	88,902	6	105,032	6	121,170	6	137,298	6	153,414
1/4	9,113	1/4	25,268	1/4	41,415	1/4	57,287	1/4	73,203	1/4	89,236	1/4	105,369	1/4	121,506	1/4	137,634	1/4	153,748
1/2	9,449	1/2	25,604	1/2	41,751	1/2	57,613	1/2	73,539	1/2	89,569	1/2	105,705	1/2	121,842	1/2	137,970	1/2	154,082
3/4	9,786	3/4	25,941	3/4	42,087	3/4	57,938	3/4	73,876	3/4	89,903	3/4	106,042	3/4	122,178	3/4	138,306	3/4	154,416
7	10,123	7	26,277	7	42,423	7	58,264	7	74,212	7	90,237	7	106,378	7	122,513	7	138,642	7	154,750
1/4	10,459	1/4	26,614	1/4	42,759	1/4	58,589	1/4	74,548	1/4	90,570	1/4	106,715	1/4	122,849	1/4	138,978	1/4	155,085
1/2	10,796	1/2	26,951	1/2	43,095	1/2	58,914	1/2	74,885	1/2	90,904	1/2	107,052	1/2	123,185	1/2	139,314	1/2	155,420
3/4	11,132	3/4	27,287	3/4	43,431	3/4	59,240	3/4	75,221	3/4	91,237	3/4	107,388	3/4	123,521	3/4	139,651	3/4	155,755
8	11,469	8	27,624	8	43,767	8	59,565	8	75,558	8	91,571	8	107,725	8	123,857	8	139,987	8	156,090
1/4	11,806	1/4	27,960	1/4	44,103	1/4	59,891	1/4	75,891	1/4	91,908	1/4	108,061	1/4	124,192	1/4	140,323	1/4	156,425
1/2	12,142	1/2	28,297	1/2	44,439	1/2	60,216	1/2	76,225	1/2	92,244	1/2	108,398	1/2	124,528	1/2	140,659	1/2	156,760
3/4	12,479	3/4	28,634	3/4	44,775	3/4	60,542	3/4	76,558	3/4	92,581	3/4	108,734	3/4	124,864	3/4	140,995	3/4	157,095
9	12,815	9	28,970	9	45,111	9	60,867	9	76,892	9	92,917	9	109,071	9	125,200	9	141,331	9	157,430
1/4	13,152	1/4	29,307	1/4	45,447	1/4	61,192	1/4	77,226	1/4	93,254	1/4	109,407	1/4	125,536	1/4	141,667	1/4	157,765
1/2	13,489	1/2	29,643	1/2	45,783	1/2	61,518	1/2	77,559	1/2	93,590	1/2	109,744	1/2	125,872	1/2	142,003	1/2	158,100
3/4	13,825	3/4	29,980	3/4	46,119	3/4	61,843	3/4	77,893	3/4	93,927	3/4	110,080	3/4	126,208	3/4	142,339	3/4	158,435
10	14,162	10	30,317	10	46,455	10	62,169	10	78,227	10	94,263	10	110,417	10	126,544	10	142,675	10	158,770
1/4	14,498	1/4	30,653	1/4	46,791	1/4	62,496	1/4	78,560	1/4	94,600	1/4	110,753	1/4	126,880	1/4	143,011	1/4	159,034
1/2	14,835	1/2	30,990	1/2	47,127	1/2	62,823	1/2	78,894	1/2	94,936	1/2	111,090	1/2	127,216	1/2	143,347	1/2	159,299
3/4	15,172	3/4	31,326	3/4	47,463	3/4	63,151	3/4	79,227	3/4	95,273	3/4	111,426	3/4	127,552	3/4	143,683	3/4	159,563
11	15,508	11	31,663	11	47,799	11	63,478	11	79,561	11	95,609	11	111,763	11	127,888	11	144,019	11	159,828
1/4	15,845	1/4	32,000	1/4	48,135	1/4	63,807	1/4	79,895	1/4	95,946	1/4	112,099	1/4	128,224	1/4	144,355	1/4	160,092
1/2	16,181	1/2	32,336	1/2	48,471	1/2	64,136	1/2	80,228	1/2	96,283	1/2	112,436	1/2	128,561	1/2	144,691	1/2	160,357
3/4	16,518	3/4	32,673	3/4	48,808	3/4	64,466	3/4	80,562	3/4	96,619	3/4	112,773	3/4	128,897	3/4	145,028	3/4	160,621

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "GBL 5232B"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	160,886	0	172,811	0	184,341	0	195,846	0	206,411	0		0		0		0		0	
1/4	161,150	1/4	173,052	1/4	184,581	1/4	196,084	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,415	1/2	173,292	1/2	184,821	1/2	196,323	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,679	3/4	173,533	3/4	185,061	3/4	196,561	3/4		3/4		3/4		3/4		3/4		3/4	
1	161,944	1	173,773	1	185,301	1	196,799	1	1	1	1	1	1	1	1	1	1	1	1
1/4	162,208	1/4	174,013	1/4	185,540	1/4	197,037	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,473	1/2	174,254	1/2	185,780	1/2	197,276	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,738	3/4	174,494	3/4	186,020	3/4	197,514	3/4		3/4		3/4		3/4		3/4		3/4	
2	163,002	2	174,735	2	186,260	2	197,752	2	2	2	2	2	2	2	2	2	2	2	2
1/4	163,267	1/4	174,975	1/4	186,500	1/4	197,991	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,531	1/2	175,215	1/2	186,739	1/2	198,229	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,796	3/4	175,456	3/4	186,979	3/4	198,467	3/4		3/4		3/4		3/4		3/4		3/4	
3	164,060	3	175,696	3	187,219	3	198,706	3	3	3	3	3	3	3	3	3	3	3	3
1/4	164,325	1/4	175,937	1/4	187,459	1/4	198,944	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,589	1/2	176,177	1/2	187,699	1/2	199,182	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,854	3/4	176,418	3/4	187,938	3/4	199,420	3/4		3/4		3/4		3/4		3/4		3/4	
4	165,118	4	176,658	4	188,178	4	199,659	4	4	4	4	4	4	4	4	4	4	4	4
1/4	165,359	1/4	176,898	1/4	188,418	1/4	199,897	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,599	1/2	177,139	1/2	188,658	1/2	200,135	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,839	3/4	177,379	3/4	188,898	3/4	200,374	3/4		3/4		3/4		3/4		3/4		3/4	
5	166,080	5	177,620	5	189,137	5	200,612	5	5	5	5	5	5	5	5	5	5	5	5
1/4	166,320	1/4	177,860	1/4	189,377	1/4	200,850	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,561	1/2	178,100	1/2	189,617	1/2	201,089	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,801	3/4	178,341	3/4	189,857	3/4	201,327	3/4		3/4		3/4		3/4		3/4		3/4	
6	167,041	6	178,581	6	190,097	6	201,565	6	6	6	6	6	6	6	6	6	6	6	6
1/4	167,282	1/4	178,822	1/4	190,337	1/4	201,803	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,522	1/2	179,062	1/2	190,576	1/2	202,042	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,763	3/4	179,302	3/4	190,816	3/4	202,280	3/4		3/4		3/4		3/4		3/4		3/4	
7	168,003	7	179,543	7	191,056	7	202,518	7	7	7	7	7	7	7	7	7	7	7	7
1/4	168,243	1/4	179,783	1/4	191,296	1/4	202,756	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,484	1/2	180,024	1/2	191,536	1/2	202,994	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,724	3/4	180,264	3/4	191,775	3/4	203,232	3/4		3/4		3/4		3/4		3/4		3/4	
8	168,965	8	180,505	8	192,015	8	203,470	8	8	8	8	8	8	8	8	8	8	8	8
1/4	169,205	1/4	180,744	1/4	192,255	1/4	203,707	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	169,446	1/2	180,984	1/2	192,495	1/2	203,944	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169,686	3/4	181,224	3/4	192,735	3/4	204,181	3/4		3/4		3/4		3/4		3/4		3/4	
9	169,926	9	181,464	9	192,974	9	204,418	9	9	9	9	9	9	9	9	9	9	9	9
1/4	170,167	1/4	181,704	1/4	193,214	1/4	204,632	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	170,407	1/2	181,943	1/2	193,454	1/2	204,846	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170,648	3/4	182,183	3/4	193,694	3/4	205,060	3/4		3/4		3/4		3/4		3/4		3/4	
10	170,888	10	182,423	10	193,934	10	205,274	10	10	10	10	10	10	10	10	10	10	10	10
1/4	171,128	1/4	182,663	1/4	194,173	1/4	205,441	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	171,369	1/2	182,903	1/2	194,413	1/2	205,607	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	171,609	3/4	183,142	3/4	194,653	3/4	205,773	3/4		3/4		3/4		3/4		3/4		3/4	
11	171,850	11	183,382	11	194,893	11	205,939	11	11	11	11	11	11	11	11	11	11	11	11
1/4	172,090	1/4	183,622	1/4	195,131	1/4	206,057	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	172,330	1/2	183,862	1/2	195,369	1/2	206,175	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	172,571	3/4	184,102	3/4	195,608	3/4	206,293	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/22/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 1/2016

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

PORT SLOP TANK

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,161	0	2,322	0	3,483	0	4,644	0		0		0		0		0	
1/4	24	1/4	1,185	1/4	2,346	1/4	3,507	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,209	1/2	2,370	1/2	3,531	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	73	3/4	1,234	3/4	2,394	3/4	3,555	3/4		3/4		3/4		3/4		3/4		3/4	
1	97	1	1,258	1	2,419	1	3,580	1		1		1		1		1		1	
1/4	121	1/4	1,282	1/4	2,443	1/4	3,604	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	145	1/2	1,306	1/2	2,467	1/2	3,628	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,330	3/4	2,491	3/4	3,652	3/4		3/4		3/4		3/4		3/4		3/4	
2	193	2	1,354	2	2,515	2	3,676	2		2		2		2		2		2	
1/4	218	1/4	1,379	1/4	2,540	1/4	3,701	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	242	1/2	1,403	1/2	2,564	1/2	3,725	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	266	3/4	1,427	3/4	2,588	3/4	3,749	3/4		3/4		3/4		3/4		3/4		3/4	
3	290	3	1,451	3	2,612	3	3,773	3		3		3		3		3		3	
1/4	314	1/4	1,475	1/4	2,636	1/4	3,797	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	339	1/2	1,500	1/2	2,661	1/2	3,821	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	363	3/4	1,524	3/4	2,685	3/4	3,846	3/4		3/4		3/4		3/4		3/4		3/4	
4	387	4	1,548	4	2,709	4	3,870	4		4		4		4		4		4	
1/4	411	1/4	1,572	1/4	2,733	1/4	3,894	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	435	1/2	1,596	1/2	2,757	1/2	3,918	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	460	3/4	1,621	3/4	2,781	3/4	3,942	3/4		3/4		3/4		3/4		3/4		3/4	
5	484	5	1,645	5	2,806	5	3,967	5		5		5		5		5		5	
1/4	508	1/4	1,669	1/4	2,830	1/4	3,991	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	532	1/2	1,693	1/2	2,854	1/2	4,015	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	556	3/4	1,717	3/4	2,878	3/4	4,039	3/4		3/4		3/4		3/4		3/4		3/4	
6	580	6	1,741	6	2,902	6	4,063	6		6		6		6		6		6	
1/4	605	1/4	1,766	1/4	2,927	1/4	4,088	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	629	1/2	1,790	1/2	2,951	1/2	4,112	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	653	3/4	1,814	3/4	2,975	3/4	4,136	3/4		3/4		3/4		3/4		3/4		3/4	
7	677	7	1,838	7	2,999	7	4,160	7		7		7		7		7		7	
1/4	701	1/4	1,862	1/4	3,023	1/4	4,184	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	726	1/2	1,887	1/2	3,048	1/2	4,208	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	750	3/4	1,911	3/4	3,072	3/4	4,233	3/4		3/4		3/4		3/4		3/4		3/4	
8	774	8	1,935	8	3,096	8	4,257	8		8		8		8		8		8	
1/4	798	1/4	1,959	1/4	3,120	1/4	4,281	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	822	1/2	1,983	1/2	3,144	1/2	4,305	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	847	3/4	2,007	3/4	3,168	3/4	4,329	3/4		3/4		3/4		3/4		3/4		3/4	
9	871	9	2,032	9	3,193	9	4,354	9		9		9		9		9		9	
1/4	895	1/4	2,056	1/4	3,217	1/4	4,378	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	919	1/2	2,080	1/2	3,241	1/2	4,402	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	943	3/4	2,104	3/4	3,265	3/4	4,426	3/4		3/4		3/4		3/4		3/4		3/4	
10	967	10	2,128	10	3,289	10	4,450	10		10		10		10		10		10	
1/4	992	1/4	2,153	1/4	3,314	1/4	4,475	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,016	1/2	2,177	1/2	3,338	1/2	4,499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,040	3/4	2,201	3/4	3,362	3/4	4,523	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,064	11	2,225	11	3,386	11	4,547	11		11		11		11		11		11	
1/4	1,088	1/4	2,249	1/4	3,410	1/4	4,571	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,113	1/2	2,274	1/2	3,435	1/2	4,595	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,137	3/4	2,298	3/4	3,459	3/4	4,620	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF "MMC" VALVE.

STRAPPED: 1/21/2016 CL
 CALCULATED: 1/22/2016 CL
 PRINTED: 1/23/2016 JS

CANCELS AND SUPERCEDES
 ALL PRIOR TO 01/2016

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

STBD SLOP TANK

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,161	0	2,322	0	3,483	0	4,644	0		0		0		0		0	
1/4	24	1/4	1,185	1/4	2,346	1/4	3,507	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,209	1/2	2,370	1/2	3,531	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	73	3/4	1,234	3/4	2,394	3/4	3,555	3/4		3/4		3/4		3/4		3/4		3/4	
1	97	1	1,258	1	2,419	1	3,580	1	1	1		1		1		1		1	
1/4	121	1/4	1,282	1/4	2,443	1/4	3,604	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	145	1/2	1,306	1/2	2,467	1/2	3,628	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,330	3/4	2,491	3/4	3,652	3/4		3/4		3/4		3/4		3/4		3/4	
2	193	2	1,354	2	2,515	2	3,676	2	2	2		2		2		2		2	
1/4	218	1/4	1,379	1/4	2,540	1/4	3,701	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	242	1/2	1,403	1/2	2,564	1/2	3,725	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	266	3/4	1,427	3/4	2,588	3/4	3,749	3/4		3/4		3/4		3/4		3/4		3/4	
3	290	3	1,451	3	2,612	3	3,773	3	3	3		3		3		3		3	
1/4	314	1/4	1,475	1/4	2,636	1/4	3,797	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	339	1/2	1,500	1/2	2,661	1/2	3,821	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	363	3/4	1,524	3/4	2,685	3/4	3,846	3/4		3/4		3/4		3/4		3/4		3/4	
4	387	4	1,548	4	2,709	4	3,870	4	4	4		4		4		4		4	
1/4	411	1/4	1,572	1/4	2,733	1/4	3,894	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	435	1/2	1,596	1/2	2,757	1/2	3,918	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	460	3/4	1,621	3/4	2,781	3/4	3,942	3/4		3/4		3/4		3/4		3/4		3/4	
5	484	5	1,645	5	2,806	5	3,967	5	5	5		5		5		5		5	
1/4	508	1/4	1,669	1/4	2,830	1/4	3,991	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	532	1/2	1,693	1/2	2,854	1/2	4,015	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	556	3/4	1,717	3/4	2,878	3/4	4,039	3/4		3/4		3/4		3/4		3/4		3/4	
6	580	6	1,741	6	2,902	6	4,063	6	6	6		6		6		6		6	
1/4	605	1/4	1,766	1/4	2,927	1/4	4,088	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	629	1/2	1,790	1/2	2,951	1/2	4,112	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	653	3/4	1,814	3/4	2,975	3/4	4,136	3/4		3/4		3/4		3/4		3/4		3/4	
7	677	7	1,838	7	2,999	7	4,160	7	7	7		7		7		7		7	
1/4	701	1/4	1,862	1/4	3,023	1/4	4,184	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	726	1/2	1,887	1/2	3,048	1/2	4,208	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	750	3/4	1,911	3/4	3,072	3/4	4,233	3/4		3/4		3/4		3/4		3/4		3/4	
8	774	8	1,935	8	3,096	8	4,257	8	8	8		8		8		8		8	
1/4	798	1/4	1,959	1/4	3,120	1/4	4,281	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	822	1/2	1,983	1/2	3,144	1/2	4,305	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	847	3/4	2,007	3/4	3,168	3/4	4,329	3/4		3/4		3/4		3/4		3/4		3/4	
9	871	9	2,032	9	3,193	9	4,354	9	9	9		9		9		9		9	
1/4	895	1/4	2,056	1/4	3,217	1/4	4,378	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	919	1/2	2,080	1/2	3,241	1/2	4,402	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	943	3/4	2,104	3/4	3,265	3/4	4,426	3/4		3/4		3/4		3/4		3/4		3/4	
10	967	10	2,128	10	3,289	10	4,450	10	10	10		10		10		10		10	
1/4	992	1/4	2,153	1/4	3,314	1/4	4,475	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,016	1/2	2,177	1/2	3,338	1/2	4,499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,040	3/4	2,201	3/4	3,362	3/4	4,523	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,064	11	2,225	11	3,386	11	4,547	11	11	11		11		11		11		11	
1/4	1,088	1/4	2,249	1/4	3,410	1/4	4,571	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,113	1/2	2,274	1/2	3,435	1/2	4,595	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,137	3/4	2,298	3/4	3,459	3/4	4,620	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF "MMC" VALVE.

STRAPPED: 1/21/2016 CL
 CALCULATED: 1/22/2016 CL
 PRINTED: 1/23/2016 JS

CANCELS AND SUPERCEDES
 ALL PRIOR TO 01/2016

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5232B"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 4'-05 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	100	0	257	0	412	0		0		0		0		0		0	
1/4	1	1/4	103	1/4	260	1/4	415	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	106	1/2	263	1/2	417	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	109	3/4	267	3/4	420	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	112	1	270	1	423	1		1		1		1		1		1	
1/4	4	1/4	115	1/4	273	1/4	426	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	119	1/2	277	1/2	429	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	122	3/4	280	3/4	431	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	125	2	284	2	434	2		2		2		2		2		2	
1/4	9	1/4	128	1/4	287	1/4	437	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	131	1/2	290	1/2	440	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	12	3/4	134	3/4	294	3/4	442	3/4		3/4		3/4		3/4		3/4		3/4	
3	13	3	137	3	297	3	445	3		3		3		3		3		3	
1/4	15	1/4	140	1/4	300	1/4	447	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	144	1/2	304	1/2	450	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19	3/4	147	3/4	307	3/4	452	3/4		3/4		3/4		3/4		3/4		3/4	
4	20	4	150	4	311	4	455	4		4		4		4		4		4	
1/4	22	1/4	153	1/4	314	1/4	457	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24	1/2	156	1/2	317	1/2	460	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	26	3/4	160	3/4	320	3/4	462	3/4		3/4		3/4		3/4		3/4		3/4	
5	28	5	163	5	324	5	465	5		5		5		5		5		5	
1/4	31	1/4	166	1/4	327	1/4	467	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	169	1/2	330	1/2	469	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	35	3/4	173	3/4	334	3/4	471	3/4		3/4		3/4		3/4		3/4		3/4	
6	37	6	176	6	337	6	474	6		6		6		6		6		6	
1/4	39	1/4	179	1/4	340	1/4	476	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	183	1/2	343	1/2	478	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	186	3/4	347	3/4	480	3/4		3/4		3/4		3/4		3/4		3/4	
7	46	7	189	7	350	7	482	7		7		7		7		7		7	
1/4	49	1/4	192	1/4	353	1/4	484	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	51	1/2	196	1/2	356	1/2	486	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	199	3/4	360	3/4	488	3/4		3/4		3/4		3/4		3/4		3/4	
8	56	8	202	8	363	8	489	8		8		8		8		8		8	
1/4	59	1/4	206	1/4	366	1/4	491	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	209	1/2	369	1/2	493	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	213	3/4	372	3/4	494	3/4		3/4		3/4		3/4		3/4		3/4	
9	67	9	216	9	375	9	496	9		9		9		9		9		9	
1/4	69	1/4	219	1/4	379	1/4	497	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	72	1/2	223	1/2	382	1/2	499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	226	3/4	385	3/4	500	3/4		3/4		3/4		3/4		3/4		3/4	
10	78	10	229	10	388	10	502	10		10		10		10		10		10	
1/4	80	1/4	233	1/4	391	1/4	502	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	83	1/2	236	1/2	394	1/2	502	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	86	3/4	240	3/4	397	3/4	502	3/4		3/4		3/4		3/4		3/4		3/4	
11	89	11	243	11	400	11	502	11		11		11		11		11		11	
1/4	92	1/4	246	1/4	403	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	250	1/2	406	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	98	3/4	253	3/4	409	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO TOP OF 2" DIAMETER PIPE.

STRAPPED: 1/21/2016 CL
CALCULATED: 1/22/2016 CL
PRINTED: 1/23/2016 JS

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2016

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>