

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-03 1/8"

Table with 25 columns (0 FT. to 15 FT.) and multiple rows showing capacity values in whole gallons for various measurements.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/27/2017 BY: JM
DATE COMPUTED: 06/28/2017 BY: CL
DATE ISSUED: 06/28/2017



BARGE: GBL 5930
JEFFBOAT 16-2409

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16'-03"

Table with columns for height (IN) and capacity (0 FT. to 15 FT.) for various tank gauging points (1/4, 1/2, 3/4). Includes values for 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 feet.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 06/27/2017 BY: JM
DATE COMPUTED: 06/28/2017 BY: CL
DATE ISSUED: 06/28/2017

Signature of the responsible party

GBL 5930

Job 5409

500 GALLON 4'-0" TALL FUEL OIL TANK STRAPPING

Hull 17-2409

0 FEET		1 FEET		2 FEET		3 FEET		4 FEET	
INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS	INCHES	U.S. GALLONS
0	0	0	110	0	259.09	0	409	0	518.17
1/4	0	1/4	113	1/4	262.20	1/4	412	-----	-----
1/2	1	1/2	116	1/2	265.32	1/2	415	-----	-----
3/4	2	3/4	119	3/4	268.44	3/4	418	-----	-----
1	3	1	122	1	271.55	1	421	-----	-----
1 1/4	4	1 1/4	125	1 1/4	274.67	1 1/4	424	-----	-----
1 1/2	5	1 1/2	128	1 1/2	277.79	1 1/2	427	-----	-----
1 3/4	7	1 3/4	131	1 3/4	280.91	1 3/4	431	-----	-----
2	8	2	134	2	284.02	2	434	-----	-----
2 1/4	10	2 1/4	138	2 1/4	287.14	2 1/4	437	-----	-----
2 1/2	12	2 1/2	141	2 1/2	290.26	2 1/2	440	-----	-----
2 3/4	13	2 3/4	144	2 3/4	293.37	2 3/4	443	-----	-----
3	15	3	147	3	296.49	3	446	-----	-----
3 1/4	17	3 1/4	150	3 1/4	299.61	3 1/4	447	-----	-----
3 1/2	19	3 1/2	153	3 1/2	302.72	3 1/2	450	-----	-----
3 3/4	21	3 3/4	156	3 3/4	305.84	3 3/4	453	-----	-----
4	23	4	159	4	308.96	4	455	-----	-----
4 1/4	25	4 1/4	162	4 1/4	312.07	4 1/4	458	-----	-----
4 1/2	28	4 1/2	166	4 1/2	315.19	4 1/2	461	-----	-----
4 3/4	30	4 3/4	169	4 3/4	318.31	4 3/4	463	-----	-----
5	32	5	172	5	321.43	5	466	-----	-----
5 1/4	35	5 1/4	175	5 1/4	324.54	5 1/4	469	-----	-----
5 1/2	37	5 1/2	178	5 1/2	327.66	5 1/2	471	-----	-----
5 3/4	39	5 3/4	181	5 3/4	330.78	5 3/4	474	-----	-----
6	42	6	184	6	333.89	6	476	-----	-----
6 1/4	44	6 1/4	187	6 1/4	337.01	6 1/4	479	-----	-----
6 1/2	47	6 1/2	191	6 1/2	340.13	6 1/2	481	-----	-----
6 3/4	49	6 3/4	194	6 3/4	343.24	6 3/4	484	-----	-----
7	52	7	197	7	346.36	7	486	-----	-----
7 1/4	55	7 1/4	200	7 1/4	349.48	7 1/4	488	-----	-----
7 1/2	57	7 1/2	203	7 1/2	352.59	7 1/2	491	-----	-----
7 3/4	60	7 3/4	206	7 3/4	355.71	7 3/4	493	-----	-----
8	63	8	209	8	358.83	8	495	-----	-----
8 1/4	66	8 1/4	212	8 1/4	361.94	8 1/4	497	-----	-----
8 1/2	68	8 1/2	215	8 1/2	365.06	8 1/2	499	-----	-----
8 3/4	71	8 3/4	219	8 3/4	368.18	8 3/4	501	-----	-----
9	74	9	222	9	371.30	9	503	-----	-----
9 1/4	77	9 1/4	225	9 1/4	374.41	9 1/4	505	-----	-----
9 1/2	80	9 1/2	228	9 1/2	377.53	9 1/2	506	-----	-----
9 3/4	83	9 3/4	231	9 3/4	380.65	9 3/4	508	-----	-----
10	86	10	234	10	383.76	10	510	-----	-----
10 1/4	89	10 1/4	237	10 1/4	386.88	10 1/4	511	-----	-----
10 1/2	92	10 1/2	240	10 1/2	390.00	10 1/2	513	-----	-----
10 3/4	95	10 3/4	244	10 3/4	393.11	10 3/4	514	-----	-----
11	98	11	247	11	396.23	11	515	-----	-----
11 1/4	101	11 1/4	250	11 1/4	399.35	11 1/4	516	-----	-----
11 1/2	104	11 1/2	253	11 1/2	402.46	11 1/2	517	-----	-----
11 3/4	107	11 3/4	256	11 3/4	405.58	11 3/4	518	-----	-----