

**BARGE "GBL 630"
HULL NO. 01-2645**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	607	0	11,624	0	24,391	0	37,505	0	50,621	0	63,737	0	76,853	0	89,970	0	103,086	0	116,202
1/4	788	1/4	11,876	1/4	24,664	1/4	37,778	1/4	50,895	1/4	64,011	1/4	77,126	1/4	90,243	1/4	103,359	1/4	116,475
1/2	970	1/2	12,128	1/2	24,937	1/2	38,051	1/2	51,168	1/2	64,284	1/2	77,399	1/2	90,516	1/2	103,633	1/2	116,749
3/4	1,151	3/4	12,380	3/4	25,210	3/4	38,325	3/4	51,441	3/4	64,557	3/4	77,673	3/4	90,789	3/4	103,906	3/4	117,022
1	1,332	1	12,632	1	25,483	1	38,598	1	51,715	1	64,830	1	77,946	1	91,063	1	104,179	1	117,295
1/4	1,551	1/4	12,887	1/4	25,756	1/4	38,871	1/4	51,988	1/4	65,103	1/4	78,219	1/4	91,336	1/4	104,452	1/4	117,568
1/2	1,770	1/2	13,142	1/2	26,029	1/2	39,144	1/2	52,261	1/2	65,377	1/2	78,493	1/2	91,609	1/2	104,726	1/2	117,842
3/4	1,989	3/4	13,397	3/4	26,303	3/4	39,418	3/4	52,534	3/4	65,650	3/4	78,766	3/4	91,882	3/4	104,999	3/4	118,115
2	2,208	2	13,652	2	26,576	2	39,691	2	52,808	2	65,923	2	79,039	2	92,156	2	105,272	2	118,388
1/4	2,430	1/4	13,909	1/4	26,849	1/4	39,964	1/4	53,081	1/4	66,196	1/4	79,312	1/4	92,429	1/4	105,545	1/4	118,661
1/2	2,652	1/2	14,167	1/2	27,122	1/2	40,238	1/2	53,354	1/2	66,470	1/2	79,586	1/2	92,702	1/2	105,819	1/2	118,935
3/4	2,874	3/4	14,425	3/4	27,395	3/4	40,511	3/4	53,627	3/4	66,743	3/4	79,859	3/4	92,975	3/4	106,092	3/4	119,208
3	3,096	3	14,683	3	27,668	3	40,784	3	53,901	3	67,016	3	80,132	3	93,249	3	106,365	3	119,481
1/4	3,320	1/4	14,944	1/4	27,941	1/4	41,057	1/4	54,174	1/4	67,289	1/4	80,405	1/4	93,522	1/4	106,638	1/4	119,754
1/2	3,545	1/2	15,205	1/2	28,214	1/2	41,331	1/2	54,447	1/2	67,562	1/2	80,679	1/2	93,795	1/2	106,912	1/2	120,028
3/4	3,770	3/4	15,466	3/4	28,488	3/4	41,604	3/4	54,720	3/4	67,836	3/4	80,952	3/4	94,068	3/4	107,185	3/4	120,301
4	3,995	4	15,727	4	28,761	4	41,877	4	54,994	4	68,109	4	81,225	4	94,342	4	107,458	4	120,574
1/4	4,223	1/4	15,991	1/4	29,034	1/4	42,150	1/4	55,267	1/4	68,382	1/4	81,498	1/4	94,615	1/4	107,732	1/4	120,847
1/2	4,451	1/2	16,254	1/2	29,307	1/2	42,424	1/2	55,540	1/2	68,655	1/2	81,772	1/2	94,888	1/2	108,005	1/2	121,120
3/4	4,679	3/4	16,518	3/4	29,580	3/4	42,697	3/4	55,813	3/4	68,929	3/4	82,045	3/4	95,161	3/4	108,278	3/4	121,394
5	4,907	5	16,782	5	29,854	5	42,970	5	56,087	5	69,202	5	82,318	5	95,435	5	108,551	5	121,667
1/4	5,138	1/4	17,049	1/4	30,127	1/4	43,243	1/4	56,360	1/4	69,475	1/4	82,591	1/4	95,708	1/4	108,825	1/4	121,940
1/2	5,369	1/2	17,316	1/2	30,400	1/2	43,517	1/2	56,633	1/2	69,748	1/2	82,865	1/2	95,981	1/2	109,098	1/2	122,213
3/4	5,600	3/4	17,583	3/4	30,673	3/4	43,790	3/4	56,906	3/4	70,021	3/4	83,138	3/4	96,255	3/4	109,371	3/4	122,487
6	5,831	6	17,850	6	30,947	6	44,063	6	57,180	6	70,295	6	83,411	6	96,528	6	109,644	6	122,760
1/4	6,064	1/4	18,120	1/4	31,220	1/4	44,336	1/4	57,453	1/4	70,568	1/4	83,684	1/4	96,801	1/4	109,918	1/4	123,033
1/2	6,298	1/2	18,390	1/2	31,493	1/2	44,610	1/2	57,726	1/2	70,841	1/2	83,958	1/2	97,074	1/2	110,191	1/2	123,306
3/4	6,532	3/4	18,660	3/4	31,766	3/4	44,883	3/4	58,000	3/4	71,114	3/4	84,231	3/4	97,348	3/4	110,464	3/4	123,580
7	6,766	7	18,929	7	32,040	7	45,156	7	58,273	7	71,388	7	84,504	7	97,621	7	110,737	7	123,853
1/4	7,003	1/4	19,202	1/4	32,313	1/4	45,429	1/4	58,546	1/4	71,661	1/4	84,778	1/4	97,894	1/4	111,011	1/4	124,126
1/2	7,240	1/2	19,474	1/2	32,586	1/2	45,703	1/2	58,819	1/2	71,934	1/2	85,051	1/2	98,167	1/2	111,284	1/2	124,399
3/4	7,477	3/4	19,747	3/4	32,859	3/4	45,976	3/4	59,093	3/4	72,207	3/4	85,324	3/4	98,441	3/4	111,557	3/4	124,673
8	7,714	8	20,020	8	33,133	8	46,249	8	59,366	8	72,481	8	85,597	8	98,714	8	111,830	8	124,946
1/4	7,954	1/4	20,293	1/4	33,406	1/4	46,523	1/4	59,639	1/4	72,754	1/4	85,871	1/4	98,987	1/4	112,104	1/4	125,219
1/2	8,194	1/2	20,567	1/2	33,679	1/2	46,796	1/2	59,912	1/2	73,027	1/2	86,144	1/2	99,260	1/2	112,377	1/2	125,492
3/4	8,434	3/4	20,840	3/4	33,952	3/4	47,069	3/4	60,186	3/4	73,301	3/4	86,417	3/4	99,534	3/4	112,650	3/4	125,766
9	8,673	9	21,113	9	34,226	9	47,342	9	60,459	9	73,574	9	86,690	9	99,807	9	112,923	9	126,039
1/4	8,916	1/4	21,386	1/4	34,499	1/4	47,616	1/4	60,732	1/4	73,847	1/4	86,964	1/4	100,080	1/4	113,197	1/4	126,312
1/2	9,159	1/2	21,659	1/2	34,772	1/2	47,889	1/2	61,005	1/2	74,120	1/2	87,237	1/2	100,353	1/2	113,470	1/2	126,585
3/4	9,402	3/4	21,932	3/4	35,046	3/4	48,162	3/4	61,278	3/4	74,394	3/4	87,510	3/4	100,627	3/4	113,743	3/4	126,859
10	9,645	10	22,205	10	35,319	10	48,435	10	61,552	10	74,667	10	87,783	10	100,900	10	114,016	10	127,132
1/4	9,891	1/4	22,479	1/4	35,592	1/4	48,709	1/4	61,825	1/4	74,940	1/4	88,057	1/4	101,173	1/4	114,289	1/4	127,405
1/2	10,137	1/2	22,752	1/2	35,865	1/2	48,982	1/2	62,098	1/2	75,213	1/2	88,330	1/2	101,447	1/2	114,563	1/2	127,678
3/4	10,383	3/4	23,025	3/4	36,139	3/4	49,255	3/4	62,371	3/4	75,487	3/4	88,603	3/4	101,720	3/4	114,836	3/4	127,952
11	10,629	11	23,298	11	36,412	11	49,528	11	62,644	11	75,760	11	88,876	11	101,993	11	115,109	11	128,225
1/4	10,878	1/4	23,571	1/4	36,685	1/4	49,802	1/4	62,918	1/4	76,033	1/4	89,150	1/4	102,266	1/4	115,382	1/4	128,498
1/2	11,127	1/2	23,844	1/2	36,958	1/2	50,075	1/2	63,191	1/2	76,306	1/2	89,423	1/2	102,540	1/2	115,656	1/2	128,771
3/4	11,375	3/4	24,117	3/4	37,232	3/4	50,348	3/4	63,464	3/4	76,580	3/4	89,696	3/4	102,813	3/4	115,929	3/4	129,044

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 2" MMC GAUGE VALVE LOCATED 3'- 0" OFF CENTERLINE AND 2'- 8" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF

DATE COMPUTED: 9/18/02 BY: DAR

DATE ISSUED: 9/20/02

ITS - CALEB BRETT

Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**1 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	129,318	0	142,433	0	155,549	0	168,664	0	181,704	0	192,396	0		0		0		0	
1/4	129,591	1/4	142,707	1/4	155,822	1/4	168,936	1/4	181,976	1/4	192,415	1/4		1/4		1/4		1/4	
1/2	129,864	1/2	142,980	1/2	156,095	1/2	169,208	1/2	182,248	1/2	192,435	1/2		1/2		1/2		1/2	
3/4	130,137	3/4	143,253	3/4	156,369	3/4	169,479	3/4	182,519	3/4	192,454	3/4		3/4		3/4		3/4	
1	130,411	1	143,526	1	156,642	1	169,751	1	182,791	1	192,473	1		1		1		1	
1/4	130,684	1/4	143,799	1/4	156,915	1/4	170,023	1/4	183,063	1/4		1/4		1/4		1/4		1/4	
1/2	130,957	1/2	144,073	1/2	157,188	1/2	170,294	1/2	183,334	1/2		1/2		1/2		1/2		1/2	
3/4	131,230	3/4	144,346	3/4	157,462	3/4	170,566	3/4	183,606	3/4		3/4		3/4		3/4		3/4	
2	131,504	2	144,619	2	157,735	2	170,838	2	183,878	2		2		2		2		2	
1/4	131,777	1/4	144,892	1/4	158,008	1/4	171,109	1/4	184,148	1/4		1/4		1/4		1/4		1/4	
1/2	132,050	1/2	145,166	1/2	158,281	1/2	171,381	1/2	184,417	1/2		1/2		1/2		1/2		1/2	
3/4	132,323	3/4	145,439	3/4	158,555	3/4	171,653	3/4	184,687	3/4		3/4		3/4		3/4		3/4	
3	132,597	3	145,712	3	158,828	3	171,924	3	184,957	3		3		3		3		3	
1/4	132,870	1/4	145,985	1/4	159,101	1/4	172,196	1/4	185,227	1/4		1/4		1/4		1/4		1/4	
1/2	133,143	1/2	146,259	1/2	159,374	1/2	172,468	1/2	185,497	1/2		1/2		1/2		1/2		1/2	
3/4	133,416	3/4	146,532	3/4	159,647	3/4	172,739	3/4	185,767	3/4		3/4		3/4		3/4		3/4	
4	133,690	4	146,805	4	159,921	4	173,011	4	186,037	4		4		4		4		4	
1/4	133,963	1/4	147,078	1/4	160,194	1/4	173,283	1/4	186,307	1/4		1/4		1/4		1/4		1/4	
1/2	134,236	1/2	147,352	1/2	160,467	1/2	173,554	1/2	186,577	1/2		1/2		1/2		1/2		1/2	
3/4	134,509	3/4	147,625	3/4	160,740	3/4	173,826	3/4	186,846	3/4		3/4		3/4		3/4		3/4	
5	134,783	5	147,898	5	161,014	5	174,098	5	187,116	5		5		5		5		5	
1/4	135,056	1/4	148,171	1/4	161,287	1/4	174,369	1/4	187,386	1/4		1/4		1/4		1/4		1/4	
1/2	135,329	1/2	148,445	1/2	161,560	1/2	174,641	1/2	187,656	1/2		1/2		1/2		1/2		1/2	
3/4	135,602	3/4	148,718	3/4	161,833	3/4	174,913	3/4	187,926	3/4		3/4		3/4		3/4		3/4	
6	135,876	6	148,991	6	162,107	6	175,184	6	188,196	6		6		6		6		6	
1/4	136,149	1/4	149,264	1/4	162,380	1/4	175,456	1/4	188,466	1/4		1/4		1/4		1/4		1/4	
1/2	136,422	1/2	149,538	1/2	162,653	1/2	175,728	1/2	188,736	1/2		1/2		1/2		1/2		1/2	
3/4	136,695	3/4	149,811	3/4	162,926	3/4	175,999	3/4	189,005	3/4		3/4		3/4		3/4		3/4	
7	136,968	7	150,084	7	163,200	7	176,271	7	189,275	7		7		7		7		7	
1/4	137,242	1/4	150,357	1/4	163,473	1/4	176,543	1/4	189,522	1/4		1/4		1/4		1/4		1/4	
1/2	137,515	1/2	150,631	1/2	163,746	1/2	176,814	1/2	189,770	1/2		1/2		1/2		1/2		1/2	
3/4	137,788	3/4	150,904	3/4	164,019	3/4	177,086	3/4	190,017	3/4		3/4		3/4		3/4		3/4	
8	138,061	8	151,177	8	164,293	8	177,358	8	190,264	8		8		8		8		8	
1/4	138,335	1/4	151,450	1/4	164,566	1/4	177,629	1/4	190,465	1/4		1/4		1/4		1/4		1/4	
1/2	138,608	1/2	151,723	1/2	164,839	1/2	177,901	1/2	190,667	1/2		1/2		1/2		1/2		1/2	
3/4	138,881	3/4	151,997	3/4	165,112	3/4	178,173	3/4	190,868	3/4		3/4		3/4		3/4		3/4	
9	139,154	9	152,270	9	165,386	9	178,444	9	191,070	9		9		9		9		9	
1/4	139,428	1/4	152,543	1/4	165,659	1/4	178,716	1/4	191,226	1/4		1/4		1/4		1/4		1/4	
1/2	139,701	1/2	152,816	1/2	165,932	1/2	178,988	1/2	191,382	1/2		1/2		1/2		1/2		1/2	
3/4	139,974	3/4	153,090	3/4	166,205	3/4	179,259	3/4	191,538	3/4		3/4		3/4		3/4		3/4	
10	140,247	10	153,363	10	166,478	10	179,531	10	191,694	10		10		10		10		10	
1/4	140,521	1/4	153,636	1/4	166,752	1/4	179,803	1/4	191,805	1/4		1/4		1/4		1/4		1/4	
1/2	140,794	1/2	153,909	1/2	167,025	1/2	180,074	1/2	191,915	1/2		1/2		1/2		1/2		1/2	
3/4	141,067	3/4	154,183	3/4	167,298	3/4	180,346	3/4	192,026	3/4		3/4		3/4		3/4		3/4	
11	141,340	11	154,456	11	167,571	11	180,618	11	192,136	11		11		11		11		11	
1/4	141,614	1/4	154,729	1/4	167,845	1/4	180,889	1/4	192,201	1/4		1/4		1/4		1/4		1/4	
1/2	141,887	1/2	155,002	1/2	168,118	1/2	181,161	1/2	192,266	1/2		1/2		1/2		1/2		1/2	
3/4	142,160	3/4	155,276	3/4	168,391	3/4	181,433	3/4	192,331	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT

Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	604	0	11,602	0	24,349	0	37,444	0	50,541	0	63,633	0	76,722	0	89,820	0	102,917	0	116,014
1/4	785	1/4	11,853	1/4	24,621	1/4	37,717	1/4	50,814	1/4	63,905	1/4	76,995	1/4	90,092	1/4	103,190	1/4	116,286
1/2	966	1/2	12,105	1/2	24,894	1/2	37,989	1/2	51,087	1/2	64,178	1/2	77,268	1/2	90,365	1/2	103,463	1/2	116,559
3/4	1,146	3/4	12,356	3/4	25,167	3/4	38,262	3/4	51,360	3/4	64,451	3/4	77,541	3/4	90,638	3/4	103,735	3/4	116,832
1	1,327	1	12,608	1	25,440	1	38,535	1	51,632	1	64,723	1	77,814	1	90,911	1	104,008	1	117,105
1/4	1,546	1/4	12,862	1/4	25,712	1/4	38,808	1/4	51,905	1/4	64,996	1/4	78,087	1/4	91,184	1/4	104,281	1/4	117,378
1/2	1,764	1/2	13,117	1/2	25,985	1/2	39,081	1/2	52,178	1/2	65,268	1/2	78,360	1/2	91,457	1/2	104,554	1/2	117,651
3/4	1,983	3/4	13,371	3/4	26,258	3/4	39,354	3/4	52,451	3/4	65,541	3/4	78,632	3/4	91,730	3/4	104,827	3/4	117,923
2	2,201	2	13,626	2	26,531	2	39,627	2	52,724	2	65,813	2	78,905	2	92,003	2	105,100	2	118,196
1/4	2,423	1/4	13,883	1/4	26,803	1/4	39,899	1/4	52,997	1/4	66,086	1/4	79,178	1/4	92,275	1/4	105,373	1/4	118,469
1/2	2,644	1/2	14,141	1/2	27,076	1/2	40,172	1/2	53,270	1/2	66,359	1/2	79,451	1/2	92,548	1/2	105,645	1/2	118,742
3/4	2,866	3/4	14,398	3/4	27,349	3/4	40,445	3/4	53,542	3/4	66,631	3/4	79,724	3/4	92,821	3/4	105,918	3/4	119,015
3	3,087	3	14,656	3	27,622	3	40,718	3	53,815	3	66,904	3	79,997	3	93,094	3	106,191	3	119,288
1/4	3,312	1/4	14,916	1/4	27,894	1/4	40,991	1/4	54,088	1/4	67,176	1/4	80,270	1/4	93,367	1/4	106,464	1/4	119,561
1/2	3,536	1/2	15,177	1/2	28,167	1/2	41,264	1/2	54,361	1/2	67,449	1/2	80,542	1/2	93,640	1/2	106,737	1/2	119,833
3/4	3,761	3/4	15,437	3/4	28,440	3/4	41,537	3/4	54,634	3/4	67,721	3/4	80,815	3/4	93,913	3/4	107,010	3/4	120,106
4	3,986	4	15,698	4	28,712	4	41,809	4	54,907	4	67,994	4	81,088	4	94,185	4	107,283	4	120,379
1/4	4,213	1/4	15,961	1/4	28,985	1/4	42,082	1/4	55,180	1/4	68,266	1/4	81,361	1/4	94,458	1/4	107,555	1/4	120,652
1/2	4,441	1/2	16,225	1/2	29,258	1/2	42,355	1/2	55,452	1/2	68,539	1/2	81,634	1/2	94,731	1/2	107,828	1/2	120,925
3/4	4,668	3/4	16,488	3/4	29,531	3/4	42,628	3/4	55,725	3/4	68,812	3/4	81,907	3/4	95,004	3/4	108,101	3/4	121,198
5	4,896	5	16,752	5	29,804	5	42,901	5	55,998	5	69,084	5	82,180	5	95,277	5	108,374	5	121,470
1/4	5,126	1/4	17,018	1/4	30,077	1/4	43,174	1/4	56,271	1/4	69,357	1/4	82,452	1/4	95,550	1/4	108,647	1/4	121,743
1/2	5,357	1/2	17,285	1/2	30,349	1/2	43,447	1/2	56,544	1/2	69,629	1/2	82,725	1/2	95,823	1/2	108,920	1/2	122,016
3/4	5,587	3/4	17,551	3/4	30,622	3/4	43,719	3/4	56,817	3/4	69,902	3/4	82,998	3/4	96,095	3/4	109,193	3/4	122,289
6	5,818	6	17,818	6	30,895	6	43,992	6	57,090	6	70,174	6	83,271	6	96,368	6	109,465	6	122,562
1/4	6,051	1/4	18,087	1/4	31,168	1/4	44,265	1/4	57,362	1/4	70,447	1/4	83,544	1/4	96,641	1/4	109,738	1/4	122,835
1/2	6,285	1/2	18,357	1/2	31,441	1/2	44,538	1/2	57,635	1/2	70,720	1/2	83,817	1/2	96,914	1/2	110,011	1/2	123,107
3/4	6,518	3/4	18,626	3/4	31,714	3/4	44,811	3/4	57,908	3/4	70,993	3/4	84,090	3/4	97,187	3/4	110,284	3/4	123,380
7	6,752	7	18,896	7	31,987	7	45,084	7	58,181	7	71,265	7	84,362	7	97,460	7	110,557	7	123,653
1/4	6,988	1/4	19,168	1/4	32,259	1/4	45,357	1/4	58,454	1/4	71,538	1/4	84,635	1/4	97,733	1/4	110,830	1/4	123,926
1/2	7,225	1/2	19,439	1/2	32,532	1/2	45,629	1/2	58,726	1/2	71,811	1/2	84,908	1/2	98,005	1/2	111,103	1/2	124,199
3/4	7,461	3/4	19,712	3/4	32,805	3/4	45,902	3/4	58,999	3/4	72,084	3/4	85,181	3/4	98,278	3/4	111,375	3/4	124,472
8	7,698	8	19,985	8	33,078	8	46,175	8	59,272	8	72,357	8	85,454	8	98,551	8	111,648	8	124,744
1/4	7,937	1/4	20,258	1/4	33,351	1/4	46,448	1/4	59,544	1/4	72,629	1/4	85,727	1/4	98,824	1/4	111,921	1/4	125,017
1/2	8,177	1/2	20,530	1/2	33,624	1/2	46,721	1/2	59,817	1/2	72,902	1/2	86,000	1/2	99,097	1/2	112,194	1/2	125,290
3/4	8,416	3/4	20,803	3/4	33,897	3/4	46,994	3/4	60,089	3/4	73,175	3/4	86,272	3/4	99,370	3/4	112,467	3/4	125,563
9	8,656	9	21,076	9	34,169	9	47,267	9	60,362	9	73,448	9	86,545	9	99,643	9	112,740	9	125,836
1/4	8,898	1/4	21,349	1/4	34,442	1/4	47,540	1/4	60,635	1/4	73,721	1/4	86,818	1/4	99,915	1/4	113,012	1/4	126,109
1/2	9,141	1/2	21,621	1/2	34,715	1/2	47,812	1/2	60,907	1/2	73,994	1/2	87,091	1/2	100,188	1/2	113,285	1/2	126,381
3/4	9,383	3/4	21,894	3/4	34,988	3/4	48,085	3/4	61,180	3/4	74,267	3/4	87,364	3/4	100,461	3/4	113,558	3/4	126,654
10	9,626	10	22,167	10	35,261	10	48,358	10	61,452	10	74,540	10	87,637	10	100,734	10	113,831	10	126,927
1/4	9,871	1/4	22,440	1/4	35,534	1/4	48,631	1/4	61,725	1/4	74,812	1/4	87,910	1/4	101,007	1/4	114,104	1/4	127,200
1/2	10,117	1/2	22,712	1/2	35,807	1/2	48,904	1/2	61,997	1/2	75,085	1/2	88,182	1/2	101,280	1/2	114,377	1/2	127,473
3/4	10,362	3/4	22,985	3/4	36,079	3/4	49,177	3/4	62,270	3/4	75,358	3/4	88,455	3/4	101,553	3/4	114,649	3/4	127,746
11	10,608	11	23,258	11	36,352	11	49,450	11	62,543	11	75,631	11	88,728	11	101,825	11	114,922	11	128,019
1/4	10,856	1/4	23,530	1/4	36,625	1/4	49,722	1/4	62,815	1/4	75,904	1/4	89,001	1/4	102,098	1/4	115,195	1/4	128,291
1/2	11,105	1/2	23,803	1/2	36,898	1/2	49,995	1/2	63,088	1/2	76,177	1/2	89,274	1/2	102,371	1/2	115,468	1/2	128,564
3/4	11,353	3/4	24,076	3/4	37,171	3/4	50,268	3/4	63,360	3/4	76,450	3/4	89,547	3/4	102,644	3/4	115,741	3/4	128,837

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 2" MMC GAUGE VALVE
LOCATED 3'- 0" OFF CENTERLINE AND 2'- 8" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT

Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**1 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	129,110	0	142,206	0	155,302	0	168,399	0	181,419	0	192,095	0		0		0		0	
1/4	129,383	1/4	142,479	1/4	155,575	1/4	168,670	1/4	181,690	1/4	192,114	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	129,656	1/2	142,752	1/2	155,848	1/2	168,941	1/2	181,962	1/2	192,133	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	129,928	3/4	143,025	3/4	156,121	3/4	169,212	3/4	182,233	3/4	192,153	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	130,201	1	143,297	1	156,394	1	169,484	1	182,504	1	192,172	1		1		1		1	
1/4	130,474	1/4	143,570	1/4	156,667	1/4	169,755	1/4	182,776	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	130,747	1/2	143,843	1/2	156,939	1/2	170,026	1/2	183,047	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	131,020	3/4	144,116	3/4	157,212	3/4	170,297	3/4	183,318	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	131,293	2	144,389	2	157,485	2	170,569	2	183,589	2		2		2		2		2	
1/4	131,565	1/4	144,662	1/4	157,758	1/4	170,840	1/4	183,859	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	131,838	1/2	144,934	1/2	158,031	1/2	171,111	1/2	184,128	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	132,111	3/4	145,207	3/4	158,304	3/4	171,382	3/4	184,398	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	132,384	3	145,480	3	158,576	3	171,654	3	184,667	3		3		3		3		3	
1/4	132,657	1/4	145,753	1/4	158,849	1/4	171,925	1/4	184,937	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	132,930	1/2	146,026	1/2	159,122	1/2	172,196	1/2	185,206	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	133,202	3/4	146,299	3/4	159,395	3/4	172,468	3/4	185,476	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	133,475	4	146,572	4	159,668	4	172,739	4	185,745	4		4		4		4		4	
1/4	133,748	1/4	146,844	1/4	159,941	1/4	173,010	1/4	186,015	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	134,021	1/2	147,117	1/2	160,213	1/2	173,281	1/2	186,284	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	134,294	3/4	147,390	3/4	160,486	3/4	173,553	3/4	186,554	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	134,567	5	147,663	5	160,759	5	173,824	5	186,823	5		5		5		5		5	
1/4	134,839	1/4	147,936	1/4	161,032	1/4	174,095	1/4	187,093	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	135,112	1/2	148,209	1/2	161,305	1/2	174,366	1/2	187,362	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	135,385	3/4	148,481	3/4	161,578	3/4	174,638	3/4	187,631	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	135,658	6	148,754	6	161,850	6	174,909	6	187,901	6		6		6		6		6	
1/4	135,931	1/4	149,027	1/4	162,123	1/4	175,180	1/4	188,170	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	136,204	1/2	149,300	1/2	162,396	1/2	175,451	1/2	188,440	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	136,476	3/4	149,573	3/4	162,669	3/4	175,723	3/4	188,709	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	136,749	7	149,846	7	162,942	7	175,994	7	188,979	7		7		7		7		7	
1/4	137,022	1/4	150,118	1/4	163,215	1/4	176,265	1/4	189,226	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	137,295	1/2	150,391	1/2	163,487	1/2	176,536	1/2	189,472	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	137,568	3/4	150,664	3/4	163,760	3/4	176,808	3/4	189,719	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	137,841	8	150,937	8	164,033	8	177,079	8	189,966	8		8		8		8		8	
1/4	138,114	1/4	151,210	1/4	164,306	1/4	177,350	1/4	190,167	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	138,386	1/2	151,483	1/2	164,579	1/2	177,622	1/2	190,368	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	138,659	3/4	151,755	3/4	164,852	3/4	177,893	3/4	190,570	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	138,932	9	152,028	9	165,125	9	178,164	9	190,771	9		9		9		9		9	
1/4	139,205	1/4	152,301	1/4	165,397	1/4	178,435	1/4	190,927	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	139,478	1/2	152,574	1/2	165,670	1/2	178,707	1/2	191,082	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	139,751	3/4	152,847	3/4	165,943	3/4	178,978	3/4	191,238	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	140,023	10	153,120	10	166,216	10	179,249	10	191,394	10		10		10		10		10	
1/4	140,296	1/4	153,392	1/4	166,489	1/4	179,520	1/4	191,504	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	140,569	1/2	153,665	1/2	166,762	1/2	179,792	1/2	191,615	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	140,842	3/4	153,938	3/4	167,034	3/4	180,063	3/4	191,725	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	141,115	11	154,211	11	167,307	11	180,334	11	191,835	11		11		11		11		11	
1/4	141,388	1/4	154,484	1/4	167,580	1/4	180,605	1/4	191,900	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	141,660	1/2	154,757	1/2	167,853	1/2	180,877	1/2	191,965	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	141,933	3/4	155,029	3/4	168,126	3/4	181,148	3/4	192,030	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**2 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	863	0	15,762	0	30,869	0	45,975	0	61,084	0	76,193	0	91,302	0	106,411	0	121,520	0	136,629
1/4	1,125	1/4	16,077	1/4	31,184	1/4	46,290	1/4	61,398	1/4	76,507	1/4	91,616	1/4	106,725	1/4	121,834	1/4	136,943
1/2	1,388	1/2	16,392	1/2	31,499	1/2	46,604	1/2	61,713	1/2	76,822	1/2	91,931	1/2	107,040	1/2	122,149	1/2	137,258
3/4	1,650	3/4	16,706	3/4	31,813	3/4	46,919	3/4	62,028	3/4	77,137	3/4	92,246	3/4	107,355	3/4	122,464	3/4	137,573
1	1,912	1	17,021	1	32,128	1	47,234	1	62,343	1	77,452	1	92,561	1	107,670	1	122,779	1	137,888
1/4	2,227	1/4	17,336	1/4	32,443	1/4	47,549	1/4	62,657	1/4	77,766	1/4	92,875	1/4	107,985	1/4	123,094	1/4	138,203
1/2	2,542	1/2	17,651	1/2	32,757	1/2	47,863	1/2	62,972	1/2	78,081	1/2	93,190	1/2	108,299	1/2	123,408	1/2	138,517
3/4	2,857	3/4	17,966	3/4	33,072	3/4	48,178	3/4	63,287	3/4	78,396	3/4	93,505	3/4	108,614	3/4	123,723	3/4	138,832
2	3,171	2	18,280	2	33,387	2	48,493	2	63,602	2	78,711	2	93,820	2	108,929	2	124,038	2	139,147
1/4	3,486	1/4	18,595	1/4	33,701	1/4	48,808	1/4	63,917	1/4	79,026	1/4	94,135	1/4	109,244	1/4	124,353	1/4	139,462
1/2	3,801	1/2	18,910	1/2	34,016	1/2	49,122	1/2	64,231	1/2	79,340	1/2	94,449	1/2	109,558	1/2	124,667	1/2	139,776
3/4	4,116	3/4	19,225	3/4	34,331	3/4	49,437	3/4	64,546	3/4	79,655	3/4	94,764	3/4	109,873	3/4	124,982	3/4	140,091
3	4,430	3	19,539	3	34,645	3	49,752	3	64,861	3	79,970	3	95,079	3	110,188	3	125,297	3	140,406
1/4	4,745	1/4	19,854	1/4	34,960	1/4	50,067	1/4	65,176	1/4	80,285	1/4	95,394	1/4	110,503	1/4	125,612	1/4	140,721
1/2	5,060	1/2	20,169	1/2	35,274	1/2	50,381	1/2	65,490	1/2	80,599	1/2	95,708	1/2	110,817	1/2	125,926	1/2	141,035
3/4	5,375	3/4	20,484	3/4	35,589	3/4	50,696	3/4	65,805	3/4	80,914	3/4	96,023	3/4	111,132	3/4	126,241	3/4	141,350
4	5,689	4	20,798	4	35,904	4	51,011	4	66,120	4	81,229	4	96,338	4	111,447	4	126,556	4	141,665
1/4	6,004	1/4	21,113	1/4	36,218	1/4	51,326	1/4	66,435	1/4	81,544	1/4	96,653	1/4	111,762	1/4	126,871	1/4	141,980
1/2	6,319	1/2	21,428	1/2	36,533	1/2	51,640	1/2	66,749	1/2	81,858	1/2	96,968	1/2	112,077	1/2	127,186	1/2	142,295
3/4	6,634	3/4	21,743	3/4	36,848	3/4	51,955	3/4	67,064	3/4	82,173	3/4	97,282	3/4	112,391	3/4	127,500	3/4	142,609
5	6,949	5	22,058	5	37,163	5	52,270	5	67,379	5	82,488	5	97,597	5	112,706	5	127,815	5	142,924
1/4	7,263	1/4	22,372	1/4	37,477	1/4	52,585	1/4	67,694	1/4	82,803	1/4	97,912	1/4	113,021	1/4	128,130	1/4	143,239
1/2	7,578	1/2	22,687	1/2	37,792	1/2	52,900	1/2	68,009	1/2	83,118	1/2	98,227	1/2	113,336	1/2	128,445	1/2	143,554
3/4	7,893	3/4	23,002	3/4	38,107	3/4	53,214	3/4	68,323	3/4	83,432	3/4	98,541	3/4	113,650	3/4	128,759	3/4	143,868
6	8,208	6	23,317	6	38,421	6	53,529	6	68,638	6	83,747	6	98,856	6	113,965	6	129,074	6	144,183
1/4	8,522	1/4	23,631	1/4	38,736	1/4	53,844	1/4	68,953	1/4	84,062	1/4	99,171	1/4	114,280	1/4	129,389	1/4	144,498
1/2	8,837	1/2	23,946	1/2	39,051	1/2	54,159	1/2	69,268	1/2	84,377	1/2	99,486	1/2	114,595	1/2	129,704	1/2	144,813
3/4	9,152	3/4	24,261	3/4	39,366	3/4	54,473	3/4	69,582	3/4	84,691	3/4	99,800	3/4	114,909	3/4	130,018	3/4	145,128
7	9,467	7	24,576	7	39,680	7	54,788	7	69,897	7	85,006	7	100,115	7	115,224	7	130,333	7	145,442
1/4	9,781	1/4	24,891	1/4	39,995	1/4	55,103	1/4	70,212	1/4	85,321	1/4	100,430	1/4	115,539	1/4	130,648	1/4	145,757
1/2	10,096	1/2	25,205	1/2	40,310	1/2	55,418	1/2	70,527	1/2	85,636	1/2	100,745	1/2	115,854	1/2	130,963	1/2	146,072
3/4	10,411	3/4	25,520	3/4	40,625	3/4	55,732	3/4	70,841	3/4	85,951	3/4	101,060	3/4	116,169	3/4	131,278	3/4	146,387
8	10,726	8	25,835	8	40,939	8	56,047	8	71,156	8	86,265	8	101,374	8	116,483	8	131,592	8	146,701
1/4	11,041	1/4	26,150	1/4	41,254	1/4	56,362	1/4	71,471	1/4	86,580	1/4	101,689	1/4	116,798	1/4	131,907	1/4	147,016
1/2	11,355	1/2	26,464	1/2	41,569	1/2	56,677	1/2	71,786	1/2	86,895	1/2	102,004	1/2	117,113	1/2	132,222	1/2	147,331
3/4	11,670	3/4	26,779	3/4	41,883	3/4	56,992	3/4	72,101	3/4	87,210	3/4	102,319	3/4	117,428	3/4	132,537	3/4	147,646
9	11,985	9	27,094	9	42,198	9	57,306	9	72,415	9	87,524	9	102,633	9	117,742	9	132,851	9	147,960
1/4	12,300	1/4	27,408	1/4	42,513	1/4	57,621	1/4	72,730	1/4	87,839	1/4	102,948	1/4	118,057	1/4	133,166	1/4	148,275
1/2	12,614	1/2	27,723	1/2	42,828	1/2	57,936	1/2	73,045	1/2	88,154	1/2	103,263	1/2	118,372	1/2	133,481	1/2	148,590
3/4	12,929	3/4	28,038	3/4	43,142	3/4	58,251	3/4	73,360	3/4	88,469	3/4	103,578	3/4	118,687	3/4	133,796	3/4	148,905
10	13,244	10	28,352	10	43,457	10	58,565	10	73,674	10	88,783	10	103,892	10	119,002	10	134,111	10	149,220
1/4	13,559	1/4	28,667	1/4	43,772	1/4	58,880	1/4	73,989	1/4	89,098	1/4	104,207	1/4	119,316	1/4	134,425	1/4	149,534
1/2	13,874	1/2	28,982	1/2	44,087	1/2	59,195	1/2	74,304	1/2	89,413	1/2	104,522	1/2	119,631	1/2	134,740	1/2	149,849
3/4	14,188	3/4	29,296	3/4	44,401	3/4	59,510	3/4	74,619	3/4	89,728	3/4	104,837	3/4	119,946	3/4	135,055	3/4	150,164
11	14,503	11	29,611	11	44,716	11	59,824	11	74,934	11	90,043	11	105,152	11	120,261	11	135,370	11	150,479
1/4	14,818	1/4	29,925	1/4	45,031	1/4	60,139	1/4	75,248	1/4	90,357	1/4	105,466	1/4	120,575	1/4	135,684	1/4	150,793
1/2	15,133	1/2	30,240	1/2	45,346	1/2	60,454	1/2	75,563	1/2	90,672	1/2	105,781	1/2	120,890	1/2	135,999	1/2	151,108
3/4	15,447	3/4	30,555	3/4	45,660	3/4	60,769	3/4	75,878	3/4	90,987	3/4	106,096	3/4	121,205	3/4	136,314	3/4	151,423

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 2" MMC GAUGE VALVE
LOCATED 4'- 3" OFF CENTERLINE AND 3'- 0" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**2 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,738	0	166,847	0	181,956	0	197,065	0	212,098	0	224,426	0		0		0		0	
1/4	152,052	1/4	167,162	1/4	182,271	1/4	197,378	1/4	212,411	1/4	224,449	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,367	1/2	167,476	1/2	182,585	1/2	197,691	1/2	212,725	1/2	224,471	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,682	3/4	167,791	3/4	182,900	3/4	198,004	3/4	213,038	3/4	224,494	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	152,997	1	168,106	1	183,215	1	198,318	1	213,351	1	224,516	1		1		1		1	
1/4	153,312	1/4	168,421	1/4	183,530	1/4	198,631	1/4	213,664	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,626	1/2	168,735	1/2	183,844	1/2	198,944	1/2	213,977	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,941	3/4	169,050	3/4	184,159	3/4	199,257	3/4	214,291	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	154,256	2	169,365	2	184,474	2	199,570	2	214,604	2		2		2		2		2	
1/4	154,571	1/4	169,680	1/4	184,789	1/4	199,884	1/4	214,915	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,885	1/2	169,994	1/2	185,103	1/2	200,197	1/2	215,226	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,200	3/4	170,309	3/4	185,418	3/4	200,510	3/4	215,537	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	155,515	3	170,624	3	185,733	3	200,823	3	215,848	3		3		3		3		3	
1/4	155,830	1/4	170,939	1/4	186,048	1/4	201,136	1/4	216,159	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,145	1/2	171,254	1/2	186,363	1/2	201,450	1/2	216,471	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,459	3/4	171,568	3/4	186,677	3/4	201,763	3/4	216,782	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	156,774	4	171,883	4	186,992	4	202,076	4	217,093	4		4		4		4		4	
1/4	157,089	1/4	172,198	1/4	187,307	1/4	202,389	1/4	217,404	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,404	1/2	172,513	1/2	187,622	1/2	202,702	1/2	217,715	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,718	3/4	172,827	3/4	187,936	3/4	203,016	3/4	218,026	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	158,033	5	173,142	5	188,251	5	203,329	5	218,337	5		5		5		5		5	
1/4	158,348	1/4	173,457	1/4	188,566	1/4	203,642	1/4	218,649	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,663	1/2	173,772	1/2	188,881	1/2	203,955	1/2	218,960	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,977	3/4	174,086	3/4	189,196	3/4	204,268	3/4	219,271	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	159,292	6	174,401	6	189,510	6	204,581	6	219,582	6		6		6		6		6	
1/4	159,607	1/4	174,716	1/4	189,825	1/4	204,895	1/4	219,893	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,922	1/2	175,031	1/2	190,140	1/2	205,208	1/2	220,204	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,237	3/4	175,346	3/4	190,455	3/4	205,521	3/4	220,515	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	160,551	7	175,660	7	190,769	7	205,834	7	220,826	7		7		7		7		7	
1/4	160,866	1/4	175,975	1/4	191,084	1/4	206,147	1/4	221,111	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,181	1/2	176,290	1/2	191,399	1/2	206,461	1/2	221,396	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,496	3/4	176,605	3/4	191,714	3/4	206,774	3/4	221,681	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	161,810	8	176,919	8	192,028	8	207,087	8	221,966	8		8		8		8		8	
1/4	162,125	1/4	177,234	1/4	192,343	1/4	207,400	1/4	222,199	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,440	1/2	177,549	1/2	192,658	1/2	207,713	1/2	222,431	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	162,755	3/4	177,864	3/4	192,973	3/4	208,027	3/4	222,663	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	163,069	9	178,179	9	193,288	9	208,340	9	222,896	9		9		9		9		9	
1/4	163,384	1/4	178,493	1/4	193,602	1/4	208,653	1/4	223,076	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	163,699	1/2	178,808	1/2	193,917	1/2	208,966	1/2	223,256	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	164,014	3/4	179,123	3/4	194,232	3/4	209,279	3/4	223,436	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	164,329	10	179,438	10	194,547	10	209,593	10	223,616	10		10		10		10		10	
1/4	164,643	1/4	179,752	1/4	194,861	1/4	209,906	1/4	223,743	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	164,958	1/2	180,067	1/2	195,176	1/2	210,219	1/2	223,871	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	165,273	3/4	180,382	3/4	195,491	3/4	210,532	3/4	223,998	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	165,588	11	180,697	11	195,806	11	210,845	11	224,126	11		11		11		11		11	
1/4	165,902	1/4	181,011	1/4	196,120	1/4	211,159	1/4	224,201	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	166,217	1/2	181,326	1/2	196,435	1/2	211,472	1/2	224,276	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	166,532	3/4	181,641	3/4	196,750	3/4	211,785	3/4	224,351	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**2 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	862	0	15,750	0	30,846	0	45,926	0	61,002	0	76,079	0	91,164	0	106,262	0	121,359	0	136,457
1/4	1,124	1/4	16,065	1/4	31,160	1/4	46,240	1/4	61,316	1/4	76,393	1/4	91,479	1/4	106,576	1/4	121,674	1/4	136,771
1/2	1,387	1/2	16,379	1/2	31,475	1/2	46,554	1/2	61,630	1/2	76,707	1/2	91,793	1/2	106,891	1/2	121,988	1/2	137,086
3/4	1,649	3/4	16,694	3/4	31,789	3/4	46,868	3/4	61,944	3/4	77,021	3/4	92,108	3/4	107,205	3/4	122,303	3/4	137,401
1	1,911	1	17,008	1	32,104	1	47,182	1	62,258	1	77,335	1	92,422	1	107,520	1	122,618	1	137,715
1/4	2,225	1/4	17,323	1/4	32,418	1/4	47,496	1/4	62,573	1/4	77,649	1/4	92,737	1/4	107,835	1/4	122,932	1/4	138,030
1/2	2,540	1/2	17,637	1/2	32,732	1/2	47,810	1/2	62,887	1/2	77,964	1/2	93,052	1/2	108,149	1/2	123,247	1/2	138,344
3/4	2,854	3/4	17,952	3/4	33,047	3/4	48,124	3/4	63,201	3/4	78,278	3/4	93,366	3/4	108,464	3/4	123,561	3/4	138,659
2	3,169	2	18,266	2	33,361	2	48,438	2	63,515	2	78,592	2	93,681	2	108,778	2	123,876	2	138,973
1/4	3,483	1/4	18,581	1/4	33,676	1/4	48,752	1/4	63,829	1/4	78,906	1/4	93,995	1/4	109,093	1/4	124,190	1/4	139,288
1/2	3,798	1/2	18,895	1/2	33,990	1/2	49,066	1/2	64,143	1/2	79,220	1/2	94,310	1/2	109,407	1/2	124,505	1/2	139,602
3/4	4,112	3/4	19,210	3/4	34,304	3/4	49,380	3/4	64,457	3/4	79,534	3/4	94,624	3/4	109,722	3/4	124,819	3/4	139,917
3	4,427	3	19,525	3	34,619	3	49,694	3	64,771	3	79,848	3	94,939	3	110,036	3	125,134	3	140,231
1/4	4,742	1/4	19,839	1/4	34,933	1/4	50,009	1/4	65,085	1/4	80,162	1/4	95,253	1/4	110,351	1/4	125,448	1/4	140,546
1/2	5,056	1/2	20,154	1/2	35,248	1/2	50,323	1/2	65,399	1/2	80,476	1/2	95,568	1/2	110,665	1/2	125,763	1/2	140,860
3/4	5,371	3/4	20,468	3/4	35,562	3/4	50,637	3/4	65,714	3/4	80,790	3/4	95,882	3/4	110,980	3/4	126,077	3/4	141,175
4	5,685	4	20,783	4	35,876	4	50,951	4	66,028	4	81,105	4	96,197	4	111,294	4	126,392	4	141,489
1/4	6,000	1/4	21,097	1/4	36,190	1/4	51,265	1/4	66,342	1/4	81,419	1/4	96,511	1/4	111,609	1/4	126,706	1/4	141,804
1/2	6,314	1/2	21,412	1/2	36,504	1/2	51,579	1/2	66,656	1/2	81,733	1/2	96,826	1/2	111,923	1/2	127,021	1/2	142,118
3/4	6,629	3/4	21,726	3/4	36,818	3/4	51,893	3/4	66,970	3/4	82,047	3/4	97,140	3/4	112,238	3/4	127,335	3/4	142,433
5	6,943	5	22,041	5	37,132	5	52,207	5	67,284	5	82,361	5	97,455	5	112,553	5	127,650	5	142,748
1/4	7,258	1/4	22,355	1/4	37,446	1/4	52,521	1/4	67,598	1/4	82,675	1/4	97,770	1/4	112,867	1/4	127,965	1/4	143,062
1/2	7,572	1/2	22,670	1/2	37,760	1/2	52,835	1/2	67,912	1/2	82,989	1/2	98,084	1/2	113,182	1/2	128,279	1/2	143,377
3/4	7,887	3/4	22,984	3/4	38,074	3/4	53,150	3/4	68,226	3/4	83,303	3/4	98,399	3/4	113,496	3/4	128,594	3/4	143,691
6	8,201	6	23,299	6	38,388	6	53,464	6	68,541	6	83,617	6	98,713	6	113,811	6	128,908	6	144,006
1/4	8,516	1/4	23,613	1/4	38,702	1/4	53,778	1/4	68,855	1/4	83,931	1/4	99,028	1/4	114,125	1/4	129,223	1/4	144,320
1/2	8,830	1/2	23,928	1/2	39,016	1/2	54,092	1/2	69,169	1/2	84,246	1/2	99,342	1/2	114,440	1/2	129,537	1/2	144,635
3/4	9,145	3/4	24,243	3/4	39,330	3/4	54,406	3/4	69,483	3/4	84,560	3/4	99,657	3/4	114,754	3/4	129,852	3/4	144,949
7	9,460	7	24,557	7	39,644	7	54,720	7	69,797	7	84,874	7	99,971	7	115,069	7	130,166	7	145,264
1/4	9,774	1/4	24,872	1/4	39,958	1/4	55,034	1/4	70,111	1/4	85,188	1/4	100,286	1/4	115,383	1/4	130,481	1/4	145,578
1/2	10,089	1/2	25,186	1/2	40,272	1/2	55,348	1/2	70,425	1/2	85,503	1/2	100,600	1/2	115,698	1/2	130,795	1/2	145,893
3/4	10,403	3/4	25,501	3/4	40,586	3/4	55,662	3/4	70,739	3/4	85,817	3/4	100,915	3/4	116,012	3/4	131,110	3/4	146,207
8	10,718	8	25,815	8	40,901	8	55,976	8	71,053	8	86,132	8	101,229	8	116,327	8	131,424	8	146,522
1/4	11,032	1/4	26,130	1/4	41,215	1/4	56,291	1/4	71,367	1/4	86,446	1/4	101,544	1/4	116,641	1/4	131,739	1/4	146,836
1/2	11,347	1/2	26,444	1/2	41,529	1/2	56,605	1/2	71,682	1/2	86,761	1/2	101,858	1/2	116,956	1/2	132,053	1/2	147,151
3/4	11,661	3/4	26,759	3/4	41,843	3/4	56,919	3/4	71,996	3/4	87,075	3/4	102,173	3/4	117,270	3/4	132,368	3/4	147,466
9	11,976	9	27,073	9	42,157	9	57,233	9	72,310	9	87,390	9	102,487	9	117,585	9	132,683	9	147,780
1/4	12,290	1/4	27,387	1/4	42,471	1/4	57,547	1/4	72,624	1/4	87,705	1/4	102,802	1/4	117,900	1/4	132,997	1/4	148,095
1/2	12,605	1/2	27,702	1/2	42,785	1/2	57,861	1/2	72,938	1/2	88,019	1/2	103,117	1/2	118,214	1/2	133,312	1/2	148,409
3/4	12,919	3/4	28,016	3/4	43,099	3/4	58,175	3/4	73,252	3/4	88,334	3/4	103,431	3/4	118,529	3/4	133,626	3/4	148,724
10	13,234	10	28,331	10	43,413	10	58,489	10	73,566	10	88,648	10	103,746	10	118,843	10	133,941	10	149,038
1/4	13,548	1/4	28,645	1/4	43,727	1/4	58,803	1/4	73,880	1/4	88,963	1/4	104,060	1/4	119,158	1/4	134,255	1/4	149,353
1/2	13,863	1/2	28,960	1/2	44,041	1/2	59,117	1/2	74,194	1/2	89,277	1/2	104,375	1/2	119,472	1/2	134,570	1/2	149,667
3/4	14,178	3/4	29,274	3/4	44,355	3/4	59,432	3/4	74,508	3/4	89,592	3/4	104,689	3/4	119,787	3/4	134,884	3/4	149,982
11	14,492	11	29,588	11	44,669	11	59,746	11	74,823	11	89,906	11	105,004	11	120,101	11	135,199	11	150,296
1/4	14,807	1/4	29,903	1/4	44,983	1/4	60,060	1/4	75,137	1/4	90,221	1/4	105,318	1/4	120,416	1/4	135,513	1/4	150,611
1/2	15,121	1/2	30,217	1/2	45,297	1/2	60,374	1/2	75,451	1/2	90,535	1/2	105,633	1/2	120,730	1/2	135,828	1/2	150,925
3/4	15,436	3/4	30,532	3/4	45,612	3/4	60,688	3/4	75,765	3/4	90,850	3/4	105,947	3/4	121,045	3/4	136,142	3/4	151,240

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 2" MMC GAUGE VALVE
LOCATED 4'- 3" OFF CENTERLINE AND 3'- 0" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**2 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,554	0	166,652	0	181,749	0	196,847	0	211,869	0	224,187	0		0		0		0	
1/4	151,869	1/4	166,966	1/4	182,064	1/4	197,160	1/4	212,182	1/4	224,210	1/4		1/4		1/4		1/4	
1/2	152,183	1/2	167,281	1/2	182,379	1/2	197,473	1/2	212,495	1/2	224,232	1/2		1/2		1/2		1/2	
3/4	152,498	3/4	167,596	3/4	182,693	3/4	197,786	3/4	212,808	3/4	224,255	3/4		3/4		3/4		3/4	
1	152,813	1	167,910	1	183,008	1	198,099	1	213,121	1	224,278	1		1		1		1	
1/4	153,127	1/4	168,225	1/4	183,322	1/4	198,412	1/4	213,434	1/4		1/4		1/4		1/4		1/4	
1/2	153,442	1/2	168,539	1/2	183,637	1/2	198,725	1/2	213,747	1/2		1/2		1/2		1/2		1/2	
3/4	153,756	3/4	168,854	3/4	183,951	3/4	199,038	3/4	214,060	3/4		3/4		3/4		3/4		3/4	
2	154,071	2	169,168	2	184,266	2	199,351	2	214,373	2		2		2		2		2	
1/4	154,385	1/4	169,483	1/4	184,580	1/4	199,664	1/4	214,683	1/4		1/4		1/4		1/4		1/4	
1/2	154,700	1/2	169,797	1/2	184,895	1/2	199,977	1/2	214,994	1/2		1/2		1/2		1/2		1/2	
3/4	155,014	3/4	170,112	3/4	185,209	3/4	200,290	3/4	215,305	3/4		3/4		3/4		3/4		3/4	
3	155,329	3	170,426	3	185,524	3	200,602	3	215,616	3		3		3		3		3	
1/4	155,643	1/4	170,741	1/4	185,838	1/4	200,915	1/4	215,927	1/4		1/4		1/4		1/4		1/4	
1/2	155,958	1/2	171,055	1/2	186,153	1/2	201,228	1/2	216,238	1/2		1/2		1/2		1/2		1/2	
3/4	156,272	3/4	171,370	3/4	186,467	3/4	201,541	3/4	216,549	3/4		3/4		3/4		3/4		3/4	
4	156,587	4	171,684	4	186,782	4	201,854	4	216,860	4		4		4		4		4	
1/4	156,901	1/4	171,999	1/4	187,097	1/4	202,167	1/4	217,171	1/4		1/4		1/4		1/4		1/4	
1/2	157,216	1/2	172,314	1/2	187,411	1/2	202,480	1/2	217,482	1/2		1/2		1/2		1/2		1/2	
3/4	157,531	3/4	172,628	3/4	187,726	3/4	202,793	3/4	217,792	3/4		3/4		3/4		3/4		3/4	
5	157,845	5	172,943	5	188,040	5	203,106	5	218,103	5		5		5		5		5	
1/4	158,160	1/4	173,257	1/4	188,355	1/4	203,419	1/4	218,414	1/4		1/4		1/4		1/4		1/4	
1/2	158,474	1/2	173,572	1/2	188,669	1/2	203,732	1/2	218,725	1/2		1/2		1/2		1/2		1/2	
3/4	158,789	3/4	173,886	3/4	188,984	3/4	204,045	3/4	219,036	3/4		3/4		3/4		3/4		3/4	
6	159,103	6	174,201	6	189,298	6	204,358	6	219,347	6		6		6		6		6	
1/4	159,418	1/4	174,515	1/4	189,613	1/4	204,671	1/4	219,658	1/4		1/4		1/4		1/4		1/4	
1/2	159,732	1/2	174,830	1/2	189,927	1/2	204,984	1/2	219,969	1/2		1/2		1/2		1/2		1/2	
3/4	160,047	3/4	175,144	3/4	190,242	3/4	205,297	3/4	220,280	3/4		3/4		3/4		3/4		3/4	
7	160,361	7	175,459	7	190,556	7	205,610	7	220,590	7		7		7		7		7	
1/4	160,676	1/4	175,773	1/4	190,871	1/4	205,923	1/4	220,875	1/4		1/4		1/4		1/4		1/4	
1/2	160,990	1/2	176,088	1/2	191,185	1/2	206,236	1/2	221,160	1/2		1/2		1/2		1/2		1/2	
3/4	161,305	3/4	176,402	3/4	191,500	3/4	206,549	3/4	221,445	3/4		3/4		3/4		3/4		3/4	
8	161,619	8	176,717	8	191,814	8	206,862	8	221,729	8		8		8		8		8	
1/4	161,934	1/4	177,032	1/4	192,129	1/4	207,175	1/4	221,961	1/4		1/4		1/4		1/4		1/4	
1/2	162,249	1/2	177,346	1/2	192,444	1/2	207,488	1/2	222,194	1/2		1/2		1/2		1/2		1/2	
3/4	162,563	3/4	177,661	3/4	192,758	3/4	207,800	3/4	222,426	3/4		3/4		3/4		3/4		3/4	
9	162,878	9	177,975	9	193,073	9	208,113	9	222,658	9		9		9		9		9	
1/4	163,192	1/4	178,290	1/4	193,387	1/4	208,426	1/4	222,838	1/4		1/4		1/4		1/4		1/4	
1/2	163,507	1/2	178,604	1/2	193,702	1/2	208,739	1/2	223,018	1/2		1/2		1/2		1/2		1/2	
3/4	163,821	3/4	178,919	3/4	194,016	3/4	209,052	3/4	223,198	3/4		3/4		3/4		3/4		3/4	
10	164,136	10	179,233	10	194,331	10	209,365	10	223,378	10		10		10		10		10	
1/4	164,450	1/4	179,548	1/4	194,645	1/4	209,678	1/4	223,505	1/4		1/4		1/4		1/4		1/4	
1/2	164,765	1/2	179,862	1/2	194,960	1/2	209,991	1/2	223,632	1/2		1/2		1/2		1/2		1/2	
3/4	165,079	3/4	180,177	3/4	195,274	3/4	210,304	3/4	223,760	3/4		3/4		3/4		3/4		3/4	
11	165,394	11	180,491	11	195,589	11	210,617	11	223,887	11		11		11		11		11	
1/4	165,708	1/4	180,806	1/4	195,903	1/4	210,930	1/4	223,962	1/4		1/4		1/4		1/4		1/4	
1/2	166,023	1/2	181,120	1/2	196,218	1/2	211,243	1/2	224,037	1/2		1/2		1/2		1/2		1/2	
3/4	166,337	3/4	181,435	3/4	196,532	3/4	211,556	3/4	224,112	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb A. Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	861	0	15,734	0	30,814	0	45,893	0	60,975	0	76,057	0	91,139	0	106,221	0	121,301	0	136,370
1/4	1,123	1/4	16,048	1/4	31,128	1/4	46,207	1/4	61,289	1/4	76,371	1/4	91,453	1/4	106,535	1/4	121,615	1/4	136,684
1/2	1,385	1/2	16,362	1/2	31,443	1/2	46,521	1/2	61,603	1/2	76,685	1/2	91,767	1/2	106,849	1/2	121,929	1/2	136,997
3/4	1,647	3/4	16,677	3/4	31,757	3/4	46,835	3/4	61,917	3/4	76,999	3/4	92,081	3/4	107,163	3/4	122,243	3/4	137,310
1	1,909	1	16,991	1	32,071	1	47,150	1	62,231	1	77,314	1	92,396	1	107,478	1	122,557	1	137,624
1/4	2,223	1/4	17,305	1/4	32,385	1/4	47,464	1/4	62,546	1/4	77,628	1/4	92,710	1/4	107,792	1/4	122,870	1/4	137,937
1/2	2,537	1/2	17,619	1/2	32,699	1/2	47,778	1/2	62,860	1/2	77,942	1/2	93,024	1/2	108,106	1/2	123,184	1/2	138,251
3/4	2,851	3/4	17,934	3/4	33,013	3/4	48,092	3/4	63,174	3/4	78,256	3/4	93,338	3/4	108,420	3/4	123,498	3/4	138,564
2	3,166	2	18,248	2	33,327	2	48,406	2	63,488	2	78,570	2	93,652	2	108,734	2	123,812	2	138,877
1/4	3,480	1/4	18,562	1/4	33,641	1/4	48,721	1/4	63,803	1/4	78,885	1/4	93,967	1/4	109,049	1/4	124,126	1/4	139,191
1/2	3,794	1/2	18,876	1/2	33,955	1/2	49,035	1/2	64,117	1/2	79,199	1/2	94,281	1/2	109,363	1/2	124,440	1/2	139,504
3/4	4,108	3/4	19,190	3/4	34,269	3/4	49,349	3/4	64,431	3/4	79,513	3/4	94,595	3/4	109,677	3/4	124,754	3/4	139,817
3	4,423	3	19,505	3	34,583	3	49,663	3	64,745	3	79,827	3	94,909	3	109,991	3	125,068	3	140,131
1/4	4,737	1/4	19,819	1/4	34,897	1/4	49,977	1/4	65,059	1/4	80,141	1/4	95,223	1/4	110,306	1/4	125,382	1/4	140,444
1/2	5,051	1/2	20,133	1/2	35,212	1/2	50,292	1/2	65,374	1/2	80,456	1/2	95,538	1/2	110,620	1/2	125,696	1/2	140,758
3/4	5,365	3/4	20,447	3/4	35,526	3/4	50,606	3/4	65,688	3/4	80,770	3/4	95,852	3/4	110,934	3/4	126,010	3/4	141,071
4	5,679	4	20,761	4	35,840	4	50,920	4	66,002	4	81,084	4	96,166	4	111,248	4	126,324	4	141,384
1/4	5,994	1/4	21,076	1/4	36,154	1/4	51,234	1/4	66,316	1/4	81,398	1/4	96,480	1/4	111,562	1/4	126,638	1/4	141,698
1/2	6,308	1/2	21,390	1/2	36,468	1/2	51,548	1/2	66,630	1/2	81,712	1/2	96,795	1/2	111,877	1/2	126,952	1/2	142,011
3/4	6,622	3/4	21,704	3/4	36,782	3/4	51,863	3/4	66,945	3/4	82,027	3/4	97,109	3/4	112,191	3/4	127,266	3/4	142,325
5	6,936	5	22,018	5	37,096	5	52,177	5	67,259	5	82,341	5	97,423	5	112,505	5	127,580	5	142,638
1/4	7,250	1/4	22,332	1/4	37,410	1/4	52,491	1/4	67,573	1/4	82,655	1/4	97,737	1/4	112,819	1/4	127,894	1/4	142,951
1/2	7,565	1/2	22,647	1/2	37,725	1/2	52,805	1/2	67,887	1/2	82,969	1/2	98,051	1/2	113,133	1/2	128,208	1/2	143,265
3/4	7,879	3/4	22,961	3/4	38,039	3/4	53,119	3/4	68,201	3/4	83,284	3/4	98,366	3/4	113,448	3/4	128,521	3/4	143,578
6	8,193	6	23,275	6	38,353	6	53,434	6	68,516	6	83,598	6	98,680	6	113,762	6	128,835	6	143,892
1/4	8,507	1/4	23,589	1/4	38,667	1/4	53,748	1/4	68,830	1/4	83,912	1/4	98,994	1/4	114,076	1/4	129,149	1/4	144,205
1/2	8,821	1/2	23,903	1/2	38,981	1/2	54,062	1/2	69,144	1/2	84,226	1/2	99,308	1/2	114,390	1/2	129,463	1/2	144,518
3/4	9,136	3/4	24,218	3/4	39,295	3/4	54,376	3/4	69,458	3/4	84,540	3/4	99,622	3/4	114,704	3/4	129,777	3/4	144,832
7	9,450	7	24,532	7	39,610	7	54,690	7	69,773	7	84,855	7	99,937	7	115,019	7	130,091	7	145,145
1/4	9,764	1/4	24,846	1/4	39,924	1/4	55,005	1/4	70,087	1/4	85,169	1/4	100,251	1/4	115,333	1/4	130,405	1/4	145,458
1/2	10,078	1/2	25,160	1/2	40,238	1/2	55,319	1/2	70,401	1/2	85,483	1/2	100,565	1/2	115,647	1/2	130,719	1/2	145,772
3/4	10,392	3/4	25,475	3/4	40,552	3/4	55,633	3/4	70,715	3/4	85,797	3/4	100,879	3/4	115,961	3/4	131,033	3/4	146,085
8	10,707	8	25,789	8	40,866	8	55,947	8	71,029	8	86,111	8	101,193	8	116,275	8	131,347	8	146,399
1/4	11,021	1/4	26,103	1/4	41,180	1/4	56,262	1/4	71,344	1/4	86,426	1/4	101,508	1/4	116,590	1/4	131,661	1/4	146,704
1/2	11,335	1/2	26,417	1/2	41,495	1/2	56,576	1/2	71,658	1/2	86,740	1/2	101,822	1/2	116,904	1/2	131,975	1/2	147,009
3/4	11,649	3/4	26,731	3/4	41,809	3/4	56,890	3/4	71,972	3/4	87,054	3/4	102,136	3/4	117,218	3/4	132,289	3/4	147,314
9	11,964	9	27,045	9	42,123	9	57,204	9	72,286	9	87,368	9	102,450	9	117,532	9	132,603	9	147,619
1/4	12,278	1/4	27,359	1/4	42,437	1/4	57,518	1/4	72,600	1/4	87,682	1/4	102,764	1/4	117,847	1/4	132,917	1/4	147,907
1/2	12,592	1/2	27,673	1/2	42,751	1/2	57,833	1/2	72,915	1/2	87,997	1/2	103,079	1/2	118,161	1/2	133,231	1/2	148,195
3/4	12,906	3/4	27,988	3/4	43,065	3/4	58,147	3/4	73,229	3/4	88,311	3/4	103,393	3/4	118,475	3/4	133,545	3/4	148,483
10	13,220	10	28,302	10	43,380	10	58,461	10	73,543	10	88,625	10	103,707	10	118,789	10	133,859	10	148,772
1/4	13,535	1/4	28,616	1/4	43,694	1/4	58,775	1/4	73,857	1/4	88,939	1/4	104,021	1/4	119,103	1/4	134,173	1/4	149,043
1/2	13,849	1/2	28,930	1/2	44,008	1/2	59,089	1/2	74,171	1/2	89,253	1/2	104,336	1/2	119,417	1/2	134,486	1/2	149,315
3/4	14,163	3/4	29,244	3/4	44,322	3/4	59,404	3/4	74,486	3/4	89,568	3/4	104,650	3/4	119,731	3/4	134,800	3/4	149,586
11	14,477	11	29,558	11	44,636	11	59,718	11	74,800	11	89,882	11	104,964	11	120,045	11	135,114	11	149,858
1/4	14,791	1/4	29,872	1/4	44,950	1/4	60,032	1/4	75,114	1/4	90,196	1/4	105,278	1/4	120,359	1/4	135,428	1/4	150,113
1/2	15,106	1/2	30,186	1/2	45,265	1/2	60,346	1/2	75,428	1/2	90,510	1/2	105,592	1/2	120,673	1/2	135,742	1/2	150,369
3/4	15,420	3/4	30,500	3/4	45,579	3/4	60,660	3/4	75,742	3/4	90,825	3/4	105,907	3/4	120,987	3/4	136,056	3/4	150,624

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 2" MMC GAUGE VALVE
 LOCATED 4'- 3" OFF CENTERLINE AND 2'- 10" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
 OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
 DATE COMPUTED: 9/18/02 BY: DAR
 DATE ISSUED: 9/20/02

ITS - CALEB BRETT


**BARGE "GBL 630"
HULL NO. 01-2645**

**3 PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,880	0	161,972	0	173,032	0	184,091	0	195,087	0	204,103	0		0		0		0	
1/4	151,119	1/4	162,203	1/4	173,262	1/4	184,320	1/4	195,316	1/4	204,119	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,357	1/2	162,433	1/2	173,492	1/2	184,549	1/2	195,545	1/2	204,135	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,596	3/4	162,664	3/4	173,723	3/4	184,778	3/4	195,774	3/4	204,152	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	151,835	1	162,894	1	173,953	1	185,007	1	196,003	1	204,168	1		1		1		1	
1/4	152,065	1/4	163,124	1/4	174,184	1/4	185,236	1/4	196,232	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,296	1/2	163,355	1/2	174,414	1/2	185,465	1/2	196,461	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,526	3/4	163,585	3/4	174,644	3/4	185,694	3/4	196,690	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	152,756	2	163,816	2	174,875	2	185,923	2	196,919	2		2		2		2		2	
1/4	152,987	1/4	164,046	1/4	175,105	1/4	186,152	1/4	197,147	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,217	1/2	164,276	1/2	175,336	1/2	186,382	1/2	197,375	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,448	3/4	164,507	3/4	175,566	3/4	186,611	3/4	197,602	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	153,678	3	164,737	3	175,796	3	186,840	3	197,830	3		3		3		3		3	
1/4	153,908	1/4	164,968	1/4	176,027	1/4	187,069	1/4	198,057	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,139	1/2	165,198	1/2	176,257	1/2	187,298	1/2	198,285	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,369	3/4	165,428	3/4	176,488	3/4	187,527	3/4	198,513	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	154,600	4	165,659	4	176,718	4	187,756	4	198,740	4		4		4		4		4	
1/4	154,830	1/4	165,889	1/4	176,948	1/4	187,985	1/4	198,968	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,060	1/2	166,120	1/2	177,179	1/2	188,214	1/2	199,195	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,291	3/4	166,350	3/4	177,409	3/4	188,443	3/4	199,423	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	155,521	5	166,580	5	177,640	5	188,672	5	199,650	5		5		5		5		5	
1/4	155,752	1/4	166,811	1/4	177,870	1/4	188,901	1/4	199,878	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,982	1/2	167,041	1/2	178,100	1/2	189,131	1/2	200,106	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,212	3/4	167,272	3/4	178,331	3/4	189,360	3/4	200,333	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	156,443	6	167,502	6	178,561	6	189,589	6	200,561	6		6		6		6		6	
1/4	156,673	1/4	167,732	1/4	178,792	1/4	189,818	1/4	200,788	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,904	1/2	167,963	1/2	179,022	1/2	190,047	1/2	201,016	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,134	3/4	168,193	3/4	179,252	3/4	190,276	3/4	201,244	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	157,364	7	168,424	7	179,483	7	190,505	7	201,471	7		7		7		7		7	
1/4	157,595	1/4	168,654	1/4	179,713	1/4	190,734	1/4	201,679	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,825	1/2	168,884	1/2	179,943	1/2	190,963	1/2	201,888	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,056	3/4	169,115	3/4	180,174	3/4	191,192	3/4	202,096	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	158,286	8	169,345	8	180,404	8	191,421	8	202,305	8		8		8		8		8	
1/4	158,516	1/4	169,576	1/4	180,635	1/4	191,650	1/4	202,475	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,747	1/2	169,806	1/2	180,865	1/2	191,880	1/2	202,645	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,977	3/4	170,036	3/4	181,095	3/4	192,109	3/4	202,815	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	159,208	9	170,267	9	181,326	9	192,338	9	202,985	9		9		9		9		9	
1/4	159,438	1/4	170,497	1/4	181,556	1/4	192,567	1/4	203,116	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,668	1/2	170,728	1/2	181,787	1/2	192,796	1/2	203,248	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	159,899	3/4	170,958	3/4	182,017	3/4	193,025	3/4	203,379	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	160,129	10	171,188	10	182,247	10	193,254	10	203,511	10		10		10		10		10	
1/4	160,360	1/4	171,419	1/4	182,478	1/4	193,483	1/4	203,604	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,590	1/2	171,649	1/2	182,708	1/2	193,712	1/2	203,697	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,820	3/4	171,880	3/4	182,939	3/4	193,941	3/4	203,790	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	161,051	11	172,110	11	183,169	11	194,170	11	203,884	11		11		11		11		11	
1/4	161,281	1/4	172,340	1/4	183,399	1/4	194,400	1/4	203,938	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,512	1/2	172,571	1/2	183,630	1/2	194,629	1/2	203,993	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,742	3/4	172,801	3/4	183,860	3/4	194,858	3/4	204,048	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**3 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	861	0	15,729	0	30,803	0	45,857	0	60,893	0	75,952	0	91,018	0	106,093	0	121,166	0	136,228
1/4	1,123	1/4	16,043	1/4	31,117	1/4	46,170	1/4	61,206	1/4	76,265	1/4	91,332	1/4	106,407	1/4	121,480	1/4	136,542
1/2	1,385	1/2	16,358	1/2	31,431	1/2	46,483	1/2	61,519	1/2	76,579	1/2	91,646	1/2	106,721	1/2	121,794	1/2	136,855
3/4	1,647	3/4	16,672	3/4	31,745	3/4	46,797	3/4	61,833	3/4	76,893	3/4	91,960	3/4	107,035	3/4	122,107	3/4	137,168
1	1,908	1	16,986	1	32,059	1	47,110	1	62,146	1	77,207	1	92,274	1	107,349	1	122,421	1	137,481
1/4	2,222	1/4	17,300	1/4	32,373	1/4	47,424	1/4	62,459	1/4	77,521	1/4	92,588	1/4	107,663	1/4	122,735	1/4	137,795
1/2	2,537	1/2	17,614	1/2	32,687	1/2	47,737	1/2	62,772	1/2	77,834	1/2	92,902	1/2	107,977	1/2	123,049	1/2	138,108
3/4	2,851	3/4	17,928	3/4	33,001	3/4	48,051	3/4	63,085	3/4	78,148	3/4	93,216	3/4	108,291	3/4	123,363	3/4	138,421
2	3,165	2	18,242	2	33,315	2	48,364	2	63,398	2	78,462	2	93,530	2	108,605	2	123,676	2	138,734
1/4	3,479	1/4	18,556	1/4	33,629	1/4	48,678	1/4	63,711	1/4	78,776	1/4	93,844	1/4	108,919	1/4	123,990	1/4	139,048
1/2	3,793	1/2	18,870	1/2	33,942	1/2	48,991	1/2	64,024	1/2	79,089	1/2	94,158	1/2	109,234	1/2	124,304	1/2	139,361
3/4	4,107	3/4	19,184	3/4	34,256	3/4	49,305	3/4	64,337	3/4	79,403	3/4	94,472	3/4	109,548	3/4	124,618	3/4	139,674
3	4,421	3	19,498	3	34,570	3	49,619	3	64,650	3	79,717	3	94,787	3	109,862	3	124,932	3	139,987
1/4	4,735	1/4	19,812	1/4	34,884	1/4	49,932	1/4	64,964	1/4	80,031	1/4	95,101	1/4	110,176	1/4	125,245	1/4	140,301
1/2	5,050	1/2	20,126	1/2	35,198	1/2	50,246	1/2	65,278	1/2	80,345	1/2	95,415	1/2	110,490	1/2	125,559	1/2	140,614
3/4	5,364	3/4	20,440	3/4	35,512	3/4	50,559	3/4	65,592	3/4	80,658	3/4	95,729	3/4	110,804	3/4	125,873	3/4	140,927
4	5,678	4	20,754	4	35,825	4	50,873	4	65,906	4	80,972	4	96,043	4	111,118	4	126,187	4	141,240
1/4	5,992	1/4	21,069	1/4	36,139	1/4	51,187	1/4	66,220	1/4	81,286	1/4	96,357	1/4	111,432	1/4	126,501	1/4	141,554
1/2	6,306	1/2	21,383	1/2	36,452	1/2	51,500	1/2	66,534	1/2	81,600	1/2	96,671	1/2	111,746	1/2	126,814	1/2	141,867
3/4	6,620	3/4	21,697	3/4	36,766	3/4	51,814	3/4	66,848	3/4	81,914	3/4	96,985	3/4	112,060	3/4	127,128	3/4	142,180
5	6,934	5	22,011	5	37,079	5	52,127	5	67,163	5	82,227	5	97,299	5	112,374	5	127,442	5	142,493
1/4	7,249	1/4	22,325	1/4	37,393	1/4	52,440	1/4	67,477	1/4	82,541	1/4	97,613	1/4	112,688	1/4	127,756	1/4	142,807
1/2	7,563	1/2	22,639	1/2	37,706	1/2	52,754	1/2	67,791	1/2	82,855	1/2	97,927	1/2	113,002	1/2	128,070	1/2	143,120
3/4	7,877	3/4	22,953	3/4	38,019	3/4	53,067	3/4	68,105	3/4	83,169	3/4	98,241	3/4	113,316	3/4	128,383	3/4	143,433
6	8,191	6	23,267	6	38,333	6	53,380	6	68,419	6	83,482	6	98,555	6	113,630	6	128,697	6	143,746
1/4	8,505	1/4	23,581	1/4	38,646	1/4	53,693	1/4	68,733	1/4	83,796	1/4	98,869	1/4	113,945	1/4	129,011	1/4	144,060
1/2	8,819	1/2	23,895	1/2	38,960	1/2	54,006	1/2	69,047	1/2	84,110	1/2	99,183	1/2	114,259	1/2	129,325	1/2	144,373
3/4	9,133	3/4	24,209	3/4	39,273	3/4	54,319	3/4	69,361	3/4	84,424	3/4	99,498	3/4	114,573	3/4	129,639	3/4	144,686
7	9,447	7	24,523	7	39,587	7	54,632	7	69,675	7	84,738	7	99,812	7	114,887	7	129,952	7	144,999
1/4	9,762	1/4	24,837	1/4	39,900	1/4	54,945	1/4	69,989	1/4	85,051	1/4	100,126	1/4	115,201	1/4	130,266	1/4	145,313
1/2	10,076	1/2	25,151	1/2	40,214	1/2	55,258	1/2	70,303	1/2	85,365	1/2	100,440	1/2	115,515	1/2	130,580	1/2	145,626
3/4	10,390	3/4	25,465	3/4	40,527	3/4	55,571	3/4	70,617	3/4	85,679	3/4	100,754	3/4	115,829	3/4	130,894	3/4	145,939
8	10,704	8	25,780	8	40,841	8	55,884	8	70,931	8	85,993	8	101,068	8	116,143	8	131,208	8	146,252
1/4	11,018	1/4	26,094	1/4	41,154	1/4	56,197	1/4	71,245	1/4	86,307	1/4	101,382	1/4	116,457	1/4	131,521	1/4	146,557
1/2	11,332	1/2	26,408	1/2	41,468	1/2	56,510	1/2	71,559	1/2	86,621	1/2	101,696	1/2	116,771	1/2	131,835	1/2	146,862
3/4	11,646	3/4	26,722	3/4	41,781	3/4	56,823	3/4	71,872	3/4	86,935	3/4	102,010	3/4	117,085	3/4	132,149	3/4	147,167
9	11,960	9	27,036	9	42,095	9	57,137	9	72,186	9	87,249	9	102,324	9	117,399	9	132,463	9	147,472
1/4	12,275	1/4	27,350	1/4	42,408	1/4	57,450	1/4	72,500	1/4	87,563	1/4	102,638	1/4	117,713	1/4	132,777	1/4	147,760
1/2	12,589	1/2	27,663	1/2	42,722	1/2	57,763	1/2	72,814	1/2	87,877	1/2	102,952	1/2	118,027	1/2	133,090	1/2	148,048
3/4	12,903	3/4	27,977	3/4	43,035	3/4	58,076	3/4	73,128	3/4	88,191	3/4	103,266	3/4	118,341	3/4	133,404	3/4	148,336
10	13,217	10	28,291	10	43,349	10	58,389	10	73,441	10	88,505	10	103,580	10	118,656	10	133,718	10	148,624
1/4	13,531	1/4	28,605	1/4	43,662	1/4	58,702	1/4	73,755	1/4	88,819	1/4	103,894	1/4	118,969	1/4	134,032	1/4	148,966
1/2	13,845	1/2	28,919	1/2	43,976	1/2	59,015	1/2	74,069	1/2	89,133	1/2	104,209	1/2	119,283	1/2	134,346	1/2	149,167
3/4	14,159	3/4	29,233	3/4	44,289	3/4	59,328	3/4	74,383	3/4	89,447	3/4	104,523	3/4	119,597	3/4	134,659	3/4	149,438
11	14,473	11	29,547	11	44,603	11	59,641	11	74,696	11	89,762	11	104,837	11	119,911	11	134,973	11	149,710
1/4	14,787	1/4	29,861	1/4	44,916	1/4	59,954	1/4	75,010	1/4	90,076	1/4	105,151	1/4	120,225	1/4	135,287	1/4	149,965
1/2	15,101	1/2	30,175	1/2	45,230	1/2	60,267	1/2	75,324	1/2	90,390	1/2	105,465	1/2	120,538	1/2	135,601	1/2	150,221
3/4	15,415	3/4	30,489	3/4	45,543	3/4	60,580	3/4	75,638	3/4	90,704	3/4	105,779	3/4	120,852	3/4	135,915	3/4	150,476

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT: TO TOP LIP OF GAUGE HATCH, OPPOSITE HINGE, LOCATED 2" MMC GAUGE VALVE
 LOCATED 4'- 3" OFF CENTERLINE AND 2'- 10" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
 OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
 DATE COMPUTED: 9/18/02 BY: DAR
 DATE ISSUED: 9/20/02

ITS - CALEB BRETT


**BARGE "GBL 630"
HULL NO. 01-2645**

**3 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,732	0	161,821	0	172,878	0	183,934	0	194,990	0	204,014	0		0		0		0	
1/4	150,970	1/4	162,052	1/4	173,108	1/4	184,164	1/4	195,220	1/4	204,030	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,209	1/2	162,282	1/2	173,338	1/2	184,394	1/2	195,451	1/2	204,047	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,448	3/4	162,512	3/4	173,569	3/4	184,625	3/4	195,681	3/4	204,063	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	151,686	1	162,743	1	173,799	1	184,855	1	195,911	1	204,080	1		1		1		1	
1/4	151,917	1/4	162,973	1/4	174,029	1/4	185,085	1/4	196,142	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,147	1/2	163,203	1/2	174,260	1/2	185,316	1/2	196,372	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,377	3/4	163,434	3/4	174,490	3/4	185,546	3/4	196,602	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	152,608	2	163,664	2	174,720	2	185,776	2	196,833	2		2		2		2		2	
1/4	152,838	1/4	163,894	1/4	174,951	1/4	186,007	1/4	197,060	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,068	1/2	164,125	1/2	175,181	1/2	186,237	1/2	197,288	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,299	3/4	164,355	3/4	175,411	3/4	186,468	3/4	197,515	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	153,529	3	164,585	3	175,642	3	186,698	3	197,743	3		3		3		3		3	
1/4	153,759	1/4	164,816	1/4	175,872	1/4	186,928	1/4	197,970	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,990	1/2	165,046	1/2	176,102	1/2	187,159	1/2	198,198	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,220	3/4	165,276	3/4	176,333	3/4	187,389	3/4	198,425	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	154,450	4	165,507	4	176,563	4	187,619	4	198,653	4		4		4		4		4	
1/4	154,681	1/4	165,737	1/4	176,793	1/4	187,850	1/4	198,880	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,911	1/2	165,967	1/2	177,024	1/2	188,080	1/2	199,108	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,141	3/4	166,198	3/4	177,254	3/4	188,310	3/4	199,335	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	155,372	5	166,428	5	177,484	5	188,541	5	199,563	5		5		5		5		5	
1/4	155,602	1/4	166,658	1/4	177,715	1/4	188,771	1/4	199,791	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,832	1/2	166,889	1/2	177,945	1/2	189,001	1/2	200,018	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,063	3/4	167,119	3/4	178,175	3/4	189,232	3/4	200,246	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	156,293	6	167,349	6	178,406	6	189,462	6	200,473	6		6		6		6		6	
1/4	156,524	1/4	167,580	1/4	178,636	1/4	189,692	1/4	200,701	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,754	1/2	167,810	1/2	178,866	1/2	189,923	1/2	200,928	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,984	3/4	168,040	3/4	179,097	3/4	190,153	3/4	201,156	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	157,215	7	168,271	7	179,327	7	190,383	7	201,383	7		7		7		7		7	
1/4	157,445	1/4	168,501	1/4	179,557	1/4	190,614	1/4	201,591	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,675	1/2	168,731	1/2	179,788	1/2	190,844	1/2	201,800	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,906	3/4	168,962	3/4	180,018	3/4	191,074	3/4	202,008	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	158,136	8	169,192	8	180,248	8	191,305	8	202,216	8		8		8		8		8	
1/4	158,366	1/4	169,422	1/4	180,479	1/4	191,535	1/4	202,386	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,597	1/2	169,653	1/2	180,709	1/2	191,765	1/2	202,556	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,827	3/4	169,883	3/4	180,939	3/4	191,996	3/4	202,726	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	159,057	9	170,113	9	181,170	9	192,226	9	202,896	9		9		9		9		9	
1/4	159,288	1/4	170,344	1/4	181,400	1/4	192,456	1/4	203,028	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,518	1/2	170,574	1/2	181,630	1/2	192,687	1/2	203,159	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	159,748	3/4	170,804	3/4	181,861	3/4	192,917	3/4	203,291	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	159,979	10	171,035	10	182,091	10	193,147	10	203,422	10		10		10		10		10	
1/4	160,209	1/4	171,265	1/4	182,321	1/4	193,378	1/4	203,516	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,439	1/2	171,496	1/2	182,552	1/2	193,608	1/2	203,609	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,670	3/4	171,726	3/4	182,782	3/4	193,838	3/4	203,702	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	160,900	11	171,956	11	183,012	11	194,069	11	203,795	11		11		11		11		11	
1/4	161,130	1/4	172,187	1/4	183,243	1/4	194,299	1/4	203,850	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,361	1/2	172,417	1/2	183,473	1/2	194,529	1/2	203,905	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,591	3/4	172,647	3/4	183,703	3/4	194,760	3/4	203,959	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 630"
HULL NO. 01-2645**

**SLOP PORT
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	111	0	1,080	0	2,077	0	3,074	0	4,071	0		0		0		0		0	
1/4	126	1/4	1,101	1/4	2,098	1/4	3,095	1/4	4,091	1/4		1/4		1/4		1/4		1/4	
1/2	142	1/2	1,122	1/2	2,118	1/2	3,115	1/2	4,112	1/2		1/2		1/2		1/2		1/2	
3/4	157	3/4	1,142	3/4	2,139	3/4	3,136	3/4	4,133	3/4		3/4		3/4		3/4		3/4	
1	173	1	1,163	1	2,160	1	3,157	1	4,154	1		1		1		1		1	
1/4	192	1/4	1,184	1/4	2,181	1/4	3,178	1/4	4,175	1/4		1/4		1/4		1/4		1/4	
1/2	211	1/2	1,205	1/2	2,202	1/2	3,198	1/2	4,195	1/2		1/2		1/2		1/2		1/2	
3/4	230	3/4	1,225	3/4	2,222	3/4	3,219	3/4	4,214	3/4		3/4		3/4		3/4		3/4	
2	249	2	1,246	2	2,243	2	3,240	2	4,233	2		2		2		2		2	
1/4	270	1/4	1,267	1/4	2,264	1/4	3,261	1/4	4,252	1/4		1/4		1/4		1/4		1/4	
1/2	291	1/2	1,288	1/2	2,285	1/2	3,282	1/2	4,271	1/2		1/2		1/2		1/2		1/2	
3/4	312	3/4	1,308	3/4	2,305	3/4	3,302	3/4	4,287	3/4		3/4		3/4		3/4		3/4	
3	332	3	1,329	3	2,326	3	3,323	3	4,303	3		3		3		3		3	
1/4	353	1/4	1,350	1/4	2,347	1/4	3,344	1/4	4,318	1/4		1/4		1/4		1/4		1/4	
1/2	374	1/2	1,371	1/2	2,368	1/2	3,365	1/2	4,334	1/2		1/2		1/2		1/2		1/2	
3/4	395	3/4	1,392	3/4	2,388	3/4	3,385	3/4	4,346	3/4		3/4		3/4		3/4		3/4	
4	415	4	1,412	4	2,409	4	3,406	4	4,358	4		4		4		4		4	
1/4	436	1/4	1,433	1/4	2,430	1/4	3,427	1/4	4,370	1/4		1/4		1/4		1/4		1/4	
1/2	457	1/2	1,454	1/2	2,451	1/2	3,448	1/2	4,382	1/2		1/2		1/2		1/2		1/2	
3/4	478	3/4	1,475	3/4	2,472	3/4	3,468	3/4	4,391	3/4		3/4		3/4		3/4		3/4	
5	498	5	1,495	5	2,492	5	3,489	5	4,400	5		5		5		5		5	
1/4	519	1/4	1,516	1/4	2,513	1/4	3,510	1/4	4,408	1/4		1/4		1/4		1/4		1/4	
1/2	540	1/2	1,537	1/2	2,534	1/2	3,531	1/2	4,417	1/2		1/2		1/2		1/2		1/2	
3/4	561	3/4	1,558	3/4	2,555	3/4	3,551	3/4	4,422	3/4		3/4		3/4		3/4		3/4	
6	582	6	1,578	6	2,575	6	3,572	6	4,427	6		6		6		6		6	
1/4	602	1/4	1,599	1/4	2,596	1/4	3,593	1/4	4,432	1/4		1/4		1/4		1/4		1/4	
1/2	623	1/2	1,620	1/2	2,617	1/2	3,614	1/2	4,438	1/2		1/2		1/2		1/2		1/2	
3/4	644	3/4	1,641	3/4	2,638	3/4	3,635	3/4	4,439	3/4		3/4		3/4		3/4		3/4	
7	665	7	1,662	7	2,658	7	3,655	7	4,441	7		7		7		7		7	
1/4	685	1/4	1,682	1/4	2,679	1/4	3,676	1/4	4,443	1/4		1/4		1/4		1/4		1/4	
1/2	706	1/2	1,703	1/2	2,700	1/2	3,697	1/2	4,445	1/2		1/2		1/2		1/2		1/2	
3/4	727	3/4	1,724	3/4	2,721	3/4	3,718	3/4		3/4		3/4		3/4		3/4		3/4	
8	748	8	1,745	8	2,742	8	3,738	8		8		8		8		8		8	
1/4	768	1/4	1,765	1/4	2,762	1/4	3,759	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	789	1/2	1,786	1/2	2,783	1/2	3,780	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	810	3/4	1,807	3/4	2,804	3/4	3,801	3/4		3/4		3/4		3/4		3/4		3/4	
9	831	9	1,828	9	2,825	9	3,821	9		9		9		9		9		9	
1/4	852	1/4	1,848	1/4	2,845	1/4	3,842	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	872	1/2	1,869	1/2	2,866	1/2	3,863	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	893	3/4	1,890	3/4	2,887	3/4	3,884	3/4		3/4		3/4		3/4		3/4		3/4	
10	914	10	1,911	10	2,908	10	3,905	10		10		10		10		10		10	
1/4	935	1/4	1,932	1/4	2,928	1/4	3,925	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	955	1/2	1,952	1/2	2,949	1/2	3,946	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	976	3/4	1,973	3/4	2,970	3/4	3,967	3/4		3/4		3/4		3/4		3/4		3/4	
11	997	11	1,994	11	2,991	11	3,988	11		11		11		11		11		11	
1/4	1,018	1/4	2,015	1/4	3,012	1/4	4,008	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,038	1/2	2,035	1/2	3,032	1/2	4,029	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,059	3/4	2,056	3/4	3,053	3/4	4,050	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE DEVICE.
NOTE: GAUGE POINT LOCATED 13'- 10" OFF CENTERLINE AND 3'- 0" FORWARD OF AFT. BULKHEAD.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT

Caleb Brett

BARGE "GBL 630"
HULL NO. 01-2645

SLOP STBD
INANGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	107	0	1,040	0	2,000	0	2,960	0	3,920	0		0		0		0		0	
1/4	122	1/4	1,060	1/4	2,020	1/4	2,980	1/4	3,940	1/4		1/4		1/4		1/4		1/4	
1/2	137	1/2	1,080	1/2	2,040	1/2	3,000	1/2	3,960	1/2		1/2		1/2		1/2		1/2	
3/4	152	3/4	1,100	3/4	2,060	3/4	3,020	3/4	3,980	3/4		3/4		3/4		3/4		3/4	
1	167	1	1,120	1	2,080	1	3,040	1	4,000	1		1		1		1		1	
1/4	185	1/4	1,140	1/4	2,100	1/4	3,060	1/4	4,020	1/4		1/4		1/4		1/4		1/4	
1/2	203	1/2	1,160	1/2	2,120	1/2	3,080	1/2	4,040	1/2		1/2		1/2		1/2		1/2	
3/4	222	3/4	1,180	3/4	2,140	3/4	3,100	3/4	4,058	3/4		3/4		3/4		3/4		3/4	
2	240	2	1,200	2	2,160	2	3,120	2	4,077	2		2		2		2		2	
1/4	260	1/4	1,220	1/4	2,180	1/4	3,140	1/4	4,095	1/4		1/4		1/4		1/4		1/4	
1/2	280	1/2	1,240	1/2	2,200	1/2	3,160	1/2	4,113	1/2		1/2		1/2		1/2		1/2	
3/4	300	3/4	1,260	3/4	2,220	3/4	3,180	3/4	4,128	3/4		3/4		3/4		3/4		3/4	
3	320	3	1,280	3	2,240	3	3,200	3	4,143	3		3		3		3		3	
1/4	340	1/4	1,300	1/4	2,260	1/4	3,220	1/4	4,158	1/4		1/4		1/4		1/4		1/4	
1/2	360	1/2	1,320	1/2	2,280	1/2	3,240	1/2	4,173	1/2		1/2		1/2		1/2		1/2	
3/4	380	3/4	1,340	3/4	2,300	3/4	3,260	3/4	4,185	3/4		3/4		3/4		3/4		3/4	
4	400	4	1,360	4	2,320	4	3,280	4	4,197	4		4		4		4		4	
1/4	420	1/4	1,380	1/4	2,340	1/4	3,300	1/4	4,208	1/4		1/4		1/4		1/4		1/4	
1/2	440	1/2	1,400	1/2	2,360	1/2	3,320	1/2	4,220	1/2		1/2		1/2		1/2		1/2	
3/4	460	3/4	1,420	3/4	2,380	3/4	3,340	3/4	4,228	3/4		3/4		3/4		3/4		3/4	
5	480	5	1,440	5	2,400	5	3,360	5	4,237	5		5		5		5		5	
1/4	500	1/4	1,460	1/4	2,420	1/4	3,380	1/4	4,245	1/4		1/4		1/4		1/4		1/4	
1/2	520	1/2	1,480	1/2	2,440	1/2	3,400	1/2	4,253	1/2		1/2		1/2		1/2		1/2	
3/4	540	3/4	1,500	3/4	2,460	3/4	3,420	3/4	4,258	3/4		3/4		3/4		3/4		3/4	
6	560	6	1,520	6	2,480	6	3,440	6	4,263	6		6		6		6		6	
1/4	580	1/4	1,540	1/4	2,500	1/4	3,460	1/4	4,268	1/4		1/4		1/4		1/4		1/4	
1/2	600	1/2	1,560	1/2	2,520	1/2	3,480	1/2	4,273	1/2		1/2		1/2		1/2		1/2	
3/4	620	3/4	1,580	3/4	2,540	3/4	3,500	3/4	4,275	3/4		3/4		3/4		3/4		3/4	
7	640	7	1,600	7	2,560	7	3,520	7	4,277	7		7		7		7		7	
1/4	660	1/4	1,620	1/4	2,580	1/4	3,540	1/4	4,278	1/4		1/4		1/4		1/4		1/4	
1/2	680	1/2	1,640	1/2	2,600	1/2	3,560	1/2	4,280	1/2		1/2		1/2		1/2		1/2	
3/4	700	3/4	1,660	3/4	2,620	3/4	3,580	3/4		3/4		3/4		3/4		3/4		3/4	
8	720	8	1,680	8	2,640	8	3,600	8		8		8		8		8		8	
1/4	740	1/4	1,700	1/4	2,660	1/4	3,620	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	760	1/2	1,720	1/2	2,680	1/2	3,640	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	780	3/4	1,740	3/4	2,700	3/4	3,660	3/4		3/4		3/4		3/4		3/4		3/4	
9	800	9	1,760	9	2,720	9	3,680	9		9		9		9		9		9	
1/4	820	1/4	1,780	1/4	2,740	1/4	3,700	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	840	1/2	1,800	1/2	2,760	1/2	3,720	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	860	3/4	1,820	3/4	2,780	3/4	3,740	3/4		3/4		3/4		3/4		3/4		3/4	
10	880	10	1,840	10	2,800	10	3,760	10		10		10		10		10		10	
1/4	900	1/4	1,860	1/4	2,820	1/4	3,780	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	920	1/2	1,880	1/2	2,840	1/2	3,800	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	940	3/4	1,900	3/4	2,860	3/4	3,820	3/4		3/4		3/4		3/4		3/4		3/4	
11	960	11	1,920	11	2,880	11	3,840	11		11		11		11		11		11	
1/4	980	1/4	1,940	1/4	2,900	1/4	3,860	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,000	1/2	1,960	1/2	2,920	1/2	3,880	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,020	3/4	1,980	3/4	2,940	3/4	3,900	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE DEVICE.
NOTE: GAUGE POINT LOCATED 13'- 0" OFF CENTERLINE AND 3'- 0" FORWARD OF AFT. BULKHEAD.

DATE STRAPPED: 8/15/02 BY: DB-KF
DATE COMPUTED: 9/18/02 BY: DAR
DATE ISSUED: 9/20/02

ITS - CALEB BRETT

Caleb Brett