

## BARGE "GBL 630" HULL NO. 01-2645

## 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 7/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	186,981	0	173,962	0	160,877	0	147,761	0	134,646	0	121,530	0	108,415	0	95,298	0	82,182
1/4		1/4	186,711	1/4	173,690	1/4	160,604	1/4	147,488	1/4	134,373	1/4	121,257	1/4	108,141	1/4	95,025	1/4	81,908
1/2		1/2	186,442	1/2	173,419	1/2	160,331	1/2	147,215	1/2	134,099	1/2	120,984	1/2	107,868	1/2	94,752	1/2	81,635
3/4		3/4	186,172	3/4	173,147	3/4	160,057	3/4	146,942	3/4	133,826	3/4	120,711	3/4	107,595	3/4	94,478	3/4	81,362
1		1	185,902	1	172,875	1	159,784	1	146,669	1	133,553	1	120,437	1	107,322	1	94,205	1	81,089
1/4		1/4	185,632	1/4	172,604	1/4	159,511	1/4	146,395	1/4	133,280	1/4	120,164	1/4	107,048	1/4	93,932	1/4	80,815
1/2		1/2	185,362	1/2	172,332	1/2	159,238	1/2	146,122	1/2	133,006	1/2	119,891	1/2	106,775	1/2	93,659	1/2	80,542
3/4		3/4	185,092	3/4	172,060	3/4	158,964	3/4	145,849	3/4	132,733	3/4	119,618	3/4	106,502	3/4	93,385	3/4	80,269
2		2	184,822	2	171,789	2	158,691	2	145,576	2	132,460	2	119,344	2	106,229	2	93,112	2	79,995
1/4		1/4	184,552	1/4	171,517	1/4	158,418	1/4	145,302	1/4	132,187	1/4	119,071	1/4	105,955	1/4	92,839	1/4	79,722
1/2		1/2	184,283	1/2	171,245	1/2	158,145	1/2	145,029	1/2	131,914	1/2	118,798	1/2	105,682	1/2	92,566	1/2	79,449
3/4		3/4	184,013	3/4	170,974	3/4	157,871	3/4	144,756	3/4	131,640	3/4	118,525	3/4	105,409	3/4	92,292	3/4	79,176
3		3	183,742	3	170,702	3	157,598	3	144,483	3	131,367	3	118,251	3	105,136	3	92,019	3	78,902
1/4		1/4	183,470	1/4	170,430	1/4	157,325	1/4	144,209	1/4	131,094	1/4	117,978	1/4	104,862	1/4	91,746	1/4	78,629
1/2		1/2	183,199	1/2	170,159	1/2	157,052	1/2	143,936	1/2	130,821	1/2	117,705	1/2	104,589	1/2	91,472	1/2	78,356
7/8	192,473	3/4	182,927	3/4	169,887	3/4	156,778	3/4	143,663	3/4	130,547	3/4	117,432	3/4	104,316	3/4	91,199	3/4	78,083
4	192,464	4	182,655	4	169,615	4	156,505	4	143,390	4	130,274	4	117,159	4	104,043	4	90,926	4	77,809
1/4	192,444	1/4	182,384	1/4	169,344	1/4	156,232	1/4	143,116	1/4	130,001	1/4	116,885	1/4	103,769	1/4	90,653	1/4	77,536
1/2	192,425	1/2	182,112	1/2	169,072	1/2	155,959	1/2	142,843	1/2	129,728	1/2	116,612	1/2	103,496	1/2	90,379	1/2	77,263
3/4	192,405	3/4	181,840	3/4	168,800	3/4	155,685	3/4	142,570	3/4	129,454	3/4	116,339	3/4	103,223	3/4	90,106	3/4	76,990
5	192,363	5	181,569	5	168,528	5	155,412	5	142,297	5	129,181	5	116,066	5	102,949	5	89,833	5	76,716
1/4	192,298	1/4	181,297	1/4	168,255	1/4	155,139	1/4	142,023	1/4	128,908	1/4	115,792	1/4	102,676	1/4	89,560	1/4	76,443
1/2	192,233	1/2	181,025	1/2	167,981	1/2	154,866	1/2	141,750	1/2	128,635	1/2	115,519	1/2	102,403	1/2	89,286	1/2	76,170
3/4	192,168	3/4	180,754	3/4	167,708	3/4	154,593	3/4	141,477	3/4	128,361	3/4	115,246	3/4	102,130	3/4	89,013	3/4	75,897
6	192,081	6	180,482	6	167,435	6	154,319	6	141,204	6	128,088	6	114,973	6	101,856	6	88,740	6	75,623
1/4	191,970	1/4	180,210	1/4	167,162	1/4	154,046	1/4	140,930	1/4	127,815	1/4	114,699	1/4	101,583	1/4	88,467	1/4	75,350
1/2	191,860	1/2	179,939	1/2	166,888	1/2	153,773	1/2	140,657	1/2	127,542	1/2	114,426	1/2	101,310	1/2	88,193	1/2	75,077
3/4	191,749	3/4	179,667	3/4	166,615	3/4	153,500	3/4	140,384	3/4	127,268	3/4	114,153	3/4	101,037	3/4	87,920	3/4	74,803
7	191,616	7	179,395	7	166,342	7	153,226	7	140,111	7	126,995	7	113,880	7	100,763	7	87,647	7	74,530
1/4	191,460	1/4	179,124	1/4	166,069	1/4	152,953	1/4	139,837	1/4	126,722	1/4	113,606	1/4	100,490	1/4	87,374	1/4	74,257
1/2	191,304	1/2	178,852	1/2	165,795	1/2	152,680	1/2	139,564	1/2	126,449	1/2	113,333	1/2	100,217	1/2	87,100	1/2	73,984
3/4	191,148	3/4	178,580	3/4	165,522	3/4	152,407	3/4	139,291	3/4	126,175	3/4	113,060	3/4	99,944	3/4	86,827	3/4	73,710
8	190,969	8	178,309	8	165,249	8	152,133	8	139,018	8	125,902	8	112,787	8	99,670	8	86,554	8	73,437
1/4	190,768	1/4	178,037	1/4	164,976	1/4	151,860	1/4	138,745	1/4	125,629	1/4	112,513	1/4	99,397	1/4	86,280	1/4	73,164
1/2	190,566	1/2	177,765	1/2	164,702	1/2	151,587	1/2	138,471	1/2	125,356	1/2	112,240	1/2	99,124	1/2	86,007	1/2	72,891
3/4	190,365	3/4	177,494	3/4	164,429	3/4	151,314	3/4	138,198	3/4	125,082	3/4	111,967	3/4	98,851	3/4	85,734	3/4	72,617
9	190,140	9	177,222	9	164,156	9	151,040	9	137,925	9	124,809	9	111,694	9	98,577	9	85,461	9	72,344
1/4	189,893	1/4	176,950	1/4	163,883	1/4	150,767	1/4	137,652	1/4	124,536	1/4	111,420	1/4	98,304	1/4	85,187	1/4	72,071
1/2	189,646	1/2	176,679	1/2	163,609	1/2	150,494	1/2	137,378	1/2	124,263	1/2	111,147	1/2	98,031	1/2	84,914	1/2	71,798
3/4	189,399	3/4	176,407	3/4	163,336	3/4	150,221	3/4	137,105	3/4	123,990	3/4	110,874	3/4	97,757	3/4	84,641	3/4	71,524
10	189,140	10	176,135	10	163,063	10	149,947	10	136,832	10	123,716	10	110,601	10	97,484	10	84,368	10	71,251
1/4	188,870	1/4	175,864	1/4	162,790	1/4	149,674	1/4	136,559	1/4	123,443	1/4	110,327	1/4	97,211	1/4	84,094	1/4	70,978
1/2	188,601	1/2	175,592	1/2	162,516	1/2	149,401	1/2	136,285	1/2	123,170	1/2	110,054	1/2	96,938	1/2	83,821	1/2	70,705
3/4	188,331	3/4	175,320	3/4	162,243	3/4	149,128	3/4	136,012	3/4	122,897	3/4	109,781	3/4	96,664	3/4	83,548	3/4	70,431
11	188,061	11	175,049	11	161,970	11	148,854	11	135,739	11	122,623	11	109,508	11	96,391	11	83,275	11	70,158
1/4	187,791	1/4	174,777	1/4	161,697	1/4	148,581	1/4	135,466	1/4	122,350	1/4	109,234	1/4	96,118	1/4	83,001	1/4	69,885
1/2	187,521	1/2	174,505	1/2	161,424	1/2	148,308	1/2	135,192	1/2	122,077	1/2	108,961	1/2	95,845	1/2	82,728	1/2	69,612
3/4	187,251	3/4	174,234	3/4	161,150	3/4	148,035	3/4	134,919	3/4	121,804	3/4	108,688	3/4	95,571	3/4	82,455	3/4	69,338

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7

NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.

NOTE: GAUGE POINT LOCATED 3'- 0" OFF CENTERLINE AND 2'- 8" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES  
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-FW  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**

*Caleb Brett*

# BARGE "GBL 630" HULL NO. 01-2645

## 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 7/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	69,065	0	55,950	0	42,834	0	29,717	0	16,650	0	4,793	0		0		0		0	
1/4	68,792	1/4	55,677	1/4	42,560	1/4	29,444	1/4	16,386	1/4	4,565	1/4		1/4		1/4		1/4	
1/2	68,519	1/2	55,404	1/2	42,287	1/2	29,170	1/2	16,123	1/2	4,337	1/2		1/2		1/2		1/2	
3/4	68,246	3/4	55,130	3/4	42,014	3/4	28,897	3/4	15,859	3/4	4,109	3/4		3/4		3/4		3/4	
1	67,972	1	54,857	1	41,740	1	28,624	1	15,596	1	3,883	1		1		1		1	
1/4	67,699	1/4	54,584	1/4	41,467	1/4	28,351	1/4	15,335	1/4	3,658	1/4		1/4		1/4		1/4	
1/2	67,426	1/2	54,311	1/2	41,194	1/2	28,078	1/2	15,074	1/2	3,433	1/2		1/2		1/2		1/2	
3/4	67,153	3/4	54,037	3/4	40,921	3/4	27,805	3/4	14,814	3/4	3,208	3/4		3/4		3/4		3/4	
2	66,879	2	53,764	2	40,647	2	27,532	2	14,554	2	2,985	2		2		2		2	
1/4	66,606	1/4	53,491	1/4	40,374	1/4	27,259	1/4	14,296	1/4	2,763	1/4		1/4		1/4		1/4	
1/2	66,333	1/2	53,217	1/2	40,101	1/2	26,985	1/2	14,038	1/2	2,541	1/2		1/2		1/2		1/2	
3/4	66,060	3/4	52,944	3/4	39,828	3/4	26,712	3/4	13,780	3/4	2,319	3/4		3/4		3/4		3/4	
3	65,787	3	52,671	3	39,554	3	26,439	3	13,524	3	2,098	3		3		3		3	
1/4	65,513	1/4	52,398	1/4	39,281	1/4	26,166	1/4	13,269	1/4	1,879	1/4		1/4		1/4		1/4	
1/2	65,240	1/2	52,124	1/2	39,008	1/2	25,893	1/2	13,014	1/2	1,661	1/2		1/2		1/2		1/2	
3/4	64,967	3/4	51,851	3/4	38,735	3/4	25,620	3/4	12,759	3/4	1,442	3/4		3/4		3/4		3/4	
4	64,694	4	51,578	4	38,461	4	25,347	4	12,506	4	1,241	4		4		4		4	
1/4	64,420	1/4	51,305	1/4	38,188	1/4	25,073	1/4	12,254	1/4	1,060	1/4		1/4		1/4		1/4	
1/2	64,147	1/2	51,031	1/2	37,915	1/2	24,800	1/2	12,002	1/2	879	1/2		1/2		1/2		1/2	
3/4	63,874	3/4	50,758	3/4	37,642	3/4	24,527	3/4	11,750	3/4	698	3/4		3/4		3/4		3/4	
5	63,601	5	50,485	5	37,368	5	24,254	5	11,500	7/8	607	5		5		5		5	
1/4	63,328	1/4	50,212	1/4	37,095	1/4	23,981	1/4	11,251	5		1/4		1/4		1/4		1/4	
1/2	63,054	1/2	49,938	1/2	36,822	1/2	23,708	1/2	11,002	1/2		1/2		1/2		1/2		1/2	
3/4	62,781	3/4	49,665	3/4	36,548	3/4	23,435	3/4	10,753	3/4		3/4		3/4		3/4		3/4	
6	62,508	6	49,392	6	36,275	6	23,161	6	10,506	6		6		6		6		6	
1/4	62,235	1/4	49,119	1/4	36,002	1/4	22,888	1/4	10,260	1/4		1/4		1/4		1/4		1/4	
1/2	61,961	1/2	48,845	1/2	35,729	1/2	22,615	1/2	10,014	1/2		1/2		1/2		1/2		1/2	
3/4	61,688	3/4	48,572	3/4	35,455	3/4	22,342	3/4	9,768	3/4		3/4		3/4		3/4		3/4	
7	61,415	7	48,299	7	35,182	7	22,069	7	9,524	7		7		7		7		7	
1/4	61,142	1/4	48,025	1/4	34,909	1/4	21,796	1/4	9,281	1/4		1/4		1/4		1/4		1/4	
1/2	60,869	1/2	47,752	1/2	34,636	1/2	21,523	1/2	9,038	1/2		1/2		1/2		1/2		1/2	
3/4	60,595	3/4	47,479	3/4	34,362	3/4	21,249	3/4	8,795	3/4		3/4		3/4		3/4		3/4	
8	60,322	8	47,206	8	34,089	8	20,976	8	8,554	8		8		8		8		8	
1/4	60,049	1/4	46,932	1/4	33,816	1/4	20,703	1/4	8,314	1/4		1/4		1/4		1/4		1/4	
1/2	59,776	1/2	46,659	1/2	33,543	1/2	20,430	1/2	8,074	1/2		1/2		1/2		1/2		1/2	
3/4	59,502	3/4	46,386	3/4	33,269	3/4	20,157	3/4	7,834	3/4		3/4		3/4		3/4		3/4	
9	59,229	9	46,113	9	32,996	9	19,883	9	7,595	9		9		9		9		9	
1/4	58,956	1/4	45,839	1/4	32,723	1/4	19,610	1/4	7,358	1/4		1/4		1/4		1/4		1/4	
1/2	58,683	1/2	45,566	1/2	32,450	1/2	19,338	1/2	7,122	1/2		1/2		1/2		1/2		1/2	
3/4	58,409	3/4	45,293	3/4	32,176	3/4	19,066	3/4	6,885	3/4		3/4		3/4		3/4		3/4	
10	58,136	10	45,020	10	31,903	10	18,794	10	6,649	10		10		10		10		10	
1/4	57,863	1/4	44,746	1/4	31,630	1/4	18,525	1/4	6,415	1/4		1/4		1/4		1/4		1/4	
1/2	57,590	1/2	44,473	1/2	31,357	1/2	18,255	1/2	6,181	1/2		1/2		1/2		1/2		1/2	
3/4	57,316	3/4	44,200	3/4	31,083	3/4	17,985	3/4	5,947	3/4		3/4		3/4		3/4		3/4	
11	57,043	11	43,927	11	30,810	11	17,716	11	5,715	11		11		11		11		11	
1/4	56,770	1/4	43,653	1/4	30,537	1/4	17,450	1/4	5,484	1/4		1/4		1/4		1/4		1/4	
1/2	56,497	1/2	43,380	1/2	30,263	1/2	17,183	1/2	5,253	1/2		1/2		1/2		1/2		1/2	
3/4	56,223	3/4	43,107	3/4	29,990	3/4	16,916	3/4	5,022	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**  
*Caleb Brett*



**BARGE "GBL 630"  
HULL NO. 01-2645**

**1 STBD  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 7/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	68,948	0	55,862	0	42,764	0	29,667	0	16,620	0	4,782	0		0		0		0	
1/4	68,675	1/4	55,589	1/4	42,492	1/4	29,394	1/4	16,356	1/4	4,554	1/4		1/4		1/4		1/4	
1/2	68,403	1/2	55,316	1/2	42,219	1/2	29,122	1/2	16,093	1/2	4,327	1/2		1/2		1/2		1/2	
3/4	68,130	3/4	55,043	3/4	41,946	3/4	28,849	3/4	15,829	3/4	4,099	3/4		3/4		3/4		3/4	
1	67,858	1	54,770	1	41,673	1	28,576	1	15,567	1	3,873	1		1		1		1	
1/4	67,585	1/4	54,497	1/4	41,400	1/4	28,303	1/4	15,307	1/4	3,649	1/4		1/4		1/4		1/4	
1/2	67,312	1/2	54,225	1/2	41,127	1/2	28,031	1/2	15,046	1/2	3,424	1/2		1/2		1/2		1/2	
3/4	67,040	3/4	53,952	3/4	40,854	3/4	27,758	3/4	14,786	3/4	3,200	3/4		3/4		3/4		3/4	
2	66,767	2	53,679	2	40,582	2	27,485	2	14,527	2	2,977	2		2		2		2	
1/4	66,495	1/4	53,406	1/4	40,309	1/4	27,212	1/4	14,270	1/4	2,755	1/4		1/4		1/4		1/4	
1/2	66,222	1/2	53,133	1/2	40,036	1/2	26,940	1/2	14,012	1/2	2,534	1/2		1/2		1/2		1/2	
3/4	65,950	3/4	52,860	3/4	39,763	3/4	26,667	3/4	13,755	3/4	2,312	3/4		3/4		3/4		3/4	
3	65,677	3	52,587	3	39,490	3	26,394	3	13,499	3	2,092	3		3		3		3	
1/4	65,405	1/4	52,315	1/4	39,217	1/4	26,121	1/4	13,244	1/4	1,874	1/4		1/4		1/4		1/4	
1/2	65,132	1/2	52,042	1/2	38,944	1/2	25,849	1/2	12,990	1/2	1,655	1/2		1/2		1/2		1/2	
3/4	64,859	3/4	51,769	3/4	38,672	3/4	25,576	3/4	12,735	3/4	1,437	3/4		3/4		3/4		3/4	
4	64,587	4	51,496	4	38,399	4	25,303	4	12,482	4	1,237	4		4		4		4	
1/4	64,314	1/4	51,223	1/4	38,126	1/4	25,031	1/4	12,231	1/4	1,056	1/4		1/4		1/4		1/4	
1/2	64,042	1/2	50,950	1/2	37,853	1/2	24,758	1/2	11,979	1/2	875	1/2		1/2		1/2		1/2	
3/4	63,769	3/4	50,677	3/4	37,580	3/4	24,485	3/4	11,728	3/4	694	3/4		3/4		3/4		3/4	
5	63,497	5	50,405	5	37,307	5	24,212	5	11,478	7/8	604	5		5		5		5	
1/4	63,224	1/4	50,132	1/4	37,034	1/4	23,940	1/4	11,229	1/4		1/4		1/4		1/4		1/4	
1/2	62,951	1/2	49,859	1/2	36,762	1/2	23,667	1/2	10,981	1/2		1/2		1/2		1/2		1/2	
3/4	62,679	3/4	49,586	3/4	36,489	3/4	23,394	3/4	10,732	3/4		3/4		3/4		3/4		3/4	
6	62,406	6	49,313	6	36,216	6	23,121	6	10,485	6		6		6		6		6	
1/4	62,134	1/4	49,040	1/4	35,943	1/4	22,849	1/4	10,240	1/4		1/4		1/4		1/4		1/4	
1/2	61,861	1/2	48,767	1/2	35,670	1/2	22,576	1/2	9,994	1/2		1/2		1/2		1/2		1/2	
3/4	61,589	3/4	48,495	3/4	35,397	3/4	22,303	3/4	9,749	3/4		3/4		3/4		3/4		3/4	
7	61,316	7	48,222	7	35,124	7	22,030	7	9,505	7		7		7		7		7	
1/4	61,043	1/4	47,949	1/4	34,852	1/4	21,758	1/4	9,262	1/4		1/4		1/4		1/4		1/4	
1/2	60,771	1/2	47,676	1/2	34,579	1/2	21,485	1/2	9,020	1/2		1/2		1/2		1/2		1/2	
3/4	60,498	3/4	47,403	3/4	34,306	3/4	21,212	3/4	8,777	3/4		3/4		3/4		3/4		3/4	
8	60,226	8	47,130	8	34,033	8	20,940	8	8,536	8		8		8		8		8	
1/4	59,953	1/4	46,857	1/4	33,760	1/4	20,667	1/4	8,296	1/4		1/4		1/4		1/4		1/4	
1/2	59,681	1/2	46,584	1/2	33,487	1/2	20,394	1/2	8,057	1/2		1/2		1/2		1/2		1/2	
3/4	59,408	3/4	46,312	3/4	33,214	3/4	20,121	3/4	7,817	3/4		3/4		3/4		3/4		3/4	
9	59,135	9	46,039	9	32,942	9	19,848	9	7,579	9		9		9		9		9	
1/4	58,863	1/4	45,766	1/4	32,669	1/4	19,575	1/4	7,343	1/4		1/4		1/4		1/4		1/4	
1/2	58,590	1/2	45,493	1/2	32,396	1/2	19,303	1/2	7,106	1/2		1/2		1/2		1/2		1/2	
3/4	58,317	3/4	45,220	3/4	32,123	3/4	19,032	3/4	6,870	3/4		3/4		3/4		3/4		3/4	
10	58,045	10	44,947	10	31,850	10	18,761	10	6,635	10		10		10		10		10	
1/4	57,772	1/4	44,674	1/4	31,577	1/4	18,491	1/4	6,401	1/4		1/4		1/4		1/4		1/4	
1/2	57,499	1/2	44,402	1/2	31,304	1/2	18,222	1/2	6,168	1/2		1/2		1/2		1/2		1/2	
3/4	57,226	3/4	44,129	3/4	31,032	3/4	17,952	3/4	5,934	3/4		3/4		3/4		3/4		3/4	
11	56,953	11	43,856	11	30,759	11	17,684	11	5,702	11		11		11		11		11	
1/4	56,680	1/4	43,583	1/4	30,486	1/4	17,418	1/4	5,472	1/4		1/4		1/4		1/4		1/4	
1/2	56,407	1/2	43,310	1/2	30,213	1/2	17,151	1/2	5,241	1/2		1/2		1/2		1/2		1/2	
3/4	56,135	3/4	43,037	3/4	29,940	3/4	16,885	3/4	5,011	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**  
*Caleb Brett*



**BARGE "GBL 630"  
HULL NO. 01-2645**

**2 PORT  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,701	0	66,592	0	51,483	0	36,376	0	21,271	0	6,162	0		0		0		0	
1/4	81,386	1/4	66,277	1/4	51,168	1/4	36,061	1/4	20,956	1/4	5,847	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,072	1/2	65,963	1/2	50,854	1/2	35,746	1/2	20,641	1/2	5,532	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,757	3/4	65,648	3/4	50,539	3/4	35,432	3/4	20,326	3/4	5,217	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	80,442	1	65,333	1	50,224	1	35,117	1	20,012	1	4,903	1		1		1		1	
1/4	80,127	1/4	65,018	1/4	49,909	1/4	34,803	1/4	19,697	1/4	4,588	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,812	1/2	64,703	1/2	49,594	1/2	34,488	1/2	19,382	1/2	4,273	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,498	3/4	64,389	3/4	49,280	3/4	34,173	3/4	19,067	3/4	3,958	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	79,183	2	64,074	2	48,965	2	33,859	2	18,752	2	3,643	2		2		2		2	
1/4	78,868	1/4	63,759	1/4	48,650	1/4	33,544	1/4	18,438	1/4	3,329	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,553	1/2	63,444	1/2	48,335	1/2	33,229	1/2	18,123	1/2	3,014	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,239	3/4	63,130	3/4	48,021	3/4	32,915	3/4	17,808	3/4	2,699	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	77,924	3	62,815	3	47,706	3	32,600	3	17,493	3	2,384	3		3		3		3	
1/4	77,609	1/4	62,500	1/4	47,391	1/4	32,285	1/4	17,179	1/4	2,070	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,294	1/2	62,185	1/2	47,077	1/2	31,971	1/2	16,864	1/2	1,781	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	76,980	3/4	61,871	3/4	46,762	3/4	31,656	3/4	16,549	3/4	1,519	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	76,665	4	61,556	4	46,447	4	31,341	4	16,234	4	1,256	4		4		4		4	
1/4	76,350	1/4	61,241	1/4	46,132	1/4	31,027	1/4	15,920	1/4	994	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,035	1/2	60,926	1/2	45,818	1/2	30,712	1/2	15,605	1/2	863	1/2	3/8	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,720	3/4	60,611	3/4	45,503	3/4	30,397	3/4	15,290	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	75,406	5	60,297	5	45,188	5	30,083	5	14,975	5		5		5		5		5	
1/4	75,091	1/4	59,982	1/4	44,873	1/4	29,768	1/4	14,660	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74,776	1/2	59,667	1/2	44,559	1/2	29,454	1/2	14,346	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,461	3/4	59,352	3/4	44,244	3/4	29,139	3/4	14,031	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	74,147	6	59,038	6	43,929	6	28,824	6	13,716	6		6		6		6		6	
1/4	73,832	1/4	58,723	1/4	43,615	1/4	28,510	1/4	13,401	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73,517	1/2	58,408	1/2	43,300	1/2	28,195	1/2	13,087	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	73,202	3/4	58,093	3/4	42,985	3/4	27,880	3/4	12,772	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	72,888	7	57,778	7	42,670	7	27,566	7	12,457	7		7		7		7		7	
1/4	72,573	1/4	57,464	1/4	42,356	1/4	27,251	1/4	12,142	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	72,258	1/2	57,149	1/2	42,041	1/2	26,936	1/2	11,828	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	71,943	3/4	56,834	3/4	41,726	3/4	26,622	3/4	11,513	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	71,628	8	56,519	8	41,411	8	26,307	8	11,198	8		8		8		8		8	
1/4	71,314	1/4	56,205	1/4	41,097	1/4	25,992	1/4	10,883	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	70,999	1/2	55,890	1/2	40,782	1/2	25,677	1/2	10,568	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	70,684	3/4	55,575	3/4	40,467	3/4	25,363	3/4	10,254	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	70,369	9	55,260	9	40,152	9	25,048	9	9,939	9		9		9		9		9	
1/4	70,055	1/4	54,946	1/4	39,838	1/4	24,733	1/4	9,624	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	69,740	1/2	54,631	1/2	39,523	1/2	24,418	1/2	9,309	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	69,425	3/4	54,316	3/4	39,208	3/4	24,104	3/4	8,995	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	69,110	10	54,001	10	38,894	10	23,789	10	8,680	10		10		10		10		10	
1/4	68,795	1/4	53,686	1/4	38,579	1/4	23,474	1/4	8,365	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	68,481	1/2	53,372	1/2	38,264	1/2	23,159	1/2	8,050	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	68,166	3/4	53,057	3/4	37,949	3/4	22,845	3/4	7,735	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	67,851	11	52,742	11	37,635	11	22,530	11	7,421	11		11		11		11		11	
1/4	67,536	1/4	52,427	1/4	37,320	1/4	22,215	1/4	7,106	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	67,222	1/2	52,113	1/2	37,005	1/2	21,900	1/2	6,791	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	66,907	3/4	51,798	3/4	36,690	3/4	21,585	3/4	6,476	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**  
*Caleb Brett*



**BARGE "GBL 630"  
HULL NO. 01-2645**

**2 STBD  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 5/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,890	0	66,813	0	51,736	0	36,661	0	21,569	0	6,471	0		0		0		0	
1/4	81,576	1/4	66,499	1/4	51,422	1/4	36,347	1/4	21,254	1/4	6,157	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,262	1/2	66,185	1/2	51,108	1/2	36,033	1/2	20,940	1/2	5,842	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,947	3/4	65,871	3/4	50,794	3/4	35,719	3/4	20,625	3/4	5,528	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	80,633	1	65,557	1	50,480	1	35,405	1	20,311	1	5,213	1		1		1		1	
1/4	80,319	1/4	65,242	1/4	50,166	1/4	35,090	1/4	19,996	1/4	4,899	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	80,005	1/2	64,928	1/2	49,852	1/2	34,776	1/2	19,682	1/2	4,584	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,691	3/4	64,614	3/4	49,537	3/4	34,462	3/4	19,367	3/4	4,270	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	79,377	2	64,300	2	49,223	2	34,147	2	19,053	2	3,955	2		2		2		2	
1/4	79,063	1/4	63,986	1/4	48,909	1/4	33,833	1/4	18,738	1/4	3,641	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,749	1/2	63,672	1/2	48,595	1/2	33,518	1/2	18,424	1/2	3,326	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,435	3/4	63,358	3/4	48,281	3/4	33,204	3/4	18,109	3/4	3,012	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	78,121	3	63,044	3	47,967	3	32,890	3	17,795	3	2,697	3		3		3		3	
1/4	77,806	1/4	62,730	1/4	47,653	1/4	32,575	1/4	17,480	1/4	2,383	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,492	1/2	62,416	1/2	47,339	1/2	32,261	1/2	17,166	1/2	2,068	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,178	3/4	62,101	3/4	47,025	3/4	31,946	3/4	16,851	3/4	1,780	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	76,864	4	61,787	4	46,711	4	31,632	4	16,536	4	1,518	4		4		4		4	
1/4	76,550	1/4	61,473	1/4	46,397	1/4	31,318	1/4	16,222	1/4	1,255	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,236	1/2	61,159	1/2	46,083	1/2	31,003	1/2	15,907	1/2	993	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,922	3/4	60,845	3/4	45,769	3/4	30,689	3/4	15,593	3/4	862	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	75,608	5	60,531	5	45,455	5	30,374	5	15,278	5		5		5		5		5	
1/4	75,294	1/4	60,217	1/4	45,140	1/4	30,060	1/4	14,964	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	74,980	1/2	59,903	1/2	44,826	1/2	29,746	1/2	14,649	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,665	3/4	59,589	3/4	44,512	3/4	29,431	3/4	14,335	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	74,351	6	59,275	6	44,198	6	29,117	6	14,020	6		6		6		6		6	
1/4	74,037	1/4	58,960	1/4	43,884	1/4	28,802	1/4	13,706	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73,723	1/2	58,646	1/2	43,570	1/2	28,488	1/2	13,391	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	73,409	3/4	58,332	3/4	43,256	3/4	28,173	3/4	13,077	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	73,095	7	58,018	7	42,942	7	27,859	7	12,762	7		7		7		7		7	
1/4	72,781	1/4	57,704	1/4	42,628	1/4	27,545	1/4	12,448	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	72,467	1/2	57,390	1/2	42,314	1/2	27,230	1/2	12,133	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	72,153	3/4	57,076	3/4	42,000	3/4	26,916	3/4	11,819	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	71,839	8	56,762	8	41,686	8	26,601	8	11,504	8		8		8		8		8	
1/4	71,524	1/4	56,448	1/4	41,372	1/4	26,287	1/4	11,189	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	71,210	1/2	56,134	1/2	41,058	1/2	25,972	1/2	10,875	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	70,896	3/4	55,819	3/4	40,743	3/4	25,658	3/4	10,560	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	70,582	9	55,505	9	40,429	9	25,343	9	10,246	9		9		9		9		9	
1/4	70,268	1/4	55,191	1/4	40,115	1/4	25,029	1/4	9,931	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	69,954	1/2	54,877	1/2	39,801	1/2	24,714	1/2	9,617	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	69,640	3/4	54,563	3/4	39,487	3/4	24,400	3/4	9,302	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	69,326	10	54,249	10	39,173	10	24,085	10	8,988	10		10		10		10		10	
1/4	69,012	1/4	53,935	1/4	38,859	1/4	23,771	1/4	8,673	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	68,698	1/2	53,621	1/2	38,545	1/2	23,456	1/2	8,359	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	68,383	3/4	53,307	3/4	38,231	3/4	23,142	3/4	8,044	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	68,069	11	52,993	11	37,917	11	22,827	11	7,730	11		11		11		11		11	
1/4	67,755	1/4	52,678	1/4	37,603	1/4	22,513	1/4	7,415	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	67,441	1/2	52,364	1/2	37,289	1/2	22,198	1/2	7,101	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	67,127	3/4	52,050	3/4	36,975	3/4	21,884	3/4	6,786	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**  
*Caleb Brett*



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	199,423	0	188,443	0	177,409	0	166,350	0	155,291	0	142,325	0	127,266	0	112,191	0	97,109
1/4		1/4	199,195	1/4	188,214	1/4	177,179	1/4	166,120	1/4	155,060	1/4	142,011	1/4	126,952	1/4	111,877	1/4	96,795
1/2		1/2	198,968	1/2	187,985	1/2	176,948	1/2	165,889	1/2	154,830	1/2	141,698	1/2	126,638	1/2	111,562	1/2	96,480
3/4		3/4	198,740	3/4	187,756	3/4	176,718	3/4	165,659	3/4	154,600	3/4	141,384	3/4	126,324	3/4	111,248	3/4	96,166
1		1	198,513	1	187,527	1	176,488	1	165,428	1	154,369	1	141,071	1	126,010	1	110,934	1	95,852
1/4		1/4	198,285	1/4	187,298	1/4	176,257	1/4	165,198	1/4	154,139	1/4	140,758	1/4	125,696	1/4	110,620	1/4	95,538
1/2		1/2	198,057	1/2	187,069	1/2	176,027	1/2	164,968	1/2	153,908	1/2	140,444	1/2	125,382	1/2	110,306	1/2	95,223
3/4		3/4	197,830	3/4	186,840	3/4	175,796	3/4	164,737	3/4	153,678	3/4	140,131	3/4	125,068	3/4	109,991	3/4	94,909
2		2	197,602	2	186,611	2	175,566	2	164,507	2	153,448	2	139,817	2	124,754	2	109,677	2	94,595
1/4		1/4	197,375	1/4	186,382	1/4	175,336	1/4	164,276	1/4	153,217	1/4	139,504	1/4	124,440	1/4	109,363	1/4	94,281
1/2		1/2	197,147	1/2	186,152	1/2	175,105	1/2	164,040	1/2	152,987	1/2	139,191	1/2	124,126	1/2	109,049	1/2	93,967
3/4		3/4	196,919	3/4	185,923	3/4	174,875	3/4	163,816	3/4	152,756	3/4	138,877	3/4	123,812	3/4	108,734	3/4	93,652
3		3	196,690	3	185,694	3	174,644	3	163,585	3	152,526	3	138,564	3	123,498	3	108,420	3	93,338
1/4		1/4	196,461	1/4	185,465	1/4	174,414	1/4	163,355	1/4	152,296	1/4	138,251	1/4	123,184	1/4	108,106	1/4	93,024
1/2		1/2	196,232	1/2	185,236	1/2	174,184	1/2	163,124	1/2	152,065	1/2	137,937	1/2	122,870	1/2	107,792	1/2	92,710
3/4	204,168	3/4	196,003	3/4	185,007	3/4	173,953	3/4	162,894	3/4	151,835	3/4	137,624	3/4	122,557	3/4	107,478	3/4	92,396
4	204,152	4	195,774	4	184,778	4	173,723	4	162,664	4	151,596	4	137,310	4	122,243	4	107,163	4	92,081
1/4	204,135	1/4	195,545	1/4	184,549	1/4	173,492	1/4	162,433	1/4	151,357	1/4	136,997	1/4	121,929	1/4	106,849	1/4	91,767
1/2	204,119	1/2	195,316	1/2	184,320	1/2	173,262	1/2	162,203	1/2	151,119	1/2	136,684	1/2	121,615	1/2	106,535	1/2	91,453
3/4	204,103	3/4	195,087	3/4	184,091	3/4	173,032	3/4	161,972	3/4	150,880	3/4	136,370	3/4	121,301	3/4	106,221	3/4	91,139
5	204,048	5	194,858	5	183,860	5	172,801	5	161,742	5	150,624	5	136,056	5	120,987	5	105,907	5	90,825
1/4	203,993	1/4	194,629	1/4	183,630	1/4	172,571	1/4	161,512	1/4	150,369	1/4	135,742	1/4	120,673	1/4	105,592	1/4	90,510
1/2	203,938	1/2	194,400	1/2	183,399	1/2	172,340	1/2	161,281	1/2	150,113	1/2	135,428	1/2	120,359	1/2	105,278	1/2	90,196
3/4	203,884	3/4	194,170	3/4	183,169	3/4	172,110	3/4	161,051	3/4	149,858	3/4	135,114	3/4	120,045	3/4	104,964	3/4	89,882
6	203,790	6	193,941	6	182,939	6	171,880	6	160,820	6	149,586	6	134,800	6	119,731	6	104,650	6	89,568
1/4	203,697	1/4	193,712	1/4	182,708	1/4	171,649	1/4	160,590	1/4	149,315	1/4	134,486	1/4	119,417	1/4	104,336	1/4	89,253
1/2	203,604	1/2	193,483	1/2	182,478	1/2	171,419	1/2	160,360	1/2	149,043	1/2	134,173	1/2	119,103	1/2	104,021	1/2	88,939
3/4	203,511	3/4	193,254	3/4	182,247	3/4	171,188	3/4	160,129	3/4	148,772	3/4	133,859	3/4	118,789	3/4	103,707	3/4	88,625
7	203,379	7	193,025	7	182,017	7	170,958	7	159,899	7	148,483	7	133,545	7	118,475	7	103,393	7	88,311
1/4	203,248	1/4	192,796	1/4	181,787	1/4	170,728	1/4	159,668	1/4	148,195	1/4	133,231	1/4	118,161	1/4	103,079	1/4	87,997
1/2	203,116	1/2	192,567	1/2	181,556	1/2	170,497	1/2	159,438	1/2	147,907	1/2	132,917	1/2	117,847	1/2	102,764	1/2	87,682
3/4	202,985	3/4	192,338	3/4	181,326	3/4	170,267	3/4	159,208	3/4	147,619	3/4	132,603	3/4	117,532	3/4	102,450	3/4	87,368
8	202,815	8	192,109	8	181,095	8	170,036	8	158,977	8	147,314	8	132,289	8	117,218	8	102,136	8	87,054
1/4	202,645	1/4	191,880	1/4	180,865	1/4	169,806	1/4	158,747	1/4	147,009	1/4	131,975	1/4	116,904	1/4	101,822	1/4	86,740
1/2	202,475	1/2	191,650	1/2	180,635	1/2	169,576	1/2	158,516	1/2	146,704	1/2	131,661	1/2	116,590	1/2	101,508	1/2	86,426
3/4	202,305	3/4	191,421	3/4	180,404	3/4	169,345	3/4	158,286	3/4	146,399	3/4	131,347	3/4	116,275	3/4	101,193	3/4	86,111
9	202,096	9	191,192	9	180,174	9	169,115	9	158,056	9	146,085	9	131,033	9	115,961	9	100,879	9	85,797
1/4	201,888	1/4	190,963	1/4	179,943	1/4	168,884	1/4	157,825	1/4	145,772	1/4	130,719	1/4	115,647	1/4	100,565	1/4	85,483
1/2	201,679	1/2	190,734	1/2	179,713	1/2	168,654	1/2	157,595	1/2	145,458	1/2	130,405	1/2	115,333	1/2	100,251	1/2	85,169
3/4	201,471	3/4	190,505	3/4	179,483	3/4	168,424	3/4	157,364	3/4	145,145	3/4	130,091	3/4	115,019	3/4	99,937	3/4	84,855
10	201,244	10	190,276	10	179,252	10	168,193	10	157,134	10	144,832	10	129,777	10	114,704	10	99,622	10	84,540
1/4	201,016	1/4	190,047	1/4	179,022	1/4	167,963	1/4	156,904	1/4	144,518	1/4	129,463	1/4	114,390	1/4	99,308	1/4	84,226
1/2	200,788	1/2	189,818	1/2	178,792	1/2	167,732	1/2	156,673	1/2	144,205	1/2	129,149	1/2	114,076	1/2	98,994	1/2	83,912
3/4	200,561	3/4	189,589	3/4	178,561	3/4	167,502	3/4	156,443	3/4	143,892	3/4	128,835	3/4	113,762	3/4	98,680	3/4	83,598
11	200,333	11	189,360	11	178,331	11	167,272	11	156,212	11	143,578	11	128,521	11	113,448	11	98,366	11	83,284
1/4	200,106	1/4	189,131	1/4	178,100	1/4	167,041	1/4	155,982	1/4	143,265	1/4	128,208	1/4	113,133	1/4	98,051	1/4	82,969
1/2	199,878	1/2	188,901	1/2	177,870	1/2	166,811	1/2	155,752	1/2	142,951	1/2	127,894	1/2	112,819	1/2	97,737	1/2	82,655
3/4	199,650	3/4	188,672	3/4	177,640	3/4	166,580	3/4	155,521	3/4	142,638	3/4	127,580	3/4	112,505	3/4	97,423	3/4	82,341

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7  
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.  
 NOTE: GAUGE POINT LOCATED 4'-3" OFF CENTERLINE AND 2'-10" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
 DATE COMPUTED: 9/18/02 BY: DAR  
 DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**



**BARGE "GBL 630"**  
**HULL NO. 01-2645**

**3 PORT**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 3/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,027	0	66,945	0	51,863	0	36,782	0	21,704	0	6,622	0		0		0		0	
1/4	81,712	1/4	66,630	1/4	51,548	1/4	36,468	1/4	21,390	1/4	6,308	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,398	1/2	66,316	1/2	51,234	1/2	36,154	1/2	21,076	1/2	5,994	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	81,084	3/4	66,002	3/4	50,920	3/4	35,840	3/4	20,761	3/4	5,679	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	80,770	1	65,688	1	50,606	1	35,526	1	20,447	1	5,365	1		1		1		1	
1/4	80,456	1/4	65,374	1/4	50,292	1/4	35,212	1/4	20,133	1/4	5,051	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	80,141	1/2	65,059	1/2	49,977	1/2	34,897	1/2	19,819	1/2	4,737	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,827	3/4	64,745	3/4	49,663	3/4	34,583	3/4	19,505	3/4	4,423	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	79,513	2	64,431	2	49,349	2	34,269	2	19,190	2	4,108	2		2		2		2	
1/4	79,199	1/4	64,117	1/4	49,035	1/4	33,955	1/4	18,876	1/4	3,794	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,885	1/2	63,803	1/2	48,721	1/2	33,641	1/2	18,562	1/2	3,480	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,570	3/4	63,488	3/4	48,406	3/4	33,327	3/4	18,248	3/4	3,166	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	78,256	3	63,174	3	48,092	3	33,013	3	17,934	3	2,851	3		3		3		3	
1/4	77,942	1/4	62,860	1/4	47,778	1/4	32,699	1/4	17,619	1/4	2,537	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,628	1/2	62,546	1/2	47,464	1/2	32,385	1/2	17,305	1/2	2,223	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,314	3/4	62,231	3/4	47,150	3/4	32,071	3/4	16,991	3/4	1,909	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	76,999	4	61,917	4	46,835	4	31,757	4	16,677	4	1,647	4		4		4		4	
1/4	76,685	1/4	61,603	1/4	46,521	1/4	31,443	1/4	16,362	1/4	1,385	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,371	1/2	61,289	1/2	46,207	1/2	31,128	1/2	16,048	1/2	1,123	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	76,057	3/4	60,975	3/4	45,893	3/4	30,814	3/4	15,734	3/4	861	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	75,742	5	60,660	5	45,579	5	30,500	5	15,420	5		5		5		5		5	
1/4	75,428	1/4	60,346	1/4	45,265	1/4	30,186	1/4	15,106	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,114	1/2	60,032	1/2	44,950	1/2	29,872	1/2	14,791	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,800	3/4	59,718	3/4	44,636	3/4	29,558	3/4	14,477	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	74,486	6	59,404	6	44,322	6	29,244	6	14,163	6		6		6		6		6	
1/4	74,171	1/4	59,089	1/4	44,008	1/4	28,930	1/4	13,849	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	73,857	1/2	58,775	1/2	43,694	1/2	28,616	1/2	13,535	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	73,543	3/4	58,461	3/4	43,380	3/4	28,302	3/4	13,220	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	73,229	7	58,147	7	43,065	7	27,988	7	12,906	7		7		7		7		7	
1/4	72,915	1/4	57,833	1/4	42,751	1/4	27,673	1/4	12,592	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	72,600	1/2	57,518	1/2	42,437	1/2	27,359	1/2	12,278	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	72,286	3/4	57,204	3/4	42,123	3/4	27,045	3/4	11,964	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	71,972	8	56,890	8	41,809	8	26,731	8	11,649	8		8		8		8		8	
1/4	71,658	1/4	56,576	1/4	41,495	1/4	26,417	1/4	11,335	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	71,344	1/2	56,262	1/2	41,180	1/2	26,103	1/2	11,021	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	71,029	3/4	55,947	3/4	40,866	3/4	25,789	3/4	10,707	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	70,715	9	55,633	9	40,552	9	25,475	9	10,392	9		9		9		9		9	
1/4	70,401	1/4	55,319	1/4	40,238	1/4	25,160	1/4	10,078	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	70,087	1/2	55,005	1/2	39,924	1/2	24,846	1/2	9,764	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	69,773	3/4	54,690	3/4	39,610	3/4	24,532	3/4	9,450	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	69,458	10	54,376	10	39,295	10	24,218	10	9,136	10		10		10		10		10	
1/4	69,144	1/4	54,062	1/4	38,981	1/4	23,903	1/4	8,821	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	68,830	1/2	53,748	1/2	38,667	1/2	23,589	1/2	8,507	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	68,516	3/4	53,434	3/4	38,353	3/4	23,275	3/4	8,193	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	68,201	11	53,119	11	38,039	11	22,961	11	7,879	11		11		11		11		11	
1/4	67,887	1/4	52,805	1/4	37,725	1/4	22,647	1/4	7,565	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	67,573	1/2	52,491	1/2	37,410	1/2	22,332	1/2	7,250	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	67,259	3/4	52,177	3/4	37,096	3/4	22,018	3/4	6,936	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**  
*Caleb Brett*



**BARGE "GBL 630"**  
**HULL NO. 01-2645**

**3 STBD**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 4 7/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,070	0	67,005	0	51,971	0	36,922	0	21,854	0	6,777	0		0		0		0	
1/4	81,757	1/4	66,691	1/4	51,657	1/4	36,609	1/4	21,540	1/4	6,463	1/4		1/4		1/4		1/4	
1/2	81,443	1/2	66,377	1/2	51,343	1/2	36,295	1/2	21,226	1/2	6,149	1/2		1/2		1/2		1/2	
3/4	81,129	3/4	66,063	3/4	51,030	3/4	35,982	3/4	20,911	3/4	5,835	3/4		3/4		3/4		3/4	
1	80,815	1	65,749	1	50,716	1	35,668	1	20,597	1	5,521	1		1		1		1	
1/4	80,501	1/4	65,435	1/4	50,403	1/4	35,355	1/4	20,283	1/4	5,207	1/4		1/4		1/4		1/4	
1/2	80,188	1/2	65,121	1/2	50,089	1/2	35,041	1/2	19,969	1/2	4,893	1/2		1/2		1/2		1/2	
3/4	79,874	3/4	64,807	3/4	49,775	3/4	34,727	3/4	19,655	3/4	4,578	3/4		3/4		3/4		3/4	
2	79,560	2	64,494	2	49,462	2	34,413	2	19,341	2	4,264	2		2		2		2	
1/4	79,246	1/4	64,181	1/4	49,148	1/4	34,099	1/4	19,027	1/4	3,950	1/4		1/4		1/4		1/4	
1/2	78,933	1/2	63,867	1/2	48,835	1/2	33,786	1/2	18,713	1/2	3,636	1/2		1/2		1/2		1/2	
3/4	78,619	3/4	63,554	3/4	48,521	3/4	33,472	3/4	18,399	3/4	3,322	3/4		3/4		3/4		3/4	
3	78,305	3	63,241	3	48,208	3	33,158	3	18,085	3	3,008	3		3		3		3	
1/4	77,991	1/4	62,928	1/4	47,894	1/4	32,844	1/4	17,771	1/4	2,694	1/4		1/4		1/4		1/4	
1/2	77,677	1/2	62,615	1/2	47,581	1/2	32,530	1/2	17,457	1/2	2,380	1/2		1/2		1/2		1/2	
3/4	77,364	3/4	62,302	3/4	47,267	3/4	32,216	3/4	17,143	3/4	2,065	3/4		3/4		3/4		3/4	
4	77,050	4	61,989	4	46,954	4	31,902	4	16,829	4	1,777	4		4		4		4	
1/4	76,736	1/4	61,676	1/4	46,640	1/4	31,588	1/4	16,515	1/4	1,516	1/4		1/4		1/4		1/4	
1/2	76,422	1/2	61,363	1/2	46,327	1/2	31,274	1/2	16,201	1/2	1,254	1/2		1/2		1/2		1/2	
3/4	76,109	3/4	61,050	3/4	46,013	3/4	30,960	3/4	15,886	3/4	992	3/4		3/4		3/4		3/4	
5	75,795	5	60,737	5	45,700	5	30,646	5	15,572	7/8	861	5		5		5		5	
1/4	75,481	1/4	60,424	1/4	45,386	1/4	30,332	1/4	15,258	5		1/4		1/4		1/4		1/4	
1/2	75,167	1/2	60,111	1/2	45,073	1/2	30,018	1/2	14,944	1/2		1/2		1/2		1/2		1/2	
3/4	74,853	3/4	59,798	3/4	44,759	3/4	29,704	3/4	14,630	3/4		3/4		3/4		3/4		3/4	
6	74,540	6	59,485	6	44,446	6	29,390	6	14,316	6		6		6		6		6	
1/4	74,226	1/4	59,171	1/4	44,132	1/4	29,076	1/4	14,002	1/4		1/4		1/4		1/4		1/4	
1/2	73,912	1/2	58,858	1/2	43,819	1/2	28,762	1/2	13,688	1/2		1/2		1/2		1/2		1/2	
3/4	73,598	3/4	58,545	3/4	43,505	3/4	28,448	3/4	13,374	3/4		3/4		3/4		3/4		3/4	
7	73,284	7	58,232	7	43,192	7	28,134	7	13,060	7		7		7		7		7	
1/4	72,971	1/4	57,919	1/4	42,878	1/4	27,820	1/4	12,746	1/4		1/4		1/4		1/4		1/4	
1/2	72,657	1/2	57,606	1/2	42,565	1/2	27,507	1/2	12,432	1/2		1/2		1/2		1/2		1/2	
3/4	72,343	3/4	57,293	3/4	42,251	3/4	27,193	3/4	12,117	3/4		3/4		3/4		3/4		3/4	
8	72,029	8	56,980	8	41,938	8	26,879	8	11,803	8		8		8		8		8	
1/4	71,716	1/4	56,667	1/4	41,625	1/4	26,565	1/4	11,489	1/4		1/4		1/4		1/4		1/4	
1/2	71,402	1/2	56,354	1/2	41,311	1/2	26,251	1/2	11,175	1/2		1/2		1/2		1/2		1/2	
3/4	71,088	3/4	56,041	3/4	40,998	3/4	25,937	3/4	10,861	3/4		3/4		3/4		3/4		3/4	
9	70,774	9	55,728	9	40,684	9	25,623	9	10,547	9		9		9		9		9	
1/4	70,460	1/4	55,415	1/4	40,371	1/4	25,308	1/4	10,233	1/4		1/4		1/4		1/4		1/4	
1/2	70,146	1/2	55,102	1/2	40,057	1/2	24,994	1/2	9,919	1/2		1/2		1/2		1/2		1/2	
3/4	69,832	3/4	54,788	3/4	39,744	3/4	24,680	3/4	9,604	3/4		3/4		3/4		3/4		3/4	
10	69,518	10	54,475	10	39,430	10	24,366	10	9,290	10		10		10		10		10	
1/4	69,204	1/4	54,162	1/4	39,117	1/4	24,052	1/4	8,976	1/4		1/4		1/4		1/4		1/4	
1/2	68,890	1/2	53,849	1/2	38,803	1/2	23,738	1/2	8,662	1/2		1/2		1/2		1/2		1/2	
3/4	68,576	3/4	53,536	3/4	38,490	3/4	23,424	3/4	8,348	3/4		3/4		3/4		3/4		3/4	
11	68,262	11	53,223	11	38,176	11	23,110	11	8,034	11		11		11		11		11	
1/4	67,948	1/4	52,910	1/4	37,863	1/4	22,796	1/4	7,720	1/4		1/4		1/4		1/4		1/4	
1/2	67,634	1/2	52,597	1/2	37,549	1/2	22,482	1/2	7,406	1/2		1/2		1/2		1/2		1/2	
3/4	67,320	3/4	52,284	3/4	37,236	3/4	22,168	3/4	7,091	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**  
*Caleb Brett*

**BARGE "GBL 630"  
HULL NO. 01-2645**

**SLOP PORT  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'- 6 1/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	4,432	0	3,593	0	2,596	0	1,599	0	602	0		0		0		0	
1/4		1/4	4,427	1/4	3,572	1/4	2,575	1/4	1,578	1/4	582	1/4		1/4		1/4		1/4	
1/2		1/2	4,422	1/2	3,551	1/2	2,555	1/2	1,558	1/2	561	1/2		1/2		1/2		1/2	
3/4		3/4	4,417	3/4	3,531	3/4	2,534	3/4	1,537	3/4	540	3/4		3/4		3/4		3/4	
1		1	4,408	1	3,510	1	2,513	1	1,516	1	519	1		1		1		1	
1/4		1/4	4,400	1/4	3,489	1/4	2,492	1/4	1,495	1/4	498	1/4		1/4		1/4		1/4	
1/2		1/2	4,391	1/2	3,468	1/2	2,472	1/2	1,475	1/2	478	1/2		1/2		1/2		1/2	
3/4		3/4	4,382	3/4	3,448	3/4	2,451	3/4	1,454	3/4	457	3/4		3/4		3/4		3/4	
2		2	4,370	2	3,427	2	2,430	2	1,433	2	436	2		2		2		2	
1/4		1/4	4,358	1/4	3,406	1/4	2,409	1/4	1,412	1/4	415	1/4		1/4		1/4		1/4	
1/2		1/2	4,346	1/2	3,385	1/2	2,388	1/2	1,392	1/2	395	1/2		1/2		1/2		1/2	
3/4		3/4	4,334	3/4	3,365	3/4	2,368	3/4	1,371	3/4	374	3/4		3/4		3/4		3/4	
3		3	4,318	3	3,344	3	2,347	3	1,350	3	353	3		3		3		3	
1/4		1/4	4,303	1/4	3,323	1/4	2,326	1/4	1,329	1/4	332	1/4		1/4		1/4		1/4	
1/2		1/2	4,287	1/2	3,302	1/2	2,305	1/2	1,308	1/2	312	1/2		1/2		1/2		1/2	
3/4		3/4	4,271	3/4	3,282	3/4	2,285	3/4	1,288	3/4	291	3/4		3/4		3/4		3/4	
4		4	4,252	4	3,261	4	2,264	4	1,267	4	270	4		4		4		4	
1/4		1/4	4,233	1/4	3,240	1/4	2,243	1/4	1,246	1/4	249	1/4		1/4		1/4		1/4	
1/2		1/2	4,214	1/2	3,219	1/2	2,222	1/2	1,225	1/2	230	1/2		1/2		1/2		1/2	
3/4		3/4	4,195	3/4	3,198	3/4	2,202	3/4	1,205	3/4	211	3/4		3/4		3/4		3/4	
5		5	4,175	5	3,178	5	2,181	5	1,184	5	192	5		5		5		5	
1/4		1/4	4,154	1/4	3,157	1/4	2,160	1/4	1,163	1/4	173	1/4		1/4		1/4		1/4	
1/2		1/2	4,133	1/2	3,136	1/2	2,139	1/2	1,142	1/2	157	1/2		1/2		1/2		1/2	
3/4		3/4	4,112	3/4	3,115	3/4	2,118	3/4	1,122	3/4	142	3/4		3/4		3/4		3/4	
6		6	4,091	6	3,095	6	2,098	6	1,101	6	126	6		6		6		6	
1/4		1/4	4,071	1/4	3,074	1/4	2,077	1/4	1,080	1/4	111	1/4		1/4		1/4		1/4	
1/2		1/2	4,050	1/2	3,053	1/2	2,056	1/2	1,059	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	4,029	3/4	3,032	3/4	2,035	3/4	1,038	3/4		3/4		3/4		3/4		3/4	
7		7	4,008	7	3,012	7	2,015	7	1,018	7		7		7		7		7	
1/4		1/4	3,988	1/4	2,991	1/4	1,994	1/4	997	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,967	1/2	2,970	1/2	1,973	1/2	976	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,946	3/4	2,949	3/4	1,952	3/4	955	3/4		3/4		3/4		3/4		3/4	
8		8	3,925	8	2,928	8	1,932	8	935	8		8		8		8		8	
1/4		1/4	3,905	1/4	2,908	1/4	1,911	1/4	914	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,884	1/2	2,887	1/2	1,890	1/2	893	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,863	3/4	2,866	3/4	1,869	3/4	872	3/4		3/4		3/4		3/4		3/4	
9		9	3,842	9	2,845	9	1,848	9	852	9		9		9		9		9	
1/4		1/4	3,821	1/4	2,825	1/4	1,828	1/4	831	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,801	1/2	2,804	1/2	1,807	1/2	810	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,780	3/4	2,783	3/4	1,786	3/4	789	3/4		3/4		3/4		3/4		3/4	
10		10	3,759	10	2,762	10	1,765	10	768	10		10		10		10		10	
1/4		1/4	3,738	1/4	2,742	1/4	1,745	1/4	748	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,718	1/2	2,721	1/2	1,724	1/2	727	1/2		1/2		1/2		1/2		1/2	
3/4	4,445	3/4	3,697	3/4	2,700	3/4	1,703	3/4	706	3/4		3/4		3/4		3/4		3/4	
11	4,443	11	3,676	11	2,679	11	1,682	11	685	11		11		11		11		11	
1/4	4,441	1/4	3,655	1/4	2,658	1/4	1,662	1/4	665	1/4		1/4		1/4		1/4		1/4	
1/2	4,439	1/2	3,635	1/2	2,638	1/2	1,641	1/2	644	1/2		1/2		1/2		1/2		1/2	
3/4	4,438	3/4	3,614	3/4	2,617	3/4	1,620	3/4	623	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.  
NOTE: GAUGE POINT LOCATED 13'- 10" OFF CENTERLINE AND 3'- 0" FORWARD OF AFT. BULKHEAD.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**

*Caleb Brett*

**BARGE "GBL 630"  
HULL NO. 01-2645**

**SLOP STBD  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 7'- 6 3/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	4,275	0	3,500	0	2,540	0	1,580	0	620	0		0		0		0	
1/4		1/4	4,273	1/4	3,480	1/4	2,520	1/4	1,560	1/4	600	1/4		1/4		1/4		1/4	
1/2		1/2	4,268	1/2	3,460	1/2	2,500	1/2	1,540	1/2	580	1/2		1/2		1/2		1/2	
3/4		3/4	4,263	3/4	3,440	3/4	2,480	3/4	1,520	3/4	560	3/4		3/4		3/4		3/4	
1		1	4,258	1	3,420	1	2,460	1	1,500	1	540	1		1		1		1	
1/4		1/4	4,253	1/4	3,400	1/4	2,440	1/4	1,480	1/4	520	1/4		1/4		1/4		1/4	
1/2		1/2	4,245	1/2	3,380	1/2	2,420	1/2	1,460	1/2	500	1/2		1/2		1/2		1/2	
3/4		3/4	4,237	3/4	3,360	3/4	2,400	3/4	1,440	3/4	480	3/4		3/4		3/4		3/4	
2		2	4,228	2	3,340	2	2,380	2	1,420	2	460	2		2		2		2	
1/4		1/4	4,220	1/4	3,320	1/4	2,360	1/4	1,400	1/4	440	1/4		1/4		1/4		1/4	
1/2		1/2	4,208	1/2	3,300	1/2	2,340	1/2	1,380	1/2	420	1/2		1/2		1/2		1/2	
3/4		3/4	4,197	3/4	3,280	3/4	2,320	3/4	1,360	3/4	400	3/4		3/4		3/4		3/4	
3		3	4,185	3	3,260	3	2,300	3	1,340	3	380	3		3		3		3	
1/4		1/4	4,173	1/4	3,240	1/4	2,280	1/4	1,320	1/4	360	1/4		1/4		1/4		1/4	
1/2		1/2	4,158	1/2	3,220	1/2	2,260	1/2	1,300	1/2	340	1/2		1/2		1/2		1/2	
3/4		3/4	4,143	3/4	3,200	3/4	2,240	3/4	1,280	3/4	320	3/4		3/4		3/4		3/4	
4		4	4,128	4	3,180	4	2,220	4	1,260	4	300	4		4		4		4	
1/4		1/4	4,113	1/4	3,160	1/4	2,200	1/4	1,240	1/4	280	1/4		1/4		1/4		1/4	
1/2		1/2	4,095	1/2	3,140	1/2	2,180	1/2	1,220	1/2	260	1/2		1/2		1/2		1/2	
3/4		3/4	4,077	3/4	3,120	3/4	2,160	3/4	1,200	3/4	240	3/4		3/4		3/4		3/4	
5		5	4,058	5	3,100	5	2,140	5	1,180	5	222	5		5		5		5	
1/4		1/4	4,040	1/4	3,080	1/4	2,120	1/4	1,160	1/4	203	1/4		1/4		1/4		1/4	
1/2		1/2	4,020	1/2	3,060	1/2	2,100	1/2	1,140	1/2	185	1/2		1/2		1/2		1/2	
3/4		3/4	4,000	3/4	3,040	3/4	2,080	3/4	1,120	3/4	167	3/4		3/4		3/4		3/4	
6		6	3,980	6	3,020	6	2,060	6	1,100	6	152	6		6		6		6	
1/4		1/4	3,960	1/4	3,000	1/4	2,040	1/4	1,080	1/4	137	1/4		1/4		1/4		1/4	
1/2		1/2	3,940	1/2	2,980	1/2	2,020	1/2	1,060	1/2	122	1/2		1/2		1/2		1/2	
3/4		3/4	3,920	3/4	2,960	3/4	2,000	3/4	1,040	3/4	107	3/4		3/4		3/4		3/4	
7		7	3,900	7	2,940	7	1,980	7	1,020	7		7		7		7		7	
1/4		1/4	3,880	1/4	2,920	1/4	1,960	1/4	1,000	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,860	1/2	2,900	1/2	1,940	1/2	980	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,840	3/4	2,880	3/4	1,920	3/4	960	3/4		3/4		3/4		3/4		3/4	
8		8	3,820	8	2,860	8	1,900	8	940	8		8		8		8		8	
1/4		1/4	3,800	1/4	2,840	1/4	1,880	1/4	920	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,780	1/2	2,820	1/2	1,860	1/2	900	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,760	3/4	2,800	3/4	1,840	3/4	880	3/4		3/4		3/4		3/4		3/4	
9		9	3,740	9	2,780	9	1,820	9	860	9		9		9		9		9	
1/4		1/4	3,720	1/4	2,760	1/4	1,800	1/4	840	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,700	1/2	2,740	1/2	1,780	1/2	820	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,680	3/4	2,720	3/4	1,760	3/4	800	3/4		3/4		3/4		3/4		3/4	
10		10	3,660	10	2,700	10	1,740	10	780	10		10		10		10		10	
1/4		1/4	3,640	1/4	2,680	1/4	1,720	1/4	760	1/4		1/4		1/4		1/4		1/4	
1/2		1/2	3,620	1/2	2,660	1/2	1,700	1/2	740	1/2		1/2		1/2		1/2		1/2	
3/4		3/4	3,600	3/4	2,640	3/4	1,680	3/4	720	3/4		3/4		3/4		3/4		3/4	
11		11	3,580	11	2,620	11	1,660	11	700	11		11		11		11		11	
1/4	4,280	1/4	3,560	1/4	2,600	1/4	1,640	1/4	680	1/4		1/4		1/4		1/4		1/4	
1/2	4,278	1/2	3,540	1/2	2,580	1/2	1,620	1/2	660	1/2		1/2		1/2		1/2		1/2	
3/4	4,277	3/4	3,520	3/4	2,560	3/4	1,600	3/4	640	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.  
NOTE: GAUGE POINT LOCATED 13'- 10" OFF CENTERLINE AND 3'- 0" FORWARD OF AFT. BULKHEAD.

DATE STRAPPED: 8/15/02 BY: DB-KF  
DATE COMPUTED: 9/18/02 BY: DAR  
DATE ISSUED: 9/20/02

**ITS - CALEB BRETT**

*Caleb Brett*