



BARGE "GBL 6530"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
2 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8
2 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-0/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00"

LENGTH BETWEEN DRAFT MARKS: 238'-06"

June 10, 2020

**PRECISION MEASUREMENT
 & ANALYSIS, INC.**
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 6530"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,884	0	162,916	0	177,947	0	192,936	0	207,837	0		0		0		0		0	
1/4	148,197	1/4	163,230	1/4	178,259	1/4	193,248	1/4	208,132	1/4		1/4		1/4		1/4		1/4	
1/2	148,510	1/2	163,543	1/2	178,571	1/2	193,560	1/2	208,428	1/2		1/2		1/2		1/2		1/2	
3/4	148,823	3/4	163,856	3/4	178,884	3/4	193,873	3/4	208,723	3/4		3/4		3/4		3/4		3/4	
1	149,136	1	164,169	1	179,196	1	194,185	1	209,019	1		1		1		1		1	
1/4	149,450	1/4	164,482	1/4	179,508	1/4	194,497	1/4	209,279	1/4		1/4		1/4		1/4		1/4	
1/2	149,763	1/2	164,795	1/2	179,821	1/2	194,809	1/2	209,539	1/2		1/2		1/2		1/2		1/2	
3/4	150,076	3/4	165,109	3/4	180,133	3/4	195,122	3/4	209,799	3/4		3/4		3/4		3/4		3/4	
2	150,389	2	165,422	2	180,445	2	195,434	2	210,058	2		2		2		2		2	
1/4	150,702	1/4	165,735	1/4	180,757	1/4	195,745	1/4	210,274	1/4		1/4		1/4		1/4		1/4	
1/2	151,015	1/2	166,048	1/2	181,070	1/2	196,056	1/2	210,489	1/2		1/2		1/2		1/2		1/2	
3/4	151,329	3/4	166,361	3/4	181,382	3/4	196,367	3/4	210,704	3/4		3/4		3/4		3/4		3/4	
3	151,642	3	166,675	3	181,694	3	196,678	3	210,919	3		3		3		3		3	
1/4	151,955	1/4	166,988	1/4	182,006	1/4	196,988	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,268	1/2	167,301	1/2	182,319	1/2	197,298	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,581	3/4	167,614	3/4	182,631	3/4	197,608	3/4		3/4		3/4		3/4		3/4		3/4	
4	152,895	4	167,927	4	182,943	4	197,918	4		4		4		4		4		4	
1/4	153,208	1/4	168,240	1/4	183,255	1/4	198,228	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,521	1/2	168,554	1/2	183,568	1/2	198,538	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,834	3/4	168,867	3/4	183,880	3/4	198,848	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,147	5	169,180	5	184,192	5	199,158	5		5		5		5		5		5	
1/4	154,460	1/4	169,493	1/4	184,505	1/4	199,468	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,774	1/2	169,806	1/2	184,817	1/2	199,778	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,087	3/4	170,120	3/4	185,129	3/4	200,088	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,400	6	170,433	6	185,441	6	200,399	6		6		6		6		6		6	
1/4	155,713	1/4	170,746	1/4	185,754	1/4	200,709	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,026	1/2	171,059	1/2	186,066	1/2	201,019	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,340	3/4	171,372	3/4	186,378	3/4	201,329	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,653	7	171,686	7	186,690	7	201,639	7		7		7		7		7		7	
1/4	156,966	1/4	171,999	1/4	187,003	1/4	201,949	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,279	1/2	172,312	1/2	187,315	1/2	202,259	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,592	3/4	172,625	3/4	187,627	3/4	202,569	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,905	8	172,938	8	187,940	8	202,879	8		8		8		8		8		8	
1/4	158,219	1/4	173,251	1/4	188,252	1/4	203,189	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,532	1/2	173,565	1/2	188,564	1/2	203,499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,845	3/4	173,878	3/4	188,876	3/4	203,809	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,158	9	174,191	9	189,189	9	204,120	9		9		9		9		9		9	
1/4	159,471	1/4	174,504	1/4	189,501	1/4	204,430	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,785	1/2	174,817	1/2	189,813	1/2	204,740	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,098	3/4	175,131	3/4	190,125	3/4	205,050	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,411	10	175,444	10	190,438	10	205,360	10		10		10		10		10		10	
1/4	160,724	1/4	175,757	1/4	190,750	1/4	205,670	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,037	1/2	176,070	1/2	191,062	1/2	205,980	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,350	3/4	176,383	3/4	191,374	3/4	206,290	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,664	11	176,696	11	191,687	11	206,600	11		11		11		11		11		11	
1/4	161,977	1/4	177,009	1/4	191,999	1/4	206,909	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,290	1/2	177,322	1/2	192,311	1/2	207,218	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,603	3/4	177,634	3/4	192,624	3/4	207,527	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/10/2020 CL
 CALCULATED: 06/11/2020 CL
 PRINTED: 06/11/2020 SW

CANCELS AND SUPERCEDES
 ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.dmacorp.net>





BARGE "GBL 6530"

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	148,079	0	163,139	0	178,198	0	193,215	0	208,143	0		0		0		0		0	
1/4	148,392	1/4	163,453	1/4	178,511	1/4	193,528	1/4	208,439	1/4		1/4		1/4		1/4		1/4	
1/2	148,706	1/2	163,767	1/2	178,824	1/2	193,840	1/2	208,735	1/2		1/2		1/2		1/2		1/2	
3/4	149,020	3/4	164,081	3/4	179,136	3/4	194,153	3/4	209,032	3/4		3/4		3/4		3/4		3/4	
1	149,334	1	164,394	1	179,449	1	194,466	1	209,328	1		1		1		1		1	
1/4	149,648	1/4	164,708	1/4	179,762	1/4	194,779	1/4	209,588	1/4		1/4		1/4		1/4		1/4	
1/2	149,961	1/2	165,022	1/2	180,075	1/2	195,092	1/2	209,848	1/2		1/2		1/2		1/2		1/2	
3/4	150,275	3/4	165,336	3/4	180,388	3/4	195,405	3/4	210,109	3/4		3/4		3/4		3/4		3/4	
2	150,589	2	165,650	2	180,701	2	195,717	2	210,369	2		2		2		2		2	
1/4	150,903	1/4	165,963	1/4	181,014	1/4	196,029	1/4	210,585	1/4		1/4		1/4		1/4		1/4	
1/2	151,216	1/2	166,277	1/2	181,326	1/2	196,340	1/2	210,800	1/2		1/2		1/2		1/2		1/2	
3/4	151,530	3/4	166,591	3/4	181,639	3/4	196,652	3/4	211,016	3/4		3/4		3/4		3/4		3/4	
3	151,844	3	166,905	3	181,952	3	196,963	3	211,231	3		3		3		3		3	
1/4	152,158	1/4	167,218	1/4	182,265	1/4	197,274	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,471	1/2	167,532	1/2	182,578	1/2	197,585	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,785	3/4	167,846	3/4	182,891	3/4	197,895	3/4		3/4		3/4		3/4		3/4		3/4	
4	153,099	4	168,160	4	183,203	4	198,206	4		4		4		4		4		4	
1/4	153,413	1/4	168,473	1/4	183,516	1/4	198,517	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,726	1/2	168,787	1/2	183,829	1/2	198,827	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,040	3/4	169,101	3/4	184,142	3/4	199,138	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,354	5	169,415	5	184,455	5	199,449	5		5		5		5		5		5	
1/4	154,668	1/4	169,728	1/4	184,768	1/4	199,759	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,982	1/2	170,042	1/2	185,081	1/2	200,070	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,295	3/4	170,356	3/4	185,393	3/4	200,381	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,609	6	170,670	6	185,706	6	200,691	6		6		6		6		6		6	
1/4	155,923	1/4	170,984	1/4	186,019	1/4	201,002	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,237	1/2	171,297	1/2	186,332	1/2	201,313	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,550	3/4	171,611	3/4	186,645	3/4	201,623	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,864	7	171,925	7	186,958	7	201,934	7		7		7		7		7		7	
1/4	157,178	1/4	172,239	1/4	187,271	1/4	202,245	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,492	1/2	172,552	1/2	187,583	1/2	202,555	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,805	3/4	172,866	3/4	187,896	3/4	202,866	3/4		3/4		3/4		3/4		3/4		3/4	
8	158,119	8	173,180	8	188,209	8	203,177	8		8		8		8		8		8	
1/4	158,433	1/4	173,494	1/4	188,522	1/4	203,487	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,747	1/2	173,807	1/2	188,835	1/2	203,798	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,060	3/4	174,121	3/4	189,148	3/4	204,108	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,374	9	174,435	9	189,460	9	204,419	9		9		9		9		9		9	
1/4	159,688	1/4	174,749	1/4	189,773	1/4	204,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,002	1/2	175,063	1/2	190,086	1/2	205,041	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,316	3/4	175,376	3/4	190,399	3/4	205,351	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,629	10	175,690	10	190,712	10	205,662	10		10		10		10		10		10	
1/4	160,943	1/4	176,004	1/4	191,025	1/4	205,973	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,257	1/2	176,318	1/2	191,338	1/2	206,283	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,571	3/4	176,631	3/4	191,650	3/4	206,594	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,884	11	176,945	11	191,963	11	206,904	11		11		11		11		11		11	
1/4	162,198	1/4	177,258	1/4	192,276	1/4	207,214	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,512	1/2	177,571	1/2	192,589	1/2	207,524	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,826	3/4	177,885	3/4	192,902	3/4	207,833	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/10/2020 CL
CALCULATED: 06/11/2020 CL
PRINTED: 06/11/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.dmacorp.net>





BARGE "GBL 6530"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	151,065	0	166,151	0	181,235	0	196,276	0	211,230	0		0		0		0		0	
1/4	151,380	1/4	166,465	1/4	181,548	1/4	196,590	1/4	211,527	1/4		1/4		1/4		1/4		1/4	
1/2	151,694	1/2	166,780	1/2	181,861	1/2	196,903	1/2	211,823	1/2		1/2		1/2		1/2		1/2	
3/4	152,008	3/4	167,094	3/4	182,175	3/4	197,217	3/4	212,120	3/4		3/4		3/4		3/4		3/4	
1	152,322	1	167,408	1	182,488	1	197,530	1	212,417	1		1		1		1		1	
1/4	152,637	1/4	167,722	1/4	182,801	1/4	197,843	1/4	212,678	1/4		1/4		1/4		1/4		1/4	
1/2	152,951	1/2	168,037	1/2	183,115	1/2	198,157	1/2	212,938	1/2		1/2		1/2		1/2		1/2	
3/4	153,265	3/4	168,351	3/4	183,428	3/4	198,470	3/4	213,199	3/4		3/4		3/4		3/4		3/4	
2	153,580	2	168,665	2	183,742	2	198,783	2	213,460	2		2		2		2		2	
1/4	153,894	1/4	168,980	1/4	184,055	1/4	199,095	1/4	213,676	1/4		1/4		1/4		1/4		1/4	
1/2	154,208	1/2	169,294	1/2	184,368	1/2	199,407	1/2	213,892	1/2		1/2		1/2		1/2		1/2	
3/4	154,522	3/4	169,608	3/4	184,682	3/4	199,719	3/4	214,108	3/4		3/4		3/4		3/4		3/4	
3	154,837	3	169,922	3	184,995	3	200,031	3	214,323	3		3		3		3		3	
1/4	155,151	1/4	170,237	1/4	185,308	1/4	200,343	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,465	1/2	170,551	1/2	185,622	1/2	200,654	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,780	3/4	170,865	3/4	185,935	3/4	200,965	3/4		3/4		3/4		3/4		3/4		3/4	
4	156,094	4	171,180	4	186,249	4	201,276	4		4		4		4		4		4	
1/4	156,408	1/4	171,494	1/4	186,562	1/4	201,587	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,722	1/2	171,808	1/2	186,875	1/2	201,899	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,037	3/4	172,122	3/4	187,189	3/4	202,210	3/4		3/4		3/4		3/4		3/4		3/4	
5	157,351	5	172,437	5	187,502	5	202,521	5		5		5		5		5		5	
1/4	157,665	1/4	172,751	1/4	187,815	1/4	202,832	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,980	1/2	173,065	1/2	188,129	1/2	203,143	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,294	3/4	173,380	3/4	188,442	3/4	203,455	3/4		3/4		3/4		3/4		3/4		3/4	
6	158,608	6	173,694	6	188,756	6	203,766	6		6		6		6		6		6	
1/4	158,922	1/4	174,008	1/4	189,069	1/4	204,077	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,237	1/2	174,323	1/2	189,382	1/2	204,388	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,551	3/4	174,637	3/4	189,696	3/4	204,699	3/4		3/4		3/4		3/4		3/4		3/4	
7	159,865	7	174,951	7	190,009	7	205,010	7		7		7		7		7		7	
1/4	160,180	1/4	175,265	1/4	190,322	1/4	205,322	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,494	1/2	175,580	1/2	190,636	1/2	205,633	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,808	3/4	175,894	3/4	190,949	3/4	205,944	3/4		3/4		3/4		3/4		3/4		3/4	
8	161,122	8	176,208	8	191,263	8	206,255	8		8		8		8		8		8	
1/4	161,437	1/4	176,523	1/4	191,576	1/4	206,566	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,751	1/2	176,837	1/2	191,889	1/2	206,878	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,065	3/4	177,151	3/4	192,203	3/4	207,189	3/4		3/4		3/4		3/4		3/4		3/4	
9	162,380	9	177,465	9	192,516	9	207,500	9		9		9		9		9		9	
1/4	162,694	1/4	177,780	1/4	192,829	1/4	207,811	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,008	1/2	178,094	1/2	193,143	1/2	208,122	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,322	3/4	178,408	3/4	193,456	3/4	208,434	3/4		3/4		3/4		3/4		3/4		3/4	
10	163,637	10	178,723	10	193,770	10	208,745	10		10		10		10		10		10	
1/4	163,951	1/4	179,037	1/4	194,083	1/4	209,056	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,265	1/2	179,351	1/2	194,396	1/2	209,367	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,580	3/4	179,665	3/4	194,710	3/4	209,678	3/4		3/4		3/4		3/4		3/4		3/4	
11	164,894	11	179,980	11	195,023	11	209,989	11		11		11		11		11		11	
1/4	165,208	1/4	180,293	1/4	195,336	1/4	210,299	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,522	1/2	180,607	1/2	195,650	1/2	210,610	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,837	3/4	180,921	3/4	195,963	3/4	210,920	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/10/2020 CL
CALCULATED: 06/11/2020 CL
PRINTED: 06/11/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.dmacorp.net>





BARGE "GBL 6530"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,719	0	165,828	0	180,934	0	195,998	0	210,974	0		0		0		0		0	
1/4	151,034	1/4	166,142	1/4	181,248	1/4	196,312	1/4	211,271	1/4		1/4		1/4		1/4		1/4	
1/2	151,349	1/2	166,457	1/2	181,561	1/2	196,626	1/2	211,568	1/2		1/2		1/2		1/2		1/2	
3/4	151,664	3/4	166,772	3/4	181,875	3/4	196,940	3/4	211,865	3/4		3/4		3/4		3/4		3/4	
1	151,978	1	167,087	1	182,189	1	197,253	1	212,163	1		1		1		1		1	
1/4	152,293	1/4	167,401	1/4	182,503	1/4	197,567	1/4	212,424	1/4		1/4		1/4		1/4		1/4	
1/2	152,608	1/2	167,716	1/2	182,817	1/2	197,881	1/2	212,685	1/2		1/2		1/2		1/2		1/2	
3/4	152,923	3/4	168,031	3/4	183,131	3/4	198,195	3/4	212,946	3/4		3/4		3/4		3/4		3/4	
2	153,237	2	168,346	2	183,444	2	198,509	2	213,207	2		2		2		2		2	
1/4	153,552	1/4	168,660	1/4	183,758	1/4	198,821	1/4	213,423	1/4		1/4		1/4		1/4		1/4	
1/2	153,867	1/2	168,975	1/2	184,072	1/2	199,134	1/2	213,640	1/2		1/2		1/2		1/2		1/2	
3/4	154,182	3/4	169,290	3/4	184,386	3/4	199,446	3/4	213,856	3/4		3/4		3/4		3/4		3/4	
3	154,496	3	169,605	3	184,700	3	199,759	3	214,072	3		3		3		3		3	
1/4	154,811	1/4	169,919	1/4	185,014	1/4	200,070	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,126	1/2	170,234	1/2	185,327	1/2	200,382	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,441	3/4	170,549	3/4	185,641	3/4	200,694	3/4		3/4		3/4		3/4		3/4		3/4	
4	155,755	4	170,864	4	185,955	4	201,005	4		4		4		4		4		4	
1/4	156,070	1/4	171,178	1/4	186,269	1/4	201,317	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,385	1/2	171,493	1/2	186,583	1/2	201,629	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,700	3/4	171,808	3/4	186,897	3/4	201,940	3/4		3/4		3/4		3/4		3/4		3/4	
5	157,014	5	172,123	5	187,211	5	202,252	5		5		5		5		5		5	
1/4	157,329	1/4	172,438	1/4	187,524	1/4	202,564	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,644	1/2	172,752	1/2	187,838	1/2	202,875	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,959	3/4	173,067	3/4	188,152	3/4	203,187	3/4		3/4		3/4		3/4		3/4		3/4	
6	158,273	6	173,382	6	188,466	6	203,498	6		6		6		6		6		6	
1/4	158,588	1/4	173,697	1/4	188,780	1/4	203,810	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,903	1/2	174,011	1/2	189,094	1/2	204,122	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,218	3/4	174,326	3/4	189,407	3/4	204,433	3/4		3/4		3/4		3/4		3/4		3/4	
7	159,533	7	174,641	7	189,721	7	204,745	7		7		7		7		7		7	
1/4	159,847	1/4	174,956	1/4	190,035	1/4	205,057	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,162	1/2	175,270	1/2	190,349	1/2	205,368	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,477	3/4	175,585	3/4	190,663	3/4	205,680	3/4		3/4		3/4		3/4		3/4		3/4	
8	160,792	8	175,900	8	190,977	8	205,992	8		8		8		8		8		8	
1/4	161,106	1/4	176,215	1/4	191,290	1/4	206,303	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,421	1/2	176,529	1/2	191,604	1/2	206,615	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,736	3/4	176,844	3/4	191,918	3/4	206,927	3/4		3/4		3/4		3/4		3/4		3/4	
9	162,051	9	177,159	9	192,232	9	207,238	9		9		9		9		9		9	
1/4	162,365	1/4	177,474	1/4	192,546	1/4	207,550	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,680	1/2	177,788	1/2	192,860	1/2	207,862	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,995	3/4	178,103	3/4	193,174	3/4	208,173	3/4		3/4		3/4		3/4		3/4		3/4	
10	163,310	10	178,418	10	193,487	10	208,485	10		10		10		10		10		10	
1/4	163,624	1/4	178,733	1/4	193,801	1/4	208,797	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,939	1/2	179,047	1/2	194,115	1/2	209,108	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,254	3/4	179,362	3/4	194,429	3/4	209,420	3/4		3/4		3/4		3/4		3/4		3/4	
11	164,569	11	179,677	11	194,743	11	209,731	11		11		11		11		11		11	
1/4	164,883	1/4	179,991	1/4	195,057	1/4	210,042	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,198	1/2	180,305	1/2	195,370	1/2	210,353	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,513	3/4	180,619	3/4	195,684	3/4	210,663	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/10/2020 CL
CALCULATED: 06/11/2020 CL
PRINTED: 06/11/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.dmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020



BARGE "GBL 6530"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,431	0	161,917	0	172,296	0	182,647	0	192,936	0		0		0		0		0	
1/4	150,742	1/4	162,133	1/4	172,512	1/4	182,863	1/4	193,136	1/4		1/4		1/4		1/4		1/4	
1/2	151,054	1/2	162,349	1/2	172,727	1/2	183,079	1/2	193,335	1/2		1/2		1/2		1/2		1/2	
3/4	151,365	3/4	162,566	3/4	172,943	3/4	183,294	3/4	193,535	3/4		3/4		3/4		3/4		3/4	
1	151,676	1	162,782	1	173,159	1	183,510	1	193,735	1		1		1		1		1	
1/4	151,943	1/4	162,998	1/4	173,374	1/4	183,726	1/4	193,899	1/4		1/4		1/4		1/4		1/4	
1/2	152,210	1/2	163,215	1/2	173,590	1/2	183,941	1/2	194,062	1/2		1/2		1/2		1/2		1/2	
3/4	152,477	3/4	163,431	3/4	173,806	3/4	184,157	3/4	194,226	3/4		3/4		3/4		3/4		3/4	
2	152,744	2	163,647	2	174,021	2	184,373	2	194,390	2		2		2		2		2	
1/4	152,985	1/4	163,863	1/4	174,237	1/4	184,587	1/4	194,509	1/4		1/4		1/4		1/4		1/4	
1/2	153,225	1/2	164,080	1/2	174,453	1/2	184,802	1/2	194,628	1/2		1/2		1/2		1/2		1/2	
3/4	153,466	3/4	164,296	3/4	174,668	3/4	185,017	3/4	194,748	3/4		3/4		3/4		3/4		3/4	
3	153,707	3	164,512	3	174,884	3	185,232	3	194,867	3		3		3		3		3	
1/4	153,947	1/4	164,728	1/4	175,100	1/4	185,446	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,188	1/2	164,945	1/2	175,315	1/2	185,660	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,428	3/4	165,161	3/4	175,531	3/4	185,874	3/4		3/4		3/4		3/4		3/4		3/4	
4	154,669	4	165,377	4	175,747	4	186,088	4		4		4		4		4		4	
1/4	154,909	1/4	165,593	1/4	175,962	1/4	186,302	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,150	1/2	165,810	1/2	176,178	1/2	186,516	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,390	3/4	166,026	3/4	176,394	3/4	186,731	3/4		3/4		3/4		3/4		3/4		3/4	
5	155,631	5	166,242	5	176,609	5	186,945	5		5		5		5		5		5	
1/4	155,871	1/4	166,458	1/4	176,825	1/4	187,159	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,112	1/2	166,675	1/2	177,040	1/2	187,373	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,353	3/4	166,891	3/4	177,256	3/4	187,587	3/4		3/4		3/4		3/4		3/4		3/4	
6	156,593	6	167,107	6	177,472	6	187,801	6		6		6		6		6		6	
1/4	156,834	1/4	167,324	1/4	177,687	1/4	188,015	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,074	1/2	167,540	1/2	177,903	1/2	188,230	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,315	3/4	167,756	3/4	178,119	3/4	188,444	3/4		3/4		3/4		3/4		3/4		3/4	
7	157,555	7	167,972	7	178,334	7	188,658	7		7		7		7		7		7	
1/4	157,781	1/4	168,189	1/4	178,550	1/4	188,872	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,006	1/2	168,405	1/2	178,766	1/2	189,086	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,231	3/4	168,621	3/4	178,981	3/4	189,300	3/4		3/4		3/4		3/4		3/4		3/4	
8	158,457	8	168,837	8	179,197	8	189,514	8		8		8		8		8		8	
1/4	158,673	1/4	169,054	1/4	179,413	1/4	189,728	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,889	1/2	169,270	1/2	179,628	1/2	189,943	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,106	3/4	169,486	3/4	179,844	3/4	190,157	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,322	9	169,702	9	180,060	9	190,371	9		9		9		9		9		9	
1/4	159,538	1/4	169,919	1/4	180,275	1/4	190,585	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,754	1/2	170,135	1/2	180,491	1/2	190,799	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,971	3/4	170,351	3/4	180,707	3/4	191,013	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,187	10	170,568	10	180,922	10	191,228	10		10		10		10		10		10	
1/4	160,403	1/4	170,784	1/4	181,138	1/4	191,442	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,619	1/2	171,000	1/2	181,354	1/2	191,656	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,836	3/4	171,216	3/4	181,569	3/4	191,869	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,052	11	171,433	11	181,785	11	192,083	11		11		11		11		11		11	
1/4	161,268	1/4	171,648	1/4	182,001	1/4	192,297	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,484	1/2	171,864	1/2	182,216	1/2	192,510	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,701	3/4	172,080	3/4	182,432	3/4	192,723	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/10/2020 CL
CALCULATED: 06/11/2020 CL
PRINTED: 06/11/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.dmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020



BARGE "GBL 6530"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	149,630	0	161,123	0	171,510	0	181,869	0	192,165	0		0		0		0		0	
1/4	149,941	1/4	161,340	1/4	171,726	1/4	182,085	1/4	192,365	1/4		1/4		1/4		1/4		1/4	
1/2	150,253	1/2	161,556	1/2	171,942	1/2	182,301	1/2	192,565	1/2		1/2		1/2		1/2		1/2	
3/4	150,564	3/4	161,773	3/4	172,158	3/4	182,516	3/4	192,764	3/4		3/4		3/4		3/4		3/4	
1	150,875	1	161,989	1	172,373	1	182,732	1	192,964	1		1		1		1		1	
1/4	151,143	1/4	162,206	1/4	172,589	1/4	182,948	1/4	193,128	1/4		1/4		1/4		1/4		1/4	
1/2	151,410	1/2	162,422	1/2	172,805	1/2	183,164	1/2	193,292	1/2		1/2		1/2		1/2		1/2	
3/4	151,677	3/4	162,638	3/4	173,021	3/4	183,380	3/4	193,456	3/4		3/4		3/4		3/4		3/4	
2	151,944	2	162,855	2	173,237	2	183,595	2	193,620	2		2		2		2		2	
1/4	152,185	1/4	163,071	1/4	173,452	1/4	183,810	1/4	193,739	1/4		1/4		1/4		1/4		1/4	
1/2	152,426	1/2	163,288	1/2	173,668	1/2	184,025	1/2	193,859	1/2		1/2		1/2		1/2		1/2	
3/4	152,666	3/4	163,504	3/4	173,884	3/4	184,240	3/4	193,978	3/4		3/4		3/4		3/4		3/4	
3	152,907	3	163,720	3	174,100	3	184,455	3	194,097	3		3		3		3		3	
1/4	153,148	1/4	163,937	1/4	174,316	1/4	184,669	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,389	1/2	164,153	1/2	174,531	1/2	184,883	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,629	3/4	164,370	3/4	174,747	3/4	185,098	3/4		3/4		3/4		3/4		3/4		3/4	
4	153,870	4	164,586	4	174,963	4	185,312	4		4		4		4		4		4	
1/4	154,111	1/4	164,803	1/4	175,179	1/4	185,526	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,351	1/2	165,019	1/2	175,395	1/2	185,741	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,592	3/4	165,235	3/4	175,610	3/4	185,955	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,833	5	165,452	5	175,826	5	186,169	5		5		5		5		5		5	
1/4	155,074	1/4	165,668	1/4	176,042	1/4	186,384	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,314	1/2	165,885	1/2	176,258	1/2	186,598	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,555	3/4	166,101	3/4	176,474	3/4	186,812	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,796	6	166,318	6	176,690	6	187,026	6		6		6		6		6		6	
1/4	156,036	1/4	166,534	1/4	176,905	1/4	187,241	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,277	1/2	166,750	1/2	177,121	1/2	187,455	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,518	3/4	166,967	3/4	177,337	3/4	187,669	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,759	7	167,183	7	177,553	7	187,884	7		7		7		7		7		7	
1/4	156,984	1/4	167,400	1/4	177,769	1/4	188,098	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,210	1/2	167,616	1/2	177,984	1/2	188,312	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,435	3/4	167,832	3/4	178,200	3/4	188,526	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,661	8	168,049	8	178,416	8	188,741	8		8		8		8		8		8	
1/4	157,877	1/4	168,265	1/4	178,632	1/4	188,955	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,094	1/2	168,482	1/2	178,848	1/2	189,169	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,310	3/4	168,698	3/4	179,063	3/4	189,384	3/4		3/4		3/4		3/4		3/4		3/4	
9	158,526	9	168,915	9	179,279	9	189,598	9		9		9		9		9		9	
1/4	158,743	1/4	169,131	1/4	179,495	1/4	189,812	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,959	1/2	169,347	1/2	179,711	1/2	190,027	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,176	3/4	169,564	3/4	179,927	3/4	190,241	3/4		3/4		3/4		3/4		3/4		3/4	
10	159,392	10	169,780	10	180,142	10	190,455	10		10		10		10		10		10	
1/4	159,609	1/4	169,997	1/4	180,358	1/4	190,669	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,825	1/2	170,213	1/2	180,574	1/2	190,883	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,041	3/4	170,430	3/4	180,790	3/4	191,098	3/4		3/4		3/4		3/4		3/4		3/4	
11	160,258	11	170,646	11	181,006	11	191,312	11		11		11		11		11		11	
1/4	160,474	1/4	170,862	1/4	181,222	1/4	191,525	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,691	1/2	171,078	1/2	181,437	1/2	191,738	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,907	3/4	171,294	3/4	181,653	3/4	191,952	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/10/2020 CL
CALCULATED: 06/11/2020 CL
PRINTED: 06/11/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.dmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2020