



BARGE "GBL 6630"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-0/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00"

LENGTH BETWEEN DRAFT MARKS: 238'-06"

September 30, 2020

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 6630"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0	207,226	0	192,319	0	177,328	0	162,296	0	147,263	0	132,229	0	117,196	0	102,160
1/4		1/4		1/4	206,917	1/4	192,006	1/4	177,016	1/4	161,983	1/4	146,950	1/4	131,916	1/4	116,883	1/4	101,846
1/2		1/2		1/2	206,608	1/2	191,694	1/2	176,703	1/2	161,670	1/2	146,636	1/2	131,603	1/2	116,570	1/2	101,533
3/4		3/4		3/4	206,298	3/4	191,382	3/4	176,390	3/4	161,357	3/4	146,323	3/4	131,290	3/4	116,256	3/4	101,220
1		1		1	205,988	1	191,070	1	176,077	1	161,043	1	146,010	1	130,977	1	115,943	1	100,906
1/4		1/4		1/4	205,678	1/4	190,757	1/4	175,764	1/4	160,730	1/4	145,697	1/4	130,663	1/4	115,630	1/4	100,593
1/2		1/2		1/2	205,368	1/2	190,445	1/2	175,450	1/2	160,417	1/2	145,384	1/2	130,350	1/2	115,317	1/2	100,280
3/4		3/4		3/4	205,058	3/4	190,133	3/4	175,137	3/4	160,104	3/4	145,070	3/4	130,037	3/4	115,004	3/4	99,966
2		2		2	204,748	2	189,820	2	174,824	2	159,791	2	144,757	2	129,724	2	114,690	2	99,653
1/4		1/4		1/4	204,437	1/4	189,508	1/4	174,511	1/4	159,477	1/4	144,444	1/4	129,411	1/4	114,377	1/4	99,340
1/2		1/2		1/2	204,127	1/2	189,196	1/2	174,198	1/2	159,164	1/2	144,131	1/2	129,097	1/2	114,064	1/2	99,026
3/4		3/4		3/4	203,817	3/4	188,884	3/4	173,884	3/4	158,851	3/4	143,818	3/4	128,784	3/4	113,751	3/4	98,713
3		3		3	203,507	3	188,571	3	173,571	3	158,538	3	143,504	3	128,471	3	113,438	3	98,400
1/4		1/4		1/4	203,197	1/4	188,259	1/4	173,258	1/4	158,225	1/4	143,191	1/4	128,158	1/4	113,125	1/4	98,086
1/2		1/2		1/2	202,887	1/2	187,947	1/2	172,945	1/2	157,911	1/2	142,878	1/2	127,845	1/2	112,811	1/2	97,773
3/4		3/4		3/4	202,577	3/4	187,634	3/4	172,632	3/4	157,598	3/4	142,565	3/4	127,532	3/4	112,498	3/4	97,459
4		4		4	202,267	4	187,322	4	172,318	4	157,285	4	142,252	4	127,218	4	112,185	4	97,146
1/4		1/4		1/4	201,957	1/4	187,010	1/4	172,005	1/4	156,972	1/4	141,938	1/4	126,905	1/4	111,872	1/4	96,833
1/2		1/2		1/2	201,647	1/2	186,698	1/2	171,692	1/2	156,659	1/2	141,625	1/2	126,592	1/2	111,559	1/2	96,519
3/4		3/4		3/4	201,337	3/4	186,385	3/4	171,379	3/4	156,345	3/4	141,312	3/4	126,279	3/4	111,245	3/4	96,206
5		5		5	201,026	5	186,073	5	171,066	5	156,032	5	140,999	5	125,966	5	110,932	5	95,893
1/4		1/4		1/4	200,716	1/4	185,761	1/4	170,752	1/4	155,719	1/4	140,686	1/4	125,652	1/4	110,619	1/4	95,579
1/2		1/2		1/2	200,406	1/2	185,448	1/2	170,439	1/2	155,406	1/2	140,373	1/2	125,339	1/2	110,306	1/2	95,266
3/4		3/4		3/4	200,096	3/4	185,136	3/4	170,126	3/4	155,093	3/4	140,059	3/4	125,026	3/4	109,993	3/4	94,953
6		6		6	199,786	6	184,824	6	169,813	6	154,780	6	139,746	6	124,713	6	109,679	6	94,639
1/4		1/4		1/4	199,476	1/4	184,512	1/4	169,500	1/4	154,466	1/4	139,433	1/4	124,400	1/4	109,366	1/4	94,326
1/2		1/2		1/2	199,166	1/2	184,199	1/2	169,187	1/2	154,153	1/2	139,120	1/2	124,086	1/2	109,053	1/2	94,013
3/4		3/4		3/4	198,856	3/4	183,887	3/4	168,873	3/4	153,840	3/4	138,807	3/4	123,773	3/4	108,740	3/4	93,699
7		7		7	198,546	7	183,575	7	168,560	7	153,527	7	138,493	7	123,460	7	108,426	7	93,386
1/4		1/4		1/4	198,236	1/4	183,262	1/4	168,247	1/4	153,214	1/4	138,180	1/4	123,147	1/4	108,113	1/4	93,073
1/2		1/2		1/2	197,925	1/2	182,950	1/2	167,934	1/2	152,900	1/2	137,867	1/2	122,834	1/2	107,800	1/2	92,759
3/4		3/4		3/4	197,615	3/4	182,638	3/4	167,621	3/4	152,587	3/4	137,554	3/4	122,520	3/4	107,487	3/4	92,446
8		8		8	197,305	8	182,326	8	167,307	8	152,274	8	137,241	8	122,207	8	107,173	8	92,133
1/4		1/4		1/4	196,995	1/4	182,013	1/4	166,994	1/4	151,961	1/4	136,927	1/4	121,894	1/4	106,860	1/4	91,819
1/2		1/2		1/2	210,927	1/2	196,685	1/2	181,701	1/2	166,681	1/2	151,648	1/2	136,614	1/2	121,581	1/2	106,547
3/4		3/4		3/4	210,712	3/4	196,374	3/4	181,389	3/4	166,368	3/4	151,334	3/4	136,301	3/4	121,268	3/4	106,233
9		9		9	210,497	9	196,063	9	181,077	9	166,055	9	151,021	9	135,988	9	120,954	9	105,920
1/4		1/4		1/4	210,282	1/4	195,752	1/4	180,764	1/4	165,741	1/4	150,708	1/4	135,675	1/4	120,641	1/4	105,607
1/2		1/2		1/2	210,067	1/2	195,441	1/2	180,452	1/2	165,428	1/2	150,395	1/2	135,361	1/2	120,328	1/2	105,293
3/4		3/4		3/4	209,807	3/4	195,129	3/4	180,140	3/4	165,115	3/4	150,082	3/4	135,048	3/4	120,015	3/4	104,980
10		10		10	209,547	10	194,817	10	179,827	10	164,802	10	149,768	10	134,735	10	119,702	10	104,666
1/4		1/4		1/4	209,287	1/4	194,505	1/4	179,515	1/4	164,489	1/4	149,455	1/4	134,422	1/4	119,388	1/4	104,353
1/2		1/2		1/2	209,027	1/2	194,192	1/2	179,203	1/2	164,175	1/2	149,142	1/2	134,109	1/2	119,075	1/2	104,040
3/4		3/4		3/4	208,731	3/4	193,880	3/4	178,891	3/4	163,862	3/4	148,829	3/4	133,795	3/4	118,762	3/4	103,726
11		11		11	208,436	11	193,568	11	178,578	11	163,549	11	148,516	11	133,482	11	118,449	11	103,413
1/4		1/4		1/4	208,140	1/4	193,255	1/4	178,266	1/4	163,236	1/4	148,202	1/4	133,169	1/4	118,136	1/4	103,100
1/2		1/2		1/2	207,844	1/2	192,943	1/2	177,954	1/2	162,923	1/2	147,889	1/2	132,856	1/2	117,822	1/2	102,786
3/4		3/4		3/4	207,535	3/4	192,631	3/4	177,641	3/4	162,609	3/4	147,576	3/4	132,543	3/4	117,509	3/4	102,473

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6630"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	87,119	0	72,088	0	57,059	0	42,019	0	26,979	0	12,343	0		0		0		0	
1/4	86,806	1/4	71,775	1/4	56,746	1/4	41,706	1/4	26,665	1/4	12,057	1/4		1/4		1/4		1/4	
1/2	86,492	1/2	71,462	1/2	56,433	1/2	41,392	1/2	26,352	1/2	11,771	1/2		1/2		1/2		1/2	
3/4	86,179	3/4	71,149	3/4	56,119	3/4	41,079	3/4	26,039	3/4	11,488	3/4		3/4		3/4		3/4	
1	85,866	1	70,836	1	55,806	1	40,766	1	25,725	1	11,206	1		1		1		1	
1/4	85,552	1/4	70,524	1/4	55,493	1/4	40,452	1/4	25,412	1/4	10,923	1/4		1/4		1/4		1/4	
1/2	85,239	1/2	70,211	1/2	55,179	1/2	40,139	1/2	25,099	1/2	10,641	1/2		1/2		1/2		1/2	
3/4	84,926	3/4	69,898	3/4	54,866	3/4	39,826	3/4	24,785	3/4	10,362	3/4		3/4		3/4		3/4	
2	84,612	2	69,585	2	54,553	2	39,512	2	24,472	2	10,083	2		2		2		2	
1/4	84,299	1/4	69,273	1/4	54,239	1/4	39,199	1/4	24,159	1/4	9,804	1/4		1/4		1/4		1/4	
1/2	83,985	1/2	68,960	1/2	53,926	1/2	38,886	1/2	23,845	1/2	9,525	1/2		1/2		1/2		1/2	
3/4	83,672	3/4	68,647	3/4	53,612	3/4	38,572	3/4	23,532	3/4	9,250	3/4		3/4		3/4		3/4	
3	83,359	3	68,334	3	53,299	3	38,259	3	23,219	3	8,974	3		3		3		3	
1/4	83,045	1/4	68,022	1/4	52,986	1/4	37,946	1/4	22,905	1/4	8,699	1/4		1/4		1/4		1/4	
1/2	82,732	1/2	67,709	1/2	52,672	1/2	37,632	1/2	22,592	1/2	8,424	1/2		1/2		1/2		1/2	
3/4	82,419	3/4	67,396	3/4	52,359	3/4	37,319	3/4	22,279	3/4	8,152	3/4		3/4		3/4		3/4	
4	82,105	4	67,083	4	52,046	4	37,006	4	21,966	4	7,881	4		4		4		4	
1/4	81,792	1/4	66,770	1/4	51,732	1/4	36,692	1/4	21,653	1/4	7,609	1/4		1/4		1/4		1/4	
1/2	81,479	1/2	66,458	1/2	51,419	1/2	36,379	1/2	21,340	1/2	7,338	1/2		1/2		1/2		1/2	
3/4	81,165	3/4	66,145	3/4	51,106	3/4	36,066	3/4	21,029	3/4	7,070	3/4		3/4		3/4		3/4	
5	80,852	5	65,832	5	50,792	5	35,752	5	20,717	5	6,802	5		5		5		5	
1/4	80,539	1/4	65,519	1/4	50,479	1/4	35,439	1/4	20,406	1/4	6,534	1/4		1/4		1/4		1/4	
1/2	80,225	1/2	65,206	1/2	50,166	1/2	35,125	1/2	20,094	1/2	6,266	1/2		1/2		1/2		1/2	
3/4	79,912	3/4	64,892	3/4	49,852	3/4	34,812	3/4	19,786	3/4	6,002	3/4		3/4		3/4		3/4	
6	79,599	6	64,579	6	49,539	6	34,499	6	19,478	6	5,738	6		6		6		6	
1/4	79,285	1/4	64,266	1/4	49,226	1/4	34,185	1/4	19,170	1/4	5,474	1/4		1/4		1/4		1/4	
1/2	78,972	1/2	63,953	1/2	48,912	1/2	33,872	1/2	18,861	1/2	5,209	1/2		1/2		1/2		1/2	
3/4	78,659	3/4	63,639	3/4	48,599	3/4	33,559	3/4	18,557	3/4	4,949	3/4		3/4		3/4		3/4	
7	78,345	7	63,326	7	48,286	7	33,245	7	18,252	7	4,688	7		7		7		7	
1/4	78,032	1/4	63,013	1/4	47,972	1/4	32,932	1/4	17,947	1/4	4,428	1/4		1/4		1/4		1/4	
1/2	77,719	1/2	62,699	1/2	47,659	1/2	32,619	1/2	17,643	1/2	4,167	1/2		1/2		1/2		1/2	
3/4	77,406	3/4	62,386	3/4	47,346	3/4	32,305	3/4	17,342	3/4	3,911	3/4		3/4		3/4		3/4	
8	77,093	8	62,073	8	47,032	8	31,992	8	17,041	8	3,654	8		8		8		8	
1/4	76,780	1/4	61,759	1/4	46,719	1/4	31,679	1/4	16,740	1/4	3,397	1/4		1/4		1/4		1/4	
1/2	76,467	1/2	61,446	1/2	46,406	1/2	31,365	1/2	16,439	1/2	3,141	1/2		1/2		1/2		1/2	
3/4	76,154	3/4	61,133	3/4	46,092	3/4	31,052	3/4	16,142	3/4	2,888	3/4		3/4		3/4		3/4	
9	75,841	9	60,819	9	45,779	9	30,739	9	15,844	9	2,636	9		9		9		9	
1/4	75,528	1/4	60,506	1/4	45,466	1/4	30,425	1/4	15,547	1/4	2,384	1/4		1/4		1/4		1/4	
1/2	75,215	1/2	60,193	1/2	45,152	1/2	30,112	1/2	15,250	1/2	2,131	1/2		1/2		1/2		1/2	
3/4	74,902	3/4	59,879	3/4	44,839	3/4	29,799	3/4	14,956	3/4	1,902	3/4		3/4		3/4		3/4	
10	74,590	10	59,566	10	44,526	10	29,485	10	14,663	10	1,673	10		10		10		10	
1/4	74,277	1/4	59,253	1/4	44,212	1/4	29,172	1/4	14,369	1/4	1,444	1/4		1/4		1/4		1/4	
1/2	73,964	1/2	58,939	1/2	43,899	1/2	28,859	1/2	14,076	1/2	1,215	1/2		1/2		1/2		1/2	
3/4	73,651	3/4	58,626	3/4	43,586	3/4	28,545	3/4	13,786	3/4	1,048	3/4		3/4		3/4		3/4	
11	73,339	11	58,313	11	43,272	11	28,232	11	13,496	11	880	11		11		11		11	
1/4	73,026	1/4	57,999	1/4	42,959	1/4	27,919	1/4	13,206	1/4	712	1/4		1/4		1/4		1/4	
1/2	72,713	1/2	57,686	1/2	42,646	1/2	27,605	1/2	12,916	1/2	544	1/2		1/2		1/2		1/2	
3/4	72,400	3/4	57,373	3/4	42,332	3/4	27,292	3/4	12,630	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/30/2020 CL
CALCULATED: 10/01/2020 CL
PRINTED: 10/01/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.dmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2020



BARGE "GBL 6630"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0		0		0	206,603	0	191,734	0	176,784	0	161,791	0	146,797	0	131,803	0	116,809	0	101,812
1/4		1/4		1/4	206,295	1/4	191,423	1/4	176,472	1/4	161,479	1/4	146,485	1/4	131,491	1/4	116,497	1/4	101,500
1/2		1/2		1/2	205,986	1/2	191,112	1/2	176,160	1/2	161,166	1/2	146,172	1/2	131,178	1/2	116,184	1/2	101,187
3/4		3/4		3/4	205,677	3/4	190,800	3/4	175,848	3/4	160,854	3/4	145,860	3/4	130,866	3/4	115,872	3/4	100,875
1		1		1	205,368	1	190,489	1	175,535	1	160,541	1	145,547	1	130,554	1	115,560	1	100,562
1/4		1/4		1/4	205,059	1/4	190,177	1/4	175,223	1/4	160,229	1/4	145,235	1/4	130,241	1/4	115,247	1/4	100,250
1/2		1/2		1/2	204,750	1/2	189,866	1/2	174,911	1/2	159,917	1/2	144,923	1/2	129,929	1/2	114,935	1/2	99,937
3/4		3/4		3/4	204,440	3/4	189,554	3/4	174,598	3/4	159,604	3/4	144,610	3/4	129,616	3/4	114,623	3/4	99,625
2		2		2	204,131	2	189,243	2	174,286	2	159,292	2	144,298	2	129,304	2	114,310	2	99,312
1/4		1/4		1/4	203,822	1/4	188,931	1/4	173,973	1/4	158,980	1/4	143,986	1/4	128,992	1/4	113,998	1/4	99,000
1/2		1/2		1/2	203,512	1/2	188,620	1/2	173,661	1/2	158,667	1/2	143,673	1/2	128,679	1/2	113,685	1/2	98,687
3/4		3/4		3/4	203,203	3/4	188,308	3/4	173,349	3/4	158,355	3/4	143,361	3/4	128,367	3/4	113,373	3/4	98,374
3		3		3	202,894	3	187,997	3	173,036	3	158,042	3	143,048	3	128,055	3	113,061	3	98,062
1/4		1/4		1/4	202,584	1/4	187,685	1/4	172,724	1/4	157,730	1/4	142,736	1/4	127,742	1/4	112,748	1/4	97,749
1/2		1/2		1/2	202,275	1/2	187,374	1/2	172,412	1/2	157,418	1/2	142,424	1/2	127,430	1/2	112,436	1/2	97,437
3/4		3/4		3/4	201,966	3/4	187,063	3/4	172,099	3/4	157,105	3/4	142,111	3/4	127,117	3/4	112,124	3/4	97,124
4		4		4	201,657	4	186,751	4	171,787	4	156,793	4	141,799	4	126,805	4	111,811	4	96,812
1/4		1/4		1/4	201,347	1/4	186,440	1/4	171,474	1/4	156,481	1/4	141,487	1/4	126,493	1/4	111,499	1/4	96,499
1/2		1/2		1/2	201,038	1/2	186,128	1/2	171,162	1/2	156,168	1/2	141,174	1/2	126,180	1/2	111,186	1/2	96,187
3/4		3/4		3/4	200,729	3/4	185,817	3/4	170,850	3/4	155,856	3/4	140,862	3/4	125,868	3/4	110,874	3/4	95,874
5		5		5	200,419	5	185,505	5	170,537	5	155,543	5	140,550	5	125,556	5	110,562	5	95,562
1/4		1/4		1/4	200,110	1/4	185,194	1/4	170,225	1/4	155,231	1/4	140,237	1/4	125,243	1/4	110,249	1/4	95,249
1/2		1/2		1/2	199,801	1/2	184,882	1/2	169,913	1/2	154,919	1/2	139,925	1/2	124,931	1/2	109,937	1/2	94,937
3/4		3/4		3/4	199,492	3/4	184,571	3/4	169,600	3/4	154,606	3/4	139,612	3/4	124,618	3/4	109,625	3/4	94,624
6		6		6	199,182	6	184,259	6	169,288	6	154,294	6	139,300	6	124,306	6	109,312	6	94,312
1/4		1/4		1/4	198,873	1/4	183,948	1/4	168,975	1/4	153,982	1/4	138,988	1/4	123,994	1/4	109,000	1/4	93,999
1/2		1/2		1/2	198,564	1/2	183,636	1/2	168,663	1/2	153,669	1/2	138,675	1/2	123,681	1/2	108,687	1/2	93,687
3/4		3/4		3/4	198,254	3/4	183,325	3/4	168,351	3/4	153,357	3/4	138,363	3/4	123,369	3/4	108,375	3/4	93,374
7		7		7	197,945	7	183,014	7	168,038	7	153,044	7	138,051	7	123,057	7	108,063	7	93,062
1/4		1/4		1/4	197,636	1/4	182,702	1/4	167,726	1/4	152,732	1/4	137,738	1/4	122,744	1/4	107,750	1/4	92,749
1/2		1/2		1/2	197,327	1/2	182,391	1/2	167,414	1/2	152,420	1/2	137,426	1/2	122,432	1/2	107,438	1/2	92,436
3/4		3/4		3/4	197,017	3/4	182,079	3/4	167,101	3/4	152,107	3/4	137,113	3/4	122,119	3/4	107,125	3/4	92,124
8		8		8	196,708	8	181,768	8	166,789	8	151,795	8	136,801	8	121,807	8	106,813	8	91,811
1/4		1/4		1/4	196,399	1/4	181,456	1/4	166,476	1/4	151,483	1/4	136,489	1/4	121,495	1/4	106,500	1/4	91,499
1/2		1/2		1/2	210,294	1/2	196,090	1/2	181,145	1/2	166,164	1/2	151,170	1/2	136,176	1/2	121,182	1/2	106,188
3/4		3/4		3/4	210,079	3/4	195,779	3/4	180,833	3/4	165,852	3/4	150,858	3/4	135,864	3/4	120,870	3/4	105,874
9		9		9	209,865	9	195,469	9	180,522	9	165,539	9	150,545	9	135,552	9	120,558	9	105,561
1/4		1/4		1/4	209,650	1/4	195,159	1/4	180,210	1/4	165,227	1/4	150,233	1/4	135,239	1/4	120,245	1/4	105,250
1/2		1/2		1/2	209,436	1/2	194,849	1/2	179,899	1/2	164,915	1/2	149,921	1/2	134,927	1/2	119,933	1/2	104,938
3/4		3/4		3/4	209,177	3/4	194,538	3/4	179,587	3/4	164,602	3/4	149,608	3/4	134,614	3/4	119,620	3/4	104,625
10		10		10	208,917	10	194,226	10	179,276	10	164,290	10	149,296	10	134,302	10	119,308	10	104,312
1/4		1/4		1/4	208,658	1/4	193,915	1/4	178,965	1/4	163,977	1/4	148,984	1/4	133,990	1/4	118,996	1/4	104,000
1/2		1/2		1/2	208,399	1/2	193,603	1/2	178,653	1/2	163,665	1/2	148,671	1/2	133,677	1/2	118,683	1/2	103,687
3/4		3/4		3/4	208,104	3/4	193,292	3/4	178,342	3/4	163,353	3/4	148,359	3/4	133,365	3/4	118,371	3/4	103,375
11		11		11	207,809	11	192,980	11	178,030	11	163,040	11	148,046	11	133,053	11	118,059	11	103,062
1/4		1/4		1/4	207,514	1/4	192,669	1/4	177,719	1/4	162,728	1/4	147,734	1/4	132,740	1/4	117,746	1/4	102,750
1/2		1/2		1/2	207,220	1/2	192,357	1/2	177,407	1/2	162,416	1/2	147,422	1/2	132,428	1/2	117,434	1/2	102,437
3/4		3/4		3/4	206,911	3/4	192,046	3/4	177,095	3/4	162,103	3/4	147,109	3/4	132,115	3/4	117,122	3/4	102,125

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6630"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	86,811	0	71,852	0	56,910	0	41,909	0	26,908	0	12,311	0		0		0		0	
1/4	86,499	1/4	71,542	1/4	56,597	1/4	41,596	1/4	26,595	1/4	12,026	1/4		1/4		1/4		1/4	
1/2	86,186	1/2	71,232	1/2	56,285	1/2	41,284	1/2	26,283	1/2	11,740	1/2		1/2		1/2		1/2	
3/4	85,873	3/4	70,922	3/4	55,972	3/4	40,971	3/4	25,970	3/4	11,458	3/4		3/4		3/4		3/4	
1	85,561	1	70,611	1	55,659	1	40,659	1	25,658	1	11,176	1		1		1		1	
1/4	85,248	1/4	70,301	1/4	55,347	1/4	40,346	1/4	25,345	1/4	10,895	1/4		1/4		1/4		1/4	
1/2	84,936	1/2	69,991	1/2	55,034	1/2	40,034	1/2	25,033	1/2	10,613	1/2		1/2		1/2		1/2	
3/4	84,623	3/4	69,681	3/4	54,722	3/4	39,721	3/4	24,720	3/4	10,335	3/4		3/4		3/4		3/4	
2	84,311	2	69,371	2	54,409	2	39,409	2	24,408	2	10,056	2		2		2		2	
1/4	83,998	1/4	69,061	1/4	54,097	1/4	39,096	1/4	24,095	1/4	9,778	1/4		1/4		1/4		1/4	
1/2	83,686	1/2	68,750	1/2	53,784	1/2	38,784	1/2	23,783	1/2	9,500	1/2		1/2		1/2		1/2	
3/4	83,373	3/4	68,440	3/4	53,472	3/4	38,471	3/4	23,470	3/4	9,226	3/4		3/4		3/4		3/4	
3	83,061	3	68,130	3	53,159	3	38,159	3	23,158	3	8,951	3		3		3		3	
1/4	82,748	1/4	67,820	1/4	52,847	1/4	37,846	1/4	22,845	1/4	8,676	1/4		1/4		1/4		1/4	
1/2	82,436	1/2	67,510	1/2	52,534	1/2	37,534	1/2	22,533	1/2	8,402	1/2		1/2		1/2		1/2	
3/4	82,123	3/4	67,200	3/4	52,222	3/4	37,221	3/4	22,221	3/4	8,131	3/4		3/4		3/4		3/4	
4	81,811	4	66,889	4	51,909	4	36,908	4	21,908	4	7,860	4		4		4		4	
1/4	81,498	1/4	66,579	1/4	51,597	1/4	36,596	1/4	21,596	1/4	7,589	1/4		1/4		1/4		1/4	
1/2	81,186	1/2	66,269	1/2	51,284	1/2	36,283	1/2	21,284	1/2	7,319	1/2		1/2		1/2		1/2	
3/4	80,873	3/4	65,958	3/4	50,972	3/4	35,971	3/4	20,973	3/4	7,051	3/4		3/4		3/4		3/4	
5	80,561	5	65,648	5	50,659	5	35,658	5	20,663	5	6,784	5		5		5		5	
1/4	80,248	1/4	65,337	1/4	50,347	1/4	35,346	1/4	20,352	1/4	6,517	1/4		1/4		1/4		1/4	
1/2	79,935	1/2	65,026	1/2	50,034	1/2	35,033	1/2	20,042	1/2	6,250	1/2		1/2		1/2		1/2	
3/4	79,623	3/4	64,715	3/4	49,722	3/4	34,721	3/4	19,734	3/4	5,986	3/4		3/4		3/4		3/4	
6	79,310	6	64,403	6	49,409	6	34,408	6	19,427	6	5,723	6		6		6		6	
1/4	78,998	1/4	64,092	1/4	49,097	1/4	34,096	1/4	19,119	1/4	5,459	1/4		1/4		1/4		1/4	
1/2	78,685	1/2	63,781	1/2	48,784	1/2	33,783	1/2	18,812	1/2	5,196	1/2		1/2		1/2		1/2	
3/4	78,373	3/4	63,469	3/4	48,472	3/4	33,471	3/4	18,508	3/4	4,936	3/4		3/4		3/4		3/4	
7	78,061	7	63,157	7	48,159	7	33,158	7	18,204	7	4,676	7		7		7		7	
1/4	77,749	1/4	62,845	1/4	47,847	1/4	32,846	1/4	17,900	1/4	4,416	1/4		1/4		1/4		1/4	
1/2	77,437	1/2	62,534	1/2	47,534	1/2	32,533	1/2	17,597	1/2	4,156	1/2		1/2		1/2		1/2	
3/4	77,127	3/4	62,221	3/4	47,222	3/4	32,221	3/4	17,296	3/4	3,900	3/4		3/4		3/4		3/4	
8	76,816	8	61,909	8	46,909	8	31,908	8	16,996	8	3,644	8		8		8		8	
1/4	76,505	1/4	61,597	1/4	46,597	1/4	31,596	1/4	16,696	1/4	3,388	1/4		1/4		1/4		1/4	
1/2	76,194	1/2	61,285	1/2	46,284	1/2	31,283	1/2	16,396	1/2	3,132	1/2		1/2		1/2		1/2	
3/4	75,884	3/4	60,972	3/4	45,971	3/4	30,971	3/4	16,099	3/4	2,881	3/4		3/4		3/4		3/4	
9	75,574	9	60,660	9	45,659	9	30,658	9	15,803	9	2,629	9		9		9		9	
1/4	75,264	1/4	60,347	1/4	45,346	1/4	30,346	1/4	15,506	1/4	2,377	1/4		1/4		1/4		1/4	
1/2	74,954	1/2	60,035	1/2	45,034	1/2	30,033	1/2	15,210	1/2	2,126	1/2		1/2		1/2		1/2	
3/4	74,643	3/4	59,722	3/4	44,721	3/4	29,721	3/4	14,917	3/4	1,897	3/4		3/4		3/4		3/4	
10	74,333	10	59,410	10	44,409	10	29,408	10	14,624	10	1,669	10		10		10		10	
1/4	74,023	1/4	59,097	1/4	44,096	1/4	29,096	1/4	14,332	1/4	1,441	1/4		1/4		1/4		1/4	
1/2	73,713	1/2	58,785	1/2	43,784	1/2	28,783	1/2	14,039	1/2	1,212	1/2		1/2		1/2		1/2	
3/4	73,403	3/4	58,472	3/4	43,471	3/4	28,471	3/4	13,750	3/4	1,045	3/4		3/4		3/4		3/4	
11	73,093	11	58,160	11	43,159	11	28,158	11	13,460	11	878	11		11		11		11	
1/4	72,782	1/4	57,847	1/4	42,846	1/4	27,846	1/4	13,171	1/4	710	1/4		1/4		1/4		1/4	
1/2	72,472	1/2	57,535	1/2	42,534	1/2	27,533	1/2	12,882	1/2	543	1/2		1/2		1/2		1/2	
3/4	72,162	3/4	57,222	3/4	42,221	3/4	27,220	3/4	12,597	3/4	---	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/30/2020 CL
CALCULATED: 10/01/2020 CL
PRINTED: 10/01/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.dmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2020



BARGE "GBL 6630"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	210,311	0	195,373	0	180,351	0	165,288	0	150,224	0	135,159	0	120,095	0	105,027
1/4		1/4		1/4	210,002	1/4	195,060	1/4	180,038	1/4	164,974	1/4	149,910	1/4	134,845	1/4	119,781	1/4	104,713
1/2		1/2		1/2	209,692	1/2	194,747	1/2	179,725	1/2	164,660	1/2	149,596	1/2	134,531	1/2	119,467	1/2	104,399
3/4		3/4		3/4	209,381	3/4	194,434	3/4	179,411	3/4	164,347	3/4	149,282	3/4	134,218	3/4	119,153	3/4	104,085
1		1		1	209,071	1	194,121	1	179,097	1	164,033	1	148,968	1	133,904	1	118,839	1	103,771
1/4		1/4		1/4	208,760	1/4	193,808	1/4	178,783	1/4	163,719	1/4	148,654	1/4	133,590	1/4	118,525	1/4	103,457
1/2		1/2		1/2	208,449	1/2	193,495	1/2	178,469	1/2	163,405	1/2	148,341	1/2	133,276	1/2	118,212	1/2	103,143
3/4		3/4		3/4	208,139	3/4	193,182	3/4	178,156	3/4	163,091	3/4	148,027	3/4	132,962	3/4	117,898	3/4	102,829
2		2		2	207,828	2	192,869	2	177,842	2	162,777	2	147,713	2	132,648	2	117,584	2	102,515
1/4		1/4		1/4	207,517	1/4	192,556	1/4	177,528	1/4	162,463	1/4	147,399	1/4	132,335	1/4	117,270	1/4	102,201
1/2		1/2		1/2	207,206	1/2	192,243	1/2	177,214	1/2	162,150	1/2	147,085	1/2	132,021	1/2	116,956	1/2	101,887
3/4		3/4		3/4	206,895	3/4	191,930	3/4	176,900	3/4	161,836	3/4	146,771	3/4	131,707	3/4	116,642	3/4	101,573
3		3		3	206,585	3	191,618	3	176,586	3	161,522	3	146,457	3	131,393	3	116,329	3	101,259
1/4		1/4		1/4	206,274	1/4	191,305	1/4	176,273	1/4	161,208	1/4	146,144	1/4	131,079	1/4	116,015	1/4	100,945
1/2		1/2		1/2	205,963	1/2	190,992	1/2	175,959	1/2	160,894	1/2	145,830	1/2	130,765	1/2	115,701	1/2	100,631
3/4		3/4		3/4	205,652	3/4	190,679	3/4	175,645	3/4	160,580	3/4	145,516	3/4	130,452	3/4	115,387	3/4	100,317
4		4		4	205,342	4	190,366	4	175,331	4	160,267	4	145,202	4	130,138	4	115,073	4	100,003
1/4		1/4		1/4	205,031	1/4	190,053	1/4	175,017	1/4	159,953	1/4	144,888	1/4	129,824	1/4	114,759	1/4	99,689
1/2		1/2		1/2	204,720	1/2	189,740	1/2	174,703	1/2	159,639	1/2	144,574	1/2	129,510	1/2	114,446	1/2	99,375
3/4		3/4		3/4	204,409	3/4	189,427	3/4	174,389	3/4	159,325	3/4	144,261	3/4	129,196	3/4	114,132	3/4	99,061
5		5		5	204,099	5	189,114	5	174,076	5	159,011	5	143,947	5	128,882	5	113,818	5	98,747
1/4		1/4		1/4	203,788	1/4	188,801	1/4	173,762	1/4	158,697	1/4	143,633	1/4	128,568	1/4	113,504	1/4	98,433
1/2		1/2		1/2	203,477	1/2	188,488	1/2	173,448	1/2	158,383	1/2	143,319	1/2	128,255	1/2	113,190	1/2	98,119
3/4		3/4		3/4	203,166	3/4	188,175	3/4	173,134	3/4	158,070	3/4	143,005	3/4	127,941	3/4	112,876	3/4	97,805
6		6		6	202,856	6	187,862	6	172,820	6	157,756	6	142,691	6	127,627	6	112,562	6	97,491
1/4		1/4		1/4	202,545	1/4	187,549	1/4	172,506	1/4	157,442	1/4	142,378	1/4	127,313	1/4	112,249	1/4	97,177
1/2		1/2		1/2	202,234	1/2	187,236	1/2	172,193	1/2	157,128	1/2	142,064	1/2	126,999	1/2	111,935	1/2	96,863
3/4		3/4		3/4	201,923	3/4	186,924	3/4	171,879	3/4	156,814	3/4	141,750	3/4	126,685	3/4	111,621	3/4	96,549
7		7		7	201,613	7	186,611	7	171,565	7	156,500	7	141,436	7	126,372	7	111,307	7	96,235
1/4		1/4		1/4	201,302	1/4	186,298	1/4	171,251	1/4	156,187	1/4	141,122	1/4	126,058	1/4	110,993	1/4	95,921
1/2		1/2		1/2	200,991	1/2	185,985	1/2	170,937	1/2	155,873	1/2	140,808	1/2	125,744	1/2	110,679	1/2	95,607
3/4		3/4		3/4	200,680	3/4	185,672	3/4	170,623	3/4	155,559	3/4	140,494	3/4	125,430	3/4	110,365	3/4	95,293
8		8		8	200,370	8	185,359	8	170,310	8	155,245	8	140,181	8	125,116	8	110,051	8	94,979
1/4		1/4		1/4	200,059	1/4	185,046	1/4	169,996	1/4	154,931	1/4	139,867	1/4	124,802	1/4	109,737	1/4	94,665
1/2		1/2		1/2	214,020	1/2	199,748	1/2	184,733	1/2	169,682	1/2	154,617	1/2	139,553	1/2	124,488	1/2	109,423
3/4		3/4		3/4	213,804	3/4	199,437	3/4	184,420	3/4	169,368	3/4	154,304	3/4	139,239	3/4	124,175	3/4	109,109
9		9		9	213,589	9	199,125	9	184,107	9	169,054	9	153,990	9	138,925	9	123,861	9	108,795
1/4		1/4		1/4	213,373	1/4	198,814	1/4	183,794	1/4	168,740	1/4	153,676	1/4	138,611	1/4	123,547	1/4	108,481
1/2		1/2		1/2	213,158	1/2	198,502	1/2	183,481	1/2	168,426	1/2	153,362	1/2	138,298	1/2	123,233	1/2	108,167
3/4		3/4		3/4	212,942	3/4	198,189	3/4	183,168	3/4	168,113	3/4	153,048	3/4	137,984	3/4	122,919	3/4	107,853
10		10		10	212,727	10	197,976	10	182,855	10	167,799	10	152,734	10	137,670	10	122,605	10	107,539
1/4		1/4		1/4	212,511	1/4	197,763	1/4	182,543	1/4	167,485	1/4	152,420	1/4	137,356	1/4	122,292	1/4	107,225
1/2		1/2		1/2	212,296	1/2	197,549	1/2	182,330	1/2	167,171	1/2	152,107	1/2	137,042	1/2	121,978	1/2	106,911
3/4		3/4		3/4	212,080	3/4	197,337	3/4	182,117	3/4	166,857	3/4	151,793	3/4	136,728	3/4	121,664	3/4	106,597
11		11		11	211,865	11	197,124	11	181,904	11	166,543	11	151,479	11	136,415	11	121,350	11	106,283
1/4		1/4		1/4	211,649	1/4	196,911	1/4	181,691	1/4	166,230	1/4	151,165	1/4	136,101	1/4	121,036	1/4	105,969
1/2		1/2		1/2	211,434	1/2	196,698	1/2	181,478	1/2	165,916	1/2	150,851	1/2	135,787	1/2	120,722	1/2	105,655
3/4		3/4		3/4	211,218	3/4	196,485	3/4	181,265	3/4	165,602	3/4	150,537	3/4	135,473	3/4	120,409	3/4	105,341

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE
GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6630"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	89,956	0	74,884	0	59,812	0	44,749	0	29,691	0	14,620	0		0		0		0	
1/4	89,642	1/4	74,570	1/4	59,498	1/4	44,435	1/4	29,377	1/4	14,306	1/4		1/4		1/4		1/4	
1/2	89,328	1/2	74,256	1/2	59,184	1/2	44,122	1/2	29,063	1/2	13,992	1/2		1/2		1/2		1/2	
3/4	89,014	3/4	73,942	3/4	58,870	3/4	43,809	3/4	28,749	3/4	13,678	3/4		3/4		3/4		3/4	
1	88,700	1	73,628	1	58,556	1	43,495	1	28,435	1	13,364	1		1		1		1	
1/4	88,386	1/4	73,314	1/4	58,242	1/4	43,182	1/4	28,121	1/4	13,050	1/4		1/4		1/4		1/4	
1/2	88,072	1/2	73,000	1/2	57,928	1/2	42,868	1/2	27,807	1/2	12,736	1/2		1/2		1/2		1/2	
3/4	87,758	3/4	72,686	3/4	57,614	3/4	42,555	3/4	27,493	3/4	12,422	3/4		3/4		3/4		3/4	
2	87,444	2	72,372	2	57,300	2	42,242	2	27,179	2	12,108	2		2		2		2	
1/4	87,130	1/4	72,058	1/4	56,986	1/4	41,928	1/4	26,865	1/4	11,794	1/4		1/4		1/4		1/4	
1/2	86,816	1/2	71,744	1/2	56,672	1/2	41,615	1/2	26,551	1/2	11,480	1/2		1/2		1/2		1/2	
3/4	86,502	3/4	71,430	3/4	56,358	3/4	41,301	3/4	26,237	3/4	11,166	3/4		3/4		3/4		3/4	
3	86,188	3	71,116	3	56,044	3	40,988	3	25,923	3	10,852	3		3		3		3	
1/4	85,874	1/4	70,802	1/4	55,730	1/4	40,675	1/4	25,609	1/4	10,538	1/4		1/4		1/4		1/4	
1/2	85,560	1/2	70,488	1/2	55,416	1/2	40,361	1/2	25,295	1/2	10,224	1/2		1/2		1/2		1/2	
3/4	85,246	3/4	70,174	3/4	55,102	3/4	40,048	3/4	24,981	3/4	9,910	3/4		3/4		3/4		3/4	
4	84,932	4	69,860	4	54,788	4	39,734	4	24,667	4	9,596	4		4		4		4	
1/4	84,618	1/4	69,546	1/4	54,474	1/4	39,421	1/4	24,353	1/4	9,282	1/4		1/4		1/4		1/4	
1/2	84,304	1/2	69,232	1/2	54,160	1/2	39,108	1/2	24,039	1/2	8,968	1/2		1/2		1/2		1/2	
3/4	83,990	3/4	68,918	3/4	53,846	3/4	38,794	3/4	23,725	3/4	8,654	3/4		3/4		3/4		3/4	
5	83,676	5	68,604	5	53,532	5	38,481	5	23,411	5	8,340	5		5		5		5	
1/4	83,362	1/4	68,290	1/4	53,218	1/4	38,167	1/4	23,098	1/4	8,026	1/4		1/4		1/4		1/4	
1/2	83,048	1/2	67,976	1/2	52,904	1/2	37,854	1/2	22,784	1/2	7,712	1/2		1/2		1/2		1/2	
3/4	82,734	3/4	67,662	3/4	52,590	3/4	37,540	3/4	22,470	3/4	7,398	3/4		3/4		3/4		3/4	
6	82,420	6	67,348	6	52,276	6	37,226	6	22,156	6	7,084	6		6		6		6	
1/4	82,106	1/4	67,034	1/4	51,962	1/4	36,913	1/4	21,842	1/4	6,770	1/4		1/4		1/4		1/4	
1/2	81,792	1/2	66,720	1/2	51,648	1/2	36,599	1/2	21,528	1/2	6,456	1/2		1/2		1/2		1/2	
3/4	81,478	3/4	66,406	3/4	51,334	3/4	36,285	3/4	21,214	3/4	6,142	3/4		3/4		3/4		3/4	
7	81,164	7	66,092	7	51,020	7	35,971	7	20,900	7	5,828	7		7		7		7	
1/4	80,850	1/4	65,778	1/4	50,706	1/4	35,657	1/4	20,586	1/4	5,514	1/4		1/4		1/4		1/4	
1/2	80,536	1/2	65,464	1/2	50,392	1/2	35,343	1/2	20,272	1/2	5,200	1/2		1/2		1/2		1/2	
3/4	80,222	3/4	65,150	3/4	50,078	3/4	35,029	3/4	19,958	3/4	4,887	3/4		3/4		3/4		3/4	
8	79,908	8	64,836	8	49,764	8	34,715	8	19,644	8	4,573	8		8		8		8	
1/4	79,594	1/4	64,522	1/4	49,451	1/4	34,401	1/4	19,330	1/4	4,259	1/4		1/4		1/4		1/4	
1/2	79,280	1/2	64,208	1/2	49,137	1/2	34,087	1/2	19,016	1/2	3,945	1/2		1/2		1/2		1/2	
3/4	78,966	3/4	63,894	3/4	48,823	3/4	33,773	3/4	18,702	3/4	3,632	3/4		3/4		3/4		3/4	
9	78,652	9	63,580	9	48,510	9	33,459	9	18,388	9	3,319	9		9		9		9	
1/4	78,338	1/4	63,266	1/4	48,196	1/4	33,145	1/4	18,074	1/4	3,006	1/4		1/4		1/4		1/4	
1/2	78,024	1/2	62,952	1/2	47,883	1/2	32,831	1/2	17,760	1/2	2,693	1/2		1/2		1/2		1/2	
3/4	77,710	3/4	62,638	3/4	47,569	3/4	32,517	3/4	17,446	3/4	2,399	3/4		3/4		3/4		3/4	
10	77,396	10	62,324	10	47,256	10	32,203	10	17,132	10	2,106	10		10		10		10	
1/4	77,082	1/4	62,010	1/4	46,943	1/4	31,889	1/4	16,818	1/4	1,813	1/4		1/4		1/4		1/4	
1/2	76,768	1/2	61,696	1/2	46,629	1/2	31,575	1/2	16,504	1/2	1,519	1/2		1/2		1/2		1/2	
3/4	76,454	3/4	61,382	3/4	46,316	3/4	31,261	3/4	16,190	3/4	1,297	3/4		3/4		3/4		3/4	
11	76,140	11	61,068	11	46,002	11	30,947	11	15,876	11	1,075	11		11		11		11	
1/4	75,826	1/4	60,754	1/4	45,689	1/4	30,633	1/4	15,562	1/4	852	1/4		1/4		1/4		1/4	
1/2	75,512	1/2	60,440	1/2	45,376	1/2	30,319	1/2	15,248	1/2	630	1/2		1/2		1/2		1/2	
3/4	75,198	3/4	60,126	3/4	45,062	3/4	30,005	3/4	14,934	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/30/2020 CL
CALCULATED: 10/01/2020 CL
PRINTED: 10/01/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.dmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2020



BARGE "GBL 6630"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT		
0		0		0	209,810	0	194,867	0	179,840	0	164,772	0	149,703	0	134,634	0	119,564	0	104,492		
1/4	1/4	1/4	1/4	1/4	209,500	1/4	194,554	1/4	179,527	1/4	164,458	1/4	149,389	1/4	134,320	1/4	119,250	1/4	104,178		
1/2	1/2	1/2	1/2	1/2	209,190	1/2	194,241	1/2	179,214	1/2	164,144	1/2	149,075	1/2	134,006	1/2	118,936	1/2	103,864		
3/4	3/4	3/4	3/4	3/4	208,880	3/4	193,928	3/4	178,900	3/4	163,830	3/4	148,761	3/4	133,692	3/4	118,622	3/4	103,550		
1	1	1	1	1	208,569	1	193,615	1	178,586	1	163,516	1	148,447	1	133,378	1	118,308	1	103,236		
1/4	1/4	1/4	1/4	1/4	208,258	1/4	193,301	1/4	178,272	1/4	163,203	1/4	148,133	1/4	133,064	1/4	117,995	1/4	102,921		
1/2	1/2	1/2	1/2	1/2	207,948	1/2	192,988	1/2	177,958	1/2	162,889	1/2	147,819	1/2	132,750	1/2	117,681	1/2	102,607		
3/4	3/4	3/4	3/4	3/4	207,637	3/4	192,675	3/4	177,644	3/4	162,575	3/4	147,505	3/4	132,436	3/4	117,367	3/4	102,293		
2	2	2	2	2	207,326	2	192,362	2	177,330	2	162,261	2	147,191	2	132,122	2	117,053	2	101,979		
1/4	1/4	1/4	1/4	1/4	207,015	1/4	192,049	1/4	177,016	1/4	161,947	1/4	146,877	1/4	131,808	1/4	116,739	1/4	101,665		
1/2	1/2	1/2	1/2	1/2	206,704	1/2	191,736	1/2	176,702	1/2	161,633	1/2	146,563	1/2	131,494	1/2	116,425	1/2	101,351		
3/4	3/4	3/4	3/4	3/4	206,393	3/4	191,423	3/4	176,388	3/4	161,319	3/4	146,250	3/4	131,180	3/4	116,111	3/4	101,037		
3	3	3	3	3	206,082	3	191,110	3	176,074	3	161,005	3	145,936	3	130,866	3	115,797	3	100,723		
1/4	1/4	1/4	1/4	1/4	205,771	1/4	190,797	1/4	175,760	1/4	160,691	1/4	145,622	1/4	130,552	1/4	115,483	1/4	100,409		
1/2	1/2	1/2	1/2	1/2	205,460	1/2	190,484	1/2	175,446	1/2	160,377	1/2	145,308	1/2	130,238	1/2	115,169	1/2	100,095		
3/4	3/4	3/4	3/4	3/4	205,150	3/4	190,171	3/4	175,132	3/4	160,063	3/4	144,994	3/4	129,924	3/4	114,855	3/4	99,781		
4	4	4	4	4	204,839	4	189,858	4	174,818	4	159,749	4	144,680	4	129,610	4	114,541	4	99,466		
1/4	1/4	1/4	1/4	1/4	204,528	1/4	189,545	1/4	174,505	1/4	159,435	1/4	144,366	1/4	129,297	1/4	114,227	1/4	99,152		
1/2	1/2	1/2	1/2	1/2	204,217	1/2	189,232	1/2	174,191	1/2	159,121	1/2	144,052	1/2	128,983	1/2	113,913	1/2	98,838		
3/4	3/4	3/4	3/4	3/4	203,906	3/4	188,919	3/4	173,877	3/4	158,807	3/4	143,738	3/4	128,669	3/4	113,599	3/4	98,524		
5	5	5	5	5	203,595	5	188,606	5	173,563	5	158,493	5	143,424	5	128,355	5	113,285	5	98,210		
1/4	1/4	1/4	1/4	1/4	203,285	1/4	188,293	1/4	173,249	1/4	158,179	1/4	143,110	1/4	128,041	1/4	112,971	1/4	97,896		
1/2	1/2	1/2	1/2	1/2	202,974	1/2	187,980	1/2	172,935	1/2	157,865	1/2	142,796	1/2	127,727	1/2	112,657	1/2	97,582		
3/4	3/4	3/4	3/4	3/4	202,663	3/4	187,667	3/4	172,621	3/4	157,552	3/4	142,482	3/4	127,413	3/4	112,344	3/4	97,268		
6	6	6	6	6	202,352	6	187,354	6	172,307	6	157,238	6	142,168	6	127,099	6	112,030	6	96,954		
1/4	1/4	1/4	1/4	1/4	202,041	1/4	187,041	1/4	171,993	1/4	156,924	1/4	141,854	1/4	126,785	1/4	111,716	1/4	96,640		
1/2	1/2	1/2	1/2	1/2	201,730	1/2	186,728	1/2	171,679	1/2	156,610	1/2	141,540	1/2	126,471	1/2	111,402	1/2	96,325		
3/4	3/4	3/4	3/4	3/4	201,420	3/4	186,415	3/4	171,365	3/4	156,296	3/4	141,226	3/4	126,157	3/4	111,088	3/4	96,011		
7	7	7	7	7	201,109	7	186,102	7	171,051	7	155,982	7	140,912	7	125,843	7	110,774	7	95,697		
1/4	1/4	1/4	1/4	1/4	200,798	1/4	185,789	1/4	170,737	1/4	155,668	1/4	140,599	1/4	125,529	1/4	110,460	1/4	95,383		
1/2	1/2	1/2	1/2	1/2	200,487	1/2	185,476	1/2	170,423	1/2	155,354	1/2	140,285	1/2	125,215	1/2	110,146	1/2	95,069		
3/4	3/4	3/4	3/4	3/4	200,176	3/4	185,163	3/4	170,109	3/4	155,040	3/4	139,971	3/4	124,901	3/4	109,832	3/4	94,755		
8	8	8	8	8	199,865	8	184,850	8	169,795	8	154,726	8	139,657	8	124,587	8	109,518	8	94,441		
1/4	1/4	1/4	1/4	1/4	199,554	1/4	184,537	1/4	169,481	1/4	154,412	1/4	139,343	1/4	124,273	1/4	109,203	1/4	94,127		
1/2	1/2	1/2	1/2	1/2	213,520	1/2	199,244	1/2	184,224	1/2	169,167	1/2	154,098	1/2	139,029	1/2	123,959	1/2	108,889	1/2	93,813
3/4	3/4	3/4	3/4	3/4	213,304	3/4	198,932	3/4	183,911	3/4	168,854	3/4	153,784	3/4	138,715	3/4	123,646	3/4	108,575	3/4	93,499
9	9	9	9	9	213,089	9	198,620	9	183,597	9	168,540	9	153,470	9	138,401	9	123,332	9	108,261	9	93,184
1/4	1/4	1/4	1/4	1/4	212,873	1/4	198,309	1/4	183,284	1/4	168,226	1/4	153,156	1/4	138,087	1/4	123,018	1/4	107,947	1/4	92,870
1/2	1/2	1/2	1/2	1/2	212,657	1/2	197,997	1/2	182,971	1/2	167,912	1/2	152,842	1/2	137,773	1/2	122,704	1/2	107,633	1/2	92,556
3/4	3/4	3/4	3/4	3/4	212,397	3/4	197,684	3/4	182,658	3/4	167,598	3/4	152,528	3/4	137,459	3/4	122,390	3/4	107,319	3/4	92,242
10	10	10	10	10	212,136	10	197,371	10	182,345	10	167,284	10	152,214	10	137,145	10	122,076	10	107,005	10	91,928
1/4	1/4	1/4	1/4	1/4	211,876	1/4	197,058	1/4	182,032	1/4	166,970	1/4	151,901	1/4	136,831	1/4	121,762	1/4	106,691	1/4	91,614
1/2	1/2	1/2	1/2	1/2	211,615	1/2	196,745	1/2	181,719	1/2	166,656	1/2	151,587	1/2	136,517	1/2	121,448	1/2	106,377	1/2	91,300
3/4	3/4	3/4	3/4	3/4	211,319	3/4	196,432	3/4	181,406	3/4	166,342	3/4	151,273	3/4	136,203	3/4	121,134	3/4	106,062	3/4	90,986
11	11	11	11	11	211,023	11	196,119	11	181,093	11	166,028	11	150,959	11	135,889	11	120,820	11	105,748	11	90,672
1/4	1/4	1/4	1/4	1/4	210,726	1/4	195,806	1/4	180,780	1/4	165,714	1/4	150,645	1/4	135,575	1/4	120,506	1/4	105,434	1/4	90,358
1/2	1/2	1/2	1/2	1/2	210,430	1/2	195,493	1/2	180,467	1/2	165,400	1/2	150,331	1/2	135,261	1/2	120,192	1/2	105,120	1/2	90,044
3/4	3/4	3/4	3/4	3/4	210,120	3/4	195,180	3/4	180,154	3/4	165,086	3/4	150,017	3/4	134,948	3/4	119,878	3/4	104,806	3/4	89,729

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6630"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	89,415	0	74,440	0	59,643	0	44,764	0	29,702	0	14,625	0		0		0		0	
1/4	89,101	1/4	74,132	1/4	59,335	1/4	44,451	1/4	29,388	1/4	14,311	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	88,787	1/2	73,824	1/2	59,027	1/2	44,137	1/2	29,073	1/2	13,997	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	88,473	3/4	73,516	3/4	58,718	3/4	43,824	3/4	28,759	3/4	13,683	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	88,159	1	73,207	1	58,410	1	43,510	1	28,445	1	13,369	1	1	1	1	1	1	1	1
1/4	87,845	1/4	72,899	1/4	58,102	1/4	43,197	1/4	28,131	1/4	13,055	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	87,531	1/2	72,591	1/2	57,793	1/2	42,883	1/2	27,817	1/2	12,741	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	87,217	3/4	72,283	3/4	57,485	3/4	42,570	3/4	27,503	3/4	12,427	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	86,903	2	71,974	2	57,177	2	42,256	2	27,189	2	12,113	2	2	2	2	2	2	2	2
1/4	86,588	1/4	71,666	1/4	56,869	1/4	41,943	1/4	26,875	1/4	11,799	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	86,274	1/2	71,358	1/2	56,560	1/2	41,629	1/2	26,561	1/2	11,485	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,960	3/4	71,049	3/4	56,252	3/4	41,316	3/4	26,247	3/4	11,170	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	85,646	3	70,741	3	55,944	3	41,002	3	25,933	3	10,856	3	3	3	3	3	3	3	3
1/4	85,332	1/4	70,433	1/4	55,635	1/4	40,689	1/4	25,619	1/4	10,542	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,018	1/2	70,125	1/2	55,327	1/2	40,375	1/2	25,304	1/2	10,228	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	84,704	3/4	69,816	3/4	55,019	3/4	40,062	3/4	24,990	3/4	9,914	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	84,390	4	69,508	4	54,711	4	39,748	4	24,676	4	9,600	4	4	4	4	4	4	4	4
1/4	84,076	1/4	69,200	1/4	54,402	1/4	39,435	1/4	24,362	1/4	9,286	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,762	1/2	68,891	1/2	54,094	1/2	39,121	1/2	24,048	1/2	8,972	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	83,447	3/4	68,583	3/4	53,786	3/4	38,808	3/4	23,734	3/4	8,658	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	83,133	5	68,275	5	53,478	5	38,494	5	23,420	5	8,344	5	5	5	5	5	5	5	5
1/4	82,819	1/4	67,967	1/4	53,169	1/4	38,180	1/4	23,106	1/4	8,030	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	82,505	1/2	67,658	1/2	52,861	1/2	37,867	1/2	22,792	1/2	7,716	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,191	3/4	67,350	3/4	52,553	3/4	37,553	3/4	22,478	3/4	7,401	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	81,877	6	67,042	6	52,244	6	37,239	6	22,164	6	7,087	6	6	6	6	6	6	6	6
1/4	81,563	1/4	66,734	1/4	51,936	1/4	36,925	1/4	21,849	1/4	6,773	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	81,249	1/2	66,425	1/2	51,628	1/2	36,612	1/2	21,535	1/2	6,459	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	80,936	3/4	66,117	3/4	51,320	3/4	36,298	3/4	21,221	3/4	6,145	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	80,623	7	65,809	7	51,011	7	35,983	7	20,907	7	5,831	7	7	7	7	7	7	7	7
1/4	80,310	1/4	65,500	1/4	50,703	1/4	35,669	1/4	20,593	1/4	5,517	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	79,997	1/2	65,192	1/2	50,395	1/2	35,355	1/2	20,279	1/2	5,203	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	79,687	3/4	64,884	3/4	50,084	3/4	35,041	3/4	19,965	3/4	4,889	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	79,377	8	64,576	8	49,774	8	34,727	8	19,651	8	4,575	8	8	8	8	8	8	8	8
1/4	79,066	1/4	64,267	1/4	49,464	1/4	34,413	1/4	19,337	1/4	4,261	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	78,756	1/2	63,959	1/2	49,154	1/2	34,099	1/2	19,023	1/2	3,947	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	78,448	3/4	63,651	3/4	48,840	3/4	33,785	3/4	18,709	3/4	3,634	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	78,140	9	63,342	9	48,526	9	33,471	9	18,395	9	3,321	9	9	9	9	9	9	9	9
1/4	77,832	1/4	63,034	1/4	48,213	1/4	33,157	1/4	18,080	1/4	3,008	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	77,523	1/2	62,726	1/2	47,899	1/2	32,843	1/2	17,766	1/2	2,694	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	77,215	3/4	62,418	3/4	47,586	3/4	32,528	3/4	17,452	3/4	2,401	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	76,907	10	62,109	10	47,272	10	32,214	10	17,138	10	2,108	10	10	10	10	10	10	10	10
1/4	76,598	1/4	61,801	1/4	46,959	1/4	31,900	1/4	16,824	1/4	1,814	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	76,290	1/2	61,493	1/2	46,645	1/2	31,586	1/2	16,510	1/2	1,521	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75,982	3/4	61,185	3/4	46,332	3/4	31,272	3/4	16,196	3/4	1,298	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	75,674	11	60,876	11	46,018	11	30,958	11	15,882	11	1,076	11	11	11	11	11	11	11	11
1/4	75,365	1/4	60,568	1/4	45,705	1/4	30,644	1/4	15,568	1/4	853	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	75,057	1/2	60,260	1/2	45,391	1/2	30,330	1/2	15,254	1/2	630	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	74,749	3/4	59,951	3/4	45,078	3/4	30,016	3/4	14,940	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/30/2020 CL
CALCULATED: 10/01/2020 CL
PRINTED: 10/01/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.dmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2020



BARGE "GBL 6630"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0	191,944	0	181,653	0	171,308	0	160,935	0	149,078	0	134,099	0	119,093	0	104,079
1/4		1/4		1/4	191,730	1/4	181,437	1/4	171,092	1/4	160,719	1/4	148,767	1/4	133,786	1/4	118,780	1/4	103,766
1/2		1/2		1/2	191,516	1/2	181,222	1/2	170,876	1/2	160,503	1/2	148,456	1/2	133,474	1/2	118,468	1/2	103,453
3/4		3/4		3/4	191,302	3/4	181,006	3/4	170,660	3/4	160,286	3/4	148,145	3/4	133,161	3/4	118,155	3/4	103,140
1		1		1	191,088	1	180,791	1	170,443	1	160,070	1	147,834	1	132,848	1	117,842	1	102,827
1/4		1/4		1/4	190,874	1/4	180,575	1/4	170,227	1/4	159,854	1/4	147,524	1/4	132,536	1/4	117,530	1/4	102,514
1/2		1/2		1/2	190,660	1/2	180,360	1/2	170,011	1/2	159,638	1/2	147,213	1/2	132,223	1/2	117,217	1/2	102,201
3/4		3/4		3/4	190,446	3/4	180,144	3/4	169,795	3/4	159,422	3/4	146,902	3/4	131,911	3/4	116,905	3/4	101,888
2		2		2	190,232	2	179,929	2	169,579	2	159,206	2	146,591	2	131,598	2	116,592	2	101,575
1/4		1/4		1/4	190,018	1/4	179,713	1/4	169,363	1/4	158,990	1/4	146,281	1/4	131,285	1/4	116,279	1/4	101,262
1/2		1/2		1/2	189,804	1/2	179,498	1/2	169,147	1/2	158,774	1/2	145,970	1/2	130,973	1/2	115,967	1/2	100,949
3/4		3/4		3/4	189,590	3/4	179,282	3/4	168,931	3/4	158,558	3/4	145,659	3/4	130,660	3/4	115,654	3/4	100,636
3		3		3	189,376	3	179,067	3	168,715	3	158,342	3	145,349	3	130,347	3	115,341	3	100,323
1/4		1/4		1/4	189,163	1/4	178,851	1/4	168,499	1/4	158,116	1/4	145,037	1/4	130,035	1/4	115,029	1/4	100,010
1/2		1/2		1/2	188,949	1/2	178,636	1/2	168,282	1/2	157,891	1/2	144,726	1/2	129,722	1/2	114,716	1/2	99,697
3/4		3/4		3/4	188,735	3/4	178,420	3/4	168,066	3/4	157,666	3/4	144,414	3/4	129,410	3/4	114,404	3/4	99,384
4		4		4	188,521	4	178,205	4	167,850	4	157,441	4	144,103	4	129,097	4	114,091	4	99,071
1/4		1/4		1/4	188,307	1/4	177,989	1/4	167,634	1/4	157,200	1/4	143,790	1/4	128,784	1/4	113,778	1/4	98,758
1/2		1/2		1/2	188,093	1/2	177,774	1/2	167,418	1/2	156,960	1/2	143,478	1/2	128,472	1/2	113,466	1/2	98,445
3/4		3/4		3/4	187,879	3/4	177,558	3/4	167,202	3/4	156,720	3/4	143,165	3/4	128,159	3/4	113,153	3/4	98,132
5		5		5	187,665	5	177,343	5	166,986	5	156,479	5	142,852	5	127,846	5	112,840	5	97,819
1/4		1/4		1/4	187,451	1/4	177,127	1/4	166,770	1/4	156,239	1/4	142,540	1/4	127,534	1/4	112,528	1/4	97,506
1/2		1/2		1/2	187,237	1/2	176,912	1/2	166,554	1/2	155,999	1/2	142,227	1/2	127,221	1/2	112,215	1/2	97,193
3/4		3/4		3/4	187,023	3/4	176,696	3/4	166,337	3/4	155,758	3/4	141,914	3/4	126,909	3/4	111,903	3/4	96,880
6		6		6	186,809	6	176,481	6	166,121	6	155,518	6	141,602	6	126,596	6	111,590	6	96,567
1/4		1/4		1/4	186,595	1/4	176,265	1/4	165,905	1/4	155,277	1/4	141,289	1/4	126,283	1/4	111,277	1/4	96,254
1/2		1/2		1/2	186,381	1/2	176,050	1/2	165,689	1/2	155,037	1/2	140,977	1/2	125,971	1/2	110,965	1/2	95,941
3/4		3/4		3/4	186,167	3/4	175,834	3/4	165,473	3/4	154,797	3/4	140,664	3/4	125,658	3/4	110,652	3/4	95,628
7		7		7	185,953	7	175,619	7	165,257	7	154,556	7	140,351	7	125,345	7	110,339	7	95,315
1/4		1/4		1/4	185,739	1/4	175,403	1/4	165,041	1/4	154,316	1/4	140,039	1/4	125,033	1/4	110,026	1/4	95,002
1/2		1/2		1/2	185,525	1/2	175,188	1/2	164,825	1/2	154,076	1/2	139,726	1/2	124,720	1/2	109,714	1/2	94,689
3/4		3/4		3/4	185,311	3/4	174,972	3/4	164,609	3/4	153,835	3/4	139,413	3/4	124,408	3/4	109,401	3/4	94,376
8		8	194,725	8	185,097	8	174,757	8	164,392	8	153,595	8	139,101	8	124,095	8	109,088	8	94,063
1/4		1/4	194,606	1/4	184,882	1/4	174,541	1/4	164,176	1/4	153,354	1/4	138,788	1/4	123,782	1/4	108,775	1/4	93,749
1/2		1/2	194,487	1/2	184,668	1/2	174,326	1/2	163,960	1/2	153,114	1/2	138,476	1/2	123,470	1/2	108,462	1/2	93,436
3/4		3/4	194,368	3/4	184,453	3/4	174,110	3/4	163,744	3/4	152,874	3/4	138,163	3/4	123,157	3/4	108,149	3/4	93,123
9		9	194,249	9	184,239	9	173,895	9	163,528	9	152,633	9	137,850	9	122,844	9	107,836	9	92,810
1/4		1/4	194,085	1/4	184,023	1/4	173,679	1/4	163,312	1/4	152,366	1/4	137,538	1/4	122,532	1/4	107,523	1/4	92,497
1/2		1/2	193,921	1/2	183,808	1/2	173,464	1/2	163,096	1/2	152,100	1/2	137,225	1/2	122,219	1/2	107,210	1/2	92,184
3/4		3/4	193,758	3/4	183,592	3/4	173,248	3/4	162,880	3/4	151,833	3/4	136,912	3/4	121,907	3/4	106,897	3/4	91,871
10		10	193,594	10	183,377	10	173,033	10	162,664	10	151,566	10	136,600	10	121,594	10	106,584	10	91,558
1/4		1/4	193,394	1/4	183,161	1/4	172,817	1/4	162,448	1/4	151,255	1/4	136,287	1/4	121,281	1/4	106,271	1/4	91,245
1/2		1/2	193,195	1/2	182,946	1/2	172,602	1/2	162,231	1/2	150,944	1/2	135,975	1/2	120,969	1/2	105,958	1/2	90,932
3/4		3/4	192,995	3/4	182,730	3/4	172,386	3/4	162,015	3/4	150,633	3/4	135,662	3/4	120,656	3/4	105,645	3/4	90,619
11		11	192,796	11	182,515	11	172,171	11	161,799	11	150,322	11	135,349	11	120,343	11	105,332	11	90,306
1/4		1/4	192,583	1/4	182,299	1/4	171,955	1/4	161,583	1/4	150,011	1/4	135,037	1/4	120,031	1/4	105,019	1/4	89,993
1/2		1/2	192,370	1/2	182,084	1/2	171,739	1/2	161,367	1/2	149,700	1/2	134,724	1/2	119,718	1/2	104,706	1/2	89,680
3/4		3/4	192,157	3/4	181,868	3/4	171,524	3/4	161,151	3/4	149,389	3/4	134,412	3/4	119,406	3/4	104,393	3/4	89,367

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6630"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	89,054	0	74,029	0	59,003	0	43,987	0	28,975	0	13,950	0		0		0		0	
1/4	88,741	1/4	73,716	1/4	58,690	1/4	43,675	1/4	28,662	1/4	13,637	1/4		1/4		1/4		1/4	
1/2	88,428	1/2	73,402	1/2	58,377	1/2	43,363	1/2	28,349	1/2	13,324	1/2		1/2		1/2		1/2	
3/4	88,115	3/4	73,089	3/4	58,064	3/4	43,050	3/4	28,036	3/4	13,011	3/4		3/4		3/4		3/4	
1	87,802	1	72,776	1	57,751	1	42,738	1	27,723	1	12,698	1		1		1		1	
1/4	87,489	1/4	72,463	1/4	57,438	1/4	42,425	1/4	27,410	1/4	12,385	1/4		1/4		1/4		1/4	
1/2	87,176	1/2	72,150	1/2	57,125	1/2	42,113	1/2	27,097	1/2	12,072	1/2		1/2		1/2		1/2	
3/4	86,863	3/4	71,837	3/4	56,812	3/4	41,800	3/4	26,784	3/4	11,759	3/4		3/4		3/4		3/4	
2	86,550	2	71,524	2	56,499	2	41,488	2	26,471	2	11,446	2		2		2		2	
1/4	86,237	1/4	71,211	1/4	56,186	1/4	41,175	1/4	26,158	1/4	11,133	1/4		1/4		1/4		1/4	
1/2	85,924	1/2	70,898	1/2	55,873	1/2	40,863	1/2	25,845	1/2	10,820	1/2		1/2		1/2		1/2	
3/4	85,611	3/4	70,585	3/4	55,560	3/4	40,551	3/4	25,532	3/4	10,507	3/4		3/4		3/4		3/4	
3	85,298	3	70,272	3	55,247	3	40,238	3	25,219	3	10,194	3		3		3		3	
1/4	84,985	1/4	69,959	1/4	54,934	1/4	39,926	1/4	24,906	1/4	9,881	1/4		1/4		1/4		1/4	
1/2	84,672	1/2	69,646	1/2	54,621	1/2	39,613	1/2	24,593	1/2	9,568	1/2		1/2		1/2		1/2	
3/4	84,359	3/4	69,333	3/4	54,308	3/4	39,301	3/4	24,280	3/4	9,255	3/4		3/4		3/4		3/4	
4	84,046	4	69,020	4	53,995	4	38,988	4	23,967	4	8,942	4		4		4		4	
1/4	83,732	1/4	68,707	1/4	53,682	1/4	38,676	1/4	23,654	1/4	8,629	1/4		1/4		1/4		1/4	
1/2	83,419	1/2	68,394	1/2	53,369	1/2	38,363	1/2	23,341	1/2	8,316	1/2		1/2		1/2		1/2	
3/4	83,106	3/4	68,081	3/4	53,056	3/4	38,051	3/4	23,028	3/4	8,003	3/4		3/4		3/4		3/4	
5	82,793	5	67,768	5	52,742	5	37,738	5	22,715	5	7,690	5		5		5		5	
1/4	82,480	1/4	67,455	1/4	52,429	1/4	37,426	1/4	22,402	1/4	7,376	1/4		1/4		1/4		1/4	
1/2	82,167	1/2	67,142	1/2	52,116	1/2	37,113	1/2	22,089	1/2	7,063	1/2		1/2		1/2		1/2	
3/4	81,854	3/4	66,829	3/4	51,803	3/4	36,800	3/4	21,775	3/4	6,750	3/4		3/4		3/4		3/4	
6	81,541	6	66,516	6	51,490	6	36,487	6	21,462	6	6,437	6		6		6		6	
1/4	81,228	1/4	66,203	1/4	51,177	1/4	36,174	1/4	21,149	1/4	6,124	1/4		1/4		1/4		1/4	
1/2	80,915	1/2	65,890	1/2	50,864	1/2	35,861	1/2	20,836	1/2	5,811	1/2		1/2		1/2		1/2	
3/4	80,602	3/4	65,577	3/4	50,551	3/4	35,548	3/4	20,523	3/4	5,498	3/4		3/4		3/4		3/4	
7	80,289	7	65,264	7	50,238	7	35,235	7	20,210	7	5,185	7		7		7		7	
1/4	79,976	1/4	64,951	1/4	49,925	1/4	34,922	1/4	19,897	1/4	4,873	1/4		1/4		1/4		1/4	
1/2	79,663	1/2	64,638	1/2	49,612	1/2	34,609	1/2	19,584	1/2	4,560	1/2		1/2		1/2		1/2	
3/4	79,350	3/4	64,325	3/4	49,300	3/4	34,296	3/4	19,271	3/4	4,247	3/4		3/4		3/4		3/4	
8	79,037	8	64,012	8	48,987	8	33,983	8	18,958	8	3,934	8		8		8		8	
1/4	78,724	1/4	63,699	1/4	48,674	1/4	33,670	1/4	18,645	1/4	3,622	1/4		1/4		1/4		1/4	
1/2	78,411	1/2	63,386	1/2	48,362	1/2	33,357	1/2	18,332	1/2	3,310	1/2		1/2		1/2		1/2	
3/4	78,098	3/4	63,072	3/4	48,049	3/4	33,044	3/4	18,019	3/4	2,998	3/4		3/4		3/4		3/4	
9	77,785	9	62,759	9	47,737	9	32,731	9	17,706	9	2,686	9		9		9		9	
1/4	77,472	1/4	62,446	1/4	47,424	1/4	32,418	1/4	17,393	1/4	2,373	1/4		1/4		1/4		1/4	
1/2	77,159	1/2	62,133	1/2	47,112	1/2	32,105	1/2	17,080	1/2	2,101	1/2		1/2		1/2		1/2	
3/4	76,846	3/4	61,820	3/4	46,799	3/4	31,792	3/4	16,767	3/4	1,808	3/4		3/4		3/4		3/4	
10	76,533	10	61,507	10	46,487	10	31,479	10	16,454	10	1,516	10		10		10		10	
1/4	76,220	1/4	61,194	1/4	46,174	1/4	31,166	1/4	16,141	1/4	1,294	1/4		1/4		1/4		1/4	
1/2	75,907	1/2	60,881	1/2	45,862	1/2	30,853	1/2	15,828	1/2	1,072	1/2		1/2		1/2		1/2	
3/4	75,594	3/4	60,568	3/4	45,550	3/4	30,540	3/4	15,515	3/4	851	3/4		3/4		3/4		3/4	
11	75,281	11	60,255	11	45,237	11	30,227	11	15,202	11	628	11		11		11		11	
1/4	74,968	1/4	59,942	1/4	44,925	1/4	29,914	1/4	14,889	1/4		1/4		1/4		1/4		1/4	
1/2	74,655	1/2	59,629	1/2	44,612	1/2	29,601	1/2	14,576	1/2		1/2		1/2		1/2		1/2	
3/4	74,342	3/4	59,316	3/4	44,300	3/4	29,288	3/4	14,263	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/30/2020 CL
CALCULATED: 10/01/2020 CL
PRINTED: 10/01/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.dmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2020



BARGE "GBL 6630"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0		0	191,263	0	180,973	0	170,628	0	160,254	0	148,492	0	133,542	0	118,565	0	103,586
1/4		1/4		1/4	191,050	1/4	180,758	1/4	170,412	1/4	160,038	1/4	148,181	1/4	133,230	1/4	118,253	1/4	103,274
1/2		1/2		1/2	190,836	1/2	180,542	1/2	170,196	1/2	159,822	1/2	147,871	1/2	132,918	1/2	117,942	1/2	102,961
3/4		3/4		3/4	190,622	3/4	180,327	3/4	169,980	3/4	159,606	3/4	147,560	3/4	132,605	3/4	117,630	3/4	102,649
1		1		1	190,408	1	180,111	1	169,764	1	159,390	1	147,249	1	132,293	1	117,318	1	102,336
1/4		1/4		1/4	190,194	1/4	179,896	1/4	169,548	1/4	159,174	1/4	146,939	1/4	131,981	1/4	117,006	1/4	102,024
1/2		1/2		1/2	189,980	1/2	179,680	1/2	169,331	1/2	158,957	1/2	146,629	1/2	131,669	1/2	116,695	1/2	101,711
3/4		3/4		3/4	189,766	3/4	179,465	3/4	169,115	3/4	158,741	3/4	146,319	3/4	131,357	3/4	116,383	3/4	101,399
2		2		2	189,552	2	179,249	2	168,899	2	158,525	2	146,008	2	131,045	2	116,071	2	101,086
1/4		1/4		1/4	189,338	1/4	179,033	1/4	168,683	1/4	158,309	1/4	145,698	1/4	130,733	1/4	115,759	1/4	100,774
1/2		1/2		1/2	189,124	1/2	178,818	1/2	168,467	1/2	158,093	1/2	145,388	1/2	130,421	1/2	115,447	1/2	100,461
3/4		3/4		3/4	188,910	3/4	178,602	3/4	168,251	3/4	157,877	3/4	145,078	3/4	130,109	3/4	115,136	3/4	100,149
3		3		3	188,696	3	178,387	3	168,035	3	157,661	3	144,768	3	129,797	3	114,824	3	99,836
1/4		1/4		1/4	188,482	1/4	178,171	1/4	167,819	1/4	157,445	1/4	144,458	1/4	129,485	1/4	114,512	1/4	99,524
1/2		1/2		1/2	188,268	1/2	177,956	1/2	167,602	1/2	157,219	1/2	144,147	1/2	129,173	1/2	114,200	1/2	99,211
3/4		3/4		3/4	188,054	3/4	177,740	3/4	167,386	3/4	156,994	3/4	143,836	3/4	128,861	3/4	113,889	3/4	98,899
4		4		4	187,840	4	177,525	4	167,170	4	156,769	4	143,525	4	128,549	4	113,577	4	98,586
1/4		1/4		1/4	187,626	1/4	177,309	1/4	166,954	1/4	156,544	1/4	143,215	1/4	128,237	1/4	113,265	1/4	98,274
1/2		1/2		1/2	187,412	1/2	177,094	1/2	166,738	1/2	156,303	1/2	142,903	1/2	127,925	1/2	112,953	1/2	97,961
3/4		3/4		3/4	187,198	3/4	176,878	3/4	166,522	3/4	156,063	3/4	142,590	3/4	127,613	3/4	112,641	3/4	97,649
5		5		5	186,984	5	176,663	5	166,306	5	155,823	5	142,278	5	127,301	5	112,330	5	97,336
1/4		1/4		1/4	186,770	1/4	176,447	1/4	166,090	1/4	155,582	1/4	141,966	1/4	126,989	1/4	112,018	1/4	97,024
1/2		1/2		1/2	186,556	1/2	176,232	1/2	165,873	1/2	155,342	1/2	141,654	1/2	126,677	1/2	111,706	1/2	96,711
3/4		3/4		3/4	186,342	3/4	176,016	3/4	165,657	3/4	155,101	3/4	141,342	3/4	126,365	3/4	111,394	3/4	96,399
6		6		6	186,128	6	175,801	6	165,441	6	154,861	6	141,030	6	126,053	6	111,083	6	96,086
1/4		1/4		1/4	185,914	1/4	175,585	1/4	165,225	1/4	154,621	1/4	140,718	1/4	125,741	1/4	110,771	1/4	95,774
1/2		1/2		1/2	185,700	1/2	175,370	1/2	165,009	1/2	154,380	1/2	140,406	1/2	125,429	1/2	110,459	1/2	95,461
3/4		3/4		3/4	185,486	3/4	175,154	3/4	164,793	3/4	154,140	3/4	140,094	3/4	125,117	3/4	110,147	3/4	95,149
7		7		7	185,272	7	174,939	7	164,577	7	153,899	7	139,782	7	124,805	7	109,835	7	94,836
1/4		1/4		1/4	185,058	1/4	174,723	1/4	164,361	1/4	153,659	1/4	139,470	1/4	124,493	1/4	109,523	1/4	94,524
1/2		1/2		1/2	184,844	1/2	174,508	1/2	164,144	1/2	153,419	1/2	139,158	1/2	124,181	1/2	109,211	1/2	94,211
3/4		3/4		3/4	184,630	3/4	174,292	3/4	163,928	3/4	153,178	3/4	138,846	3/4	123,869	3/4	108,898	3/4	93,899
8		8		8	184,416	8	174,077	8	163,712	8	152,938	8	138,534	8	123,557	8	108,586	8	93,586
1/4		1/4		1/4	193,831	1/4	184,202	1/4	173,861	1/4	163,496	1/4	138,222	1/4	123,245	1/4	108,274	1/4	93,274
1/2		1/2		1/2	193,712	1/2	183,987	1/2	173,646	1/2	163,280	1/2	137,910	1/2	122,933	1/2	107,961	1/2	92,961
3/4		3/4		3/4	193,593	3/4	183,773	3/4	173,430	3/4	163,064	3/4	137,598	3/4	122,620	3/4	107,649	3/4	92,649
9		9		9	193,474	9	183,558	9	173,215	9	162,848	9	137,286	9	122,308	9	107,336	9	92,336
1/4		1/4		1/4	193,355	1/4	183,344	1/4	172,999	1/4	162,632	1/4	136,974	1/4	121,996	1/4	107,024	1/4	92,024
1/2		1/2		1/2	193,191	1/2	183,128	1/2	172,784	1/2	162,415	1/2	136,662	1/2	121,684	1/2	106,711	1/2	91,711
3/4		3/4		3/4	193,027	3/4	182,913	3/4	172,568	3/4	162,199	3/4	136,350	3/4	121,372	3/4	106,399	3/4	91,399
10		10		10	192,863	10	182,697	10	172,353	10	161,983	10	136,038	10	121,060	10	106,086	10	91,086
1/4		1/4		1/4	192,700	1/4	182,482	1/4	172,137	1/4	161,767	1/4	135,726	1/4	120,748	1/4	105,774	1/4	90,774
1/2		1/2		1/2	192,500	1/2	182,266	1/2	171,922	1/2	161,551	1/2	135,414	1/2	120,436	1/2	105,461	1/2	90,461
3/4		3/4		3/4	192,301	3/4	182,051	3/4	171,706	3/4	161,335	3/4	135,102	3/4	120,124	3/4	105,149	3/4	90,149
11		11		11	192,101	11	181,835	11	171,491	11	161,119	11	149,736	11	119,812	11	104,836	11	89,836
1/4		1/4		1/4	191,902	1/4	181,620	1/4	171,275	1/4	160,903	1/4	149,425	1/4	119,501	1/4	104,524	1/4	89,524
1/2		1/2		1/2	191,689	1/2	181,404	1/2	171,059	1/2	160,686	1/2	149,114	1/2	119,189	1/2	104,211	1/2	89,212
3/4		3/4		3/4	191,476	3/4	181,189	3/4	170,844	3/4	160,470	3/4	148,803	3/4	118,877	3/4	103,899	3/4	88,901

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6630"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	88,590	0	73,725	0	58,894	0	44,244	0	29,254	0	14,253	0		0		0		0	
1/4	88,278	1/4	73,414	1/4	58,592	1/4	43,932	1/4	28,942	1/4	13,941	1/4		1/4		1/4		1/4	
1/2	87,969	1/2	73,102	1/2	58,291	1/2	43,620	1/2	28,629	1/2	13,628	1/2		1/2		1/2		1/2	
3/4	87,659	3/4	72,790	3/4	57,990	3/4	43,308	3/4	28,317	3/4	13,315	3/4		3/4		3/4		3/4	
1	87,349	1	72,477	1	57,688	1	42,996	1	28,004	1	13,003	1		1		1		1	
1/4	87,040	1/4	72,165	1/4	57,387	1/4	42,684	1/4	27,692	1/4	12,690	1/4		1/4		1/4		1/4	
1/2	86,730	1/2	71,853	1/2	57,085	1/2	42,373	1/2	27,379	1/2	12,378	1/2		1/2		1/2		1/2	
3/4	86,421	3/4	71,540	3/4	56,784	3/4	42,061	3/4	27,066	3/4	12,065	3/4		3/4		3/4		3/4	
2	86,111	2	71,228	2	56,483	2	41,749	2	26,754	2	11,753	2		2		2		2	
1/4	85,801	1/4	70,916	1/4	56,181	1/4	41,437	1/4	26,441	1/4	11,440	1/4		1/4		1/4		1/4	
1/2	85,492	1/2	70,603	1/2	55,880	1/2	41,125	1/2	26,129	1/2	11,127	1/2		1/2		1/2		1/2	
3/4	85,182	3/4	70,291	3/4	55,579	3/4	40,813	3/4	25,816	3/4	10,815	3/4		3/4		3/4		3/4	
3	84,873	3	69,978	3	55,277	3	40,501	3	25,504	3	10,502	3		3		3		3	
1/4	84,563	1/4	69,666	1/4	54,976	1/4	40,189	1/4	25,191	1/4	10,190	1/4		1/4		1/4		1/4	
1/2	84,254	1/2	69,354	1/2	54,674	1/2	39,877	1/2	24,879	1/2	9,877	1/2		1/2		1/2		1/2	
3/4	83,944	3/4	69,042	3/4	54,373	3/4	39,565	3/4	24,566	3/4	9,565	3/4		3/4		3/4		3/4	
4	83,634	4	68,729	4	54,072	4	39,253	4	24,253	4	9,252	4		4		4		4	
1/4	83,325	1/4	68,417	1/4	53,770	1/4	38,941	1/4	23,941	1/4	8,939	1/4		1/4		1/4		1/4	
1/2	83,015	1/2	68,105	1/2	53,469	1/2	38,629	1/2	23,628	1/2	8,627	1/2		1/2		1/2		1/2	
3/4	82,706	3/4	67,793	3/4	53,168	3/4	38,317	3/4	23,316	3/4	8,314	3/4		3/4		3/4		3/4	
5	82,396	5	67,480	5	52,866	5	38,005	5	23,003	5	8,002	5		5		5		5	
1/4	82,087	1/4	67,168	1/4	52,565	1/4	37,693	1/4	22,691	1/4	7,689	1/4		1/4		1/4		1/4	
1/2	81,777	1/2	66,856	1/2	52,263	1/2	37,380	1/2	22,378	1/2	7,376	1/2		1/2		1/2		1/2	
3/4	81,467	3/4	66,544	3/4	51,962	3/4	37,068	3/4	22,066	3/4	7,063	3/4		3/4		3/4		3/4	
6	81,158	6	66,232	6	51,661	6	36,756	6	21,753	6	6,750	6		6		6		6	
1/4	80,848	1/4	65,919	1/4	51,359	1/4	36,443	1/4	21,440	1/4	6,438	1/4		1/4		1/4		1/4	
1/2	80,539	1/2	65,607	1/2	51,057	1/2	36,131	1/2	21,128	1/2	6,125	1/2		1/2		1/2		1/2	
3/4	80,229	3/4	65,295	3/4	50,755	3/4	35,818	3/4	20,816	3/4	5,812	3/4		3/4		3/4		3/4	
7	79,920	7	64,982	7	50,453	7	35,506	7	20,503	7	5,498	7		7		7		7	
1/4	79,610	1/4	64,670	1/4	50,151	1/4	35,193	1/4	20,191	1/4	5,185	1/4		1/4		1/4		1/4	
1/2	79,300	1/2	64,360	1/2	49,844	1/2	34,881	1/2	19,878	1/2	4,873	1/2		1/2		1/2		1/2	
3/4	78,991	3/4	64,051	3/4	49,538	3/4	34,568	3/4	19,566	3/4	4,560	3/4		3/4		3/4		3/4	
8	78,681	8	63,741	8	49,231	8	34,255	8	19,254	8	4,247	8		8		8		8	
1/4	78,372	1/4	63,431	1/4	48,924	1/4	33,943	1/4	18,941	1/4	3,934	1/4		1/4		1/4		1/4	
1/2	78,062	1/2	63,127	1/2	48,612	1/2	33,630	1/2	18,629	1/2	3,622	1/2		1/2		1/2		1/2	
3/4	77,753	3/4	62,822	3/4	48,300	3/4	33,318	3/4	18,316	3/4	3,310	3/4		3/4		3/4		3/4	
9	77,443	9	62,518	9	47,988	9	33,005	9	18,004	9	2,997	9		9		9		9	
1/4	77,133	1/4	62,213	1/4	47,676	1/4	32,693	1/4	17,691	1/4	2,685	1/4		1/4		1/4		1/4	
1/2	76,824	1/2	61,911	1/2	47,364	1/2	32,380	1/2	17,379	1/2	2,393	1/2		1/2		1/2		1/2	
3/4	76,514	3/4	61,608	3/4	47,052	3/4	32,068	3/4	17,066	3/4	2,100	3/4		3/4		3/4		3/4	
10	76,205	10	61,306	10	46,740	10	31,755	10	16,754	10	1,808	10		10		10		10	
1/4	75,895	1/4	61,003	1/4	46,428	1/4	31,442	1/4	16,441	1/4	1,515	1/4		1/4		1/4		1/4	
1/2	75,585	1/2	60,702	1/2	46,116	1/2	31,130	1/2	16,128	1/2	1,293	1/2		1/2		1/2		1/2	
3/4	75,276	3/4	60,401	3/4	45,804	3/4	30,817	3/4	15,816	3/4	1,072	3/4		3/4		3/4		3/4	
11	74,966	11	60,099	11	45,492	11	30,505	11	15,503	11	850	11		11		11		11	
1/4	74,657	1/4	59,798	1/4	45,180	1/4	30,192	1/4	15,191	1/4	629	1/4		1/4		1/4		1/4	
1/2	74,346	1/2	59,496	1/2	44,868	1/2	29,880	1/2	14,878	1/2		1/2		1/2		1/2		1/2	
3/4	74,036	3/4	59,195	3/4	44,556	3/4	29,567	3/4	14,566	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 09/30/2020 CL
CALCULATED: 10/01/2020 CL
PRINTED: 10/01/2020 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.dmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 10/2020