

**BARGE "GBL 730"  
HULL NO. 02-2969**

**1 PORT  
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	11.79	0	272.34	0	577.86	0	889.52	0	1,201.23	0	1,512.93	0	1,824.61	0	2,136.33	0	2,448.04	0	2,759.74
1/4	14.39	1/4	278.33	1/4	584.35	1/4	896.01	1/4	1,207.72	1/4	1,519.42	1/4	1,831.11	1/4	2,142.82	1/4	2,454.53	1/4	2,766.23
1/2	18.71	1/2	284.40	1/2	590.85	1/2	902.51	1/2	1,214.22	1/2	1,525.91	1/2	1,837.60	1/2	2,149.31	1/2	2,461.03	1/2	2,772.72
3/4	23.03	3/4	290.46	3/4	597.34	3/4	909.00	3/4	1,220.71	3/4	1,532.41	3/4	1,844.10	3/4	2,155.81	3/4	2,467.52	3/4	2,779.22
1	27.35	1	296.53	1	603.83	1	915.49	1	1,227.21	1	1,538.90	1	1,850.59	1	2,162.30	1	2,474.01	1	2,785.71
1/4	31.67	1/4	302.60	1/4	610.32	1/4	921.99	1/4	1,233.70	1/4	1,545.39	1/4	1,857.08	1/4	2,168.80	1/4	2,480.51	1/4	2,792.20
1/2	36.89	1/2	308.74	1/2	616.81	1/2	928.48	1/2	1,240.19	1/2	1,551.89	1/2	1,863.58	1/2	2,175.29	1/2	2,487.00	1/2	2,798.70
3/4	42.11	3/4	314.88	3/4	623.30	3/4	934.98	3/4	1,246.69	3/4	1,558.38	3/4	1,870.07	3/4	2,181.78	3/4	2,493.50	3/4	2,805.19
2	47.33	2	321.03	2	629.79	2	941.47	2	1,253.18	2	1,564.87	2	1,876.57	2	2,188.28	2	2,499.99	2	2,811.68
1/4	52.55	1/4	327.17	1/4	636.28	1/4	947.96	1/4	1,259.68	1/4	1,571.36	1/4	1,883.06	1/4	2,194.77	1/4	2,506.48	1/4	2,818.18
1/2	57.85	1/2	333.39	1/2	642.77	1/2	954.46	1/2	1,266.17	1/2	1,577.86	1/2	1,889.55	1/2	2,201.27	1/2	2,512.98	1/2	2,824.67
3/4	63.15	3/4	339.61	3/4	649.26	3/4	960.95	3/4	1,272.66	3/4	1,584.35	3/4	1,896.05	3/4	2,207.76	3/4	2,519.47	3/4	2,831.16
3	68.45	3	345.83	3	655.76	3	967.45	3	1,279.16	3	1,590.84	3	1,902.54	3	2,214.25	3	2,525.97	3	2,837.66
1/4	73.75	1/4	352.05	1/4	662.25	1/4	973.94	1/4	1,285.65	1/4	1,597.34	1/4	1,909.04	1/4	2,220.75	1/4	2,532.46	1/4	2,844.15
1/2	79.12	1/2	358.35	1/2	668.74	1/2	980.43	1/2	1,292.15	1/2	1,603.83	1/2	1,915.53	1/2	2,227.24	1/2	2,538.95	1/2	2,850.64
3/4	84.50	3/4	364.65	3/4	675.23	3/4	986.93	3/4	1,298.64	3/4	1,610.32	3/4	1,922.02	3/4	2,233.74	3/4	2,545.45	3/4	2,857.14
4	89.88	4	370.94	4	681.72	4	993.42	4	1,305.13	4	1,616.82	4	1,928.52	4	2,240.23	4	2,551.94	4	2,863.63
1/4	95.25	1/4	377.24	1/4	688.21	1/4	999.92	1/4	1,311.63	1/4	1,623.31	1/4	1,935.01	1/4	2,246.72	1/4	2,558.44	1/4	2,870.12
1/2	100.70	1/2	383.62	1/2	694.70	1/2	1,006.41	1/2	1,318.12	1/2	1,629.80	1/2	1,941.51	1/2	2,253.22	1/2	2,564.93	1/2	2,876.62
3/4	106.16	3/4	389.99	3/4	701.19	3/4	1,012.90	3/4	1,324.62	3/4	1,636.29	3/4	1,948.00	3/4	2,259.71	3/4	2,571.42	3/4	2,883.11
5	111.61	5	396.36	5	707.69	5	1,019.40	5	1,331.11	5	1,642.79	5	1,954.49	5	2,266.21	5	2,577.92	5	2,889.60
1/4	117.06	1/4	402.74	1/4	714.18	1/4	1,025.89	1/4	1,337.60	1/4	1,649.28	1/4	1,960.99	1/4	2,272.70	1/4	2,584.41	1/4	2,896.10
1/2	122.59	1/2	409.19	1/2	720.67	1/2	1,032.39	1/2	1,344.10	1/2	1,655.77	1/2	1,967.48	1/2	2,279.19	1/2	2,590.91	1/2	2,902.59
3/4	128.12	3/4	415.64	3/4	727.17	3/4	1,038.88	3/4	1,350.59	3/4	1,662.27	3/4	1,973.98	3/4	2,285.69	3/4	2,597.40	3/4	2,909.09
6	133.65	6	422.09	6	733.66	6	1,045.37	6	1,357.09	6	1,668.76	6	1,980.47	6	2,292.18	6	2,603.89	6	2,915.58
1/4	139.18	1/4	428.54	1/4	740.16	1/4	1,051.87	1/4	1,363.58	1/4	1,675.25	1/4	1,986.96	1/4	2,298.68	1/4	2,610.39	1/4	2,922.07
1/2	144.78	1/2	435.03	1/2	746.65	1/2	1,058.36	1/2	1,370.07	1/2	1,681.75	1/2	1,993.46	1/2	2,305.17	1/2	2,616.88	1/2	2,928.57
3/4	150.39	3/4	441.53	3/4	753.14	3/4	1,064.86	3/4	1,376.57	3/4	1,688.24	3/4	1,999.95	3/4	2,311.66	3/4	2,623.38	3/4	2,935.06
7	156.00	7	448.02	7	759.64	7	1,071.35	7	1,383.06	7	1,694.73	7	2,006.45	7	2,318.16	7	2,629.87	7	2,941.55
1/4	161.60	1/4	454.52	1/4	766.13	1/4	1,077.84	1/4	1,389.56	1/4	1,701.23	1/4	2,012.94	1/4	2,324.65	1/4	2,636.36	1/4	2,948.05
1/2	167.28	1/2	461.01	1/2	772.63	1/2	1,084.34	1/2	1,396.05	1/2	1,707.72	1/2	2,019.43	1/2	2,331.15	1/2	2,642.86	1/2	2,954.54
3/4	172.97	3/4	467.50	3/4	779.12	3/4	1,090.83	3/4	1,402.54	3/4	1,714.22	3/4	2,025.93	3/4	2,337.64	3/4	2,649.35	3/4	2,961.03
8	178.65	8	474.00	8	785.61	8	1,097.33	8	1,409.04	8	1,720.71	8	2,032.42	8	2,344.13	8	2,655.84	8	2,967.53
1/4	184.33	1/4	480.49	1/4	792.11	1/4	1,103.82	1/4	1,415.53	1/4	1,727.20	1/4	2,038.92	1/4	2,350.63	1/4	2,662.34	1/4	2,974.02
1/2	190.09	1/2	486.99	1/2	798.60	1/2	1,110.31	1/2	1,422.03	1/2	1,733.70	1/2	2,045.41	1/2	2,357.12	1/2	2,668.83	1/2	2,980.51
3/4	195.85	3/4	493.48	3/4	805.10	3/4	1,116.81	3/4	1,428.52	3/4	1,740.19	3/4	2,051.90	3/4	2,363.62	3/4	2,675.32	3/4	2,987.01
9	201.61	9	499.97	9	811.59	9	1,123.30	9	1,435.01	9	1,746.69	9	2,058.40	9	2,370.11	9	2,681.82	9	2,993.50
1/4	207.37	1/4	506.46	1/4	818.08	1/4	1,129.80	1/4	1,441.50	1/4	1,753.18	1/4	2,064.89	1/4	2,376.60	1/4	2,688.31	1/4	2,999.99
1/2	213.21	1/2	512.95	1/2	824.58	1/2	1,136.29	1/2	1,448.00	1/2	1,759.67	1/2	2,071.39	1/2	2,383.10	1/2	2,694.80	1/2	3,006.49
3/4	219.04	3/4	519.44	3/4	831.07	3/4	1,142.78	3/4	1,454.49	3/4	1,766.17	3/4	2,077.88	3/4	2,389.59	3/4	2,701.30	3/4	3,012.98
10	224.88	10	525.94	10	837.57	10	1,149.28	10	1,460.98	10	1,772.66	10	2,084.37	10	2,396.09	10	2,707.79	10	3,019.47
1/4	230.72	1/4	532.43	1/4	844.06	1/4	1,155.77	1/4	1,467.48	1/4	1,779.16	1/4	2,090.87	1/4	2,402.58	1/4	2,714.28	1/4	3,025.97
1/2	236.63	1/2	538.92	1/2	850.55	1/2	1,162.27	1/2	1,473.97	1/2	1,785.65	1/2	2,097.36	1/2	2,409.07	1/2	2,720.78	1/2	3,032.46
3/4	242.54	3/4	545.41	3/4	857.05	3/4	1,168.76	3/4	1,480.46	3/4	1,792.14	3/4	2,103.86	3/4	2,415.57	3/4	2,727.27	3/4	3,038.95
11	248.46	11	551.90	11	863.54	11	1,175.25	11	1,486.96	11	1,798.64	11	2,110.35	11	2,422.06	11	2,733.76	11	3,045.45
1/4	254.37	1/4	558.39	1/4	870.04	1/4	1,181.75	1/4	1,493.45	1/4	1,805.13	1/4	2,116.84	1/4	2,428.56	1/4	2,740.26	1/4	3,051.94
1/2	260.36	1/2	564.88	1/2	876.53	1/2	1,188.24	1/2	1,499.94	1/2	1,811.63	1/2	2,123.34	1/2	2,435.05	1/2	2,746.75	1/2	3,058.43
3/4	266.35	3/4	571.37	3/4	883.02	3/4	1,194.74	3/4	1,506.43	3/4	1,818.12	3/4	2,129.83	3/4	2,441.54	3/4	2,753.24	3/4	3,064.93

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.  
NOTE: GAUGE POINT LOCATED 12'- 0" OFF CENTERLINE AND 39'- 0" FORWARD OF AFT. BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.  
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/2" ABOVE TANK BOTTOM.

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

*Caleb Brett*

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 16'- 4 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,071.42	0	3,383.10	0	3,694.79	0	4,006.47	0	4,316.39	0	4,575.36	0		0		0		0	
1/4	3,077.91	1/4	3,389.60	1/4	3,701.28	1/4	4,012.96	1/4	4,322.84	1/4	4,576.90	1/4		1/4		1/4		1/4	
1/2	3,084.41	1/2	3,396.09	1/2	3,707.77	1/2	4,019.42	1/2	4,329.30	1/2	4,577.36	1/2		1/2		1/2		1/2	
3/4	3,090.90	3/4	3,402.58	3/4	3,714.27	3/4	4,025.87	3/4	4,335.75	3/4	4,577.82	3/4		3/4		3/4		3/4	
1	3,097.39	1	3,409.08	1	3,720.76	1	4,032.33	1	4,342.21	1	4,578.29	1		1		1		1	
1/4	3,103.89	1/4	3,415.57	1/4	3,727.25	1/4	4,038.79	1/4	4,348.66	1/4	4,578.75	1/4		1/4		1/4		1/4	
1/2	3,110.38	1/2	3,422.06	1/2	3,733.75	1/2	4,045.24	1/2	4,355.12	1/2		1/2		1/2		1/2		1/2	
3/4	3,116.87	3/4	3,428.56	3/4	3,740.24	3/4	4,051.70	3/4	4,361.58	3/4		3/4		3/4		3/4		3/4	
2	3,123.37	2	3,435.05	2	3,746.73	2	4,058.15	2	4,368.03	2		2		2		2		2	
1/4	3,129.86	1/4	3,441.54	1/4	3,753.23	1/4	4,064.61	1/4	4,374.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,136.35	1/2	3,448.04	1/2	3,759.72	1/2	4,071.07	1/2	4,380.90	1/2		1/2		1/2		1/2		1/2	
3/4	3,142.85	3/4	3,454.53	3/4	3,766.21	3/4	4,077.52	3/4	4,387.31	3/4		3/4		3/4		3/4		3/4	
3	3,149.34	3	3,461.02	3	3,772.71	3	4,083.98	3	4,393.73	3		3		3		3		3	
1/4	3,155.83	1/4	3,467.51	1/4	3,779.20	1/4	4,090.43	1/4	4,400.14	1/4		1/4		1/4		1/4		1/4	
1/2	3,162.33	1/2	3,474.01	1/2	3,785.69	1/2	4,096.89	1/2	4,406.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,168.82	3/4	3,480.50	3/4	3,792.19	3/4	4,103.34	3/4	4,412.97	3/4		3/4		3/4		3/4		3/4	
4	3,175.31	4	3,487.00	4	3,798.68	4	4,109.80	4	4,419.38	4		4		4		4		4	
1/4	3,181.81	1/4	3,493.49	1/4	3,805.17	1/4	4,116.26	1/4	4,425.79	1/4		1/4		1/4		1/4		1/4	
1/2	3,188.30	1/2	3,499.98	1/2	3,811.67	1/2	4,122.71	1/2	4,432.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,194.79	3/4	3,506.48	3/4	3,818.16	3/4	4,129.17	3/4	4,438.62	3/4		3/4		3/4		3/4		3/4	
5	3,201.29	5	3,512.97	5	3,824.65	5	4,135.62	5	4,445.03	5		5		5		5		5	
1/4	3,207.78	1/4	3,519.46	1/4	3,831.15	1/4	4,142.08	1/4	4,451.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,214.27	1/2	3,525.96	1/2	3,837.64	1/2	4,148.53	1/2	4,457.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,220.77	3/4	3,532.45	3/4	3,844.13	3/4	4,154.99	3/4	4,464.27	3/4		3/4		3/4		3/4		3/4	
6	3,227.26	6	3,538.94	6	3,850.63	6	4,161.45	6	4,470.69	6		6		6		6		6	
1/4	3,233.76	1/4	3,545.44	1/4	3,857.12	1/4	4,167.90	1/4	4,477.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,240.25	1/2	3,551.93	1/2	3,863.61	1/2	4,174.36	1/2	4,483.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,246.74	3/4	3,558.43	3/4	3,870.11	3/4	4,180.81	3/4	4,489.93	3/4		3/4		3/4		3/4		3/4	
7	3,253.24	7	3,564.92	7	3,876.60	7	4,187.27	7	4,496.34	7		7		7		7		7	
1/4	3,259.73	1/4	3,571.41	1/4	3,883.10	1/4	4,193.73	1/4	4,502.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,266.22	1/2	3,577.91	1/2	3,889.59	1/2	4,200.18	1/2	4,508.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,272.72	3/4	3,584.40	3/4	3,896.08	3/4	4,206.64	3/4	4,514.50	3/4		3/4		3/4		3/4		3/4	
8	3,279.21	8	3,590.89	8	3,902.58	8	4,213.09	8	4,520.37	8		8		8		8		8	
1/4	3,285.70	1/4	3,597.39	1/4	3,909.07	1/4	4,219.55	1/4	4,526.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,292.20	1/2	3,603.88	1/2	3,915.56	1/2	4,226.00	1/2	4,531.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,298.69	3/4	3,610.37	3/4	3,922.06	3/4	4,232.46	3/4	4,535.82	3/4		3/4		3/4		3/4		3/4	
9	3,305.18	9	3,616.87	9	3,928.55	9	4,238.92	9	4,540.61	9		9		9		9		9	
1/4	3,311.68	1/4	3,623.36	1/4	3,935.04	1/4	4,245.37	1/4	4,545.40	1/4		1/4		1/4		1/4		1/4	
1/2	3,318.17	1/2	3,629.85	1/2	3,941.54	1/2	4,251.83	1/2	4,549.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,324.66	3/4	3,636.35	3/4	3,948.03	3/4	4,258.28	3/4	4,552.82	3/4		3/4		3/4		3/4		3/4	
10	3,331.16	10	3,642.84	10	3,954.52	10	4,264.74	10	4,556.52	10		10		10		10		10	
1/4	3,337.65	1/4	3,649.33	1/4	3,961.02	1/4	4,271.20	1/4	4,560.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,344.14	1/2	3,655.83	1/2	3,967.51	1/2	4,277.65	1/2	4,562.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,350.64	3/4	3,662.32	3/4	3,974.00	3/4	4,284.11	3/4	4,565.48	3/4		3/4		3/4		3/4		3/4	
11	3,357.13	11	3,668.81	11	3,980.50	11	4,290.56	11	4,568.11	11		11		11		11		11	
1/4	3,363.62	1/4	3,675.31	1/4	3,986.99	1/4	4,297.02	1/4	4,570.73	1/4		1/4		1/4		1/4		1/4	
1/2	3,370.12	1/2	3,681.80	1/2	3,993.48	1/2	4,303.47	1/2	4,572.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,376.61	3/4	3,688.29	3/4	3,999.98	3/4	4,309.93	3/4	4,573.82	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03



**BARGE "GBL 730"**  
**HULL NO. 02-2969**

**1 STBD**  
**INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	11.79	0	272.37	0	577.94	0	889.63	0	1,201.38	0	1,513.01	0	1,824.57	0	2,136.32	0	2,448.07	0	2,759.81
1/4	14.39	1/4	278.36	1/4	584.43	1/4	896.12	1/4	1,207.87	1/4	1,519.50	1/4	1,831.06	1/4	2,142.81	1/4	2,454.56	1/4	2,766.30
1/2	18.71	1/2	284.43	1/2	590.92	1/2	902.62	1/2	1,214.37	1/2	1,525.98	1/2	1,837.56	1/2	2,149.31	1/2	2,461.06	1/2	2,772.79
3/4	23.03	3/4	290.50	3/4	597.41	3/4	909.11	3/4	1,220.86	3/4	1,532.47	3/4	1,844.05	3/4	2,155.80	3/4	2,467.55	3/4	2,779.29
1	27.35	1	296.57	1	603.90	1	915.61	1	1,227.36	1	1,538.96	1	1,850.55	1	2,162.30	1	2,474.05	1	2,785.78
1/4	31.67	1/4	302.63	1/4	610.39	1/4	922.10	1/4	1,233.85	1/4	1,545.45	1/4	1,857.04	1/4	2,168.79	1/4	2,480.54	1/4	2,792.28
1/2	36.89	1/2	308.78	1/2	616.89	1/2	928.60	1/2	1,240.35	1/2	1,551.94	1/2	1,863.54	1/2	2,175.29	1/2	2,487.04	1/2	2,798.77
3/4	42.11	3/4	314.92	3/4	623.38	3/4	935.09	3/4	1,246.84	3/4	1,558.42	3/4	1,870.03	3/4	2,181.78	3/4	2,493.53	3/4	2,805.26
2	47.34	2	321.07	2	629.87	2	941.59	2	1,253.34	2	1,564.91	2	1,876.53	2	2,188.28	2	2,500.03	2	2,811.76
1/4	52.56	1/4	327.21	1/4	636.36	1/4	948.08	1/4	1,259.83	1/4	1,571.40	1/4	1,883.02	1/4	2,194.77	1/4	2,506.52	1/4	2,818.25
1/2	57.86	1/2	333.43	1/2	642.85	1/2	954.58	1/2	1,266.33	1/2	1,577.89	1/2	1,889.52	1/2	2,201.27	1/2	2,513.02	1/2	2,824.75
3/4	63.16	3/4	339.65	3/4	649.34	3/4	961.07	3/4	1,272.82	3/4	1,584.37	3/4	1,896.01	3/4	2,207.76	3/4	2,519.51	3/4	2,831.24
3	68.46	3	345.87	3	655.84	3	967.57	3	1,279.32	3	1,590.86	3	1,902.51	3	2,214.26	3	2,526.01	3	2,837.74
1/4	73.76	1/4	352.10	1/4	662.33	1/4	974.06	1/4	1,285.81	1/4	1,597.35	1/4	1,909.00	1/4	2,220.75	1/4	2,532.50	1/4	2,844.23
1/2	79.13	1/2	358.39	1/2	668.82	1/2	980.56	1/2	1,292.31	1/2	1,603.84	1/2	1,915.49	1/2	2,227.25	1/2	2,539.00	1/2	2,850.72
3/4	84.51	3/4	364.69	3/4	675.31	3/4	987.05	3/4	1,298.80	3/4	1,610.33	3/4	1,921.99	3/4	2,233.74	3/4	2,545.49	3/4	2,857.22
4	89.89	4	370.99	4	681.80	4	993.55	4	1,305.30	4	1,616.81	4	1,928.48	4	2,240.23	4	2,551.99	4	2,863.71
1/4	95.26	1/4	377.29	1/4	688.30	1/4	1,000.04	1/4	1,311.79	1/4	1,623.30	1/4	1,934.98	1/4	2,246.73	1/4	2,558.48	1/4	2,870.21
1/2	100.72	1/2	383.66	1/2	694.79	1/2	1,006.53	1/2	1,318.29	1/2	1,629.79	1/2	1,941.47	1/2	2,253.22	1/2	2,564.97	1/2	2,876.70
3/4	106.17	3/4	390.04	3/4	701.28	3/4	1,013.03	3/4	1,324.78	3/4	1,636.28	3/4	1,947.97	3/4	2,259.72	3/4	2,571.47	3/4	2,883.19
5	111.62	5	396.41	5	707.77	5	1,019.52	5	1,331.27	5	1,642.76	5	1,954.46	5	2,266.21	5	2,577.96	5	2,889.69
1/4	117.08	1/4	402.79	1/4	714.27	1/4	1,026.02	1/4	1,337.77	1/4	1,649.25	1/4	1,960.96	1/4	2,272.71	1/4	2,584.46	1/4	2,896.18
1/2	122.61	1/2	409.24	1/2	720.76	1/2	1,032.51	1/2	1,344.26	1/2	1,655.74	1/2	1,967.45	1/2	2,279.20	1/2	2,590.95	1/2	2,902.68
3/4	128.14	3/4	415.69	3/4	727.26	3/4	1,039.01	3/4	1,350.76	3/4	1,662.23	3/4	1,973.95	3/4	2,285.70	3/4	2,597.45	3/4	2,909.17
6	133.66	6	422.14	6	733.75	6	1,045.50	6	1,357.25	6	1,668.72	6	1,980.44	6	2,292.19	6	2,603.94	6	2,915.67
1/4	139.19	1/4	428.59	1/4	740.25	1/4	1,052.00	1/4	1,363.75	1/4	1,675.20	1/4	1,986.94	1/4	2,298.69	1/4	2,610.44	1/4	2,922.16
1/2	144.80	1/2	435.09	1/2	746.74	1/2	1,058.49	1/2	1,370.24	1/2	1,681.69	1/2	1,993.43	1/2	2,305.18	1/2	2,616.93	1/2	2,928.65
3/4	150.41	3/4	441.58	3/4	753.24	3/4	1,064.99	3/4	1,376.74	3/4	1,688.18	3/4	1,999.93	3/4	2,311.68	3/4	2,623.43	3/4	2,935.15
7	156.01	7	448.08	7	759.73	7	1,071.48	7	1,383.23	7	1,694.68	7	2,006.42	7	2,318.17	7	2,629.92	7	2,941.64
1/4	161.62	1/4	454.57	1/4	766.23	1/4	1,077.98	1/4	1,389.73	1/4	1,701.17	1/4	2,012.92	1/4	2,324.67	1/4	2,636.42	1/4	2,948.14
1/2	167.31	1/2	461.07	1/2	772.72	1/2	1,084.47	1/2	1,396.22	1/2	1,707.66	1/2	2,019.41	1/2	2,331.16	1/2	2,642.91	1/2	2,954.63
3/4	172.99	3/4	467.56	3/4	779.22	3/4	1,090.97	3/4	1,402.71	3/4	1,714.16	3/4	2,025.91	3/4	2,337.66	3/4	2,649.40	3/4	2,961.13
8	178.67	8	474.06	8	785.71	8	1,097.46	8	1,409.20	8	1,720.65	8	2,032.40	8	2,344.15	8	2,655.90	8	2,967.62
1/4	184.36	1/4	480.55	1/4	792.21	1/4	1,103.96	1/4	1,415.69	1/4	1,727.15	1/4	2,038.90	1/4	2,350.65	1/4	2,662.39	1/4	2,974.11
1/2	190.12	1/2	487.05	1/2	798.70	1/2	1,110.45	1/2	1,422.18	1/2	1,733.64	1/2	2,045.39	1/2	2,357.14	1/2	2,668.89	1/2	2,980.61
3/4	195.88	3/4	493.54	3/4	805.20	3/4	1,116.95	3/4	1,428.67	3/4	1,740.14	3/4	2,051.89	3/4	2,363.64	3/4	2,675.38	3/4	2,987.10
9	201.64	9	500.03	9	811.69	9	1,123.44	9	1,435.15	9	1,746.63	9	2,058.38	9	2,370.13	9	2,681.87	9	2,993.60
1/4	207.40	1/4	506.53	1/4	818.19	1/4	1,129.94	1/4	1,441.64	1/4	1,753.12	1/4	2,064.88	1/4	2,376.63	1/4	2,688.37	1/4	3,000.09
1/2	213.23	1/2	513.02	1/2	824.68	1/2	1,136.43	1/2	1,448.13	1/2	1,759.62	1/2	2,071.37	1/2	2,383.12	1/2	2,694.86	1/2	3,006.58
3/4	219.07	3/4	519.51	3/4	831.18	3/4	1,142.93	3/4	1,454.62	3/4	1,766.11	3/4	2,077.86	3/4	2,389.62	3/4	2,701.36	3/4	3,013.08
10	224.91	10	526.00	10	837.67	10	1,149.42	10	1,461.11	10	1,772.61	10	2,084.36	10	2,396.11	10	2,707.85	10	3,019.57
1/4	230.75	1/4	532.49	1/4	844.16	1/4	1,155.92	1/4	1,467.59	1/4	1,779.10	1/4	2,090.85	1/4	2,402.60	1/4	2,714.35	1/4	3,026.07
1/2	236.66	1/2	538.98	1/2	850.66	1/2	1,162.41	1/2	1,474.08	1/2	1,785.60	1/2	2,097.35	1/2	2,409.10	1/2	2,720.84	1/2	3,032.56
3/4	242.57	3/4	545.48	3/4	857.15	3/4	1,168.90	3/4	1,480.57	3/4	1,792.09	3/4	2,103.84	3/4	2,415.59	3/4	2,727.33	3/4	3,039.06
11	248.49	11	551.97	11	863.65	11	1,175.40	11	1,487.06	11	1,798.59	11	2,110.34	11	2,422.09	11	2,733.83	11	3,045.55
1/4	254.40	1/4	558.46	1/4	870.14	1/4	1,181.89	1/4	1,493.54	1/4	1,805.08	1/4	2,116.83	1/4	2,428.58	1/4	2,740.32	1/4	3,052.04
1/2	260.39	1/2	564.95	1/2	876.64	1/2	1,188.39	1/2	1,500.03	1/2	1,811.58	1/2	2,123.33	1/2	2,435.08	1/2	2,746.82	1/2	3,058.54
3/4	266.38	3/4	571.44	3/4	883.13	3/4	1,194.88	3/4	1,506.52	3/4	1,818.07	3/4	2,129.82	3/4	2,441.57	3/4	2,753.31	3/4	3,065.03

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

- NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
- NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.
- NOTE: GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 39'- 0" FORWARD OF AFT. BULKHEAD.
- NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
- NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.
- NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/2" ABOVE TANK BOTTOM.

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

**ITS - CALEB BRETT**  
*Caleb Brett*

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,071.53	0	3,383.25	0	3,694.97	0	4,006.69	0	4,316.65	0	4,576.34	0		0		0		0	
1/4	3,078.02	1/4	3,389.74	1/4	3,701.46	1/4	4,013.19	1/4	4,323.10	1/4	4,577.88	1/4		1/4		1/4		1/4	
1/2	3,084.52	1/2	3,396.24	1/2	3,707.96	1/2	4,019.64	1/2	4,329.56	1/2	4,578.34	1/2		1/2		1/2		1/2	
3/4	3,091.01	3/4	3,402.73	3/4	3,714.45	3/4	4,026.10	3/4	4,336.02	3/4	4,578.80	3/4		3/4		3/4		3/4	
1	3,097.50	1	3,409.23	1	3,720.95	1	4,032.56	1	4,342.47	1	4,579.26	1		1		1		1	
1/4	3,104.00	1/4	3,415.74	1/4	3,727.44	1/4	4,039.01	1/4	4,348.93	1/4	4,579.72	1/4		1/4		1/4		1/4	
1/2	3,110.49	1/2	3,422.21	1/2	3,733.94	1/2	4,045.47	1/2	4,355.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,116.99	3/4	3,428.71	3/4	3,740.43	3/4	4,051.93	3/4	4,361.84	3/4		3/4		3/4		3/4		3/4	
2	3,123.48	2	3,435.20	2	3,746.92	2	4,058.38	2	4,368.30	2		2		2		2		2	
1/4	3,129.97	1/4	3,441.70	1/4	3,753.42	1/4	4,064.84	1/4	4,374.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,136.47	1/2	3,448.19	1/2	3,759.91	1/2	4,071.30	1/2	4,381.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,142.96	3/4	3,454.68	3/4	3,766.41	3/4	4,077.75	3/4	4,387.67	3/4		3/4		3/4		3/4		3/4	
3	3,149.46	3	3,461.18	3	3,772.90	3	4,084.21	3	4,394.13	3		3		3		3		3	
1/4	3,155.95	1/4	3,467.67	1/4	3,779.39	1/4	4,090.66	1/4	4,400.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,162.45	1/2	3,474.17	1/2	3,785.89	1/2	4,097.12	1/2	4,407.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,168.94	3/4	3,480.66	3/4	3,792.38	3/4	4,103.58	3/4	4,413.49	3/4		3/4		3/4		3/4		3/4	
4	3,175.43	4	3,487.16	4	3,798.88	4	4,110.03	4	4,419.95	4		4		4		4		4	
1/4	3,181.93	1/4	3,493.65	1/4	3,805.37	1/4	4,116.49	1/4	4,426.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,188.42	1/2	3,500.14	1/2	3,811.87	1/2	4,122.95	1/2	4,432.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,194.92	3/4	3,506.64	3/4	3,818.36	3/4	4,129.40	3/4	4,439.32	3/4		3/4		3/4		3/4		3/4	
5	3,201.41	5	3,513.13	5	3,824.85	5	4,135.86	5	4,445.78	5		5		5		5		5	
1/4	3,207.90	1/4	3,519.63	1/4	3,831.35	1/4	4,142.32	1/4	4,452.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,214.40	1/2	3,526.12	1/2	3,837.84	1/2	4,148.77	1/2	4,458.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,220.89	3/4	3,532.61	3/4	3,844.34	3/4	4,155.23	3/4	4,465.15	3/4		3/4		3/4		3/4		3/4	
6	3,227.39	6	3,539.11	6	3,850.83	6	4,161.69	6	4,471.60	6		6		6		6		6	
1/4	3,233.88	1/4	3,545.60	1/4	3,857.32	1/4	4,168.14	1/4	4,478.06	1/4		1/4		1/4		1/4		1/4	
1/2	3,240.38	1/2	3,552.10	1/2	3,863.82	1/2	4,174.60	1/2	4,484.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,246.87	3/4	3,558.59	3/4	3,870.31	3/4	4,181.06	3/4	4,490.89	3/4		3/4		3/4		3/4		3/4	
7	3,253.36	7	3,565.09	7	3,876.81	7	4,187.51	7	4,497.30	7		7		7		7		7	
1/4	3,259.86	1/4	3,571.58	1/4	3,883.30	1/4	4,193.97	1/4	4,503.72	1/4		1/4		1/4		1/4		1/4	
1/2	3,266.35	1/2	3,578.07	1/2	3,889.80	1/2	4,200.43	1/2	4,509.59	1/2		1/2		1/2		1/2		1/2	
3/4	3,272.85	3/4	3,584.57	3/4	3,896.29	3/4	4,206.88	3/4	4,515.46	3/4		3/4		3/4		3/4		3/4	
8	3,279.34	8	3,591.06	8	3,902.78	8	4,213.34	8	4,521.34	8		8		8		8		8	
1/4	3,285.84	1/4	3,597.56	1/4	3,909.28	1/4	4,219.80	1/4	4,527.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,292.33	1/2	3,604.05	1/2	3,915.77	1/2	4,226.25	1/2	4,532.00	1/2		1/2		1/2		1/2		1/2	
3/4	3,298.82	3/4	3,610.55	3/4	3,922.27	3/4	4,232.71	3/4	4,536.79	3/4		3/4		3/4		3/4		3/4	
9	3,305.32	9	3,617.04	9	3,928.76	9	4,239.17	9	4,541.58	9		9		9		9		9	
1/4	3,311.81	1/4	3,623.53	1/4	3,935.26	1/4	4,245.62	1/4	4,546.37	1/4		1/4		1/4		1/4		1/4	
1/2	3,318.31	1/2	3,630.03	1/2	3,941.75	1/2	4,252.08	1/2	4,550.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,324.80	3/4	3,636.52	3/4	3,948.24	3/4	4,258.54	3/4	4,553.79	3/4		3/4		3/4		3/4		3/4	
10	3,331.29	10	3,643.02	10	3,954.74	10	4,264.99	10	4,557.50	10		10		10		10		10	
1/4	3,337.79	1/4	3,649.51	1/4	3,961.23	1/4	4,271.45	1/4	4,561.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,344.28	1/2	3,656.00	1/2	3,967.73	1/2	4,277.91	1/2	4,563.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,350.78	3/4	3,662.50	3/4	3,974.22	3/4	4,284.36	3/4	4,566.46	3/4		3/4		3/4		3/4		3/4	
11	3,357.27	11	3,668.99	11	3,980.71	11	4,290.82	11	4,569.08	11		11		11		11		11	
1/4	3,363.77	1/4	3,675.49	1/4	3,987.21	1/4	4,297.28	1/4	4,571.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,370.26	1/2	3,681.98	1/2	3,993.70	1/2	4,303.73	1/2	4,573.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,376.75	3/4	3,688.48	3/4	4,000.20	3/4	4,310.19	3/4	4,574.79	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.82	0	368.19	0	728.27	0	1,088.31	0	1,448.43	0	1,808.55	0	2,168.68	0	2,528.80	0	2,888.93	0	3,249.05
1/4	20.57	1/4	375.69	1/4	735.77	1/4	1,095.81	1/4	1,455.93	1/4	1,816.05	1/4	2,176.18	1/4	2,536.30	1/4	2,896.43	1/4	3,256.55
1/2	26.82	1/2	383.19	1/2	743.27	1/2	1,103.32	1/2	1,463.43	1/2	1,823.56	1/2	2,183.68	1/2	2,543.81	1/2	2,903.93	1/2	3,264.06
3/4	33.07	3/4	390.70	3/4	750.77	3/4	1,110.82	3/4	1,470.93	3/4	1,831.06	3/4	2,191.18	3/4	2,551.31	3/4	2,911.43	3/4	3,271.56
1	39.32	1	398.20	1	758.27	1	1,118.32	1	1,478.44	1	1,838.56	1	2,198.69	1	2,558.81	1	2,918.94	1	3,279.06
1/4	45.58	1/4	405.70	1/4	765.77	1/4	1,125.82	1/4	1,485.94	1/4	1,846.06	1/4	2,206.19	1/4	2,566.31	1/4	2,926.44	1/4	3,286.56
1/2	53.08	1/2	413.20	1/2	773.27	1/2	1,133.32	1/2	1,493.44	1/2	1,853.57	1/2	2,213.69	1/2	2,573.82	1/2	2,933.94	1/2	3,294.07
3/4	60.58	3/4	420.71	3/4	780.77	3/4	1,140.82	3/4	1,500.94	3/4	1,861.07	3/4	2,221.19	3/4	2,581.32	3/4	2,941.44	3/4	3,301.57
2	68.08	2	428.21	2	788.27	2	1,148.33	2	1,508.45	2	1,868.57	2	2,228.70	2	2,588.82	2	2,948.95	2	3,309.07
1/4	75.59	1/4	435.71	1/4	795.77	1/4	1,155.83	1/4	1,515.95	1/4	1,876.07	1/4	2,236.20	1/4	2,596.32	1/4	2,956.45	1/4	3,316.57
1/2	83.09	1/2	443.21	1/2	803.27	1/2	1,163.33	1/2	1,523.45	1/2	1,883.58	1/2	2,243.70	1/2	2,603.83	1/2	2,963.95	1/2	3,324.08
3/4	90.59	3/4	450.72	3/4	810.77	3/4	1,170.83	3/4	1,530.95	3/4	1,891.08	3/4	2,251.20	3/4	2,611.33	3/4	2,971.45	3/4	3,331.58
3	98.09	3	458.22	3	818.27	3	1,178.33	3	1,538.46	3	1,898.58	3	2,258.71	3	2,618.83	3	2,978.96	3	3,339.08
1/4	105.60	1/4	465.72	1/4	825.77	1/4	1,185.84	1/4	1,545.96	1/4	1,906.08	1/4	2,266.21	1/4	2,626.33	1/4	2,986.46	1/4	3,346.58
1/2	113.10	1/2	473.22	1/2	833.27	1/2	1,193.34	1/2	1,553.46	1/2	1,913.59	1/2	2,273.71	1/2	2,633.84	1/2	2,993.96	1/2	3,354.09
3/4	120.60	3/4	480.73	3/4	840.77	3/4	1,200.84	3/4	1,560.97	3/4	1,921.09	3/4	2,281.21	3/4	2,641.34	3/4	3,001.46	3/4	3,361.59
4	128.10	4	488.23	4	848.27	4	1,208.34	4	1,568.47	4	1,928.59	4	2,288.72	4	2,648.84	4	3,008.97	4	3,369.09
1/4	135.61	1/4	495.73	1/4	855.77	1/4	1,215.85	1/4	1,575.97	1/4	1,936.10	1/4	2,296.22	1/4	2,656.34	1/4	3,016.47	1/4	3,376.59
1/2	143.11	1/2	503.23	1/2	863.27	1/2	1,223.35	1/2	1,583.47	1/2	1,943.60	1/2	2,303.72	1/2	2,663.85	1/2	3,023.97	1/2	3,384.10
3/4	150.61	3/4	510.74	3/4	870.77	3/4	1,230.85	3/4	1,590.98	3/4	1,951.10	3/4	2,311.23	3/4	2,671.35	3/4	3,031.47	3/4	3,391.60
5	158.11	5	518.24	5	878.27	5	1,238.35	5	1,598.48	5	1,958.60	5	2,318.73	5	2,678.85	5	3,038.98	5	3,399.10
1/4	165.62	1/4	525.74	1/4	885.77	1/4	1,245.86	1/4	1,605.98	1/4	1,966.11	1/4	2,326.23	1/4	2,686.36	1/4	3,046.48	1/4	3,406.60
1/2	173.12	1/2	533.24	1/2	893.27	1/2	1,253.36	1/2	1,613.48	1/2	1,973.61	1/2	2,333.73	1/2	2,693.86	1/2	3,053.98	1/2	3,414.11
3/4	180.62	3/4	540.75	3/4	900.77	3/4	1,260.86	3/4	1,620.99	3/4	1,981.11	3/4	2,341.24	3/4	2,701.36	3/4	3,061.49	3/4	3,421.61
6	188.13	6	548.25	6	908.27	6	1,268.36	6	1,628.49	6	1,988.61	6	2,348.74	6	2,708.86	6	3,068.99	6	3,429.11
1/4	195.63	1/4	555.75	1/4	915.78	1/4	1,275.87	1/4	1,635.99	1/4	1,996.12	1/4	2,356.24	1/4	2,716.37	1/4	3,076.49	1/4	3,436.62
1/2	203.13	1/2	563.26	1/2	923.28	1/2	1,283.37	1/2	1,643.49	1/2	2,003.62	1/2	2,363.74	1/2	2,723.87	1/2	3,083.99	1/2	3,444.12
3/4	210.63	3/4	570.76	3/4	930.78	3/4	1,290.87	3/4	1,651.00	3/4	2,011.12	3/4	2,371.25	3/4	2,731.37	3/4	3,091.50	3/4	3,451.62
7	218.14	7	578.26	7	938.28	7	1,298.37	7	1,658.50	7	2,018.62	7	2,378.75	7	2,738.87	7	3,099.00	7	3,459.12
1/4	225.64	1/4	585.76	1/4	945.78	1/4	1,305.88	1/4	1,666.00	1/4	2,026.13	1/4	2,386.25	1/4	2,746.38	1/4	3,106.50	1/4	3,466.63
1/2	233.14	1/2	593.27	1/2	953.28	1/2	1,313.38	1/2	1,673.50	1/2	2,033.63	1/2	2,393.75	1/2	2,753.88	1/2	3,114.00	1/2	3,474.13
3/4	240.64	3/4	600.77	3/4	960.79	3/4	1,320.88	3/4	1,681.01	3/4	2,041.13	3/4	2,401.26	3/4	2,761.38	3/4	3,121.51	3/4	3,481.63
8	248.15	8	608.27	8	968.29	8	1,328.38	8	1,688.51	8	2,048.63	8	2,408.76	8	2,768.88	8	3,129.01	8	3,489.13
1/4	255.65	1/4	615.77	1/4	975.79	1/4	1,335.89	1/4	1,696.01	1/4	2,056.14	1/4	2,416.26	1/4	2,776.39	1/4	3,136.51	1/4	3,496.64
1/2	263.15	1/2	623.28	1/2	983.29	1/2	1,343.39	1/2	1,703.51	1/2	2,063.64	1/2	2,423.76	1/2	2,783.89	1/2	3,144.01	1/2	3,504.14
3/4	270.65	3/4	630.78	3/4	990.79	3/4	1,350.89	3/4	1,711.02	3/4	2,071.14	3/4	2,431.27	3/4	2,791.39	3/4	3,151.52	3/4	3,511.64
9	278.16	9	638.28	9	998.29	9	1,358.39	9	1,718.52	9	2,078.64	9	2,438.77	9	2,798.89	9	3,159.02	9	3,519.14
1/4	285.66	1/4	645.78	1/4	1,005.79	1/4	1,365.90	1/4	1,726.02	1/4	2,086.15	1/4	2,446.27	1/4	2,806.40	1/4	3,166.52	1/4	3,526.65
1/2	293.16	1/2	653.28	1/2	1,013.30	1/2	1,373.40	1/2	1,733.52	1/2	2,093.65	1/2	2,453.77	1/2	2,813.90	1/2	3,174.02	1/2	3,534.15
3/4	300.66	3/4	660.78	3/4	1,020.80	3/4	1,380.90	3/4	1,741.03	3/4	2,101.15	3/4	2,461.28	3/4	2,821.40	3/4	3,181.53	3/4	3,541.65
10	308.17	10	668.28	10	1,028.30	10	1,388.41	10	1,748.53	10	2,108.65	10	2,468.78	10	2,828.90	10	3,189.03	10	3,549.15
1/4	315.67	1/4	675.78	1/4	1,035.80	1/4	1,395.91	1/4	1,756.03	1/4	2,116.16	1/4	2,476.28	1/4	2,836.41	1/4	3,196.53	1/4	3,556.66
1/2	323.17	1/2	683.28	1/2	1,043.30	1/2	1,403.41	1/2	1,763.54	1/2	2,123.66	1/2	2,483.78	1/2	2,843.91	1/2	3,204.03	1/2	3,564.16
3/4	330.67	3/4	690.78	3/4	1,050.80	3/4	1,410.91	3/4	1,771.04	3/4	2,131.16	3/4	2,491.29	3/4	2,851.41	3/4	3,211.54	3/4	3,571.66
11	338.18	11	698.28	11	1,058.31	11	1,418.42	11	1,778.54	11	2,138.67	11	2,498.79	11	2,858.91	11	3,219.04	11	3,579.16
1/4	345.68	1/4	705.77	1/4	1,065.81	1/4	1,425.92	1/4	1,786.04	1/4	2,146.17	1/4	2,506.29	1/4	2,866.42	1/4	3,226.54	1/4	3,586.67
1/2	353.18	1/2	713.27	1/2	1,073.31	1/2	1,433.42	1/2	1,793.55	1/2	2,153.67	1/2	2,513.80	1/2	2,873.92	1/2	3,234.04	1/2	3,594.17
3/4	360.69	3/4	720.77	3/4	1,080.81	3/4	1,440.92	3/4	1,801.05	3/4	2,161.17	3/4	2,521.30	3/4	2,881.42	3/4	3,241.55	3/4	3,601.67

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.  
NOTE: GAUGE POINT LOCATED 12'- 0" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.  
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/2" ABOVE TANK BOTTOM.

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

**ITS - CALEB BRETT**

*Caleb Brett*

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,609.17	0	3,969.30	0	4,329.42	0	4,689.55	0	5,047.91	0	5,355.42	0		0		0		0	
1/4	3,616.68	1/4	3,976.80	1/4	4,336.93	1/4	4,697.05	1/4	5,055.37	1/4	5,357.21	1/4		1/4		1/4		1/4	
1/2	3,624.18	1/2	3,984.30	1/2	4,344.43	1/2	4,704.52	1/2	5,062.84	1/2	5,357.75	1/2		1/2		1/2		1/2	
3/4	3,631.68	3/4	3,991.81	3/4	4,351.93	3/4	4,711.98	3/4	5,070.30	3/4	5,358.29	3/4		3/4		3/4		3/4	
1	3,639.19	1	3,999.31	1	4,359.43	1	4,719.45	1	5,077.77	1	5,358.82	1		1		1		1	
1/4	3,646.69	1/4	4,006.81	1/4	4,366.94	1/4	4,726.91	1/4	5,085.23	1/4	5,359.36	1/4		1/4		1/4		1/4	
1/2	3,654.19	1/2	4,014.32	1/2	4,374.44	1/2	4,734.38	1/2	5,092.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,661.69	3/4	4,021.82	3/4	4,381.94	3/4	4,741.84	3/4	5,100.16	3/4		3/4		3/4		3/4		3/4	
2	3,669.20	2	4,029.32	2	4,389.45	2	4,749.31	2	5,107.63	2		2		2		2		2	
1/4	3,676.70	1/4	4,036.82	1/4	4,396.95	1/4	4,756.77	1/4	5,115.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,684.20	1/2	4,044.33	1/2	4,404.45	1/2	4,764.24	1/2	5,122.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,691.70	3/4	4,051.83	3/4	4,411.95	3/4	4,771.70	3/4	5,129.92	3/4		3/4		3/4		3/4		3/4	
3	3,699.21	3	4,059.33	3	4,419.46	3	4,779.17	3	5,137.34	3		3		3		3		3	
1/4	3,706.71	1/4	4,066.83	1/4	4,426.96	1/4	4,786.63	1/4	5,144.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,714.21	1/2	4,074.34	1/2	4,434.46	1/2	4,794.10	1/2	5,152.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,721.71	3/4	4,081.84	3/4	4,441.96	3/4	4,801.56	3/4	5,159.59	3/4		3/4		3/4		3/4		3/4	
4	3,729.22	4	4,089.34	4	4,449.47	4	4,809.03	4	5,167.00	4		4		4		4		4	
1/4	3,736.72	1/4	4,096.84	1/4	4,456.97	1/4	4,816.49	1/4	5,174.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,744.22	1/2	4,104.35	1/2	4,464.47	1/2	4,823.96	1/2	5,181.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,751.72	3/4	4,111.85	3/4	4,471.97	3/4	4,831.42	3/4	5,189.25	3/4		3/4		3/4		3/4		3/4	
5	3,759.23	5	4,119.35	5	4,479.48	5	4,838.89	5	5,196.67	5		5		5		5		5	
1/4	3,766.73	1/4	4,126.85	1/4	4,486.98	1/4	4,846.35	1/4	5,204.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,774.23	1/2	4,134.36	1/2	4,494.48	1/2	4,853.82	1/2	5,211.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,781.73	3/4	4,141.86	3/4	4,501.98	3/4	4,861.28	3/4	5,218.92	3/4		3/4		3/4		3/4		3/4	
6	3,789.24	6	4,149.36	6	4,509.49	6	4,868.75	6	5,226.33	6		6		6		6		6	
1/4	3,796.74	1/4	4,156.86	1/4	4,516.99	1/4	4,876.21	1/4	5,233.75	1/4		1/4		1/4		1/4		1/4	
1/2	3,804.24	1/2	4,164.37	1/2	4,524.49	1/2	4,883.68	1/2	5,241.16	1/2		1/2		1/2		1/2		1/2	
3/4	3,811.75	3/4	4,171.87	3/4	4,531.99	3/4	4,891.14	3/4	5,248.58	3/4		3/4		3/4		3/4		3/4	
7	3,819.25	7	4,179.37	7	4,539.50	7	4,898.61	7	5,256.00	7		7		7		7		7	
1/4	3,826.75	1/4	4,186.88	1/4	4,547.00	1/4	4,906.07	1/4	5,263.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,834.25	1/2	4,194.38	1/2	4,554.50	1/2	4,913.54	1/2	5,270.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,841.76	3/4	4,201.88	3/4	4,562.01	3/4	4,921.00	3/4	5,276.99	3/4		3/4		3/4		3/4		3/4	
8	3,849.26	8	4,209.38	8	4,569.51	8	4,928.47	8	5,283.78	8		8		8		8		8	
1/4	3,856.76	1/4	4,216.89	1/4	4,577.01	1/4	4,935.93	1/4	5,290.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,864.26	1/2	4,224.39	1/2	4,584.51	1/2	4,943.40	1/2	5,296.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,871.77	3/4	4,231.89	3/4	4,592.02	3/4	4,950.86	3/4	5,301.65	3/4		3/4		3/4		3/4		3/4	
9	3,879.27	9	4,239.39	9	4,599.52	9	4,958.33	9	5,307.19	9		9		9		9		9	
1/4	3,886.77	1/4	4,246.90	1/4	4,607.02	1/4	4,965.79	1/4	5,312.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,894.27	1/2	4,254.40	1/2	4,614.52	1/2	4,973.26	1/2	5,319.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,901.78	3/4	4,261.90	3/4	4,622.03	3/4	4,980.72	3/4	5,325.31	3/4		3/4		3/4		3/4		3/4	
10	3,909.28	10	4,269.40	10	4,629.53	10	4,988.19	10	5,331.60	10		10		10		10		10	
1/4	3,916.78	1/4	4,276.91	1/4	4,637.03	1/4	4,995.65	1/4	5,337.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,924.28	1/2	4,284.41	1/2	4,644.53	1/2	5,003.12	1/2	5,340.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,931.79	3/4	4,291.91	3/4	4,652.04	3/4	5,010.58	3/4	5,343.97	3/4		3/4		3/4		3/4		3/4	
11	3,939.29	11	4,299.41	11	4,659.54	11	5,018.05	11	5,347.01	11		11		11		11		11	
1/4	3,946.79	1/4	4,306.92	1/4	4,667.04	1/4	5,025.51	1/4	5,350.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,954.29	1/2	4,314.42	1/2	4,674.54	1/2	5,032.98	1/2	5,351.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,961.80	3/4	4,321.92	3/4	4,682.05	3/4	5,040.44	3/4	5,353.63	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03



**BARGE "GBL 730"**  
**HULL NO. 02-2969**

**2 STBD**  
**INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.77	0	367.12	0	726.16	0	1,084.76	0	1,443.31	0	1,801.90	0	2,160.68	0	2,519.76	0	2,878.84	0	3,237.92
1/4	20.51	1/4	374.60	1/4	733.64	1/4	1,092.22	1/4	1,450.78	1/4	1,809.37	1/4	2,168.16	1/4	2,527.24	1/4	2,886.32	1/4	3,245.40
1/2	26.74	1/2	382.08	1/2	741.11	1/2	1,099.69	1/2	1,458.25	1/2	1,816.84	1/2	2,176.65	1/2	2,534.72	1/2	2,893.80	1/2	3,252.88
3/4	32.98	3/4	389.56	3/4	748.59	3/4	1,107.16	3/4	1,465.72	3/4	1,824.31	3/4	2,183.13	3/4	2,542.20	3/4	2,901.28	3/4	3,260.36
1	39.21	1	397.04	1	756.07	1	1,114.63	1	1,473.19	1	1,831.78	1	2,190.61	1	2,549.69	1	2,908.76	1	3,267.84
1/4	45.45	1/4	404.52	1/4	763.55	1/4	1,122.09	1/4	1,480.67	1/4	1,839.25	1/4	2,198.09	1/4	2,557.17	1/4	2,916.24	1/4	3,275.32
1/2	52.93	1/2	412.00	1/2	771.03	1/2	1,129.56	1/2	1,488.14	1/2	1,846.72	1/2	2,205.57	1/2	2,564.65	1/2	2,923.73	1/2	3,282.80
3/4	60.41	3/4	419.49	3/4	778.50	3/4	1,137.03	3/4	1,495.61	3/4	1,854.20	3/4	2,213.05	3/4	2,572.13	3/4	2,931.21	3/4	3,290.28
2	67.89	2	426.97	2	785.98	2	1,144.50	2	1,503.08	2	1,861.67	2	2,220.53	2	2,579.61	2	2,938.69	2	3,297.77
1/4	75.37	1/4	434.45	1/4	793.46	1/4	1,151.97	1/4	1,510.55	1/4	1,869.14	1/4	2,228.01	1/4	2,587.09	1/4	2,946.17	1/4	3,305.25
1/2	82.85	1/2	441.93	1/2	800.94	1/2	1,159.43	1/2	1,518.02	1/2	1,876.61	1/2	2,235.49	1/2	2,594.57	1/2	2,953.65	1/2	3,312.73
3/4	90.33	3/4	449.41	3/4	808.41	3/4	1,166.90	3/4	1,525.49	3/4	1,884.08	3/4	2,242.97	3/4	2,602.05	3/4	2,961.13	3/4	3,320.21
3	97.81	3	456.89	3	815.89	3	1,174.37	3	1,532.96	3	1,891.55	3	2,250.45	3	2,609.53	3	2,968.61	3	3,327.69
1/4	105.29	1/4	464.37	1/4	823.37	1/4	1,181.84	1/4	1,540.43	1/4	1,899.02	1/4	2,257.93	1/4	2,617.01	1/4	2,976.09	1/4	3,335.17
1/2	112.77	1/2	471.85	1/2	830.85	1/2	1,189.31	1/2	1,547.90	1/2	1,906.49	1/2	2,265.42	1/2	2,624.49	1/2	2,983.57	1/2	3,342.65
3/4	120.25	3/4	479.33	3/4	838.33	3/4	1,196.78	3/4	1,555.37	3/4	1,913.96	3/4	2,272.90	3/4	2,631.97	3/4	2,991.05	3/4	3,350.13
4	127.73	4	486.81	4	845.79	4	1,204.25	4	1,562.84	4	1,921.43	4	2,280.38	4	2,639.46	4	2,998.53	4	3,357.61
1/4	135.21	1/4	494.29	1/4	853.26	1/4	1,211.72	1/4	1,570.31	1/4	1,928.90	1/4	2,287.86	1/4	2,646.94	1/4	3,006.01	1/4	3,365.09
1/2	142.70	1/2	501.77	1/2	860.73	1/2	1,219.19	1/2	1,577.78	1/2	1,936.37	1/2	2,295.34	1/2	2,654.42	1/2	3,013.49	1/2	3,372.57
3/4	150.18	3/4	509.25	3/4	868.20	3/4	1,226.67	3/4	1,585.25	3/4	1,943.84	3/4	2,302.82	3/4	2,661.90	3/4	3,020.98	3/4	3,380.05
5	157.66	5	516.74	5	875.66	5	1,234.14	5	1,592.72	5	1,951.31	5	2,310.30	5	2,669.38	5	3,028.46	5	3,387.53
1/4	165.14	1/4	524.22	1/4	883.13	1/4	1,241.61	1/4	1,600.20	1/4	1,958.78	1/4	2,317.78	1/4	2,676.86	1/4	3,035.94	1/4	3,395.02
1/2	172.62	1/2	531.70	1/2	890.60	1/2	1,249.08	1/2	1,607.67	1/2	1,966.25	1/2	2,325.26	1/2	2,684.34	1/2	3,043.42	1/2	3,402.50
3/4	180.10	3/4	539.18	3/4	898.07	3/4	1,256.55	3/4	1,615.14	3/4	1,973.73	3/4	2,332.74	3/4	2,691.82	3/4	3,050.90	3/4	3,409.98
6	187.58	6	546.66	6	905.53	6	1,264.02	6	1,622.61	6	1,981.20	6	2,340.22	6	2,699.30	6	3,058.38	6	3,417.46
1/4	195.06	1/4	554.14	1/4	913.00	1/4	1,271.49	1/4	1,630.08	1/4	1,988.67	1/4	2,347.70	1/4	2,706.78	1/4	3,065.86	1/4	3,424.94
1/2	202.54	1/2	561.62	1/2	920.47	1/2	1,278.96	1/2	1,637.55	1/2	1,996.14	1/2	2,355.18	1/2	2,714.26	1/2	3,073.34	1/2	3,432.42
3/4	210.02	3/4	569.10	3/4	927.94	3/4	1,286.43	3/4	1,645.02	3/4	2,003.61	3/4	2,362.67	3/4	2,721.74	3/4	3,080.82	3/4	3,439.90
7	217.50	7	576.58	7	935.40	7	1,293.90	7	1,652.49	7	2,011.08	7	2,370.15	7	2,729.22	7	3,088.30	7	3,447.38
1/4	224.98	1/4	584.06	1/4	942.87	1/4	1,301.37	1/4	1,659.96	1/4	2,018.55	1/4	2,377.63	1/4	2,736.71	1/4	3,095.78	1/4	3,454.86
1/2	232.47	1/2	591.54	1/2	950.34	1/2	1,308.84	1/2	1,667.43	1/2	2,026.03	1/2	2,385.11	1/2	2,744.19	1/2	3,103.26	1/2	3,462.34
3/4	239.95	3/4	599.02	3/4	957.81	3/4	1,316.31	3/4	1,674.90	3/4	2,033.51	3/4	2,392.59	3/4	2,751.67	3/4	3,110.75	3/4	3,469.82
8	247.43	8	606.51	8	965.27	8	1,323.78	8	1,682.37	8	2,040.99	8	2,400.07	8	2,759.15	8	3,118.23	8	3,477.30
1/4	254.91	1/4	613.99	1/4	972.74	1/4	1,331.25	1/4	1,689.84	1/4	2,048.47	1/4	2,407.55	1/4	2,766.63	1/4	3,125.71	1/4	3,484.79
1/2	262.39	1/2	621.47	1/2	980.21	1/2	1,338.72	1/2	1,697.31	1/2	2,055.95	1/2	2,415.03	1/2	2,774.11	1/2	3,133.19	1/2	3,492.27
3/4	269.87	3/4	628.95	3/4	987.68	3/4	1,346.19	3/4	1,704.78	3/4	2,063.43	3/4	2,422.51	3/4	2,781.59	3/4	3,140.67	3/4	3,499.75
9	277.35	9	636.43	9	995.15	9	1,353.67	9	1,712.25	9	2,070.91	9	2,429.99	9	2,789.07	9	3,148.15	9	3,507.23
1/4	284.83	1/4	643.90	1/4	1,002.61	1/4	1,361.14	1/4	1,719.72	1/4	2,078.40	1/4	2,437.47	1/4	2,796.55	1/4	3,155.63	1/4	3,514.71
1/2	292.31	1/2	651.38	1/2	1,010.08	1/2	1,368.61	1/2	1,727.20	1/2	2,085.88	1/2	2,444.95	1/2	2,804.03	1/2	3,163.11	1/2	3,522.19
3/4	299.79	3/4	658.86	3/4	1,017.55	3/4	1,376.08	3/4	1,734.67	3/4	2,093.36	3/4	2,452.44	3/4	2,811.51	3/4	3,170.59	3/4	3,529.67
10	307.27	10	666.34	10	1,025.02	10	1,383.55	10	1,742.14	10	2,100.84	10	2,459.92	10	2,818.99	10	3,178.07	10	3,537.15
1/4	314.75	1/4	673.81	1/4	1,032.48	1/4	1,391.02	1/4	1,749.61	1/4	2,108.32	1/4	2,467.40	1/4	2,826.47	1/4	3,185.55	1/4	3,544.63
1/2	322.23	1/2	681.29	1/2	1,039.95	1/2	1,398.49	1/2	1,757.08	1/2	2,115.80	1/2	2,474.88	1/2	2,833.96	1/2	3,193.03	1/2	3,552.11
3/4	329.72	3/4	688.77	3/4	1,047.42	3/4	1,405.96	3/4	1,764.55	3/4	2,123.28	3/4	2,482.36	3/4	2,841.44	3/4	3,200.51	3/4	3,559.59
11	337.20	11	696.25	11	1,054.89	11	1,413.43	11	1,772.02	11	2,130.76	11	2,489.84	11	2,848.92	11	3,208.00	11	3,567.07
1/4	344.68	1/4	703.73	1/4	1,062.35	1/4	1,420.90	1/4	1,779.49	1/4	2,138.24	1/4	2,497.32	1/4	2,856.40	1/4	3,215.48	1/4	3,574.55
1/2	352.16	1/2	711.20	1/2	1,069.82	1/2	1,428.37	1/2	1,786.96	1/2	2,145.72	1/2	2,504.80	1/2	2,863.88	1/2	3,222.96	1/2	3,582.04
3/4	359.64	3/4	718.68	3/4	1,077.29	3/4	1,435.84	3/4	1,794.43	3/4	2,153.20	3/4	2,512.28	3/4	2,871.36	3/4	3,230.44	3/4	3,589.52

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.  
 NOTE: GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 6" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/2" ABOVE TANK BOTTOM.

DATE STRAPPED: 4/30/03 BY: KS-KF  
 DATE COMPUTED: 5/5/03 BY: DAR  
 DATE ISSUED: 5/6/03

*Dale A. Brown*

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 16'- 4 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,597.00	0	3,956.08	0	4,315.15	0	4,674.23	0	5,031.54	0	5,330.17	0		0		0			
1/4	3,604.48	1/4	3,963.56	1/4	4,322.63	1/4	4,681.71	1/4	5,038.99	1/4	5,331.96	1/4		1/4		1/4			
1/2	3,611.96	1/2	3,971.04	1/2	4,330.12	1/2	4,689.16	1/2	5,046.43	1/2	5,332.49	1/2		1/2		1/2			
3/4	3,619.44	3/4	3,978.52	3/4	4,337.60	3/4	4,696.60	3/4	5,053.87	3/4	5,333.03	3/4		3/4		3/4			
1	3,626.92	1	3,986.00	1	4,345.08	1	4,704.04	1	5,061.32	1	5,333.57	1		1		1			
1/4	3,634.40	1/4	3,993.48	1/4	4,352.56	1/4	4,711.49	1/4	5,068.76	1/4	5,334.10	1/4		1/4		1/4			
1/2	3,641.88	1/2	4,000.96	1/2	4,360.04	1/2	4,718.93	1/2	5,076.20	1/2		1/2		1/2		1/2			
3/4	3,649.36	3/4	4,008.44	3/4	4,367.52	3/4	4,726.37	3/4	5,083.65	3/4		3/4		3/4		3/4			
2	3,656.84	2	4,015.92	2	4,375.00	2	4,733.82	2	5,091.09	2		2		2		2			
1/4	3,664.32	1/4	4,023.40	1/4	4,382.48	1/4	4,741.26	1/4	5,098.53	1/4		1/4		1/4		1/4			
1/2	3,671.81	1/2	4,030.88	1/2	4,389.96	1/2	4,748.70	1/2	5,105.93	1/2		1/2		1/2		1/2			
3/4	3,679.29	3/4	4,038.36	3/4	4,397.44	3/4	4,756.15	3/4	5,113.32	3/4		3/4		3/4		3/4			
3	3,686.77	3	4,045.85	3	4,404.92	3	4,763.59	3	5,120.72	3		3		3		3			
1/4	3,694.25	1/4	4,053.33	1/4	4,412.40	1/4	4,771.03	1/4	5,128.11	1/4		1/4		1/4		1/4			
1/2	3,701.73	1/2	4,060.81	1/2	4,419.89	1/2	4,778.47	1/2	5,135.50	1/2		1/2		1/2		1/2			
3/4	3,709.21	3/4	4,068.29	3/4	4,427.37	3/4	4,785.92	3/4	5,142.90	3/4		3/4		3/4		3/4			
4	3,716.69	4	4,075.77	4	4,434.85	4	4,793.36	4	5,150.29	4		4		4		4			
1/4	3,724.17	1/4	4,083.25	1/4	4,442.33	1/4	4,800.80	1/4	5,157.69	1/4		1/4		1/4		1/4			
1/2	3,731.65	1/2	4,090.73	1/2	4,449.81	1/2	4,808.25	1/2	5,165.08	1/2		1/2		1/2		1/2			
3/4	3,739.13	3/4	4,098.21	3/4	4,457.29	3/4	4,815.69	3/4	5,172.47	3/4		3/4		3/4		3/4			
5	3,746.61	5	4,105.69	5	4,464.77	5	4,823.13	5	5,179.87	5		5		5		5			
1/4	3,754.09	1/4	4,113.17	1/4	4,472.25	1/4	4,830.58	1/4	5,187.26	1/4		1/4		1/4		1/4			
1/2	3,761.57	1/2	4,120.65	1/2	4,479.73	1/2	4,838.02	1/2	5,194.66	1/2		1/2		1/2		1/2			
3/4	3,769.06	3/4	4,128.13	3/4	4,487.21	3/4	4,845.46	3/4	5,202.05	3/4		3/4		3/4		3/4			
6	3,776.54	6	4,135.61	6	4,494.69	6	4,852.91	6	5,209.45	6		6		6		6			
1/4	3,784.02	1/4	4,143.10	1/4	4,502.17	1/4	4,860.35	1/4	5,216.84	1/4		1/4		1/4		1/4			
1/2	3,791.50	1/2	4,150.58	1/2	4,509.65	1/2	4,867.79	1/2	5,224.23	1/2		1/2		1/2		1/2			
3/4	3,798.98	3/4	4,158.06	3/4	4,517.14	3/4	4,875.24	3/4	5,231.63	3/4		3/4		3/4		3/4			
7	3,806.46	7	4,165.54	7	4,524.62	7	4,882.68	7	5,239.02	7		7		7		7			
1/4	3,813.94	1/4	4,173.02	1/4	4,532.10	1/4	4,890.12	1/4	5,246.42	1/4		1/4		1/4		1/4			
1/2	3,821.42	1/2	4,180.50	1/2	4,539.58	1/2	4,897.57	1/2	5,253.81	1/2		1/2		1/2		1/2			
3/4	3,828.90	3/4	4,187.98	3/4	4,547.06	3/4	4,905.01	3/4	5,259.96	3/4		3/4		3/4		3/4			
8	3,836.38	8	4,195.46	8	4,554.54	8	4,912.45	8	5,266.73	8		8		8		8			
1/4	3,843.86	1/4	4,202.94	1/4	4,562.02	1/4	4,919.90	1/4	5,273.50	1/4		1/4		1/4		1/4			
1/2	3,851.34	1/2	4,210.42	1/2	4,569.50	1/2	4,927.34	1/2	5,279.02	1/2		1/2		1/2		1/2			
3/4	3,858.83	3/4	4,217.90	3/4	4,576.98	3/4	4,934.78	3/4	5,284.55	3/4		3/4		3/4		3/4			
9	3,866.31	9	4,225.38	9	4,584.46	9	4,942.23	9	5,290.07	9		9		9		9			
1/4	3,873.79	1/4	4,232.87	1/4	4,591.94	1/4	4,949.67	1/4	5,295.59	1/4		1/4		1/4		1/4			
1/2	3,881.27	1/2	4,240.35	1/2	4,599.42	1/2	4,957.11	1/2	5,299.87	1/2		1/2		1/2		1/2			
3/4	3,888.75	3/4	4,247.83	3/4	4,606.91	3/4	4,964.55	3/4	5,304.15	3/4		3/4		3/4		3/4			
10	3,896.23	10	4,255.31	10	4,614.39	10	4,972.00	10	5,308.43	10		10		10		10			
1/4	3,903.71	1/4	4,262.79	1/4	4,621.87	1/4	4,979.44	1/4	5,312.70	1/4		1/4		1/4		1/4			
1/2	3,911.19	1/2	4,270.27	1/2	4,629.35	1/2	4,986.88	1/2	5,315.73	1/2		1/2		1/2		1/2			
3/4	3,918.67	3/4	4,277.75	3/4	4,636.83	3/4	4,994.33	3/4	5,318.76	3/4		3/4		3/4		3/4			
11	3,926.15	11	4,285.23	11	4,644.31	11	5,001.77	11	5,321.79	11		11		11		11			
1/4	3,933.63	1/4	4,292.71	1/4	4,651.79	1/4	5,009.21	1/4	5,324.82	1/4		1/4		1/4		1/4			
1/2	3,941.11	1/2	4,300.19	1/2	4,659.27	1/2	5,016.66	1/2	5,326.61	1/2		1/2		1/2		1/2			
3/4	3,948.59	3/4	4,307.67	3/4	4,666.75	3/4	5,024.10	3/4	5,328.39	3/4		3/4		3/4		3/4			

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03





**BARGE "GBL 730"**  
**HULL NO. 02-2969**

**3 PORT**  
**INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 4 7/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.78	0	367.36	0	726.48	0	1,085.47	0	1,444.78	0	1,804.10	0	2,163.42	0	2,522.74	0	2,881.82	0	3,239.57
1/4	20.52	1/4	374.85	1/4	733.95	1/4	1,092.96	1/4	1,452.27	1/4	1,811.58	1/4	2,170.90	1/4	2,530.22	1/4	2,889.28	1/4	3,247.02
1/2	26.76	1/2	382.34	1/2	741.42	1/2	1,100.44	1/2	1,459.75	1/2	1,819.07	1/2	2,178.39	1/2	2,537.71	1/2	2,896.73	1/2	3,254.40
3/4	33.00	3/4	389.82	3/4	748.89	3/4	1,107.93	3/4	1,467.24	3/4	1,826.56	3/4	2,185.87	3/4	2,545.19	3/4	2,904.18	3/4	3,261.79
1	39.24	1	397.31	1	756.36	1	1,115.41	1	1,474.72	1	1,834.04	1	2,193.36	1	2,552.68	1	2,911.64	1	3,269.17
1/4	45.48	1/4	404.79	1/4	763.83	1/4	1,122.90	1/4	1,482.21	1/4	1,841.53	1/4	2,200.85	1/4	2,560.16	1/4	2,919.09	1/4	3,276.56
1/2	52.96	1/2	412.28	1/2	771.30	1/2	1,130.38	1/2	1,489.70	1/2	1,849.01	1/2	2,208.33	1/2	2,567.65	1/2	2,926.54	1/2	3,283.94
3/4	60.45	3/4	419.77	3/4	778.77	3/4	1,137.87	3/4	1,497.18	3/4	1,856.50	3/4	2,215.82	3/4	2,575.14	3/4	2,934.00	3/4	3,291.32
2	67.93	2	427.25	2	786.24	2	1,145.35	2	1,504.67	2	1,863.99	2	2,223.30	2	2,582.62	2	2,941.45	2	3,298.71
1/4	75.42	1/4	434.74	1/4	793.71	1/4	1,152.84	1/4	1,512.15	1/4	1,871.47	1/4	2,230.79	1/4	2,590.11	1/4	2,948.90	1/4	3,306.09
1/2	82.90	1/2	442.22	1/2	801.18	1/2	1,160.32	1/2	1,519.64	1/2	1,878.96	1/2	2,238.28	1/2	2,597.59	1/2	2,956.35	1/2	3,313.47
3/4	90.39	3/4	449.71	3/4	808.65	3/4	1,167.81	3/4	1,527.12	3/4	1,886.44	3/4	2,245.76	3/4	2,605.08	3/4	2,963.81	3/4	3,320.86
3	97.88	3	457.19	3	816.12	3	1,175.29	3	1,534.61	3	1,893.93	3	2,253.25	3	2,612.57	3	2,971.26	3	3,328.24
1/4	105.36	1/4	464.68	1/4	823.59	1/4	1,182.78	1/4	1,542.10	1/4	1,901.41	1/4	2,260.73	1/4	2,620.05	1/4	2,978.71	1/4	3,335.62
1/2	112.85	1/2	472.17	1/2	831.06	1/2	1,190.26	1/2	1,549.58	1/2	1,908.90	1/2	2,268.22	1/2	2,627.54	1/2	2,986.17	1/2	3,343.01
3/4	120.33	3/4	479.65	3/4	838.53	3/4	1,197.75	3/4	1,557.07	3/4	1,916.39	3/4	2,275.70	3/4	2,635.02	3/4	2,993.62	3/4	3,350.39
4	127.82	4	487.14	4	846.00	4	1,205.23	4	1,564.55	4	1,923.87	4	2,283.19	4	2,642.51	4	3,001.07	4	3,357.77
1/4	135.30	1/4	494.62	1/4	853.47	1/4	1,212.72	1/4	1,572.04	1/4	1,931.36	1/4	2,290.68	1/4	2,649.99	1/4	3,008.53	1/4	3,365.16
1/2	142.79	1/2	502.11	1/2	860.94	1/2	1,220.21	1/2	1,579.52	1/2	1,938.84	1/2	2,298.16	1/2	2,657.48	1/2	3,015.98	1/2	3,372.54
3/4	150.28	3/4	509.59	3/4	868.41	3/4	1,227.69	3/4	1,587.01	3/4	1,946.33	3/4	2,305.65	3/4	2,664.97	3/4	3,023.43	3/4	3,379.92
5	157.76	5	517.08	5	875.90	5	1,235.18	5	1,594.50	5	1,953.81	5	2,313.13	5	2,672.45	5	3,030.88	5	3,387.31
1/4	165.25	1/4	524.57	1/4	883.38	1/4	1,242.66	1/4	1,601.98	1/4	1,961.30	1/4	2,320.62	1/4	2,679.94	1/4	3,038.34	1/4	3,394.69
1/2	172.73	1/2	532.05	1/2	890.87	1/2	1,250.15	1/2	1,609.47	1/2	1,968.79	1/2	2,328.10	1/2	2,687.42	1/2	3,045.79	1/2	3,402.07
3/4	180.22	3/4	539.54	3/4	898.35	3/4	1,257.64	3/4	1,616.95	3/4	1,976.27	3/4	2,335.59	3/4	2,694.91	3/4	3,053.24	3/4	3,409.46
6	187.71	6	547.02	6	905.84	6	1,265.12	6	1,624.44	6	1,983.76	6	2,343.08	6	2,702.39	6	3,060.70	6	3,416.84
1/4	195.19	1/4	554.51	1/4	913.32	1/4	1,272.61	1/4	1,631.93	1/4	1,991.24	1/4	2,350.56	1/4	2,709.88	1/4	3,068.15	1/4	3,424.22
1/2	202.68	1/2	562.00	1/2	920.81	1/2	1,280.09	1/2	1,639.41	1/2	1,998.73	1/2	2,358.05	1/2	2,717.37	1/2	3,075.60	1/2	3,431.61
3/4	210.16	3/4	569.48	3/4	928.29	3/4	1,287.58	3/4	1,646.90	3/4	2,006.22	3/4	2,365.53	3/4	2,724.85	3/4	3,083.06	3/4	3,438.99
7	217.65	7	576.97	7	935.78	7	1,295.06	7	1,654.38	7	2,013.70	7	2,373.02	7	2,732.34	7	3,090.51	7	3,446.37
1/4	225.13	1/4	584.45	1/4	943.26	1/4	1,302.55	1/4	1,661.87	1/4	2,021.19	1/4	2,380.51	1/4	2,739.82	1/4	3,097.96	1/4	3,453.76
1/2	232.62	1/2	591.94	1/2	950.75	1/2	1,310.04	1/2	1,669.35	1/2	2,028.67	1/2	2,387.99	1/2	2,747.31	1/2	3,105.41	1/2	3,461.14
3/4	240.11	3/4	599.42	3/4	958.23	3/4	1,317.52	3/4	1,676.84	3/4	2,036.16	3/4	2,395.48	3/4	2,754.80	3/4	3,112.87	3/4	3,468.52
8	247.59	8	606.91	8	965.72	8	1,325.01	8	1,684.33	8	2,043.64	8	2,402.96	8	2,762.28	8	3,120.32	8	3,475.91
1/4	255.08	1/4	614.40	1/4	973.20	1/4	1,332.49	1/4	1,691.81	1/4	2,051.13	1/4	2,410.45	1/4	2,769.77	1/4	3,127.77	1/4	3,483.29
1/2	262.56	1/2	621.88	1/2	980.68	1/2	1,339.98	1/2	1,699.30	1/2	2,058.62	1/2	2,417.93	1/2	2,777.25	1/2	3,135.23	1/2	3,490.47
3/4	270.05	3/4	629.37	3/4	988.17	3/4	1,347.47	3/4	1,706.78	3/4	2,066.10	3/4	2,425.42	3/4	2,784.74	3/4	3,142.68	3/4	3,497.66
9	277.53	9	636.84	9	995.65	9	1,354.95	9	1,714.27	9	2,073.59	9	2,432.91	9	2,792.22	9	3,150.13	9	3,504.84
1/4	285.02	1/4	644.31	1/4	1,003.14	1/4	1,362.44	1/4	1,721.76	1/4	2,081.07	1/4	2,440.39	1/4	2,799.71	1/4	3,157.59	1/4	3,512.02
1/2	292.51	1/2	651.78	1/2	1,010.62	1/2	1,369.92	1/2	1,729.24	1/2	2,088.56	1/2	2,447.88	1/2	2,807.20	1/2	3,165.04	1/2	3,518.81
3/4	299.99	3/4	659.25	3/4	1,018.11	3/4	1,377.41	3/4	1,736.73	3/4	2,096.05	3/4	2,455.36	3/4	2,814.68	3/4	3,172.49	3/4	3,525.59
10	307.48	10	666.72	10	1,025.59	10	1,384.89	10	1,744.21	10	2,103.53	10	2,462.85	10	2,822.17	10	3,179.94	10	3,532.38
1/4	314.96	1/4	674.19	1/4	1,033.08	1/4	1,392.38	1/4	1,751.70	1/4	2,111.02	1/4	2,470.34	1/4	2,829.65	1/4	3,187.40	1/4	3,539.16
1/2	322.45	1/2	681.66	1/2	1,040.56	1/2	1,399.87	1/2	1,759.18	1/2	2,118.50	1/2	2,477.82	1/2	2,837.11	1/2	3,194.85	1/2	3,545.55
3/4	329.94	3/4	689.13	3/4	1,048.05	3/4	1,407.35	3/4	1,766.67	3/4	2,125.99	3/4	2,485.31	3/4	2,844.56	3/4	3,202.30	3/4	3,551.93
11	337.42	11	696.60	11	1,055.53	11	1,414.84	11	1,774.16	11	2,133.47	11	2,492.79	11	2,852.01	11	3,209.76	11	3,558.32
1/4	344.91	1/4	704.07	1/4	1,063.02	1/4	1,422.32	1/4	1,781.64	1/4	2,140.96	1/4	2,500.28	1/4	2,859.47	1/4	3,217.21	1/4	3,564.70
1/2	352.39	1/2	711.54	1/2	1,070.50	1/2	1,429.81	1/2	1,789.13	1/2	2,148.45	1/2	2,507.76	1/2	2,866.92	1/2	3,224.66	1/2	3,570.79
3/4	359.88	3/4	719.01	3/4	1,077.99	3/4	1,437.29	3/4	1,796.61	3/4	2,155.93	3/4	2,515.25	3/4	2,874.37	3/4	3,232.12	3/4	3,576.88

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.  
NOTE: GAUGE POINT LOCATED 12'- 0" OFF CENTERLINE AND 50'- 0" FORWARD OF AFT. BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.  
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/2" ABOVE TANK BOTTOM.

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

**ITS - CALEB BRETT**  
*Caleb Brett*

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 16'- 4 7/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,582.97	0	3,847.83	0	4,111.31	0	4,374.78	0	4,630.54	0	4,837.18	0		0		0		0	
1/4	3,589.05	1/4	3,853.32	1/4	4,116.80	1/4	4,380.27	1/4	4,635.87	1/4	4,838.20	1/4		1/4		1/4		1/4	
1/2	3,594.74	1/2	3,858.81	1/2	4,122.28	1/2	4,385.59	1/2	4,641.19	1/2	4,838.30	1/2		1/2		1/2		1/2	
3/4	3,600.43	3/4	3,864.30	3/4	4,127.77	3/4	4,390.92	3/4	4,646.52	3/4	4,838.41	3/4		3/4		3/4		3/4	
1	3,606.12	1	3,869.79	1	4,133.26	1	4,396.24	1	4,651.84	1	4,838.51	1		1		1		1	
1/4	3,611.81	1/4	3,875.28	1/4	4,138.75	1/4	4,401.57	1/4	4,657.17	1/4	4,838.62	1/4		1/4		1/4		1/4	
1/2	3,617.30	1/2	3,880.77	1/2	4,144.24	1/2	4,406.89	1/2	4,662.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,622.79	3/4	3,886.26	3/4	4,149.73	3/4	4,412.22	3/4	4,667.82	3/4		3/4		3/4		3/4		3/4	
2	3,628.27	2	3,891.75	2	4,155.22	2	4,417.54	2	4,673.14	2		2		2		2		2	
1/4	3,633.76	1/4	3,897.24	1/4	4,160.71	1/4	4,422.87	1/4	4,678.47	1/4		1/4		1/4		1/4		1/4	
1/2	3,639.25	1/2	3,902.72	1/2	4,166.20	1/2	4,428.19	1/2	4,683.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,644.74	3/4	3,908.21	3/4	4,171.69	3/4	4,433.52	3/4	4,688.74	3/4		3/4		3/4		3/4		3/4	
3	3,650.23	3	3,913.70	3	4,177.17	3	4,438.84	3	4,693.88	3		3		3		3		3	
1/4	3,655.72	1/4	3,919.19	1/4	4,182.66	1/4	4,444.17	1/4	4,699.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,661.21	1/2	3,924.68	1/2	4,188.15	1/2	4,449.49	1/2	4,704.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,666.70	3/4	3,930.17	3/4	4,193.64	3/4	4,454.82	3/4	4,709.29	3/4		3/4		3/4		3/4		3/4	
4	3,672.19	4	3,935.66	4	4,199.13	4	4,460.14	4	4,714.43	4		4		4		4		4	
1/4	3,677.68	1/4	3,941.15	1/4	4,204.62	1/4	4,465.47	1/4	4,719.56	1/4		1/4		1/4		1/4		1/4	
1/2	3,683.16	1/2	3,946.64	1/2	4,210.11	1/2	4,470.79	1/2	4,724.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,688.65	3/4	3,952.13	3/4	4,215.60	3/4	4,476.12	3/4	4,729.84	3/4		3/4		3/4		3/4		3/4	
5	3,694.14	5	3,957.61	5	4,221.09	5	4,481.44	5	4,734.97	5		5		5		5		5	
1/4	3,699.63	1/4	3,963.10	1/4	4,226.58	1/4	4,486.77	1/4	4,740.11	1/4		1/4		1/4		1/4		1/4	
1/2	3,705.12	1/2	3,968.59	1/2	4,232.06	1/2	4,492.09	1/2	4,745.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,710.61	3/4	3,974.08	3/4	4,237.55	3/4	4,497.42	3/4	4,750.38	3/4		3/4		3/4		3/4		3/4	
6	3,716.10	6	3,979.57	6	4,243.04	6	4,502.74	6	4,755.52	6		6		6		6		6	
1/4	3,721.59	1/4	3,985.06	1/4	4,248.53	1/4	4,508.07	1/4	4,760.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,727.08	1/2	3,990.55	1/2	4,254.02	1/2	4,513.39	1/2	4,765.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,732.57	3/4	3,996.04	3/4	4,259.51	3/4	4,518.72	3/4	4,770.93	3/4		3/4		3/4		3/4		3/4	
7	3,738.05	7	4,001.53	7	4,265.00	7	4,524.04	7	4,776.07	7		7		7		7		7	
1/4	3,743.54	1/4	4,007.02	1/4	4,270.49	1/4	4,529.37	1/4	4,781.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,749.03	1/2	4,012.50	1/2	4,275.98	1/2	4,534.69	1/2	4,785.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,754.52	3/4	4,017.99	3/4	4,281.47	3/4	4,540.02	3/4	4,790.56	3/4		3/4		3/4		3/4		3/4	
8	3,760.01	8	4,023.48	8	4,286.95	8	4,545.34	8	4,795.24	8		8		8		8		8	
1/4	3,765.50	1/4	4,028.97	1/4	4,292.44	1/4	4,550.67	1/4	4,799.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,770.99	1/2	4,034.46	1/2	4,297.93	1/2	4,555.99	1/2	4,803.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,776.48	3/4	4,039.95	3/4	4,303.42	3/4	4,561.32	3/4	4,807.45	3/4		3/4		3/4		3/4		3/4	
9	3,781.97	9	4,045.44	9	4,308.91	9	4,566.64	9	4,811.22	9		9		9		9		9	
1/4	3,787.46	1/4	4,050.93	1/4	4,314.40	1/4	4,571.97	1/4	4,814.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,792.94	1/2	4,056.42	1/2	4,319.89	1/2	4,577.29	1/2	4,817.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,798.43	3/4	4,061.91	3/4	4,325.38	3/4	4,582.62	3/4	4,820.68	3/4		3/4		3/4		3/4		3/4	
10	3,803.92	10	4,067.39	10	4,330.87	10	4,587.94	10	4,823.53	10		10		10		10		10	
1/4	3,809.41	1/4	4,072.88	1/4	4,336.36	1/4	4,593.27	1/4	4,826.38	1/4		1/4		1/4		1/4		1/4	
1/2	3,814.90	1/2	4,078.37	1/2	4,341.84	1/2	4,598.59	1/2	4,828.31	1/2		1/2		1/2		1/2		1/2	
3/4	3,820.39	3/4	4,083.86	3/4	4,347.33	3/4	4,603.92	3/4	4,830.25	3/4		3/4		3/4		3/4		3/4	
11	3,825.88	11	4,089.35	11	4,352.82	11	4,609.24	11	4,832.18	11		11		11		11		11	
1/4	3,831.37	1/4	4,094.84	1/4	4,358.31	1/4	4,614.57	1/4	4,834.12	1/4		1/4		1/4		1/4		1/4	
1/2	3,836.86	1/2	4,100.33	1/2	4,363.80	1/2	4,619.89	1/2	4,835.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,842.35	3/4	4,105.82	3/4	4,369.29	3/4	4,625.22	3/4	4,836.16	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03



**BARGE "GBL 730"**  
**HULL NO. 02-2969**

**3 STBD**  
**INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'- 5 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	16.78	0	367.35	0	726.41	0	1,084.91	0	1,443.26	0	1,802.07	0	2,161.10	0	2,520.35	0	2,879.56	0	3,238.52
1/4	20.52	1/4	374.84	1/4	733.88	1/4	1,092.38	1/4	1,450.72	1/4	1,809.55	1/4	2,168.59	1/4	2,527.84	1/4	2,887.04	1/4	3,245.99
1/2	26.76	1/2	382.32	1/2	741.34	1/2	1,099.85	1/2	1,458.18	1/2	1,817.02	1/2	2,176.07	1/2	2,535.32	1/2	2,894.52	1/2	3,253.46
3/4	33.00	3/4	389.81	3/4	748.81	3/4	1,107.32	3/4	1,465.64	3/4	1,824.50	3/4	2,183.56	3/4	2,542.81	3/4	2,902.00	3/4	3,260.92
1	39.24	1	397.29	1	756.28	1	1,114.79	1	1,473.10	1	1,831.98	1	2,191.04	1	2,550.29	1	2,909.47	1	3,268.39
1/4	45.48	1/4	404.78	1/4	763.75	1/4	1,122.26	1/4	1,480.56	1/4	1,839.46	1/4	2,198.52	1/4	2,557.78	1/4	2,916.95	1/4	3,275.85
1/2	52.96	1/2	412.26	1/2	771.22	1/2	1,129.73	1/2	1,488.02	1/2	1,846.94	1/2	2,206.01	1/2	2,565.26	1/2	2,924.43	1/2	3,283.32
3/4	60.45	3/4	419.74	3/4	778.69	3/4	1,137.20	3/4	1,495.48	3/4	1,854.41	3/4	2,213.49	3/4	2,572.74	3/4	2,931.91	3/4	3,290.78
2	67.93	2	427.23	2	786.16	2	1,144.67	2	1,502.94	2	1,861.89	2	2,220.98	2	2,580.23	2	2,939.39	2	3,298.25
1/4	75.42	1/4	434.71	1/4	793.63	1/4	1,152.15	1/4	1,510.40	1/4	1,869.37	1/4	2,228.46	1/4	2,587.71	1/4	2,946.87	1/4	3,305.71
1/2	82.90	1/2	442.20	1/2	801.10	1/2	1,159.62	1/2	1,517.86	1/2	1,876.85	1/2	2,235.95	1/2	2,595.20	1/2	2,954.34	1/2	3,313.18
3/4	90.39	3/4	449.68	3/4	808.57	3/4	1,167.09	3/4	1,525.32	3/4	1,884.33	3/4	2,243.43	3/4	2,602.68	3/4	2,961.82	3/4	3,320.64
3	97.88	3	457.17	3	816.03	3	1,174.56	3	1,532.78	3	1,891.80	3	2,250.92	3	2,610.17	3	2,969.30	3	3,328.11
1/4	105.36	1/4	464.65	1/4	823.50	1/4	1,182.04	1/4	1,540.24	1/4	1,899.28	1/4	2,258.40	1/4	2,617.65	1/4	2,976.78	1/4	3,335.57
1/2	112.85	1/2	472.14	1/2	830.97	1/2	1,189.51	1/2	1,547.72	1/2	1,906.76	1/2	2,265.88	1/2	2,625.14	1/2	2,984.26	1/2	3,343.04
3/4	120.33	3/4	479.62	3/4	838.44	3/4	1,196.98	3/4	1,555.19	3/4	1,914.24	3/4	2,273.37	3/4	2,632.62	3/4	2,991.73	3/4	3,350.50
4	127.82	4	487.10	4	845.90	4	1,204.46	4	1,562.67	4	1,921.71	4	2,280.85	4	2,640.10	4	2,999.21	4	3,357.97
1/4	135.30	1/4	494.59	1/4	853.36	1/4	1,211.93	1/4	1,570.16	1/4	1,929.19	1/4	2,288.34	1/4	2,647.59	1/4	3,006.69	1/4	3,365.43
1/2	142.79	1/2	502.07	1/2	860.82	1/2	1,219.40	1/2	1,577.64	1/2	1,936.67	1/2	2,295.82	1/2	2,655.07	1/2	3,014.17	1/2	3,372.90
3/4	150.28	3/4	509.56	3/4	868.27	3/4	1,226.87	3/4	1,585.13	3/4	1,944.15	3/4	2,303.31	3/4	2,662.56	3/4	3,021.65	3/4	3,380.36
5	157.76	5	517.04	5	875.74	5	1,234.35	5	1,592.61	5	1,951.63	5	2,310.79	5	2,670.04	5	3,029.13	5	3,387.83
1/4	165.25	1/4	524.53	1/4	883.21	1/4	1,241.82	1/4	1,600.09	1/4	1,959.10	1/4	2,318.28	1/4	2,677.53	1/4	3,036.60	1/4	3,395.29
1/2	172.73	1/2	532.01	1/2	890.68	1/2	1,249.28	1/2	1,607.58	1/2	1,966.58	1/2	2,325.76	1/2	2,685.01	1/2	3,044.08	1/2	3,402.76
3/4	180.22	3/4	539.50	3/4	898.15	3/4	1,256.74	3/4	1,615.06	3/4	1,974.06	3/4	2,333.24	3/4	2,692.50	3/4	3,051.56	3/4	3,410.22
6	187.71	6	546.98	6	905.62	6	1,264.20	6	1,622.55	6	1,981.54	6	2,340.73	6	2,699.98	6	3,059.04	6	3,417.69
1/4	195.19	1/4	554.46	1/4	913.09	1/4	1,271.66	1/4	1,630.03	1/4	1,989.01	1/4	2,348.21	1/4	2,707.46	1/4	3,066.52	1/4	3,425.15
1/2	202.68	1/2	561.95	1/2	920.56	1/2	1,279.12	1/2	1,637.51	1/2	1,996.49	1/2	2,355.70	1/2	2,714.95	1/2	3,073.99	1/2	3,432.62
3/4	210.16	3/4	569.43	3/4	928.03	3/4	1,286.58	3/4	1,645.00	3/4	2,003.97	3/4	2,363.18	3/4	2,722.43	3/4	3,081.47	3/4	3,440.08
7	217.65	7	576.92	7	935.50	7	1,294.04	7	1,652.48	7	2,011.45	7	2,370.67	7	2,729.92	7	3,088.95	7	3,447.55
1/4	225.13	1/4	584.40	1/4	942.97	1/4	1,301.51	1/4	1,659.97	1/4	2,018.93	1/4	2,378.15	1/4	2,737.40	1/4	3,096.43	1/4	3,455.01
1/2	232.62	1/2	591.89	1/2	950.44	1/2	1,308.97	1/2	1,667.45	1/2	2,026.40	1/2	2,385.63	1/2	2,744.89	1/2	3,103.91	1/2	3,462.48
3/4	240.11	3/4	599.37	3/4	957.91	3/4	1,316.43	3/4	1,674.93	3/4	2,033.88	3/4	2,393.12	3/4	2,752.37	3/4	3,111.39	3/4	3,469.94
8	247.59	8	606.86	8	965.39	8	1,323.89	8	1,682.42	8	2,041.36	8	2,400.60	8	2,759.85	8	3,118.86	8	3,477.41
1/4	255.08	1/4	614.34	1/4	972.86	1/4	1,331.35	1/4	1,689.90	1/4	2,048.84	1/4	2,408.09	1/4	2,767.34	1/4	3,126.34	1/4	3,484.87
1/2	262.56	1/2	621.83	1/2	980.33	1/2	1,338.81	1/2	1,697.38	1/2	2,056.32	1/2	2,415.57	1/2	2,774.82	1/2	3,133.82	1/2	3,492.14
3/4	270.05	3/4	629.31	3/4	987.80	3/4	1,346.27	3/4	1,704.86	3/4	2,063.81	3/4	2,423.06	3/4	2,782.31	3/4	3,141.30	3/4	3,499.40
9	277.53	9	636.78	9	995.27	9	1,353.73	9	1,712.34	9	2,071.29	9	2,430.54	9	2,789.79	9	3,148.78	9	3,506.67
1/4	285.02	1/4	644.25	1/4	1,002.74	1/4	1,361.19	1/4	1,719.81	1/4	2,078.77	1/4	2,438.03	1/4	2,797.28	1/4	3,156.26	1/4	3,513.93
1/2	292.51	1/2	651.72	1/2	1,010.21	1/2	1,368.65	1/2	1,727.29	1/2	2,086.26	1/2	2,445.51	1/2	2,804.76	1/2	3,163.73	1/2	3,520.80
3/4	299.99	3/4	659.19	3/4	1,017.68	3/4	1,376.11	3/4	1,734.77	3/4	2,093.74	3/4	2,452.99	3/4	2,812.25	3/4	3,171.21	3/4	3,527.67
10	307.48	10	666.65	10	1,025.15	10	1,383.57	10	1,742.25	10	2,101.23	10	2,460.48	10	2,819.73	10	3,178.69	10	3,534.53
1/4	314.96	1/4	674.12	1/4	1,032.62	1/4	1,391.03	1/4	1,749.72	1/4	2,108.71	1/4	2,467.96	1/4	2,827.21	1/4	3,186.17	1/4	3,541.40
1/2	322.45	1/2	681.59	1/2	1,040.09	1/2	1,398.49	1/2	1,757.20	1/2	2,116.20	1/2	2,475.45	1/2	2,834.69	1/2	3,193.65	1/2	3,547.86
3/4	329.93	3/4	689.06	3/4	1,047.56	3/4	1,405.95	3/4	1,764.68	3/4	2,123.68	3/4	2,482.93	3/4	2,842.17	3/4	3,201.12	3/4	3,554.33
11	337.42	11	696.53	11	1,055.03	11	1,413.41	11	1,772.16	11	2,131.17	11	2,490.42	11	2,849.65	11	3,208.60	11	3,560.80
1/4	344.90	1/4	704.00	1/4	1,062.50	1/4	1,420.88	1/4	1,779.64	1/4	2,138.65	1/4	2,497.90	1/4	2,857.13	1/4	3,216.08	1/4	3,567.26
1/2	352.38	1/2	711.47	1/2	1,069.97	1/2	1,428.34	1/2	1,787.11	1/2	2,146.13	1/2	2,505.39	1/2	2,864.61	1/2	3,223.56	1/2	3,573.35
3/4	359.87	3/4	718.94	3/4	1,077.44	3/4	1,435.80	3/4	1,794.59	3/4	2,153.62	3/4	2,512.87	3/4	2,872.08	3/4	3,231.04	3/4	3,579.44

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: GAUGE POINT: TO TOP LIP OF 2" MMC GAUGE VALVE.  
NOTE: GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 50'- 0" FORWARD OF AFT. BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.  
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

**ITS - CALEB BRETT**



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 16'- 5 1/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
<b>0</b>	3,585.53	<b>0</b>	3,858.40	<b>0</b>	4,121.87	<b>0</b>	4,385.34	<b>0</b>	4,648.81	<b>0</b>	4,868.05	<b>0</b>		<b>0</b>		<b>0</b>		<b>0</b>	
1/4	3,591.62	1/4	3,863.89	1/4	4,127.36	1/4	4,390.83	1/4	4,654.30	1/4	4,869.35	1/4		1/4		1/4		1/4	
1/2	3,599.30	1/2	3,869.38	1/2	4,132.85	1/2	4,396.32	1/2	4,659.79	1/2	4,869.74	1/2		1/2		1/2		1/2	
3/4	3,606.99	3/4	3,874.86	3/4	4,138.34	3/4	4,401.81	3/4	4,665.28	3/4	4,870.13	3/4		3/4		3/4		3/4	
<b>1</b>	3,614.68	<b>1</b>	3,880.35	<b>1</b>	4,143.83	<b>1</b>	4,407.30	<b>1</b>	4,670.77	<b>1</b>	4,870.52	<b>1</b>		<b>1</b>		<b>1</b>		<b>1</b>	
1/4	3,622.37	1/4	3,885.84	1/4	4,149.31	1/4	4,412.79	1/4	4,676.26	1/4	4,870.91	1/4		1/4		1/4		1/4	
1/2	3,627.86	1/2	3,891.33	1/2	4,154.80	1/2	4,418.28	1/2	4,681.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,633.35	3/4	3,896.82	3/4	4,160.29	3/4	4,423.76	3/4	4,687.24	3/4		3/4		3/4		3/4		3/4	
<b>2</b>	3,638.84	<b>2</b>	3,902.31	<b>2</b>	4,165.78	<b>2</b>	4,429.25	<b>2</b>	4,692.73	<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>		<b>2</b>	
1/4	3,644.33	1/4	3,907.80	1/4	4,171.27	1/4	4,434.74	1/4	4,698.21	1/4		1/4		1/4		1/4		1/4	
1/2	3,649.82	1/2	3,913.29	1/2	4,176.76	1/2	4,440.23	1/2	4,703.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,655.30	3/4	3,918.78	3/4	4,182.25	3/4	4,445.72	3/4	4,709.06	3/4		3/4		3/4		3/4		3/4	
<b>3</b>	3,660.79	<b>3</b>	3,924.27	<b>3</b>	4,187.74	<b>3</b>	4,451.21	<b>3</b>	4,714.48	<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>		<b>3</b>	
1/4	3,666.28	1/4	3,929.75	1/4	4,193.23	1/4	4,456.70	1/4	4,719.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,671.77	1/2	3,935.24	1/2	4,198.72	1/2	4,462.19	1/2	4,725.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,677.26	3/4	3,940.73	3/4	4,204.20	3/4	4,467.68	3/4	4,730.75	3/4		3/4		3/4		3/4		3/4	
<b>4</b>	3,682.75	<b>4</b>	3,946.22	<b>4</b>	4,209.69	<b>4</b>	4,473.17	<b>4</b>	4,736.17	<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>		<b>4</b>	
1/4	3,688.24	1/4	3,951.71	1/4	4,215.18	1/4	4,478.65	1/4	4,741.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,693.73	1/2	3,957.20	1/2	4,220.67	1/2	4,484.14	1/2	4,747.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,699.22	3/4	3,962.69	3/4	4,226.16	3/4	4,489.63	3/4	4,752.43	3/4		3/4		3/4		3/4		3/4	
<b>5</b>	3,704.71	<b>5</b>	3,968.18	<b>5</b>	4,231.65	<b>5</b>	4,495.12	<b>5</b>	4,757.86	<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>		<b>5</b>	
1/4	3,710.19	1/4	3,973.67	1/4	4,237.14	1/4	4,500.61	1/4	4,763.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,715.68	1/2	3,979.16	1/2	4,242.63	1/2	4,506.10	1/2	4,768.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,721.17	3/4	3,984.64	3/4	4,248.12	3/4	4,511.59	3/4	4,774.12	3/4		3/4		3/4		3/4		3/4	
<b>6</b>	3,726.66	<b>6</b>	3,990.13	<b>6</b>	4,253.61	<b>6</b>	4,517.08	<b>6</b>	4,779.54	<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>		<b>6</b>	
1/4	3,732.15	1/4	3,995.62	1/4	4,259.09	1/4	4,522.57	1/4	4,784.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,737.64	1/2	4,001.11	1/2	4,264.58	1/2	4,528.06	1/2	4,790.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,743.13	3/4	4,006.60	3/4	4,270.07	3/4	4,533.54	3/4	4,795.81	3/4		3/4		3/4		3/4		3/4	
<b>7</b>	3,748.62	<b>7</b>	4,012.09	<b>7</b>	4,275.56	<b>7</b>	4,539.03	<b>7</b>	4,801.23	<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>		<b>7</b>	
1/4	3,754.11	1/4	4,017.58	1/4	4,281.05	1/4	4,544.52	1/4	4,806.65	1/4		1/4		1/4		1/4		1/4	
1/2	3,759.60	1/2	4,023.07	1/2	4,286.54	1/2	4,550.01	1/2	4,811.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,765.08	3/4	4,028.56	3/4	4,292.03	3/4	4,555.50	3/4	4,816.58	3/4		3/4		3/4		3/4		3/4	
<b>8</b>	3,770.57	<b>8</b>	4,034.05	<b>8</b>	4,297.52	<b>8</b>	4,560.99	<b>8</b>	4,821.55	<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>		<b>8</b>	
1/4	3,776.06	1/4	4,039.53	1/4	4,303.01	1/4	4,566.48	1/4	4,826.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,781.55	1/2	4,045.02	1/2	4,308.50	1/2	4,571.97	1/2	4,830.56	1/2		1/2		1/2		1/2		1/2	
3/4	3,787.04	3/4	4,050.51	3/4	4,313.98	3/4	4,577.46	3/4	4,834.61	3/4		3/4		3/4		3/4		3/4	
<b>9</b>	3,792.53	<b>9</b>	4,056.00	<b>9</b>	4,319.47	<b>9</b>	4,582.95	<b>9</b>	4,838.66	<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>	
1/4	3,798.02	1/4	4,061.49	1/4	4,324.96	1/4	4,588.43	1/4	4,842.71	1/4		1/4		1/4		1/4		1/4	
1/2	3,803.51	1/2	4,066.98	1/2	4,330.45	1/2	4,593.92	1/2	4,845.85	1/2		1/2		1/2		1/2		1/2	
3/4	3,809.00	3/4	4,072.47	3/4	4,335.94	3/4	4,599.41	3/4	4,848.98	3/4		3/4		3/4		3/4		3/4	
<b>10</b>	3,814.49	<b>10</b>	4,077.96	<b>10</b>	4,341.43	<b>10</b>	4,604.90	<b>10</b>	4,852.12	<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>	
1/4	3,819.97	1/4	4,083.45	1/4	4,346.92	1/4	4,610.39	1/4	4,855.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,825.46	1/2	4,088.94	1/2	4,352.41	1/2	4,615.88	1/2	4,857.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,830.95	3/4	4,094.42	3/4	4,357.90	3/4	4,621.37	3/4	4,859.69	3/4		3/4		3/4		3/4		3/4	
<b>11</b>	3,836.44	<b>11</b>	4,099.91	<b>11</b>	4,363.39	<b>11</b>	4,626.86	<b>11</b>	4,861.91	<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>	
1/4	3,841.93	1/4	4,105.40	1/4	4,368.87	1/4	4,632.35	1/4	4,864.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,847.42	1/2	4,110.89	1/2	4,374.36	1/2	4,637.84	1/2	4,865.44	1/2		1/2		1/2		1/2		1/2	
3/4	3,852.91	3/4	4,116.38	3/4	4,379.85	3/4	4,643.32	3/4	4,866.74	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-6 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	114	0	1,110	0	2,135	0	3,159	0	4,184	0		0		0		0		0	
1/4	130	1/4	1,131	1/4	2,156	1/4	3,181	1/4	4,205	1/4		1/4		1/4		1/4		1/4	
1/2	146	1/2	1,153	1/2	2,177	1/2	3,202	1/2	4,227	1/2		1/2		1/2		1/2		1/2	
3/4	162	3/4	1,174	3/4	2,199	3/4	3,223	3/4	4,248	3/4		3/4		3/4		3/4		3/4	
1	178	1	1,195	1	2,220	1	3,245	1	4,270	1		1		1		1		1	
1/4	197	1/4	1,217	1/4	2,241	1/4	3,266	1/4	4,291	1/4		1/4		1/4		1/4		1/4	
1/2	217	1/2	1,238	1/2	2,263	1/2	3,288	1/2	4,312	1/2		1/2		1/2		1/2		1/2	
3/4	237	3/4	1,260	3/4	2,284	3/4	3,309	3/4	4,332	3/4		3/4		3/4		3/4		3/4	
2	256	2	1,281	2	2,306	2	3,330	2	4,351	2		2		2		2		2	
1/4	278	1/4	1,302	1/4	2,327	1/4	3,352	1/4	4,371	1/4		1/4		1/4		1/4		1/4	
1/2	299	1/2	1,324	1/2	2,348	1/2	3,373	1/2	4,390	1/2		1/2		1/2		1/2		1/2	
3/4	320	3/4	1,345	3/4	2,370	3/4	3,394	3/4	4,407	3/4		3/4		3/4		3/4		3/4	
3	342	3	1,366	3	2,391	3	3,416	3	4,423	3		3		3		3		3	
1/4	363	1/4	1,388	1/4	2,412	1/4	3,437	1/4	4,439	1/4		1/4		1/4		1/4		1/4	
1/2	384	1/2	1,409	1/2	2,434	1/2	3,458	1/2	4,455	1/2		1/2		1/2		1/2		1/2	
3/4	406	3/4	1,430	3/4	2,455	3/4	3,480	3/4	4,467	3/4		3/4		3/4		3/4		3/4	
4	427	4	1,452	4	2,476	4	3,501	4	4,479	4		4		4		4		4	
1/4	448	1/4	1,473	1/4	2,498	1/4	3,522	1/4	4,492	1/4		1/4		1/4		1/4		1/4	
1/2	470	1/2	1,494	1/2	2,519	1/2	3,544	1/2	4,504	1/2		1/2		1/2		1/2		1/2	
3/4	491	3/4	1,516	3/4	2,540	3/4	3,565	3/4	4,513	3/4		3/4		3/4		3/4		3/4	
5	512	5	1,537	5	2,562	5	3,586	5	4,522	5		5		5		5		5	
1/4	534	1/4	1,558	1/4	2,583	1/4	3,608	1/4	4,531	1/4		1/4		1/4		1/4		1/4	
1/2	555	1/2	1,580	1/2	2,604	1/2	3,629	1/2	4,540	1/2		1/2		1/2		1/2		1/2	
3/4	576	3/4	1,601	3/4	2,626	3/4	3,650	3/4	4,545	3/4		3/4		3/4		3/4		3/4	
6	598	6	1,622	6	2,647	6	3,672	6	4,551	6		6		6		6		6	
1/4	619	1/4	1,644	1/4	2,668	1/4	3,693	1/4	4,556	1/4		1/4		1/4		1/4		1/4	
1/2	640	1/2	1,665	1/2	2,690	1/2	3,714	1/2	4,561	1/2		1/2		1/2		1/2		1/2	
3/4	662	3/4	1,686	3/4	2,711	3/4	3,736	3/4	4,563	3/4		3/4		3/4		3/4		3/4	
7	683	7	1,708	7	2,732	7	3,757	7	4,565	7		7		7		7		7	
1/4	704	1/4	1,729	1/4	2,754	1/4	3,779	1/4	4,567	1/4		1/4		1/4		1/4		1/4	
1/2	726	1/2	1,751	1/2	2,775	1/2	3,800	1/2	4,569	1/2		1/2		1/2		1/2		1/2	
3/4	747	3/4	1,772	3/4	2,797	3/4	3,821	3/4		3/4		3/4		3/4		3/4		3/4	
8	769	8	1,793	8	2,818	8	3,843	8		8		8		8		8		8	
1/4	790	1/4	1,815	1/4	2,839	1/4	3,864	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	811	1/2	1,836	1/2	2,861	1/2	3,885	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	833	3/4	1,857	3/4	2,882	3/4	3,907	3/4		3/4		3/4		3/4		3/4		3/4	
9	854	9	1,879	9	2,903	9	3,928	9		9		9		9		9		9	
1/4	875	1/4	1,900	1/4	2,925	1/4	3,949	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	897	1/2	1,921	1/2	2,946	1/2	3,971	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	918	3/4	1,943	3/4	2,967	3/4	3,992	3/4		3/4		3/4		3/4		3/4		3/4	
10	939	10	1,964	10	2,989	10	4,013	10		10		10		10		10		10	
1/4	961	1/4	1,985	1/4	3,010	1/4	4,035	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	982	1/2	2,007	1/2	3,031	1/2	4,056	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,003	3/4	2,028	3/4	3,053	3/4	4,077	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,025	11	2,049	11	3,074	11	4,099	11		11		11		11		11		11	
1/4	1,046	1/4	2,071	1/4	3,095	1/4	4,120	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,067	1/2	2,092	1/2	3,117	1/2	4,141	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,089	3/4	2,113	3/4	3,138	3/4	4,163	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

*Dale A. Rose*

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-6 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	109	0	1,058	0	2,035	0	3,012	0	3,989	0		0		0		0		0	
1/4	124	1/4	1,079	1/4	2,055	1/4	3,032	1/4	4,009	1/4		1/4		1/4		1/4		1/4	
1/2	139	1/2	1,099	1/2	2,076	1/2	3,053	1/2	4,029	1/2		1/2		1/2		1/2		1/2	
3/4	154	3/4	1,119	3/4	2,096	3/4	3,073	3/4	4,050	3/4		3/4		3/4		3/4		3/4	
1	170	1	1,140	1	2,116	1	3,093	1	4,070	1		1		1		1		1	
1/4	188	1/4	1,160	1/4	2,137	1/4	3,114	1/4	4,090	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	1,180	1/2	2,157	1/2	3,134	1/2	4,111	1/2		1/2		1/2		1/2		1/2	
3/4	226	3/4	1,201	3/4	2,177	3/4	3,154	3/4	4,129	3/4		3/4		3/4		3/4		3/4	
2	244	2	1,221	2	2,198	2	3,175	2	4,148	2		2		2		2		2	
1/4	265	1/4	1,241	1/4	2,218	1/4	3,195	1/4	4,167	1/4		1/4		1/4		1/4		1/4	
1/2	285	1/2	1,262	1/2	2,239	1/2	3,215	1/2	4,185	1/2		1/2		1/2		1/2		1/2	
3/4	305	3/4	1,282	3/4	2,259	3/4	3,236	3/4	4,201	3/4		3/4		3/4		3/4		3/4	
3	326	3	1,302	3	2,279	3	3,256	3	4,216	3		3		3		3		3	
1/4	346	1/4	1,323	1/4	2,300	1/4	3,276	1/4	4,231	1/4		1/4		1/4		1/4		1/4	
1/2	366	1/2	1,343	1/2	2,320	1/2	3,297	1/2	4,246	1/2		1/2		1/2		1/2		1/2	
3/4	387	3/4	1,363	3/4	2,340	3/4	3,317	3/4	4,258	3/4		3/4		3/4		3/4		3/4	
4	407	4	1,384	4	2,361	4	3,337	4	4,270	4		4		4		4		4	
1/4	427	1/4	1,404	1/4	2,381	1/4	3,358	1/4	4,282	1/4		1/4		1/4		1/4		1/4	
1/2	448	1/2	1,425	1/2	2,401	1/2	3,378	1/2	4,294	1/2		1/2		1/2		1/2		1/2	
3/4	468	3/4	1,445	3/4	2,422	3/4	3,399	3/4	4,302	3/4		3/4		3/4		3/4		3/4	
5	488	5	1,465	5	2,442	5	3,419	5	4,311	5		5		5		5		5	
1/4	509	1/4	1,486	1/4	2,462	1/4	3,439	1/4	4,319	1/4		1/4		1/4		1/4		1/4	
1/2	529	1/2	1,506	1/2	2,483	1/2	3,460	1/2	4,328	1/2		1/2		1/2		1/2		1/2	
3/4	549	3/4	1,526	3/4	2,503	3/4	3,480	3/4	4,333	3/4		3/4		3/4		3/4		3/4	
6	570	6	1,547	6	2,523	6	3,500	6	4,338	6		6		6		6		6	
1/4	590	1/4	1,567	1/4	2,544	1/4	3,521	1/4	4,343	1/4		1/4		1/4		1/4		1/4	
1/2	611	1/2	1,587	1/2	2,564	1/2	3,541	1/2	4,348	1/2		1/2		1/2		1/2		1/2	
3/4	631	3/4	1,608	3/4	2,585	3/4	3,561	3/4	4,350	3/4		3/4		3/4		3/4		3/4	
7	651	7	1,628	7	2,605	7	3,582	7	4,352	7		7		7		7		7	
1/4	672	1/4	1,648	1/4	2,625	1/4	3,602	1/4	4,353	1/4		1/4		1/4		1/4		1/4	
1/2	692	1/2	1,669	1/2	2,646	1/2	3,622	1/2	4,355	1/2		1/2		1/2		1/2		1/2	
3/4	712	3/4	1,689	3/4	2,666	3/4	3,643	3/4		3/4		3/4		3/4		3/4		3/4	
8	733	8	1,709	8	2,686	8	3,663	8		8		8		8		8		8	
1/4	753	1/4	1,730	1/4	2,707	1/4	3,683	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	773	1/2	1,750	1/2	2,727	1/2	3,704	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	794	3/4	1,770	3/4	2,747	3/4	3,724	3/4		3/4		3/4		3/4		3/4		3/4	
9	814	9	1,791	9	2,768	9	3,744	9		9		9		9		9		9	
1/4	834	1/4	1,811	1/4	2,788	1/4	3,765	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	855	1/2	1,832	1/2	2,808	1/2	3,785	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	875	3/4	1,852	3/4	2,829	3/4	3,806	3/4		3/4		3/4		3/4		3/4		3/4	
10	895	10	1,872	10	2,849	10	3,826	10		10		10		10		10		10	
1/4	916	1/4	1,893	1/4	2,869	1/4	3,846	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	936	1/2	1,913	1/2	2,890	1/2	3,867	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	956	3/4	1,933	3/4	2,910	3/4	3,887	3/4		3/4		3/4		3/4		3/4		3/4	
11	977	11	1,954	11	2,930	11	3,907	11		11		11		11		11		11	
1/4	997	1/4	1,974	1/4	2,951	1/4	3,928	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,018	1/2	1,994	1/2	2,971	1/2	3,948	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,038	3/4	2,015	3/4	2,992	3/4	3,968	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**ITS - CALEB BRETT**

DATE STRAPPED: 4/30/03 BY: KS-KF  
DATE COMPUTED: 5/5/03 BY: DAR  
DATE ISSUED: 5/6/03

