



VAPOR TIGHTNESS TEST

Note: Test Result are valid for (1) one year from date of test

Vessel Name: GBL 3530 Test Date: 6/29/2018
Testing Location: WESTPORT ORANGE SY Maximum Load Rate: (BPH) 7,500
Tanks Tested: #1, #2, #3 PORT and STBD CT Pressure Indicator: MANOMETER

TEST RESULTS

Test Duration: 30 minutes Beginning Pressure: 28 Inches H2O
Ending Pressure: 27.7 Inches H2O
Total Pressure Loss: 0.03 Inches H2O
Allowable Pressure Loss: 3.38 Inches H2O

Barge is Vapor Tight if "Total Pressure Loss" is Less than "Allowable Pressure Loss"

This vessel has been tested in accordance with section 61.304F and has been found to be vapor tight.

WILLARD SWORDS

GEORGE SMITH

Tester (Print)

Witness: (Print)

[Handwritten signature of Willard Swords]

[Handwritten signature of George Smith]

Tester (Signature)

Witness: (Signature)

WESTPORT ORANGE SHIPYARD

Affiliation of Witness:

(P1) - Beginning Pressure

(P2) - Ending Pressure

(Delta P) - Total Pressure Loss

(Delta PM) - Allowable Pressure Loss

(TP) - 14.7 plus Barge Test Pressure in PSI

(L) - Maximum Load Rate in BPH

(V) - Volume of Tank (s)

(Delta T) = Test Duration

0.861 - PIA @ (P1)

0.861 x (15.7 / (TP)) x ((7,500 / (L)) / (30,000 / (V))) = 3.38 (Delta PM)