

**BARGE "GBL 130"
HULL NO. 01-2406**

**1 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5" (USING MMC GAUGE DEVICE)

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	68,819	0	55,740	0	42,660	0	29,580	0	16,535	0	4,672	0		0		0		0	
1/4	68,547	1/4	55,468	1/4	42,387	1/4	29,307	1/4	16,271	1/4	4,445	1/4		1/4		1/4		1/4	
1/2	68,274	1/2	55,195	1/2	42,115	1/2	29,035	1/2	16,007	1/2	4,218	1/2		1/2		1/2		1/2	
3/4	68,002	3/4	54,923	3/4	41,842	3/4	28,762	3/4	15,743	3/4	3,991	3/4		3/4		3/4		3/4	
1	67,729	1	54,650	1	41,570	1	28,490	1	15,479	1	3,763	1		1		1		1	
1/4	67,457	1/4	54,378	1/4	41,297	1/4	28,218	1/4	15,218	1/4	3,539	1/4		1/4		1/4		1/4	
1/2	67,185	1/2	54,105	1/2	41,025	1/2	27,945	1/2	14,957	1/2	3,315	1/2		1/2		1/2		1/2	
3/4	66,912	3/4	53,833	3/4	40,752	3/4	27,673	3/4	14,696	3/4	3,091	3/4		3/4		3/4		3/4	
2	66,640	2	53,560	2	40,480	2	27,400	2	14,435	2	2,867	2		2		2		2	
1/4	66,367	1/4	53,288	1/4	40,207	1/4	27,128	1/4	14,177	1/4	2,646	1/4		1/4		1/4		1/4	
1/2	66,095	1/2	53,015	1/2	39,935	1/2	26,856	1/2	13,919	1/2	2,425	1/2		1/2		1/2		1/2	
3/4	65,822	3/4	52,743	3/4	39,662	3/4	26,583	3/4	13,662	3/4	2,204	3/4		3/4		3/4		3/4	
3	65,550	3	52,470	3	39,390	3	26,311	3	13,404	3	1,983	3		3		3		3	
1/4	65,277	1/4	52,198	1/4	39,117	1/4	26,039	1/4	13,149	1/4	1,774	1/4		1/4		1/4		1/4	
1/2	65,005	1/2	51,925	1/2	38,845	1/2	25,766	1/2	12,894	1/2	1,564	1/2		1/2		1/2		1/2	
3/4	64,732	3/4	51,653	3/4	38,572	3/4	25,494	3/4	12,639	3/4	1,355	3/4		3/4		3/4		3/4	
4	64,460	4	51,380	4	38,300	4	25,221	4	12,384	4	1,146	4		4		4		4	
1/4	64,187	1/4	51,108	1/4	38,027	1/4	24,949	1/4	12,133	1/4	983	1/4		1/4		1/4		1/4	
1/2	63,915	1/2	50,835	1/2	37,755	1/2	24,677	1/2	11,881	1/2	820	1/2		1/2		1/2		1/2	
3/4	63,642	3/4	50,563	3/4	37,482	3/4	24,404	3/4	11,629	3/4	657	3/4		3/4		3/4		3/4	
5	63,370	5	50,290	5	37,210	5	24,132	5	11,377	5	494	5		5		5		5	
1/4	63,097	1/4	50,018	1/4	36,937	1/4	23,859	1/4	11,129	1/4		1/4		1/4		1/4		1/4	
1/2	62,825	1/2	49,745	1/2	36,665	1/2	23,587	1/2	10,880	1/2		1/2		1/2		1/2		1/2	
3/4	62,552	3/4	49,473	3/4	36,392	3/4	23,315	3/4	10,631	3/4		3/4		3/4		3/4		3/4	
6	62,280	6	49,200	6	36,120	6	23,042	6	10,382	6		6		6		6		6	
1/4	62,008	1/4	48,928	1/4	35,847	1/4	22,770	1/4	10,137	1/4		1/4		1/4		1/4		1/4	
1/2	61,735	1/2	48,655	1/2	35,575	1/2	22,497	1/2	9,891	1/2		1/2		1/2		1/2		1/2	
3/4	61,463	3/4	48,383	3/4	35,302	3/4	22,225	3/4	9,646	3/4		3/4		3/4		3/4		3/4	
7	61,190	7	48,110	7	35,030	7	21,953	7	9,400	7		7		7		7		7	
1/4	60,918	1/4	47,838	1/4	34,757	1/4	21,680	1/4	9,157	1/4		1/4		1/4		1/4		1/4	
1/2	60,645	1/2	47,565	1/2	34,485	1/2	21,408	1/2	8,915	1/2		1/2		1/2		1/2		1/2	
3/4	60,373	3/4	47,293	3/4	34,212	3/4	21,135	3/4	8,672	3/4		3/4		3/4		3/4		3/4	
8	60,100	8	47,020	8	33,940	8	20,863	8	8,430	8		8		8		8		8	
1/4	59,828	1/4	46,748	1/4	33,667	1/4	20,591	1/4	8,190	1/4		1/4		1/4		1/4		1/4	
1/2	59,555	1/2	46,475	1/2	33,395	1/2	20,318	1/2	7,951	1/2		1/2		1/2		1/2		1/2	
3/4	59,283	3/4	46,203	3/4	33,122	3/4	20,046	3/4	7,711	3/4		3/4		3/4		3/4		3/4	
9	59,010	9	45,930	9	32,850	9	19,773	9	7,472	9		9		9		9		9	
1/4	58,738	1/4	45,658	1/4	32,577	1/4	19,501	1/4	7,236	1/4		1/4		1/4		1/4		1/4	
1/2	58,465	1/2	45,385	1/2	32,305	1/2	19,229	1/2	6,999	1/2		1/2		1/2		1/2		1/2	
3/4	58,193	3/4	45,113	3/4	32,032	3/4	18,957	3/4	6,763	3/4		3/4		3/4		3/4		3/4	
10	57,920	10	44,840	10	31,760	10	18,685	10	6,526	10		10		10		10		10	
1/4	57,648	1/4	44,568	1/4	31,487	1/4	18,414	1/4	6,293	1/4		1/4		1/4		1/4		1/4	
1/2	57,375	1/2	44,295	1/2	31,215	1/2	18,144	1/2	6,060	1/2		1/2		1/2		1/2		1/2	
3/4	57,103	3/4	44,022	3/4	30,942	3/4	17,874	3/4	5,826	3/4		3/4		3/4		3/4		3/4	
11	56,830	11	43,750	11	30,670	11	17,604	11	5,593	11		11		11		11		11	
1/4	56,558	1/4	43,477	1/4	30,397	1/4	17,337	1/4	5,363	1/4		1/4		1/4		1/4		1/4	
1/2	56,285	1/2	43,205	1/2	30,125	1/2	17,070	1/2	5,133	1/2		1/2		1/2		1/2		1/2	
3/4	56,013	3/4	42,932	3/4	29,852	3/4	16,802	3/4	4,902	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

**1 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-5 1/8" (USING MMC GAUGE DEVICE)

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0		0	186,655	0	173,685	0	160,635	0	147,545	0	134,455	0	121,365	0	108,275	0	95,185	0	82,095
1/4		1/4	186,386	1/4	173,414	1/4	160,362	1/4	147,272	1/4	134,183	1/4	121,093	1/4	108,003	1/4	94,913	1/4	81,822
1/2		1/2	186,117	1/2	173,144	1/2	160,090	1/2	147,000	1/2	133,910	1/2	120,820	1/2	107,730	1/2	94,640	1/2	81,550
3/4		3/4	185,849	3/4	172,873	3/4	159,817	3/4	146,727	3/4	133,637	3/4	120,547	3/4	107,457	3/4	94,367	3/4	81,277
1		1	185,580	1	172,602	1	159,544	1	146,454	1	133,364	1	120,274	1	107,185	1	94,095	1	81,004
1/4		1/4	185,311	1/4	172,332	1/4	159,272	1/4	146,182	1/4	133,092	1/4	120,002	1/4	106,912	1/4	93,822	1/4	80,731
1/2		1/2	185,042	1/2	172,061	1/2	158,999	1/2	145,909	1/2	132,819	1/2	119,729	1/2	106,639	1/2	93,549	1/2	80,459
3/4		3/4	184,773	3/4	171,790	3/4	158,726	3/4	145,636	3/4	132,546	3/4	119,456	3/4	106,366	3/4	93,276	3/4	80,186
2		2	184,504	2	171,520	2	158,453	2	145,364	2	132,274	2	119,184	2	106,094	2	93,004	2	79,913
1/4		1/4	184,235	1/4	171,249	1/4	158,181	1/4	145,091	1/4	132,001	1/4	118,911	1/4	105,821	1/4	92,731	1/4	79,641
1/2		1/2	183,966	1/2	170,978	1/2	157,908	1/2	144,818	1/2	131,728	1/2	118,638	1/2	105,548	1/2	92,458	1/2	79,368
3/4		3/4	183,697	3/4	170,708	3/4	157,635	3/4	144,545	3/4	131,455	3/4	118,366	3/4	105,276	3/4	92,186	3/4	79,095
3		3	183,427	3	170,437	3	157,363	3	144,273	3	131,183	3	118,093	3	105,003	3	91,913	3	78,822
1/4		1/4	183,157	1/4	170,167	1/4	157,090	1/4	144,000	1/4	130,910	1/4	117,820	1/4	104,730	1/4	91,640	1/4	78,550
1/2		1/2	182,886	1/2	169,896	1/2	156,817	1/2	143,727	1/2	130,637	1/2	117,547	1/2	104,457	1/2	91,368	1/2	78,277
7/8	192,120	3/4	182,616	3/4	169,625	3/4	156,544	3/4	143,455	3/4	130,365	3/4	117,275	3/4	104,185	3/4	91,095	3/4	78,004
4	192,111	4	182,345	4	169,355	4	156,272	4	143,182	4	130,092	4	117,002	4	103,912	4	90,822	4	77,731
1/4	192,082	1/4	182,075	1/4	169,084	1/4	155,999	1/4	142,909	1/4	129,819	1/4	116,729	1/4	103,639	1/4	90,549	1/4	77,459
1/2	192,053	1/2	181,804	1/2	168,812	1/2	155,726	1/2	142,636	1/2	129,547	1/2	116,457	1/2	103,367	1/2	90,277	1/2	77,186
3/4	192,025	3/4	181,533	3/4	168,541	3/4	155,454	3/4	142,364	3/4	129,274	3/4	116,184	3/4	103,094	3/4	90,004	3/4	76,913
5	191,996	5	181,263	5	168,270	5	155,181	5	142,091	5	129,001	5	115,911	5	102,821	5	89,731	5	76,641
1/4	191,926	1/4	180,992	1/4	167,998	1/4	154,908	1/4	141,818	1/4	128,728	1/4	115,638	1/4	102,549	1/4	89,459	1/4	76,368
1/2	191,856	1/2	180,722	1/2	167,725	1/2	154,636	1/2	141,546	1/2	128,456	1/2	115,366	1/2	102,276	1/2	89,186	1/2	76,095
3/4	191,786	3/4	180,451	3/4	167,453	3/4	154,363	3/4	141,273	3/4	128,183	3/4	115,093	3/4	102,003	3/4	88,913	3/4	75,822
6	191,716	6	180,180	6	167,180	6	154,090	6	141,000	6	127,910	6	114,820	6	101,730	6	88,640	6	75,550
1/4	191,600	1/4	179,910	1/4	166,907	1/4	153,817	1/4	140,727	1/4	127,638	1/4	114,548	1/4	101,458	1/4	88,368	1/4	75,277
1/2	191,485	1/2	179,639	1/2	166,635	1/2	153,545	1/2	140,455	1/2	127,365	1/2	114,275	1/2	101,185	1/2	88,095	1/2	75,004
3/4	191,369	3/4	179,368	3/4	166,362	3/4	153,272	3/4	140,182	3/4	127,092	3/4	114,002	3/4	100,912	3/4	87,822	3/4	74,731
7	191,254	7	179,098	7	166,089	7	152,999	7	139,909	7	126,819	7	113,729	7	100,640	7	87,550	7	74,459
1/4	191,093	1/4	178,827	1/4	165,817	1/4	152,727	1/4	139,637	1/4	126,547	1/4	113,457	1/4	100,367	1/4	87,277	1/4	74,186
1/2	190,932	1/2	178,556	1/2	165,544	1/2	152,454	1/2	139,364	1/2	126,274	1/2	113,184	1/2	100,094	1/2	87,004	1/2	73,913
3/4	190,771	3/4	178,286	3/4	165,271	3/4	152,181	3/4	139,091	3/4	126,001	3/4	112,911	3/4	99,821	3/4	86,731	3/4	73,641
8	190,610	8	178,015	8	164,998	8	151,908	8	138,819	8	125,729	8	112,639	8	99,549	8	86,459	8	73,368
1/4	190,404	1/4	177,745	1/4	164,726	1/4	151,636	1/4	138,546	1/4	125,456	1/4	112,366	1/4	99,276	1/4	86,186	1/4	73,095
1/2	190,198	1/2	177,474	1/2	164,453	1/2	151,363	1/2	138,273	1/2	125,183	1/2	112,093	1/2	99,003	1/2	85,913	1/2	72,822
3/4	189,991	3/4	177,203	3/4	164,180	3/4	151,090	3/4	138,000	3/4	124,910	3/4	111,821	3/4	98,731	3/4	85,641	3/4	72,550
9	189,785	9	176,933	9	163,908	9	150,818	9	137,728	9	124,638	9	111,548	9	98,458	9	85,368	9	72,277
1/4	189,538	1/4	176,662	1/4	163,635	1/4	150,545	1/4	137,455	1/4	124,365	1/4	111,275	1/4	98,185	1/4	85,095	1/4	72,004
1/2	189,291	1/2	176,391	1/2	163,362	1/2	150,272	1/2	137,182	1/2	124,092	1/2	111,002	1/2	97,912	1/2	84,822	1/2	71,731
3/4	189,044	3/4	176,121	3/4	163,089	3/4	150,000	3/4	136,910	3/4	123,820	3/4	110,730	3/4	97,640	3/4	84,550	3/4	71,459
10	188,798	10	175,850	10	162,817	10	149,727	10	136,637	10	123,547	10	110,457	10	97,367	10	84,277	10	71,186
1/4	188,531	1/4	175,579	1/4	162,544	1/4	149,454	1/4	136,364	1/4	123,274	1/4	110,184	1/4	97,094	1/4	84,004	1/4	70,913
1/2	188,264	1/2	175,309	1/2	162,271	1/2	149,181	1/2	136,091	1/2	123,002	1/2	109,912	1/2	96,822	1/2	83,731	1/2	70,641
3/4	187,997	3/4	175,038	3/4	161,999	3/4	148,909	3/4	135,819	3/4	122,729	3/4	109,639	3/4	96,549	3/4	83,459	3/4	70,368
11	187,731	11	174,767	11	161,726	11	148,636	11	135,546	11	122,456	11	109,366	11	96,276	11	83,186	11	70,096
1/4	187,462	1/4	174,497	1/4	161,453	1/4	148,363	1/4	135,273	1/4	122,183	1/4	109,093	1/4	96,004	1/4	82,913	1/4	69,823
1/2	187,193	1/2	174,226	1/2	161,181	1/2	148,091	1/2	135,001	1/2	121,911	1/2	108,821	1/2	95,731	1/2	82,641	1/2	69,551
3/4	186,924	3/4	173,956	3/4	160,908	3/4	147,818	3/4	134,728	3/4	121,638	3/4	108,548	3/4	95,458	3/4	82,368	3/4	69,278

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
NOTE: ULLAGE CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.
NOTE: MMC GAUGE POINT LOCATED 11'- 3" OFF CENTERLINE AND 38'- 6" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

**1 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-5 1/8" (USING MMC GAUGE DEVICE)

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	69,005	0	55,922	0	42,831	0	29,740	0	16,683	0	4,791	0		0		0		0	
1/4	68,733	1/4	55,649	1/4	42,558	1/4	29,468	1/4	16,418	1/4	4,563	1/4		1/4		1/4		1/4	
1/2	68,460	1/2	55,377	1/2	42,286	1/2	29,195	1/2	16,153	1/2	4,336	1/2		1/2		1/2		1/2	
3/4	68,188	3/4	55,104	3/4	42,013	3/4	28,922	3/4	15,889	3/4	4,108	3/4		3/4		3/4		3/4	
1	67,915	1	54,831	1	41,740	1	28,650	1	15,624	1	3,880	1		1		1		1	
1/4	67,643	1/4	54,558	1/4	41,467	1/4	28,377	1/4	15,362	1/4	3,655	1/4		1/4		1/4		1/4	
1/2	67,370	1/2	54,286	1/2	41,195	1/2	28,104	1/2	15,101	1/2	3,431	1/2		1/2		1/2		1/2	
3/4	67,098	3/4	54,013	3/4	40,922	3/4	27,832	3/4	14,839	3/4	3,206	3/4		3/4		3/4		3/4	
2	66,825	2	53,740	2	40,649	2	27,559	2	14,578	2	2,981	2		2		2		2	
1/4	66,553	1/4	53,467	1/4	40,377	1/4	27,287	1/4	14,319	1/4	2,760	1/4		1/4		1/4		1/4	
1/2	66,280	1/2	53,195	1/2	40,104	1/2	27,014	1/2	14,061	1/2	2,538	1/2		1/2		1/2		1/2	
3/4	66,008	3/4	52,922	3/4	39,831	3/4	26,741	3/4	13,802	3/4	2,317	3/4		3/4		3/4		3/4	
3	65,735	3	52,649	3	39,558	3	26,469	3	13,544	3	2,095	3		3		3		3	
1/4	65,463	1/4	52,377	1/4	39,286	1/4	26,196	1/4	13,288	1/4	1,884	1/4		1/4		1/4		1/4	
1/2	65,190	1/2	52,104	1/2	39,013	1/2	25,923	1/2	13,033	1/2	1,673	1/2		1/2		1/2		1/2	
3/4	64,918	3/4	51,831	3/4	38,740	3/4	25,651	3/4	12,777	3/4	1,462	3/4		3/4		3/4		3/4	
4	64,645	4	51,558	4	38,467	4	25,378	4	12,522	4	1,251	4		4		4		4	
1/4	64,372	1/4	51,286	1/4	38,195	1/4	25,106	1/4	12,270	1/4	1,083	1/4		1/4		1/4		1/4	
1/2	64,100	1/2	51,013	1/2	37,922	1/2	24,833	1/2	12,017	1/2	914	1/2		1/2		1/2		1/2	
3/4	63,827	3/4	50,740	3/4	37,649	3/4	24,560	3/4	11,765	3/4	745	3/4		3/4		3/4		3/4	
5	63,555	5	50,467	5	37,377	5	24,288	5	11,512	5	576	5		5		5		5	
1/4	63,282	1/4	50,195	1/4	37,104	1/4	24,015	1/4	11,263	1/4	495	1/4		1/4		1/4		1/4	
1/2	63,010	1/2	49,922	1/2	36,831	1/2	23,743	1/2	11,014	1/2		1/2		1/2		1/2		1/2	
3/4	62,737	3/4	49,649	3/4	36,558	3/4	23,470	3/4	10,765	3/4		3/4		3/4		3/4		3/4	
6	62,465	6	49,377	6	36,286	6	23,197	6	10,515	6		6		6		6		6	
1/4	62,192	1/4	49,104	1/4	36,013	1/4	22,925	1/4	10,269	1/4		1/4		1/4		1/4		1/4	
1/2	61,920	1/2	48,831	1/2	35,740	1/2	22,652	1/2	10,023	1/2		1/2		1/2		1/2		1/2	
3/4	61,647	3/4	48,558	3/4	35,467	3/4	22,379	3/4	9,777	3/4		3/4		3/4		3/4		3/4	
7	61,375	7	48,286	7	35,195	7	22,107	7	9,531	7		7		7		7		7	
1/4	61,102	1/4	48,013	1/4	34,922	1/4	21,834	1/4	9,287	1/4		1/4		1/4		1/4		1/4	
1/2	60,830	1/2	47,740	1/2	34,649	1/2	21,562	1/2	9,044	1/2		1/2		1/2		1/2		1/2	
3/4	60,557	3/4	47,467	3/4	34,377	3/4	21,289	3/4	8,801	3/4		3/4		3/4		3/4		3/4	
8	60,285	8	47,195	8	34,104	8	21,016	8	8,558	8		8		8		8		8	
1/4	60,012	1/4	46,922	1/4	33,831	1/4	20,744	1/4	8,318	1/4		1/4		1/4		1/4		1/4	
1/2	59,739	1/2	46,649	1/2	33,558	1/2	20,471	1/2	8,078	1/2		1/2		1/2		1/2		1/2	
3/4	59,467	3/4	46,377	3/4	33,286	3/4	20,198	3/4	7,838	3/4		3/4		3/4		3/4		3/4	
9	59,194	9	46,104	9	33,013	9	19,926	9	7,598	9		9		9		9		9	
1/4	58,921	1/4	45,831	1/4	32,740	1/4	19,653	1/4	7,361	1/4		1/4		1/4		1/4		1/4	
1/2	58,649	1/2	45,558	1/2	32,467	1/2	19,381	1/2	7,124	1/2		1/2		1/2		1/2		1/2	
3/4	58,376	3/4	45,286	3/4	32,195	3/4	19,108	3/4	6,887	3/4		3/4		3/4		3/4		3/4	
10	58,104	10	45,013	10	31,922	10	18,836	10	6,650	10		10		10		10		10	
1/4	57,831	1/4	44,740	1/4	31,649	1/4	18,565	1/4	6,416	1/4		1/4		1/4		1/4		1/4	
1/2	57,558	1/2	44,467	1/2	31,377	1/2	18,295	1/2	6,182	1/2		1/2		1/2		1/2		1/2	
3/4	57,286	3/4	44,195	3/4	31,104	3/4	18,024	3/4	5,948	3/4		3/4		3/4		3/4		3/4	
11	57,013	11	43,922	11	30,831	11	17,753	11	5,714	11		11		11		11		11	
1/4	56,740	1/4	43,649	1/4	30,558	1/4	17,486	1/4	5,484	1/4		1/4		1/4		1/4		1/4	
1/2	56,467	1/2	43,377	1/2	30,286	1/2	17,218	1/2	5,253	1/2		1/2		1/2		1/2		1/2	
3/4	56,195	3/4	43,104	3/4	30,013	3/4	16,950	3/4	5,022	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

**2 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-5 1/8" (USING MMC GAUGE DEVICE)

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	218,552	0	203,535	0	188,439	0	173,302	0	158,165	0	143,029	0	127,892	0	112,755	0	97,619
1/4		1/4	218,241	1/4	203,222	1/4	188,123	1/4	172,987	1/4	157,850	1/4	142,713	1/4	127,577	1/4	112,440	1/4	97,303
1/2		1/2	217,929	1/2	202,908	1/2	187,808	1/2	172,671	1/2	157,535	1/2	142,398	1/2	127,261	1/2	112,125	1/2	96,988
3/4		3/4	217,618	3/4	202,595	3/4	187,493	3/4	172,356	3/4	157,219	3/4	142,083	3/4	126,946	3/4	111,809	3/4	96,673
1		1	217,306	1	202,282	1	187,177	1	172,041	1	156,904	1	141,767	1	126,631	1	111,494	1	96,357
1/4		1/4	216,995	1/4	201,969	1/4	186,862	1/4	171,725	1/4	156,589	1/4	141,452	1/4	126,315	1/4	111,179	1/4	96,042
1/2		1/2	216,683	1/2	201,655	1/2	186,547	1/2	171,410	1/2	156,273	1/2	141,137	1/2	126,000	1/2	110,863	1/2	95,727
3/4		3/4	216,372	3/4	201,342	3/4	186,231	3/4	171,095	3/4	155,958	3/4	140,821	3/4	125,685	3/4	110,548	3/4	95,411
2		2	216,060	2	201,029	2	185,916	2	170,779	2	155,643	2	140,506	2	125,369	2	110,233	2	95,096
1/4		1/4	215,748	1/4	200,715	1/4	185,600	1/4	170,464	1/4	155,327	1/4	140,191	1/4	125,054	1/4	109,917	1/4	94,781
1/2		1/2	215,436	1/2	200,402	1/2	185,285	1/2	170,148	1/2	155,012	1/2	139,875	1/2	124,739	1/2	109,602	1/2	94,465
3/4		3/4	215,124	3/4	200,089	3/4	184,970	3/4	169,833	3/4	154,696	3/4	139,560	3/4	124,423	3/4	109,287	3/4	94,150
3		3	214,812	3	199,776	3	184,654	3	169,518	3	154,381	3	139,244	3	124,108	3	108,971	3	93,835
1/4		1/4	214,499	1/4	199,462	1/4	184,339	1/4	169,202	1/4	154,066	1/4	138,929	1/4	123,792	1/4	108,656	1/4	93,519
1/2		1/2	214,186	1/2	199,149	1/2	184,024	1/2	168,887	1/2	153,750	1/2	138,614	1/2	123,477	1/2	108,340	1/2	93,204
7/8	224,892	3/4	213,873	3/4	198,836	3/4	183,708	3/4	168,572	3/4	153,435	3/4	138,298	3/4	123,162	3/4	108,025	3/4	92,888
4	224,880	4	213,560	4	198,522	4	183,393	4	168,256	4	153,120	4	137,983	4	122,846	4	107,710	4	92,573
1/4	224,846	1/4	213,247	1/4	198,209	1/4	183,078	1/4	167,941	1/4	152,804	1/4	137,668	1/4	122,531	1/4	107,394	1/4	92,258
1/2	224,813	1/2	212,933	1/2	197,895	1/2	182,762	1/2	167,626	1/2	152,489	1/2	137,352	1/2	122,216	1/2	107,079	1/2	91,942
3/4	224,779	3/4	212,620	3/4	197,581	3/4	182,447	3/4	167,310	3/4	152,174	3/4	137,037	3/4	121,900	3/4	106,764	3/4	91,627
5	224,745	5	212,307	5	197,268	5	182,132	5	166,995	5	151,858	5	136,722	5	121,585	5	106,448	5	91,312
1/4	224,663	1/4	211,994	1/4	196,952	1/4	181,816	1/4	166,680	1/4	151,543	1/4	136,406	1/4	121,270	1/4	106,133	1/4	90,996
1/2	224,582	1/2	211,680	1/2	196,637	1/2	181,501	1/2	166,364	1/2	151,228	1/2	136,091	1/2	120,954	1/2	105,818	1/2	90,681
3/4	224,500	3/4	211,367	3/4	196,322	3/4	181,186	3/4	166,049	3/4	150,912	3/4	135,776	3/4	120,639	3/4	105,502	3/4	90,366
6	224,418	6	211,054	6	196,007	6	180,870	6	165,734	6	150,597	6	135,460	6	120,324	6	105,187	6	90,050
1/4	224,284	1/4	210,740	1/4	195,692	1/4	180,555	1/4	165,418	1/4	150,282	1/4	135,145	1/4	120,008	1/4	104,872	1/4	89,735
1/2	224,150	1/2	210,427	1/2	195,376	1/2	180,240	1/2	165,103	1/2	149,966	1/2	134,830	1/2	119,693	1/2	104,556	1/2	89,420
3/4	224,016	3/4	210,114	3/4	195,061	3/4	179,924	3/4	164,788	3/4	149,651	3/4	134,514	3/4	119,378	3/4	104,241	3/4	89,104
7	223,882	7	209,801	7	194,746	7	179,609	7	164,472	7	149,336	7	134,199	7	119,062	7	103,926	7	88,789
1/4	223,695	1/4	209,487	1/4	194,430	1/4	179,294	1/4	164,157	1/4	149,020	1/4	133,884	1/4	118,747	1/4	103,610	1/4	88,474
1/2	223,509	1/2	209,174	1/2	194,115	1/2	178,978	1/2	163,842	1/2	148,705	1/2	133,568	1/2	118,432	1/2	103,295	1/2	88,158
3/4	223,322	3/4	208,861	3/4	193,800	3/4	178,663	3/4	163,526	3/4	148,390	3/4	133,253	3/4	118,116	3/4	102,980	3/4	87,843
8	223,135	8	208,548	8	193,484	8	178,347	8	163,211	8	148,074	8	132,938	8	117,801	8	102,664	8	87,528
1/4	222,896	1/4	208,234	1/4	193,169	1/4	178,032	1/4	162,895	1/4	147,759	1/4	132,622	1/4	117,486	1/4	102,349	1/4	87,212
1/2	222,657	1/2	207,921	1/2	192,853	1/2	177,717	1/2	162,580	1/2	147,443	1/2	132,307	1/2	117,170	1/2	102,034	1/2	86,897
3/4	222,418	3/4	207,608	3/4	192,538	3/4	177,401	3/4	162,265	3/4	147,128	3/4	131,991	3/4	116,855	3/4	101,718	3/4	86,582
9	222,178	9	207,294	9	192,223	9	177,086	9	161,949	9	146,813	9	131,676	9	116,539	9	101,403	9	86,266
1/4	221,892	1/4	206,981	1/4	191,907	1/4	176,771	1/4	161,634	1/4	146,497	1/4	131,361	1/4	116,224	1/4	101,087	1/4	85,951
1/2	221,606	1/2	206,668	1/2	191,592	1/2	176,455	1/2	161,319	1/2	146,182	1/2	131,045	1/2	115,909	1/2	100,772	1/2	85,635
3/4	221,320	3/4	206,355	3/4	191,277	3/4	176,140	3/4	161,003	3/4	145,867	3/4	130,730	3/4	115,593	3/4	100,457	3/4	85,320
10	221,034	10	206,041	10	190,961	10	175,825	10	160,688	10	145,551	10	130,415	10	115,278	10	100,141	10	85,005
1/4	220,725	1/4	205,728	1/4	190,646	1/4	175,509	1/4	160,373	1/4	145,236	1/4	130,099	1/4	114,963	1/4	99,826	1/4	84,689
1/2	220,416	1/2	205,415	1/2	190,331	1/2	175,194	1/2	160,057	1/2	144,921	1/2	129,784	1/2	114,647	1/2	99,511	1/2	84,374
3/4	220,107	3/4	205,101	3/4	190,015	3/4	174,879	3/4	159,742	3/4	144,605	3/4	129,469	3/4	114,332	3/4	99,195	3/4	84,059
11	219,798	11	204,788	11	189,700	11	174,563	11	159,427	11	144,290	11	129,153	11	114,017	11	98,880	11	83,743
1/4	219,487	1/4	204,475	1/4	189,385	1/4	174,248	1/4	159,111	1/4	143,975	1/4	128,838	1/4	113,701	1/4	98,565	1/4	83,428
1/2	219,175	1/2	204,162	1/2	189,069	1/2	173,933	1/2	158,796	1/2	143,659	1/2	128,523	1/2	113,386	1/2	98,249	1/2	83,113
3/4	218,864	3/4	203,848	3/4	188,754	3/4	173,617	3/4	158,481	3/4	143,344	3/4	128,207	3/4	113,071	3/4	97,934	3/4	82,797

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: ULLAGE CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 44'- 2" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
 DATE COMPUTED: 7/31/01 BY: DAR
 DATE ISSUED: 7/31/01

ITS - CALEB BRET

Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

**2 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-5 1/8" (USING MMC GAUGE DEVICE)

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,482	0	67,345	0	52,209	0	37,073	0	21,940	0	6,804	0		0		0		0	
1/4	82,167	1/4	67,030	1/4	51,893	1/4	36,758	1/4	21,625	1/4	6,488	1/4		1/4		1/4		1/4	
1/2	81,851	1/2	66,715	1/2	51,578	1/2	36,443	1/2	21,309	1/2	6,173	1/2		1/2		1/2		1/2	
3/4	81,536	3/4	66,399	3/4	51,263	3/4	36,127	3/4	20,994	3/4	5,857	3/4		3/4		3/4		3/4	
1	81,221	1	66,084	1	50,947	1	35,812	1	20,679	1	5,542	1		1		1		1	
1/4	80,905	1/4	65,769	1/4	50,632	1/4	35,497	1/4	20,363	1/4	5,227	1/4		1/4		1/4		1/4	
1/2	80,590	1/2	65,453	1/2	50,317	1/2	35,182	1/2	20,048	1/2	4,911	1/2		1/2		1/2		1/2	
3/4	80,275	3/4	65,138	3/4	50,001	3/4	34,866	3/4	19,733	3/4	4,596	3/4		3/4		3/4		3/4	
2	79,959	2	64,823	2	49,686	2	34,551	2	19,417	2	4,281	2		2		2		2	
1/4	79,644	1/4	64,507	1/4	49,371	1/4	34,236	1/4	19,102	1/4	3,965	1/4		1/4		1/4		1/4	
1/2	79,329	1/2	64,192	1/2	49,055	1/2	33,921	1/2	18,787	1/2	3,650	1/2		1/2		1/2		1/2	
3/4	79,013	3/4	63,877	3/4	48,740	3/4	33,605	3/4	18,471	3/4	3,335	3/4		3/4		3/4		3/4	
3	78,698	3	63,561	3	48,425	3	33,290	3	18,156	3	3,019	3		3		3		3	
1/4	78,382	1/4	63,246	1/4	48,109	1/4	32,975	1/4	17,841	1/4	2,716	1/4		1/4		1/4		1/4	
1/2	78,067	1/2	62,930	1/2	47,794	1/2	32,660	1/2	17,525	1/2	2,412	1/2		1/2		1/2		1/2	
3/4	77,752	3/4	62,615	3/4	47,479	3/4	32,345	3/4	17,210	3/4	2,108	3/4		3/4		3/4		3/4	
4	77,436	4	62,300	4	47,163	4	32,029	4	16,895	4	1,804	4		4		4		4	
1/4	77,121	1/4	61,984	1/4	46,848	1/4	31,714	1/4	16,579	1/4	1,559	1/4		1/4		1/4		1/4	
1/2	76,806	1/2	61,669	1/2	46,533	1/2	31,399	1/2	16,264	1/2	1,315	1/2		1/2		1/2		1/2	
3/4	76,490	3/4	61,354	3/4	46,217	3/4	31,084	3/4	15,949	3/4	1,070	3/4		3/4		3/4		3/4	
5	76,175	5	61,038	5	45,902	5	30,768	5	15,633	5	825	5		5		5		5	
1/4	75,860	1/4	60,723	1/4	45,587	1/4	30,453	1/4	15,318	1/4	707	1/4		1/4		1/4		1/4	
1/2	75,544	1/2	60,408	1/2	45,271	1/2	30,138	1/2	15,003	1/2		1/2		1/2		1/2		1/2	
3/4	75,229	3/4	60,092	3/4	44,956	3/4	29,823	3/4	14,687	3/4		3/4		3/4		3/4		3/4	
6	74,914	6	59,777	6	44,641	6	29,507	6	14,372	6		6		6		6		6	
1/4	74,598	1/4	59,462	1/4	44,325	1/4	29,192	1/4	14,057	1/4		1/4		1/4		1/4		1/4	
1/2	74,283	1/2	59,146	1/2	44,010	1/2	28,877	1/2	13,741	1/2		1/2		1/2		1/2		1/2	
3/4	73,968	3/4	58,831	3/4	43,695	3/4	28,562	3/4	13,426	3/4		3/4		3/4		3/4		3/4	
7	73,652	7	58,516	7	43,380	7	28,247	7	13,110	7		7		7		7		7	
1/4	73,337	1/4	58,200	1/4	43,064	1/4	27,931	1/4	12,795	1/4		1/4		1/4		1/4		1/4	
1/2	73,022	1/2	57,885	1/2	42,749	1/2	27,616	1/2	12,480	1/2		1/2		1/2		1/2		1/2	
3/4	72,706	3/4	57,570	3/4	42,434	3/4	27,301	3/4	12,164	3/4		3/4		3/4		3/4		3/4	
8	72,391	8	57,254	8	42,118	8	26,986	8	11,849	8		8		8		8		8	
1/4	72,076	1/4	56,939	1/4	41,803	1/4	26,670	1/4	11,534	1/4		1/4		1/4		1/4		1/4	
1/2	71,760	1/2	56,624	1/2	41,488	1/2	26,355	1/2	11,218	1/2		1/2		1/2		1/2		1/2	
3/4	71,445	3/4	56,308	3/4	41,172	3/4	26,040	3/4	10,903	3/4		3/4		3/4		3/4		3/4	
9	71,130	9	55,993	9	40,857	9	25,724	9	10,588	9		9		9		9		9	
1/4	70,814	1/4	55,678	1/4	40,542	1/4	25,409	1/4	10,272	1/4		1/4		1/4		1/4		1/4	
1/2	70,499	1/2	55,362	1/2	40,226	1/2	25,094	1/2	9,957	1/2		1/2		1/2		1/2		1/2	
3/4	70,183	3/4	55,047	3/4	39,911	3/4	24,778	3/4	9,642	3/4		3/4		3/4		3/4		3/4	
10	69,868	10	54,731	10	39,596	10	24,463	10	9,326	10		10		10		10		10	
1/4	69,553	1/4	54,416	1/4	39,280	1/4	24,148	1/4	9,011	1/4		1/4		1/4		1/4		1/4	
1/2	69,237	1/2	54,101	1/2	38,965	1/2	23,832	1/2	8,696	1/2		1/2		1/2		1/2		1/2	
3/4	68,922	3/4	53,785	3/4	38,650	3/4	23,517	3/4	8,380	3/4		3/4		3/4		3/4		3/4	
11	68,607	11	53,470	11	38,334	11	23,202	11	8,065	11		11		11		11		11	
1/4	68,291	1/4	53,155	1/4	38,019	1/4	22,886	1/4	7,750	1/4		1/4		1/4		1/4		1/4	
1/2	67,976	1/2	52,839	1/2	37,704	1/2	22,571	1/2	7,434	1/2		1/2		1/2		1/2		1/2	
3/4	67,661	3/4	52,524	3/4	37,389	3/4	22,256	3/4	7,119	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406"**

**2 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-5 1/8" (USING MMC GAUGE DEVICE)

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	218,135	0	203,137	0	188,059	0	172,940	0	157,822	0	142,703	0	127,585	0	112,466	0	97,348
1/4		1/4	217,824	1/4	202,824	1/4	187,744	1/4	172,625	1/4	157,507	1/4	142,388	1/4	127,270	1/4	112,151	1/4	97,033
1/2		1/2	217,513	1/2	202,511	1/2	187,429	1/2	172,310	1/2	157,192	1/2	142,073	1/2	126,955	1/2	111,836	1/2	96,718
3/4		3/4	217,202	3/4	202,198	3/4	187,114	3/4	171,995	3/4	156,877	3/4	141,758	3/4	126,640	3/4	111,521	3/4	96,403
1		1	216,891	1	201,885	1	186,799	1	171,680	1	156,562	1	141,443	1	126,325	1	111,206	1	96,088
1/4		1/4	216,580	1/4	201,572	1/4	186,484	1/4	171,365	1/4	156,247	1/4	141,128	1/4	126,010	1/4	110,891	1/4	95,773
1/2		1/2	216,269	1/2	201,259	1/2	186,169	1/2	171,050	1/2	155,932	1/2	140,813	1/2	125,695	1/2	110,576	1/2	95,458
3/4		3/4	215,958	3/4	200,946	3/4	185,854	3/4	170,735	3/4	155,617	3/4	140,498	3/4	125,380	3/4	110,261	3/4	95,143
2		2	215,646	2	200,633	2	185,539	2	170,420	2	155,302	2	140,183	2	125,065	2	109,946	2	94,828
1/4		1/4	215,335	1/4	200,321	1/4	185,224	1/4	170,105	1/4	154,987	1/4	139,868	1/4	124,750	1/4	109,632	1/4	94,513
1/2		1/2	215,023	1/2	200,008	1/2	184,909	1/2	169,790	1/2	154,672	1/2	139,553	1/2	124,435	1/2	109,317	1/2	94,198
3/4		3/4	214,712	3/4	199,695	3/4	184,594	3/4	169,475	3/4	154,357	3/4	139,239	3/4	124,120	3/4	109,002	3/4	93,883
3		3	214,400	3	199,382	3	184,279	3	169,160	3	154,042	3	138,924	3	123,805	3	108,687	3	93,568
1/4		1/4	214,088	1/4	199,069	1/4	183,964	1/4	168,846	1/4	153,727	1/4	138,609	1/4	123,490	1/4	108,372	1/4	93,253
1/2		1/2	213,775	1/2	198,756	1/2	183,649	1/2	168,531	1/2	153,412	1/2	138,294	1/2	123,175	1/2	108,057	1/2	92,938
7/8	224,467	3/4	213,462	3/4	198,443	3/4	183,334	3/4	168,216	3/4	153,097	3/4	137,979	3/4	122,860	3/4	107,742	3/4	92,623
4	224,456	4	213,150	4	198,130	4	183,019	4	167,901	4	152,782	4	137,664	4	122,545	4	107,427	4	92,308
1/4	224,422	1/4	212,837	1/4	197,817	1/4	182,704	1/4	167,586	1/4	152,467	1/4	137,349	1/4	122,230	1/4	107,112	1/4	91,993
1/2	224,388	1/2	212,524	1/2	197,503	1/2	182,389	1/2	167,271	1/2	152,152	1/2	137,034	1/2	121,915	1/2	106,797	1/2	91,678
3/4	224,354	3/4	212,211	3/4	197,190	3/4	182,074	3/4	166,956	3/4	151,837	3/4	136,719	3/4	121,600	3/4	106,482	3/4	91,363
5	224,321	5	211,898	5	196,877	5	181,759	5	166,641	5	151,522	5	136,404	5	121,285	5	106,167	5	91,048
1/4	224,239	1/4	211,585	1/4	196,562	1/4	181,444	1/4	166,326	1/4	151,207	1/4	136,089	1/4	120,970	1/4	105,852	1/4	90,733
1/2	224,158	1/2	211,272	1/2	196,247	1/2	181,129	1/2	166,011	1/2	150,892	1/2	135,774	1/2	120,655	1/2	105,537	1/2	90,418
3/4	224,076	3/4	210,959	3/4	195,933	3/4	180,814	3/4	165,696	3/4	150,577	3/4	135,459	3/4	120,340	3/4	105,222	3/4	90,104
6	223,995	6	210,646	6	195,618	6	180,499	6	165,381	6	150,262	6	135,144	6	120,025	6	104,907	6	89,789
1/4	223,861	1/4	210,333	1/4	195,303	1/4	180,184	1/4	165,066	1/4	149,947	1/4	134,829	1/4	119,711	1/4	104,592	1/4	89,474
1/2	223,727	1/2	210,020	1/2	194,988	1/2	179,869	1/2	164,751	1/2	149,632	1/2	134,514	1/2	119,396	1/2	104,277	1/2	89,159
3/4	223,593	3/4	209,708	3/4	194,673	3/4	179,554	3/4	164,436	3/4	149,317	3/4	134,199	3/4	119,081	3/4	103,962	3/4	88,844
7	223,459	7	209,395	7	194,358	7	179,239	7	164,121	7	149,003	7	133,884	7	118,766	7	103,647	7	88,529
1/4	223,272	1/4	209,082	1/4	194,043	1/4	178,924	1/4	163,806	1/4	148,688	1/4	133,569	1/4	118,451	1/4	103,332	1/4	88,214
1/2	223,086	1/2	208,769	1/2	193,728	1/2	178,610	1/2	163,491	1/2	148,373	1/2	133,254	1/2	118,136	1/2	103,017	1/2	87,899
3/4	222,900	3/4	208,456	3/4	193,413	3/4	178,295	3/4	163,176	3/4	148,058	3/4	132,939	3/4	117,821	3/4	102,702	3/4	87,584
8	222,713	8	208,143	8	193,098	8	177,980	8	162,861	8	147,743	8	132,624	8	117,506	8	102,387	8	87,269
1/4	222,474	1/4	207,830	1/4	192,783	1/4	177,665	1/4	162,546	1/4	147,428	1/4	132,309	1/4	117,191	1/4	102,072	1/4	86,954
1/2	222,235	1/2	207,517	1/2	192,468	1/2	177,350	1/2	162,231	1/2	147,113	1/2	131,994	1/2	116,876	1/2	101,757	1/2	86,639
3/4	221,996	3/4	207,204	3/4	192,153	3/4	177,035	3/4	161,916	3/4	146,798	3/4	131,679	3/4	116,561	3/4	101,442	3/4	86,324
9	221,757	9	206,891	9	191,838	9	176,720	9	161,601	9	146,483	9	131,364	9	116,246	9	101,127	9	86,009
1/4	221,472	1/4	206,579	1/4	191,523	1/4	176,405	1/4	161,286	1/4	146,168	1/4	131,049	1/4	115,931	1/4	100,812	1/4	85,694
1/2	221,186	1/2	206,266	1/2	191,208	1/2	176,090	1/2	160,971	1/2	145,853	1/2	130,734	1/2	115,616	1/2	100,497	1/2	85,379
3/4	220,900	3/4	205,953	3/4	190,893	3/4	175,775	3/4	160,656	3/4	145,538	3/4	130,419	3/4	115,301	3/4	100,182	3/4	85,065
10	220,615	10	205,640	10	190,578	10	175,460	10	160,341	10	145,223	10	130,104	10	114,986	10	99,868	10	84,750
1/4	220,306	1/4	205,327	1/4	190,263	1/4	175,145	1/4	160,026	1/4	144,908	1/4	129,789	1/4	114,671	1/4	99,553	1/4	84,436
1/2	219,997	1/2	205,014	1/2	189,948	1/2	174,830	1/2	159,711	1/2	144,593	1/2	129,475	1/2	114,356	1/2	99,238	1/2	84,122
3/4	219,689	3/4	204,701	3/4	189,633	3/4	174,515	3/4	159,396	3/4	144,278	3/4	129,160	3/4	114,041	3/4	98,923	3/4	83,808
11	219,380	11	204,388	11	189,318	11	174,200	11	159,082	11	143,963	11	128,845	11	113,726	11	98,608	11	83,493
1/4	219,069	1/4	204,075	1/4	189,003	1/4	173,885	1/4	158,767	1/4	143,648	1/4	128,530	1/4	113,411	1/4	98,293	1/4	83,179
1/2	218,758	1/2	203,762	1/2	188,688	1/2	173,570	1/2	158,452	1/2	143,333	1/2	128,215	1/2	113,096	1/2	97,978	1/2	82,865
3/4	218,447	3/4	203,450	3/4	188,374	3/4	173,255	3/4	158,137	3/4	143,018	3/4	127,900	3/4	112,781	3/4	97,663	3/4	82,551

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: ULLAGE CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.
 NOTE: MMC GAUGE POINT LOCATED 11'-6" OFF CENTERLINE AND 44'-2" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
 DATE COMPUTED: 7/31/01 BY: DAR
 DATE ISSUED: 7/31/01

ITS - CALEB BRETT


**BARGE "GBL 130"
HULL NO. 01-2406"**

**2 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-5 1/8" (USING MMC GAUGE DEVICE)

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,237	0	67,165	0	52,092	0	37,023	0	21,914	0	6,795	0		0		0		0	
1/4	81,923	1/4	66,851	1/4	51,778	1/4	36,709	1/4	21,599	1/4	6,480	1/4		1/4		1/4		1/4	
1/2	81,609	1/2	66,537	1/2	51,464	1/2	36,395	1/2	21,284	1/2	6,165	1/2		1/2		1/2		1/2	
3/4	81,295	3/4	66,223	3/4	51,150	3/4	36,081	3/4	20,969	3/4	5,850	3/4		3/4		3/4		3/4	
1	80,981	1	65,909	1	50,836	1	35,767	1	20,654	1	5,536	1		1		1		1	
1/4	80,667	1/4	65,595	1/4	50,522	1/4	35,453	1/4	20,339	1/4	5,221	1/4		1/4		1/4		1/4	
1/2	80,353	1/2	65,281	1/2	50,208	1/2	35,138	1/2	20,024	1/2	4,906	1/2		1/2		1/2		1/2	
3/4	80,039	3/4	64,967	3/4	49,894	3/4	34,824	3/4	19,709	3/4	4,591	3/4		3/4		3/4		3/4	
2	79,725	2	64,653	2	49,580	2	34,509	2	19,394	2	4,276	2		2		2		2	
1/4	79,411	1/4	64,339	1/4	49,266	1/4	34,195	1/4	19,079	1/4	3,961	1/4		1/4		1/4		1/4	
1/2	79,097	1/2	64,025	1/2	48,953	1/2	33,880	1/2	18,764	1/2	3,646	1/2		1/2		1/2		1/2	
3/4	78,783	3/4	63,711	3/4	48,639	3/4	33,565	3/4	18,449	3/4	3,331	3/4		3/4		3/4		3/4	
3	78,469	3	63,397	3	48,325	3	33,250	3	18,134	3	3,016	3		3		3		3	
1/4	78,155	1/4	63,083	1/4	48,011	1/4	32,935	1/4	17,819	1/4	2,712	1/4		1/4		1/4		1/4	
1/2	77,841	1/2	62,769	1/2	47,697	1/2	32,621	1/2	17,504	1/2	2,409	1/2		1/2		1/2		1/2	
3/4	77,527	3/4	62,455	3/4	47,383	3/4	32,306	3/4	17,189	3/4	2,105	3/4		3/4		3/4		3/4	
4	77,213	4	62,141	4	47,069	4	31,991	4	16,874	4	1,802	4		4		4		4	
1/4	76,899	1/4	61,827	1/4	46,755	1/4	31,676	1/4	16,559	1/4	1,557	1/4		1/4		1/4		1/4	
1/2	76,585	1/2	61,513	1/2	46,441	1/2	31,361	1/2	16,244	1/2	1,313	1/2		1/2		1/2		1/2	
3/4	76,271	3/4	61,199	3/4	46,127	3/4	31,046	3/4	15,929	3/4	1,069	3/4		3/4		3/4		3/4	
5	75,957	5	60,885	5	45,813	5	30,731	5	15,614	5	824	5		5		5		5	
1/4	75,643	1/4	60,571	1/4	45,499	1/4	30,417	1/4	15,300	1/4	706	1/4		1/4		1/4		1/4	
1/2	75,329	1/2	60,257	1/2	45,185	1/2	30,102	1/2	14,985	1/2		1/2		1/2		1/2		1/2	
3/4	75,015	3/4	59,943	3/4	44,871	3/4	29,787	3/4	14,670	3/4		3/4		3/4		3/4		3/4	
6	74,701	6	59,629	6	44,557	6	29,472	6	14,355	6		6		6		6		6	
1/4	74,387	1/4	59,315	1/4	44,244	1/4	29,157	1/4	14,040	1/4		1/4		1/4		1/4		1/4	
1/2	74,073	1/2	59,001	1/2	43,930	1/2	28,842	1/2	13,725	1/2		1/2		1/2		1/2		1/2	
3/4	73,759	3/4	58,687	3/4	43,616	3/4	28,527	3/4	13,410	3/4		3/4		3/4		3/4		3/4	
7	73,445	7	58,373	7	43,302	7	28,213	7	13,095	7		7		7		7		7	
1/4	73,131	1/4	58,059	1/4	42,988	1/4	27,898	1/4	12,780	1/4		1/4		1/4		1/4		1/4	
1/2	72,817	1/2	57,745	1/2	42,674	1/2	27,583	1/2	12,465	1/2		1/2		1/2		1/2		1/2	
3/4	72,503	3/4	57,431	3/4	42,360	3/4	27,268	3/4	12,150	3/4		3/4		3/4		3/4		3/4	
8	72,189	8	57,117	8	42,046	8	26,953	8	11,835	8		8		8		8		8	
1/4	71,875	1/4	56,803	1/4	41,732	1/4	26,638	1/4	11,520	1/4		1/4		1/4		1/4		1/4	
1/2	71,561	1/2	56,489	1/2	41,418	1/2	26,323	1/2	11,205	1/2		1/2		1/2		1/2		1/2	
3/4	71,247	3/4	56,175	3/4	41,104	3/4	26,008	3/4	10,890	3/4		3/4		3/4		3/4		3/4	
9	70,933	9	55,861	9	40,790	9	25,693	9	10,575	9		9		9		9		9	
1/4	70,619	1/4	55,547	1/4	40,476	1/4	25,378	1/4	10,260	1/4		1/4		1/4		1/4		1/4	
1/2	70,305	1/2	55,233	1/2	40,163	1/2	25,063	1/2	9,945	1/2		1/2		1/2		1/2		1/2	
3/4	69,991	3/4	54,919	3/4	39,849	3/4	24,749	3/4	9,630	3/4		3/4		3/4		3/4		3/4	
10	69,677	10	54,605	10	39,535	10	24,434	10	9,315	10		10		10		10		10	
1/4	69,363	1/4	54,291	1/4	39,221	1/4	24,119	1/4	9,000	1/4		1/4		1/4		1/4		1/4	
1/2	69,049	1/2	53,977	1/2	38,907	1/2	23,804	1/2	8,685	1/2		1/2		1/2		1/2		1/2	
3/4	68,735	3/4	53,663	3/4	38,593	3/4	23,489	3/4	8,370	3/4		3/4		3/4		3/4		3/4	
11	68,421	11	53,349	11	38,279	11	23,174	11	8,055	11		11		11		11		11	
1/4	68,107	1/4	53,035	1/4	37,965	1/4	22,859	1/4	7,740	1/4		1/4		1/4		1/4		1/4	
1/2	67,793	1/2	52,721	1/2	37,651	1/2	22,544	1/2	7,425	1/2		1/2		1/2		1/2		1/2	
3/4	67,479	3/4	52,406	3/4	37,337	3/4	22,229	3/4	7,110	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 1/4" (USING MMC GAUGE DEVICE)

2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		
IN	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4	0	1/4	1/2	3/4
0					199,604	188,582	177,494	166,372	155,250	142,817	127,739	112,647	97,546							
1/4					199,376	188,352	177,263	166,140	155,018	142,503	127,424	112,333	97,232							
1/2					199,147	188,122	177,031	165,909	154,787	142,189	127,110	112,018	96,917							
3/4					198,919	187,892	176,799	165,677	154,555	141,875	126,796	111,704	96,603							
1					198,690	187,662	176,568	165,445	154,323	141,561	126,482	111,389	96,288							
1/4					198,462	187,432	176,336	165,214	154,091	141,247	126,167	111,074	95,973							
1/2					198,233	187,202	176,104	164,982	153,860	140,933	125,853	110,760	95,659							
3/4					198,005	186,972	175,872	164,750	153,628	140,619	125,539	110,445	95,344							
2					197,776	186,742	175,641	164,518	153,396	140,305	125,225	110,131	95,030							
1/4					197,548	186,512	175,409	164,287	153,165	139,991	124,910	109,816	94,715							
1/2					197,319	186,282	175,177	164,055	152,933	139,677	124,596	109,501	94,400							
3/4					197,090	186,052	174,946	163,823	152,701	139,364	124,282	109,187	94,086							
3					196,861	185,822	174,714	163,592	152,469	139,050	123,968	108,872	93,771							
1/4					196,632	185,592	174,482	163,360	152,238	138,736	123,653	108,558	93,456							
1/2					196,402	185,362	174,250	163,128	152,006	138,422	123,339	108,243	93,142							
3/4					196,172	185,132	174,019	162,896	151,774	138,108	123,025	107,928	92,827							
4	204,136				195,942	184,902	173,787	162,665	151,543	137,794	122,711	107,614	92,513							
1/4	204,120				195,712	184,672	173,555	162,433	151,311	137,480	122,396	107,299	92,198							
1/2	204,094				195,482	184,442	173,324	162,201	151,079	137,166	122,082	106,985	91,883							
3/4	204,068				195,252	184,211	173,092	161,970	150,847	136,852	121,768	106,670	91,569							
5	204,043				195,022	183,981	172,860	161,738	150,616	136,538	121,454	106,355	91,254							
1/4	204,017				194,792	183,751	172,628	161,506	150,384	136,224	121,139	106,041	90,940							
1/2	203,953				194,562	183,519	172,397	161,274	150,150	135,909	120,825	105,726	90,625							
3/4	203,888				194,332	183,287	172,165	161,043	149,916	135,595	120,511	105,411	90,310							
6	203,824				194,102	183,056	171,933	160,811	149,682	135,281	120,197	105,097	89,996							
1/4	203,759				193,872	182,824	171,702	160,579	149,447	134,967	119,882	104,782	89,681							
1/2	203,656				193,642	182,592	171,470	160,348	149,201	134,652	119,568	104,468	89,367							
3/4	203,553				193,412	182,360	171,238	160,116	148,954	134,338	119,254	104,153	89,052							
7	203,450				193,182	182,129	171,006	159,884	148,708	134,024	118,939	103,838	88,737							
1/4	203,347				192,952	181,897	170,775	159,653	148,461	133,710	118,625	103,524	88,423							
1/2	203,206				192,722	181,665	170,543	159,421	148,194	133,395	118,310	103,209	88,108							
3/4	203,064				192,492	181,434	170,311	159,189	147,926	133,081	117,996	102,895	87,794							
8	202,923				192,262	181,202	170,080	158,957	147,659	132,767	117,681	102,580	87,479							
1/4	202,781				192,032	180,970	169,848	158,726	147,392	132,453	117,366	102,265	87,164							
1/2	202,601				191,802	180,738	169,616	158,494	147,104	132,138	117,052	101,951	86,850							
3/4	202,420				191,572	180,507	169,384	158,262	146,816	131,824	116,737	101,636	86,535							
9	202,240				191,342	180,275	169,153	158,031	146,528	131,510	116,423	101,322	86,221							
1/4	202,060				191,112	180,043	168,921	157,799	146,240	131,196	116,108	101,007	85,906							
1/2	201,846				190,882	179,812	168,689	157,567	145,933	130,881	115,793	100,692	85,591							
3/4	201,632				190,652	179,580	168,458	157,335	145,627	130,567	115,479	100,378	85,277							
10	201,418				190,422	179,348	168,226	157,104	145,321	130,253	115,164	100,063	84,962							
1/4	201,204				190,192	179,116	167,994	156,872	145,015	129,939	114,850	99,749	84,648							
1/2	200,975				189,962	178,885	167,762	156,640	144,701	129,624	114,535	99,434	84,333							
3/4	200,747				189,732	178,653	167,531	156,409	144,387	129,310	114,220	99,119	84,018							
11	200,518				189,502	178,421	167,299	156,177	144,073	128,996	113,906	98,805	83,704							
1/4	200,290				189,272	178,190	167,067	155,945	143,759	128,681	113,591	98,490	83,389							
1/2	200,061				189,042	177,958	166,836	155,713	143,445	128,367	113,277	98,176	83,075							
3/4	199,833				188,812	177,726	166,604	155,482	143,131	128,053	112,962	97,861	82,760							

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: ULLAGE CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.
 NOTE: MMC GAUGE POINT LOCATED 11'- 6" OFF CENTERLINE AND 51'- 6" FORWARD OF AFT, BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
 DATE COMPUTED: 7/31/01 BY: DAR
 DATE ISSUED: 7/31/01

ITS - CALEB BRETT


**BARGE "GBL 130"
HULL NO. 01-2406"**

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'- 5 1/4" (USING MMC GAUGE DEVICE)

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	82,445	0	67,344	0	52,243	0	37,143	0	22,046	0	6,945	0		0		0		0	
1/4	82,131	1/4	67,030	1/4	51,929	1/4	36,829	1/4	21,731	1/4	6,630	1/4		1/4		1/4		1/4	
1/2	81,816	1/2	66,715	1/2	51,614	1/2	36,514	1/2	21,417	1/2	6,316	1/2		1/2		1/2		1/2	
3/4	81,502	3/4	66,400	3/4	51,299	3/4	36,200	3/4	21,102	3/4	6,001	3/4		3/4		3/4		3/4	
1	81,187	1	66,086	1	50,985	1	35,885	1	20,788	1	5,687	1		1		1		1	
1/4	80,872	1/4	65,771	1/4	50,670	1/4	35,571	1/4	20,473	1/4	5,372	1/4		1/4		1/4		1/4	
1/2	80,558	1/2	65,457	1/2	50,356	1/2	35,256	1/2	20,158	1/2	5,057	1/2		1/2		1/2		1/2	
3/4	80,243	3/4	65,142	3/4	50,041	3/4	34,942	3/4	19,844	3/4	4,743	3/4		3/4		3/4		3/4	
2	79,928	2	64,827	2	49,726	2	34,627	2	19,529	2	4,428	2		2		2		2	
1/4	79,614	1/4	64,513	1/4	49,412	1/4	34,313	1/4	19,215	1/4	4,113	1/4		1/4		1/4		1/4	
1/2	79,299	1/2	64,198	1/2	49,097	1/2	33,998	1/2	18,900	1/2	3,799	1/2		1/2		1/2		1/2	
3/4	78,985	3/4	63,884	3/4	48,783	3/4	33,684	3/4	18,585	3/4	3,484	3/4		3/4		3/4		3/4	
3	78,670	3	63,569	3	48,468	3	33,369	3	18,271	3	3,170	3		3		3		3	
1/4	78,355	1/4	63,254	1/4	48,153	1/4	33,055	1/4	17,956	1/4	2,855	1/4		1/4		1/4		1/4	
1/2	78,041	1/2	62,940	1/2	47,839	1/2	32,740	1/2	17,641	1/2	2,554	1/2		1/2		1/2		1/2	
3/4	77,726	3/4	62,625	3/4	47,524	3/4	32,426	3/4	17,327	3/4	2,252	3/4		3/4		3/4		3/4	
4	77,412	4	62,311	4	47,210	4	32,111	4	17,012	4	1,951	4		4		4		4	
1/4	77,097	1/4	61,996	1/4	46,895	1/4	31,797	1/4	16,698	1/4	1,649	1/4		1/4		1/4		1/4	
1/2	76,782	1/2	61,681	1/2	46,581	1/2	31,482	1/2	16,383	1/2	1,413	1/2		1/2		1/2		1/2	
3/4	76,468	3/4	61,367	3/4	46,266	3/4	31,168	3/4	16,068	3/4	1,177	3/4		3/4		3/4		3/4	
5	76,153	5	61,052	5	45,951	5	30,853	5	15,754	5	941	5		5		5		5	
1/4	75,839	1/4	60,738	1/4	45,637	1/4	30,539	1/4	15,439	1/4	705	1/4		1/4		1/4		1/4	
1/2	75,524	1/2	60,423	1/2	45,322	1/2	30,224	1/2	15,125	1/2		1/2		1/2		1/2		1/2	
3/4	75,209	3/4	60,108	3/4	45,008	3/4	29,910	3/4	14,810	3/4		3/4		3/4		3/4		3/4	
6	74,895	6	59,794	6	44,693	6	29,595	6	14,495	6		6		6		6		6	
1/4	74,580	1/4	59,479	1/4	44,379	1/4	29,281	1/4	14,181	1/4		1/4		1/4		1/4		1/4	
1/2	74,266	1/2	59,165	1/2	44,064	1/2	28,966	1/2	13,866	1/2		1/2		1/2		1/2		1/2	
3/4	73,951	3/4	58,850	3/4	43,749	3/4	28,652	3/4	13,552	3/4		3/4		3/4		3/4		3/4	
7	73,636	7	58,535	7	43,435	7	28,337	7	13,237	7		7		7		7		7	
1/4	73,322	1/4	58,221	1/4	43,120	1/4	28,023	1/4	12,922	1/4		1/4		1/4		1/4		1/4	
1/2	73,007	1/2	57,906	1/2	42,806	1/2	27,708	1/2	12,608	1/2		1/2		1/2		1/2		1/2	
3/4	72,693	3/4	57,592	3/4	42,491	3/4	27,394	3/4	12,293	3/4		3/4		3/4		3/4		3/4	
8	72,378	8	57,277	8	42,177	8	27,079	8	11,979	8		8		8		8		8	
1/4	72,063	1/4	56,962	1/4	41,862	1/4	26,765	1/4	11,664	1/4		1/4		1/4		1/4		1/4	
1/2	71,749	1/2	56,648	1/2	41,547	1/2	26,450	1/2	11,349	1/2		1/2		1/2		1/2		1/2	
3/4	71,434	3/4	56,333	3/4	41,233	3/4	26,136	3/4	11,035	3/4		3/4		3/4		3/4		3/4	
9	71,120	9	56,019	9	40,918	9	25,821	9	10,720	9		9		9		9		9	
1/4	70,805	1/4	55,704	1/4	40,604	1/4	25,507	1/4	10,406	1/4		1/4		1/4		1/4		1/4	
1/2	70,490	1/2	55,389	1/2	40,289	1/2	25,192	1/2	10,091	1/2		1/2		1/2		1/2		1/2	
3/4	70,176	3/4	55,075	3/4	39,974	3/4	24,877	3/4	9,776	3/4		3/4		3/4		3/4		3/4	
10	69,861	10	54,760	10	39,660	10	24,563	10	9,462	10		10		10		10		10	
1/4	69,547	1/4	54,445	1/4	39,345	1/4	24,248	1/4	9,147	1/4		1/4		1/4		1/4		1/4	
1/2	69,232	1/2	54,131	1/2	39,031	1/2	23,934	1/2	8,833	1/2		1/2		1/2		1/2		1/2	
3/4	68,917	3/4	53,816	3/4	38,716	3/4	23,619	3/4	8,518	3/4		3/4		3/4		3/4		3/4	
11	68,603	11	53,502	11	38,402	11	23,304	11	8,203	11		11		11		11		11	
1/4	68,288	1/4	53,187	1/4	38,087	1/4	22,990	1/4	7,889	1/4		1/4		1/4		1/4		1/4	
1/2	67,973	1/2	52,872	1/2	37,772	1/2	22,675	1/2	7,574	1/2		1/2		1/2		1/2		1/2	
3/4	67,659	3/4	52,558	3/4	37,458	3/4	22,361	3/4	7,260	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-4 7/8" (USING MMC GAUGE DEVICE)

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	199,120	0	188,098	0	177,010	0	165,890	0	154,770	0	142,217	0	127,143	0	112,056	0	96,959
1/4		1/4	198,891	1/4	187,868	1/4	176,778	1/4	165,658	1/4	154,539	1/4	141,903	1/4	126,829	1/4	111,741	1/4	96,644
1/2		1/2	198,663	1/2	187,638	1/2	176,547	1/2	165,427	1/2	154,307	1/2	141,590	1/2	126,515	1/2	111,427	1/2	96,330
3/4		3/4	198,434	3/4	187,408	3/4	176,315	3/4	165,195	3/4	154,075	3/4	141,276	3/4	126,200	3/4	111,112	3/4	96,015
1		1	198,206	1	187,178	1	176,083	1	164,963	1	153,844	1	140,962	1	125,886	1	110,797	1	95,701
1/4		1/4	197,977	1/4	186,948	1/4	175,852	1/4	164,732	1/4	153,612	1/4	140,648	1/4	125,572	1/4	110,483	1/4	95,386
1/2		1/2	197,749	1/2	186,718	1/2	175,620	1/2	164,500	1/2	153,380	1/2	140,334	1/2	125,258	1/2	110,168	1/2	95,072
3/4		3/4	197,520	3/4	186,488	3/4	175,388	3/4	164,268	3/4	153,149	3/4	140,020	3/4	124,944	3/4	109,854	3/4	94,757
2		2	197,292	2	186,258	2	175,157	2	164,037	2	152,917	2	139,706	2	124,630	2	109,539	2	94,443
1/4		1/4	197,063	1/4	186,028	1/4	174,925	1/4	163,805	1/4	152,685	1/4	139,393	1/4	124,315	1/4	109,225	1/4	94,128
1/2		1/2	196,834	1/2	185,798	1/2	174,693	1/2	163,573	1/2	152,454	1/2	139,079	1/2	124,001	1/2	108,910	1/2	93,814
3/4		3/4	196,605	3/4	185,568	3/4	174,462	3/4	163,342	3/4	152,222	3/4	138,765	3/4	123,687	3/4	108,596	3/4	93,499
3		3	196,375	3	185,339	3	174,230	3	163,110	3	151,990	3	138,451	3	123,373	3	108,281	3	93,185
1/4		1/4	196,146	1/4	185,109	1/4	173,998	1/4	162,878	1/4	151,759	1/4	138,137	1/4	123,059	1/4	107,967	1/4	92,870
5/8	203,993	1/2	195,916	1/2	184,879	1/2	173,767	1/2	162,647	1/2	151,527	1/2	137,823	1/2	122,745	1/2	107,652	1/2	92,556
3/4	203,985	3/4	195,686	3/4	184,649	3/4	173,535	3/4	162,415	3/4	151,295	3/4	137,509	3/4	122,430	3/4	107,338	3/4	92,241
4	203,961	4	195,456	4	184,418	4	173,303	4	162,183	4	151,064	4	137,195	4	122,116	4	107,023	4	91,927
1/4	203,936	1/4	195,226	1/4	184,188	1/4	173,072	1/4	161,952	1/4	150,832	1/4	136,881	1/4	121,802	1/4	106,709	1/4	91,612
1/2	203,912	1/2	194,996	1/2	183,958	1/2	172,840	1/2	161,720	1/2	150,600	1/2	136,568	1/2	121,488	1/2	106,394	1/2	91,298
3/4	203,887	3/4	194,766	3/4	183,727	3/4	172,608	3/4	161,488	3/4	150,369	3/4	136,254	3/4	121,174	3/4	106,080	3/4	90,983
5	203,828	5	194,536	5	183,496	5	172,377	5	161,257	5	150,135	5	135,939	5	120,860	5	105,765	5	90,669
1/4	203,768	1/4	194,306	1/4	183,264	1/4	172,145	1/4	161,025	1/4	149,901	1/4	135,625	1/4	120,545	1/4	105,451	1/4	90,354
1/2	203,708	1/2	194,076	1/2	183,033	1/2	171,913	1/2	160,793	1/2	149,667	1/2	135,311	1/2	120,231	1/2	105,136	1/2	90,040
3/4	203,649	3/4	193,847	3/4	182,801	3/4	171,682	3/4	160,562	3/4	149,434	3/4	134,997	3/4	119,917	3/4	104,822	3/4	89,725
6	203,551	6	193,617	6	182,570	6	171,450	6	160,330	6	149,189	6	134,683	6	119,603	6	104,507	6	89,411
1/4	203,453	1/4	193,387	1/4	182,338	1/4	171,218	1/4	160,098	1/4	148,944	1/4	134,369	1/4	119,289	1/4	104,193	1/4	89,096
1/2	203,354	1/2	193,157	1/2	182,106	1/2	170,987	1/2	159,867	1/2	148,699	1/2	134,055	1/2	118,974	1/2	103,878	1/2	88,782
3/4	203,256	3/4	192,927	3/4	181,875	3/4	170,755	3/4	159,635	3/4	148,454	3/4	133,740	3/4	118,660	3/4	103,564	3/4	88,467
7	203,120	7	192,697	7	181,643	7	170,523	7	159,404	7	148,189	7	133,426	7	118,346	7	103,249	7	88,153
1/4	202,983	1/4	192,467	1/4	181,411	1/4	170,292	1/4	159,172	1/4	147,924	1/4	133,112	1/4	118,031	1/4	102,935	1/4	87,838
1/2	202,846	1/2	192,237	1/2	181,180	1/2	170,060	1/2	158,940	1/2	147,660	1/2	132,798	1/2	117,717	1/2	102,620	1/2	87,524
3/4	202,709	3/4	192,007	3/4	180,948	3/4	169,828	3/4	158,709	3/4	147,395	3/4	132,484	3/4	117,402	3/4	102,306	3/4	87,209
8	202,534	8	191,777	8	180,716	8	169,597	8	158,477	8	147,110	8	132,170	8	117,088	8	101,991	8	86,895
1/4	202,358	1/4	191,547	1/4	180,485	1/4	169,365	1/4	158,245	1/4	146,824	1/4	131,855	1/4	116,773	1/4	101,677	1/4	86,580
1/2	202,183	1/2	191,317	1/2	180,253	1/2	169,133	1/2	158,014	1/2	146,539	1/2	131,541	1/2	116,459	1/2	101,362	1/2	86,266
3/4	202,008	3/4	191,087	3/4	180,022	3/4	168,902	3/4	157,782	3/4	146,254	3/4	131,227	3/4	116,144	3/4	101,048	3/4	85,951
9	201,798	9	190,857	9	179,790	9	168,670	9	157,550	9	145,950	9	130,913	9	115,830	9	100,733	9	85,637
1/4	201,588	1/4	190,627	1/4	179,558	1/4	168,438	1/4	157,319	1/4	145,646	1/4	130,599	1/4	115,515	1/4	100,419	1/4	85,322
1/2	201,378	1/2	190,397	1/2	179,327	1/2	168,207	1/2	157,087	1/2	145,342	1/2	130,285	1/2	115,201	1/2	100,104	1/2	85,008
3/4	201,169	3/4	190,167	3/4	179,095	3/4	167,975	3/4	156,855	3/4	145,038	3/4	129,970	3/4	114,886	3/4	99,790	3/4	84,694
10	200,942	10	189,937	10	178,863	10	167,743	10	156,624	10	144,725	10	129,656	10	114,572	10	99,475	10	84,380
1/4	200,715	1/4	189,708	1/4	178,632	1/4	167,512	1/4	156,392	1/4	144,412	1/4	129,342	1/4	114,257	1/4	99,160	1/4	84,065
1/2	200,489	1/2	189,478	1/2	178,400	1/2	167,280	1/2	156,160	1/2	144,100	1/2	129,028	1/2	113,943	1/2	98,846	1/2	83,751
3/4	200,262	3/4	189,248	3/4	178,168	3/4	167,048	3/4	155,929	3/4	143,787	3/4	128,714	3/4	113,628	3/4	98,531	3/4	83,437
11	200,034	11	189,018	11	177,937	11	166,817	11	155,697	11	143,473	11	128,400	11	113,314	11	98,217	11	83,122
1/4	199,805	1/4	188,788	1/4	177,705	1/4	166,585	1/4	155,465	1/4	143,159	1/4	128,085	1/4	112,999	1/4	97,902	1/4	82,808
1/2	199,577	1/2	188,558	1/2	177,473	1/2	166,353	1/2	155,234	1/2	142,845	1/2	127,771	1/2	112,685	1/2	97,588	1/2	82,494
3/4	199,348	3/4	188,328	3/4	177,242	3/4	166,122	3/4	155,002	3/4	142,531	3/4	127,457	3/4	112,370	3/4	97,273	3/4	82,179

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: ULLAGE CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.
 NOTE: MMC GAUGE POINT LOCATED 11'-6" OFF CENTERLINE AND 51'-6" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
 DATE COMPUTED: 7/31/01 BY: DAR
 DATE ISSUED: 7/31/01

ITS - CALEB BRETT

**BARGE "GBL 130"
HULL NO. 01-2406**

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-4 7/8" (USING MMC GAUGE DEVICE)

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	81,865	0	66,776	0	51,722	0	36,659	0	21,569	0	6,472	0		0		0		0	
1/4	81,551	1/4	66,462	1/4	51,409	1/4	36,345	1/4	21,254	1/4	6,157	1/4		1/4		1/4		1/4	
1/2	81,236	1/2	66,147	1/2	51,095	1/2	36,032	1/2	20,940	1/2	5,843	1/2		1/2		1/2		1/2	
3/4	80,922	3/4	65,833	3/4	50,781	3/4	35,718	3/4	20,625	3/4	5,528	3/4		3/4		3/4		3/4	
1	80,608	1	65,519	1	50,467	1	35,404	1	20,311	1	5,213	1		1		1		1	
1/4	80,294	1/4	65,205	1/4	50,153	1/4	35,090	1/4	19,996	1/4	4,899	1/4		1/4		1/4		1/4	
1/2	79,979	1/2	64,891	1/2	49,839	1/2	34,775	1/2	19,682	1/2	4,584	1/2		1/2		1/2		1/2	
3/4	79,665	3/4	64,577	3/4	49,525	3/4	34,461	3/4	19,367	3/4	4,270	3/4		3/4		3/4		3/4	
2	79,351	2	64,263	2	49,212	2	34,147	2	19,053	2	3,955	2		2		2		2	
1/4	79,036	1/4	63,950	1/4	48,898	1/4	33,832	1/4	18,738	1/4	3,641	1/4		1/4		1/4		1/4	
1/2	78,722	1/2	63,636	1/2	48,584	1/2	33,518	1/2	18,424	1/2	3,326	1/2		1/2		1/2		1/2	
3/4	78,408	3/4	63,322	3/4	48,270	3/4	33,204	3/4	18,109	3/4	3,012	3/4		3/4		3/4		3/4	
3	78,093	3	63,009	3	47,956	3	32,889	3	17,795	3	2,709	3		3		3		3	
1/4	77,779	1/4	62,695	1/4	47,642	1/4	32,575	1/4	17,480	1/4	2,406	1/4		1/4		1/4		1/4	
1/2	77,465	1/2	62,382	1/2	47,329	1/2	32,261	1/2	17,166	1/2	2,103	1/2		1/2		1/2		1/2	
3/4	77,151	3/4	62,068	3/4	47,015	3/4	31,946	3/4	16,851	3/4	1,799	3/4		3/4		3/4		3/4	
4	76,836	4	61,755	4	46,701	4	31,632	4	16,537	4	1,555	4		4		4		4	
1/4	76,522	1/4	61,441	1/4	46,387	1/4	31,317	1/4	16,222	1/4	1,311	1/4		1/4		1/4		1/4	
1/2	76,208	1/2	61,128	1/2	46,073	1/2	31,003	1/2	15,908	1/2	1,067	1/2		1/2		1/2		1/2	
3/4	75,893	3/4	60,814	3/4	45,760	3/4	30,688	3/4	15,593	3/4	823	3/4		3/4		3/4		3/4	
5	75,579	5	60,501	5	45,446	5	30,374	5	15,279	7/8	705	5		5		5		5	
1/4	75,265	1/4	60,187	1/4	45,132	1/4	30,060	1/4	14,964	5		1/4		1/4		1/4		1/4	
1/2	74,950	1/2	59,874	1/2	44,818	1/2	29,745	1/2	14,649	1/2		1/2		1/2		1/2		1/2	
3/4	74,636	3/4	59,560	3/4	44,504	3/4	29,431	3/4	14,335	3/4		3/4		3/4		3/4		3/4	
6	74,322	6	59,247	6	44,191	6	29,116	6	14,020	6		6		6		6		6	
1/4	74,007	1/4	58,933	1/4	43,877	1/4	28,802	1/4	13,706	1/4		1/4		1/4		1/4		1/4	
1/2	73,693	1/2	58,620	1/2	43,563	1/2	28,488	1/2	13,391	1/2		1/2		1/2		1/2		1/2	
3/4	73,379	3/4	58,307	3/4	43,249	3/4	28,173	3/4	13,077	3/4		3/4		3/4		3/4		3/4	
7	73,065	7	57,993	7	42,935	7	27,859	7	12,762	7		7		7		7		7	
1/4	72,750	1/4	57,680	1/4	42,622	1/4	27,544	1/4	12,448	1/4		1/4		1/4		1/4		1/4	
1/2	72,436	1/2	57,366	1/2	42,308	1/2	27,230	1/2	12,133	1/2		1/2		1/2		1/2		1/2	
3/4	72,122	3/4	57,053	3/4	41,994	3/4	26,916	3/4	11,819	3/4		3/4		3/4		3/4		3/4	
8	71,807	8	56,739	8	41,680	8	26,601	8	11,504	8		8		8		8		8	
1/4	71,493	1/4	56,426	1/4	41,366	1/4	26,287	1/4	11,190	1/4		1/4		1/4		1/4		1/4	
1/2	71,179	1/2	56,112	1/2	41,053	1/2	25,972	1/2	10,875	1/2		1/2		1/2		1/2		1/2	
3/4	70,864	3/4	55,799	3/4	40,739	3/4	25,658	3/4	10,561	3/4		3/4		3/4		3/4		3/4	
9	70,550	9	55,485	9	40,425	9	25,343	9	10,246	9		9		9		9		9	
1/4	70,235	1/4	55,172	1/4	40,111	1/4	25,029	1/4	9,932	1/4		1/4		1/4		1/4		1/4	
1/2	69,921	1/2	54,858	1/2	39,797	1/2	24,714	1/2	9,617	1/2		1/2		1/2		1/2		1/2	
3/4	69,606	3/4	54,545	3/4	39,484	3/4	24,400	3/4	9,302	3/4		3/4		3/4		3/4		3/4	
10	69,292	10	54,231	10	39,170	10	24,085	10	8,988	10		10		10		10		10	
1/4	68,977	1/4	53,918	1/4	38,856	1/4	23,771	1/4	8,673	1/4		1/4		1/4		1/4		1/4	
1/2	68,663	1/2	53,604	1/2	38,542	1/2	23,456	1/2	8,359	1/2		1/2		1/2		1/2		1/2	
3/4	68,348	3/4	53,291	3/4	38,228	3/4	23,142	3/4	8,044	3/4		3/4		3/4		3/4		3/4	
11	68,034	11	52,977	11	37,915	11	22,827	11	7,730	11		11		11		11		11	
1/4	67,720	1/4	52,663	1/4	37,601	1/4	22,512	1/4	7,415	1/4		1/4		1/4		1/4		1/4	
1/2	67,405	1/2	52,350	1/2	37,287	1/2	22,198	1/2	7,101	1/2		1/2		1/2		1/2		1/2	
3/4	67,091	3/4	52,036	3/4	36,973	3/4	21,883	3/4	6,786	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

SLOP PORT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,008	0	2,016	0	3,024	0	4,032	0		0		0		0		0	
1/4	21	1/4	1,029	1/4	2,037	1/4	3,045	1/4	4,053	1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	1,050	1/2	2,058	1/2	3,066	1/2	4,074	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	1,071	3/4	2,079	3/4	3,087	3/4	4,095	3/4		3/4		3/4		3/4		3/4	
1	84	1	1,092	1	2,100	1	3,108	1	4,116	1		1		1		1		1	
1/4	105	1/4	1,113	1/4	2,121	1/4	3,129	1/4	4,137	1/4		1/4		1/4		1/4		1/4	
1/2	126	1/2	1,134	1/2	2,142	1/2	3,150	1/2	4,158	1/2		1/2		1/2		1/2		1/2	
3/4	147	3/4	1,155	3/4	2,163	3/4	3,171	3/4	4,179	3/4		3/4		3/4		3/4		3/4	
2	168	2	1,176	2	2,184	2	3,192	2	4,200	2		2		2		2		2	
1/4	189	1/4	1,197	1/4	2,205	1/4	3,213	1/4	4,221	1/4		1/4		1/4		1/4		1/4	
1/2	210	1/2	1,218	1/2	2,226	1/2	3,234	1/2	4,242	1/2		1/2		1/2		1/2		1/2	
3/4	231	3/4	1,239	3/4	2,247	3/4	3,255	3/4	4,263	3/4		3/4		3/4		3/4		3/4	
3	252	3	1,260	3	2,268	3	3,276	3	4,284	3		3		3		3		3	
1/4	273	1/4	1,281	1/4	2,289	1/4	3,297	1/4	4,305	1/4		1/4		1/4		1/4		1/4	
1/2	294	1/2	1,302	1/2	2,310	1/2	3,318	1/2	4,326	1/2		1/2		1/2		1/2		1/2	
3/4	315	3/4	1,323	3/4	2,331	3/4	3,339	3/4	4,347	3/4		3/4		3/4		3/4		3/4	
4	336	4	1,344	4	2,352	4	3,360	4	4,368	4		4		4		4		4	
1/4	357	1/4	1,365	1/4	2,373	1/4	3,381	1/4	4,389	1/4		1/4		1/4		1/4		1/4	
1/2	378	1/2	1,386	1/2	2,394	1/2	3,402	1/2	4,410	1/2		1/2		1/2		1/2		1/2	
3/4	399	3/4	1,407	3/4	2,415	3/4	3,423	3/4	4,431	3/4		3/4		3/4		3/4		3/4	
5	420	5	1,428	5	2,436	5	3,444	5	4,452	5		5		5		5		5	
1/4	441	1/4	1,449	1/4	2,457	1/4	3,465	1/4	4,473	1/4		1/4		1/4		1/4		1/4	
1/2	462	1/2	1,470	1/2	2,478	1/2	3,486	1/2	4,494	1/2		1/2		1/2		1/2		1/2	
3/4	483	3/4	1,491	3/4	2,499	3/4	3,507	3/4	4,515	3/4		3/4		3/4		3/4		3/4	
6	504	6	1,512	6	2,520	6	3,528	6	4,536	6		6		6		6		6	
1/4	525	1/4	1,533	1/4	2,541	1/4	3,549	1/4	4,557	1/4		1/4		1/4		1/4		1/4	
1/2	546	1/2	1,554	1/2	2,562	1/2	3,570	1/2	4,578	1/2		1/2		1/2		1/2		1/2	
3/4	567	3/4	1,575	3/4	2,583	3/4	3,591	3/4	4,599	3/4		3/4		3/4		3/4		3/4	
7	588	7	1,596	7	2,604	7	3,612	7	4,620	7		7		7		7		7	
1/4	609	1/4	1,617	1/4	2,625	1/4	3,633	1/4	4,641	1/4		1/4		1/4		1/4		1/4	
1/2	630	1/2	1,638	1/2	2,646	1/2	3,654	1/2	4,662	1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,659	3/4	2,667	3/4	3,675	3/4	4,683	3/4		3/4		3/4		3/4		3/4	
8	672	8	1,680	8	2,688	8	3,696	8	4,704	8		8		8		8		8	
1/4	693	1/4	1,701	1/4	2,709	1/4	3,717	1/4	4,725	1/4		1/4		1/4		1/4		1/4	
1/2	714	1/2	1,722	1/2	2,730	1/2	3,738	1/2	4,746	1/2		1/2		1/2		1/2		1/2	
3/4	735	3/4	1,743	3/4	2,751	3/4	3,759	3/4	4,767	3/4		3/4		3/4		3/4		3/4	
9	756	9	1,764	9	2,772	9	3,780	9	4,788	9		9		9		9		9	
1/4	777	1/4	1,785	1/4	2,793	1/4	3,801	1/4	4,809	1/4		1/4		1/4		1/4		1/4	
1/2	798	1/2	1,806	1/2	2,814	1/2	3,822	1/2	4,830	1/2		1/2		1/2		1/2		1/2	
3/4	819	3/4	1,827	3/4	2,835	3/4	3,843	3/4	4,851	3/4		3/4		3/4		3/4		3/4	
10	840	10	1,848	10	2,856	10	3,864	10	4,872	10		10		10		10		10	
1/4	861	1/4	1,869	1/4	2,877	1/4	3,885	1/4	4,893	1/4		1/4		1/4		1/4		1/4	
1/2	882	1/2	1,890	1/2	2,898	1/2	3,906	1/2	4,914	1/2		1/2		1/2		1/2		1/2	
3/4	903	3/4	1,911	3/4	2,919	3/4	3,927	3/4	4,935	3/4		3/4		3/4		3/4		3/4	
11	924	11	1,932	11	2,940	11	3,948	11	4,956	11		11		11		11		11	
1/4	945	1/4	1,953	1/4	2,961	1/4	3,969	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	966	1/2	1,974	1/2	2,982	1/2	3,990	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	987	3/4	1,995	3/4	3,003	3/4	4,011	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett

**BARGE "GBL 130"
HULL NO. 01-2406**

SLOP STBD

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'- 4 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	993	0	1,985	0	2,978	0	3,971	0		0		0		0		0	
1/4	21	1/4	1,013	1/4	2,006	1/4	2,999	1/4	3,991	1/4		1/4		1/4		1/4		1/4	
1/2	41	1/2	1,034	1/2	2,027	1/2	3,019	1/2	4,012	1/2		1/2		1/2		1/2		1/2	
3/4	62	3/4	1,055	3/4	2,047	3/4	3,040	3/4	4,033	3/4		3/4		3/4		3/4		3/4	
1	83	1	1,075	1	2,068	1	3,061	1	4,053	1		1		1		1		1	
1/4	103	1/4	1,096	1/4	2,089	1/4	3,081	1/4	4,074	1/4		1/4		1/4		1/4		1/4	
1/2	124	1/2	1,117	1/2	2,109	1/2	3,102	1/2	4,095	1/2		1/2		1/2		1/2		1/2	
3/4	145	3/4	1,137	3/4	2,130	3/4	3,123	3/4	4,115	3/4		3/4		3/4		3/4		3/4	
2	165	2	1,158	2	2,151	2	3,143	2	4,136	2		2		2		2		2	
1/4	186	1/4	1,179	1/4	2,171	1/4	3,164	1/4	4,157	1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	1,199	1/2	2,192	1/2	3,185	1/2	4,177	1/2		1/2		1/2		1/2		1/2	
3/4	227	3/4	1,220	3/4	2,213	3/4	3,205	3/4	4,198	3/4		3/4		3/4		3/4		3/4	
3	248	3	1,241	3	2,233	3	3,226	3	4,219	3		3		3		3		3	
1/4	269	1/4	1,261	1/4	2,254	1/4	3,247	1/4	4,239	1/4		1/4		1/4		1/4		1/4	
1/2	290	1/2	1,282	1/2	2,275	1/2	3,267	1/2	4,260	1/2		1/2		1/2		1/2		1/2	
3/4	310	3/4	1,303	3/4	2,295	3/4	3,288	3/4	4,281	3/4		3/4		3/4		3/4		3/4	
4	331	4	1,324	4	2,316	4	3,309	4	4,301	4		4		4		4		4	
1/4	352	1/4	1,344	1/4	2,337	1/4	3,329	1/4	4,322	1/4		1/4		1/4		1/4		1/4	
1/2	372	1/2	1,365	1/2	2,358	1/2	3,350	1/2	4,343	1/2		1/2		1/2		1/2		1/2	
3/4	393	3/4	1,386	3/4	2,378	3/4	3,371	3/4	4,363	3/4		3/4		3/4		3/4		3/4	
5	414	5	1,406	5	2,399	5	3,392	5	4,384	5		5		5		5		5	
1/4	434	1/4	1,427	1/4	2,420	1/4	3,412	1/4	4,405	1/4		1/4		1/4		1/4		1/4	
1/2	455	1/2	1,448	1/2	2,440	1/2	3,433	1/2	4,426	1/2		1/2		1/2		1/2		1/2	
3/4	476	3/4	1,468	3/4	2,461	3/4	3,454	3/4	4,446	3/4		3/4		3/4		3/4		3/4	
6	496	6	1,489	6	2,482	6	3,474	6	4,467	6		6		6		6		6	
1/4	517	1/4	1,510	1/4	2,502	1/4	3,495	1/4	4,488	1/4		1/4		1/4		1/4		1/4	
1/2	538	1/2	1,530	1/2	2,523	1/2	3,516	1/2	4,508	1/2		1/2		1/2		1/2		1/2	
3/4	558	3/4	1,551	3/4	2,544	3/4	3,536	3/4	4,529	3/4		3/4		3/4		3/4		3/4	
7	579	7	1,572	7	2,564	7	3,557	7	4,550	7		7		7		7		7	
1/4	600	1/4	1,592	1/4	2,585	1/4	3,578	1/4	4,570	1/4		1/4		1/4		1/4		1/4	
1/2	620	1/2	1,613	1/2	2,606	1/2	3,598	1/2	4,591	1/2		1/2		1/2		1/2		1/2	
3/4	641	3/4	1,634	3/4	2,626	3/4	3,619	3/4	4,612	3/4		3/4		3/4		3/4		3/4	
8	662	8	1,654	8	2,647	8	3,640	8	4,632	8		8		8		8		8	
1/4	682	1/4	1,675	1/4	2,668	1/4	3,660	1/4	4,653	1/4		1/4		1/4		1/4		1/4	
1/2	703	1/2	1,696	1/2	2,688	1/2	3,681	1/2	4,674	1/2		1/2		1/2		1/2		1/2	
3/4	724	3/4	1,716	3/4	2,709	3/4	3,702	3/4	4,694	3/4		3/4		3/4		3/4		3/4	
9	744	9	1,737	9	2,730	9	3,722	9	4,715	9		9		9		9		9	
1/4	765	1/4	1,758	1/4	2,750	1/4	3,743	1/4	4,736	1/4		1/4		1/4		1/4		1/4	
1/2	786	1/2	1,778	1/2	2,771	1/2	3,764	1/2	4,756	1/2		1/2		1/2		1/2		1/2	
3/4	807	3/4	1,799	3/4	2,792	3/4	3,784	3/4	4,777	3/4		3/4		3/4		3/4		3/4	
10	827	10	1,820	10	2,812	10	3,805	10	4,798	10		10		10		10		10	
1/4	848	1/4	1,841	1/4	2,833	1/4	3,826	1/4	4,818	1/4		1/4		1/4		1/4		1/4	
1/2	869	1/2	1,861	1/2	2,854	1/2	3,846	1/2	4,839	1/2		1/2		1/2		1/2		1/2	
3/4	889	3/4	1,882	3/4	2,875	3/4	3,867	3/4	4,860	3/4		3/4		3/4		3/4		3/4	
11	910	11	1,903	11	2,895	11	3,888	11	4,880	11		11		11		11		11	
1/4	931	1/4	1,923	1/4	2,916	1/4	3,909	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	951	1/2	1,944	1/2	2,937	1/2	3,929	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	972	3/4	1,965	3/4	2,957	3/4	3,950	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO TOP LIP OF 8" DIAMETER GAUGE HATCH, OPPOSITE HINGE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/24/01 BY: KS-RR
DATE COMPUTED: 7/31/01 BY: DAR
DATE ISSUED: 7/31/01

ITS - CALEB BRETT
Caleb Brett