

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with 19 columns (IN, 0 FT., IN, 1 FT., IN, 2 FT., IN, 3 FT., IN, 4 FT., IN, 5 FT., IN, 6 FT., IN, 7 FT., IN, 8 FT., IN, 9 FT.) and multiple rows of capacity data for each height, including fractional increments like 1/4, 1/2, and 3/4.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAUGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

INTERTEK CALEB BRETT

DATE STRAPPED: 8/6/08 BY: JF
DATE COMPUTED: 8/11/08 BY: WHF
DATE ISSUED: 8/12/08



CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

Table with columns for height (0 FT. to 9 FT.) and sub-columns for gauge points (0, 1/4, 1/2, 3/4). Each cell contains capacity values in barrels. Includes a cell with value 5,294.86 at 9 FT. 3/4 gauge point.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAUGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

Handwritten signature of Caleb Brett

DATE STRAPPED: 5/10/06 BY: THF
DATE COMPUTED: 5/18/06 BY: WHF
DATE ISSUED: 5/22/06

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,620.64	0	2,237.81	0	1,854.98	0	1,472.15	0	1,089.33	0	706.50	0	323.67	0		0		0	
1/4	2,612.67	1/4	2,229.84	1/4	1,847.01	1/4	1,464.18	1/4	1,081.35	1/4	698.52	1/4	315.69	1/4		1/4		1/4	
1/2	2,604.69	1/2	2,221.86	1/2	1,839.03	1/2	1,456.20	1/2	1,073.37	1/2	690.55	1/2	307.72	1/2		1/2		1/2	
3/4	2,596.71	3/4	2,213.89	3/4	1,831.06	3/4	1,448.23	3/4	1,065.40	3/4	682.57	3/4	299.74	3/4		3/4		3/4	
1	2,588.74	1	2,205.91	1	1,823.08	1	1,440.25	1	1,057.42	1	674.59	1	291.77	1		1		1	
1/4	2,580.76	1/4	2,197.93	1/4	1,815.11	1/4	1,432.28	1/4	1,049.45	1/4	666.62	1/4	283.79	1/4		1/4		1/4	
1/2	2,572.79	1/2	2,189.96	1/2	1,807.13	1/2	1,424.30	1/2	1,041.47	1/2	658.64	1/2	275.81	1/2		1/2		1/2	
3/4	2,564.81	3/4	2,181.98	3/4	1,799.15	3/4	1,416.33	3/4	1,033.50	3/4	650.67	3/4	267.84	3/4		3/4		3/4	
2	2,556.84	2	2,174.01	2	1,791.18	2	1,408.35	2	1,025.52	2	642.69	2	259.86	2		2		2	
1/4	2,548.86	1/4	2,166.03	1/4	1,783.20	1/4	1,400.37	1/4	1,017.55	1/4	634.72	1/4	251.89	1/4		1/4		1/4	
1/2	2,540.89	1/2	2,158.06	1/2	1,775.23	1/2	1,392.40	1/2	1,009.57	1/2	626.74	1/2	243.91	1/2		1/2		1/2	
3/4	2,532.91	3/4	2,150.08	3/4	1,767.25	3/4	1,384.42	3/4	1,001.59	3/4	618.77	3/4	235.94	3/4		3/4		3/4	
3	2,524.93	3	2,142.11	3	1,759.28	3	1,376.45	3	993.62	3	610.79	3	227.96	3		3		3	
1/4	2,516.96	1/4	2,134.13	1/4	1,751.30	1/4	1,368.47	1/4	985.64	1/4	602.81	1/4	219.99	1/4		1/4		1/4	
1/2	2,508.98	1/2	2,126.15	1/2	1,743.33	1/2	1,360.50	1/2	977.67	1/2	594.84	1/2	212.01	1/2		1/2		1/2	
3/4	2,501.01	3/4	2,118.18	3/4	1,735.35	3/4	1,352.52	3/4	969.69	3/4	586.86	3/4	204.03	3/4		3/4		3/4	
4	2,493.03	4	2,110.20	4	1,727.37	4	1,344.55	4	961.72	4	578.89	4	196.06	4		4		4	
1/4	2,485.06	1/4	2,102.23	1/4	1,719.40	1/4	1,336.57	1/4	953.74	1/4	570.91	1/4	188.08	1/4		1/4		1/4	
1/2	2,477.08	1/2	2,094.25	1/2	1,711.42	1/2	1,328.59	1/2	945.77	1/2	562.94	1/2	180.11	1/2		1/2		1/2	
3/4	2,469.10	3/4	2,086.28	3/4	1,703.45	3/4	1,320.62	3/4	937.79	3/4	554.96	3/4	172.13	3/4		3/4		3/4	
5	2,461.13	5	2,078.30	5	1,695.47	5	1,312.64	5	929.81	5	546.99	5	164.16	5		5		5	
1/4	2,453.15	1/4	2,070.32	1/4	1,687.50	1/4	1,304.67	1/4	921.84	1/4	539.01	1/4	156.18	1/4		1/4		1/4	
1/2	2,445.18	1/2	2,062.35	1/2	1,679.52	1/2	1,296.69	1/2	913.86	1/2	531.03	1/2	148.21	1/2		1/2		1/2	
3/4	2,437.20	3/4	2,054.37	3/4	1,671.54	3/4	1,288.72	3/4	905.89	3/4	523.06	3/4	140.23	3/4		3/4		3/4	
6	2,429.23	6	2,046.40	6	1,663.57	6	1,280.74	6	897.91	6	515.08	6	132.25	6		6		6	
1/4	2,421.25	1/4	2,038.42	1/4	1,655.59	1/4	1,272.76	1/4	889.94	1/4	507.11	1/4	124.28	1/4		1/4		1/4	
1/2	2,413.28	1/2	2,030.45	1/2	1,647.62	1/2	1,264.79	1/2	881.96	1/2	499.13	1/2	116.30	1/2		1/2		1/2	
3/4	2,405.30	3/4	2,022.47	3/4	1,639.64	3/4	1,256.81	3/4	873.98	3/4	491.16	3/4	108.33	3/4		3/4		3/4	
7	2,397.32	7	2,014.50	7	1,631.67	7	1,248.84	7	866.01	7	483.18	7	100.35	7		7		7	
1/4	2,389.35	1/4	2,006.52	1/4	1,623.69	1/4	1,240.86	1/4	858.03	1/4	475.20	1/4	92.38	1/4		1/4		1/4	
1/2	2,381.37	1/2	1,998.54	1/2	1,615.72	1/2	1,232.89	1/2	850.06	1/2	467.23	1/2	84.40	1/2		1/2		1/2	
3/4	2,373.40	3/4	1,990.57	3/4	1,607.74	3/4	1,224.91	3/4	842.08	3/4	459.25	3/4	76.44	3/4		3/4		3/4	
8	2,365.42	8	1,982.59	8	1,599.76	8	1,216.94	8	834.11	8	451.28	8	68.48	8		8		8	
1/4	2,357.45	1/4	1,974.62	1/4	1,591.79	1/4	1,208.96	1/4	826.13	1/4	443.30	1/4	60.52	1/4		1/4		1/4	
1/2	2,349.47	1/2	1,966.64	1/2	1,583.81	1/2	1,200.98	1/2	818.16	1/2	435.33	1/2	52.56	1/2		1/2		1/2	
3/4	2,341.50	3/4	1,958.67	3/4	1,575.84	3/4	1,193.01	3/4	810.18	3/4	427.35	3/4	45.92	3/4		3/4		3/4	
9	2,333.52	9	1,950.69	9	1,567.86	9	1,185.03	9	802.20	9	419.38	9	39.29	9		9		9	
1/4	2,325.54	1/4	1,942.72	1/4	1,559.89	1/4	1,177.06	1/4	794.23	1/4	411.40	1/4	32.65	1/4		1/4		1/4	
1/2	2,317.57	1/2	1,934.74	1/2	1,551.91	1/2	1,169.08	1/2	786.25	1/2	403.42	1/2	26.02	1/2		1/2		1/2	
3/4	2,309.59	3/4	1,926.76	3/4	1,543.94	3/4	1,161.11	3/4	778.28	3/4	395.45	3/4	22.04	3/4		3/4		3/4	
10	2,301.62	10	1,918.79	10	1,535.96	10	1,153.13	10	770.30	10	387.47	10	18.06	10		10		10	
1/4	2,293.64	1/4	1,910.81	1/4	1,527.98	1/4	1,145.16	1/4	762.33	1/4	379.50	1/4	14.08	1/4		1/4		1/4	
1/2	2,285.67	1/2	1,902.84	1/2	1,520.01	1/2	1,137.18	1/2	754.35	1/2	371.52	1/2	10.10	1/2		1/2		1/2	
3/4	2,277.69	3/4	1,894.86	3/4	1,512.03	3/4	1,129.20	3/4	746.38	3/4	363.55	3/4		3/4		3/4		3/4	
11	2,269.71	11	1,886.89	11	1,504.06	11	1,121.23	11	738.40	11	355.57	11		11		11		11	
1/4	2,261.74	1/4	1,878.91	1/4	1,496.08	1/4	1,113.25	1/4	730.42	1/4	347.60	1/4		1/4		1/4		1/4	
1/2	2,253.76	1/2	1,870.93	1/2	1,488.11	1/2	1,105.28	1/2	722.45	1/2	339.62	1/2		1/2		1/2		1/2	
3/4	2,245.79	3/4	1,862.96	3/4	1,480.13	3/4	1,097.30	3/4	714.47	3/4	331.64	3/4		3/4		3/4		3/4	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAUGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR LONGITUDINAL CENTER OF TANK - CORRECTION FOR TRIM NOT REQUIRED.

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK CALEB BRETT

DATE STRAPPED: 8/6/08 BY: JF
DATE COMPUTED: 8/11/08 BY: WHF
DATE ISSUED: 8/12/08

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT - PORT: 6' 6 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	15	0	933	0	1,944	0	2,956	0	3,968	0		0		0		0		0	
1/4	21	1/4	954	1/4	1,965	1/4	2,977	1/4	3,989	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	28	1/2	975	1/2	1,986	1/2	2,998	1/2	4,010	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	37	3/4	996	3/4	2,008	3/4	3,019	3/4	4,031	3/4		3/4	3/4	3/4		3/4		3/4	
1	47	1	1,017	1	2,029	1	3,040	1	4,052	1		1		1		1		1	
1/4	58	1/4	1,038	1/4	2,050	1/4	3,061	1/4	4,073	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	70	1/2	1,059	1/2	2,071	1/2	3,082	1/2	4,094	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	84	3/4	1,080	3/4	2,092	3/4	3,103	3/4	4,115	3/4		3/4	3/4	3/4		3/4		3/4	
2	99	2	1,101	2	2,113	2	3,125	2	4,136	2		2		2		2		2	
1/4	116	1/4	1,122	1/4	2,134	1/4	3,146	1/4	4,157	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	134	1/2	1,143	1/2	2,155	1/2	3,167	1/2	4,178	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	153	3/4	1,164	3/4	2,176	3/4	3,188	3/4	4,199	3/4		3/4	3/4	3/4		3/4		3/4	
3	174	3	1,186	3	2,197	3	3,209	3	4,221	3		3		3		3		3	
1/4	195	1/4	1,207	1/4	2,218	1/4	3,230	1/4	4,242	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	216	1/2	1,228	1/2	2,239	1/2	3,251	1/2	4,263	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	237	3/4	1,249	3/4	2,260	3/4	3,272	3/4	4,284	3/4		3/4	3/4	3/4		3/4		3/4	
4	258	4	1,270	4	2,281	4	3,293	4	4,305	4		4		4		4		4	
1/4	279	1/4	1,291	1/4	2,303	1/4	3,314	1/4	4,326	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	300	1/2	1,312	1/2	2,324	1/2	3,335	1/2	4,347	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	321	3/4	1,333	3/4	2,345	3/4	3,356	3/4	4,368	3/4		3/4	3/4	3/4		3/4		3/4	
5	342	5	1,354	5	2,366	5	3,377	5	4,389	5		5		5		5		5	
1/4	364	1/4	1,375	1/4	2,387	1/4	3,399	1/4	4,410	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	385	1/2	1,396	1/2	2,408	1/2	3,420	1/2	4,431	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	406	3/4	1,417	3/4	2,429	3/4	3,441	3/4	4,452	3/4		3/4	3/4	3/4		3/4		3/4	
6	427	6	1,438	6	2,450	6	3,462	6	4,473	6		6		6		6		6	
1/4	448	1/4	1,460	1/4	2,471	1/4	3,483	1/4	4,494	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	469	1/2	1,481	1/2	2,492	1/2	3,504	1/2	4,516	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	490	3/4	1,502	3/4	2,513	3/4	3,525	3/4	4,537	3/4		3/4	3/4	3/4		3/4		3/4	
7	511	7	1,523	7	2,534	7	3,546	7	4,558	7		7		7		7		7	
1/4	532	1/4	1,544	1/4	2,555	1/4	3,567	1/4	4,579	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	553	1/2	1,565	1/2	2,577	1/2	3,588	1/2	4,600	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	574	3/4	1,586	3/4	2,598	3/4	3,609	3/4	4,621	3/4		3/4	3/4	3/4		3/4		3/4	
8	595	8	1,607	8	2,619	8	3,630	8	4,642	8		8		8		8		8	
1/4	616	1/4	1,628	1/4	2,640	1/4	3,651	1/4	4,663	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	638	1/2	1,649	1/2	2,661	1/2	3,673	1/2	4,684	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	659	3/4	1,670	3/4	2,682	3/4	3,694	3/4	4,705	3/4		3/4	3/4	3/4		3/4		3/4	
9	680	9	1,691	9	2,703	9	3,715	9	4,726	9		9		9		9		9	
1/4	701	1/4	1,712	1/4	2,724	1/4	3,736	1/4	4,747	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	722	1/2	1,734	1/2	2,745	1/2	3,757	1/2	4,768	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	743	3/4	1,755	3/4	2,766	3/4	3,778	3/4	4,790	3/4		3/4	3/4	3/4		3/4		3/4	
10	764	10	1,776	10	2,787	10	3,799	10	4,811	10		10		10		10		10	
1/4	785	1/4	1,797	1/4	2,808	1/4	3,820	1/4	4,832	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	806	1/2	1,818	1/2	2,829	1/2	3,841	1/2	4,853	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	827	3/4	1,839	3/4	2,851	3/4	3,862	3/4	4,874	3/4		3/4	3/4	3/4		3/4		3/4	
11	848	11	1,860	11	2,872	11	3,883	11	4,895	11		11		11		11		11	
1/4	869	1/4	1,881	1/4	2,893	1/4	3,904	1/4	4,916	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	890	1/2	1,902	1/2	2,914	1/2	3,925	1/2	4,937	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	912	3/4	1,923	3/4	2,935	3/4	3,947	3/4		3/4		3/4	3/4	3/4		3/4		3/4	

NOTE: TANKS STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR FORWARD BULKHEAD OF TANK AND A DISTANCE TO CENTERLINE OF: #####

NOTE: FOR GREATEST ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 8/6/08 BY: JF
DATE COMPUTED: 8/11/08 BY: WHF
DATE ISSUED: 8/12/08



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT - STBD: 6' 7"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	15	0	902	0	1,880	0	2,858	0	3,836	0		0		0		0		0	
1/4	20	1/4	922	1/4	1,900	1/4	2,878	1/4	3,856	1/4		1/4		1/4		1/4		1/4	
1/2	27	1/2	942	1/2	1,920	1/2	2,898	1/2	3,876	1/2		1/2		1/2		1/2		1/2	
3/4	36	3/4	963	3/4	1,941	3/4	2,919	3/4	3,897	3/4		3/4		3/4		3/4		3/4	
1	45	1	983	1	1,961	1	2,939	1	3,917	1		1		1		1		1	
1/4	56	1/4	1,003	1/4	1,981	1/4	2,959	1/4	3,937	1/4		1/4		1/4		1/4		1/4	
1/2	68	1/2	1,024	1/2	2,002	1/2	2,980	1/2	3,958	1/2		1/2		1/2		1/2		1/2	
3/4	81	3/4	1,044	3/4	2,022	3/4	3,000	3/4	3,978	3/4		3/4		3/4		3/4		3/4	
2	96	2	1,065	2	2,043	2	3,021	2	3,999	2		2		2		2		2	
1/4	112	1/4	1,085	1/4	2,063	1/4	3,041	1/4	4,019	1/4		1/4		1/4		1/4		1/4	
1/2	129	1/2	1,105	1/2	2,083	1/2	3,061	1/2	4,039	1/2		1/2		1/2		1/2		1/2	
3/4	148	3/4	1,126	3/4	2,104	3/4	3,082	3/4	4,060	3/4		3/4		3/4		3/4		3/4	
3	168	3	1,146	3	2,124	3	3,102	3	4,080	3		3		3		3		3	
1/4	188	1/4	1,166	1/4	2,144	1/4	3,122	1/4	4,100	1/4		1/4		1/4		1/4		1/4	
1/2	209	1/2	1,187	1/2	2,165	1/2	3,143	1/2	4,121	1/2		1/2		1/2		1/2		1/2	
3/4	229	3/4	1,207	3/4	2,185	3/4	3,163	3/4	4,141	3/4		3/4		3/4		3/4		3/4	
4	250	4	1,228	4	2,206	4	3,184	4	4,162	4		4		4		4		4	
1/4	270	1/4	1,248	1/4	2,226	1/4	3,204	1/4	4,182	1/4		1/4		1/4		1/4		1/4	
1/2	290	1/2	1,268	1/2	2,246	1/2	3,224	1/2	4,202	1/2		1/2		1/2		1/2		1/2	
3/4	311	3/4	1,289	3/4	2,267	3/4	3,245	3/4	4,223	3/4		3/4		3/4		3/4		3/4	
5	331	5	1,309	5	2,287	5	3,265	5	4,243	5		5		5		5		5	
1/4	351	1/4	1,329	1/4	2,307	1/4	3,285	1/4	4,263	1/4		1/4		1/4		1/4		1/4	
1/2	372	1/2	1,350	1/2	2,328	1/2	3,306	1/2	4,284	1/2		1/2		1/2		1/2		1/2	
3/4	392	3/4	1,370	3/4	2,348	3/4	3,326	3/4	4,304	3/4		3/4		3/4		3/4		3/4	
6	413	6	1,391	6	2,369	6	3,347	6	4,325	6		6		6		6		6	
1/4	433	1/4	1,411	1/4	2,389	1/4	3,367	1/4	4,345	1/4		1/4		1/4		1/4		1/4	
1/2	453	1/2	1,431	1/2	2,409	1/2	3,387	1/2	4,365	1/2		1/2		1/2		1/2		1/2	
3/4	474	3/4	1,452	3/4	2,430	3/4	3,408	3/4	4,386	3/4		3/4		3/4		3/4		3/4	
7	494	7	1,472	7	2,450	7	3,428	7	4,406	7		7		7		7		7	
1/4	514	1/4	1,492	1/4	2,470	1/4	3,448	1/4	4,426	1/4		1/4		1/4		1/4		1/4	
1/2	535	1/2	1,513	1/2	2,491	1/2	3,469	1/2	4,447	1/2		1/2		1/2		1/2		1/2	
3/4	555	3/4	1,533	3/4	2,511	3/4	3,489	3/4	4,467	3/4		3/4		3/4		3/4		3/4	
8	576	8	1,554	8	2,532	8	3,510	8	4,488	8		8		8		8		8	
1/4	596	1/4	1,574	1/4	2,552	1/4	3,530	1/4	4,508	1/4		1/4		1/4		1/4		1/4	
1/2	616	1/2	1,594	1/2	2,572	1/2	3,550	1/2	4,528	1/2		1/2		1/2		1/2		1/2	
3/4	637	3/4	1,615	3/4	2,593	3/4	3,571	3/4	4,549	3/4		3/4		3/4		3/4		3/4	
9	657	9	1,635	9	2,613	9	3,591	9	4,569	9		9		9		9		9	
1/4	677	1/4	1,655	1/4	2,633	1/4	3,611	1/4	4,589	1/4		1/4		1/4		1/4		1/4	
1/2	698	1/2	1,676	1/2	2,654	1/2	3,632	1/2	4,610	1/2		1/2		1/2		1/2		1/2	
3/4	718	3/4	1,696	3/4	2,674	3/4	3,652	3/4	4,630	3/4		3/4		3/4		3/4		3/4	
10	739	10	1,717	10	2,695	10	3,673	10	4,651	10		10		10		10		10	
1/4	759	1/4	1,737	1/4	2,715	1/4	3,693	1/4	4,671	1/4		1/4		1/4		1/4		1/4	
1/2	779	1/2	1,757	1/2	2,735	1/2	3,713	1/2	4,691	1/2		1/2		1/2		1/2		1/2	
3/4	800	3/4	1,778	3/4	2,756	3/4	3,734	3/4	4,712	3/4		3/4		3/4		3/4		3/4	
11	820	11	1,798	11	2,776	11	3,754	11	4,732	11		11		11		11		11	
1/4	840	1/4	1,818	1/4	2,796	1/4	3,774	1/4	4,752	1/4		1/4		1/4		1/4		1/4	
1/2	861	1/2	1,839	1/2	2,817	1/2	3,795	1/2	4,773	1/2		1/2		1/2		1/2		1/2	
3/4	881	3/4	1,859	3/4	2,837	3/4	3,815	3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: TANKS STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO INNAUGE GAUGES OBTAINED BY MANUAL GAUGING AT TOP LIP OF MMC VALVE.

NOTE: GAUGE POINT IS LOCATED NEAR FORWARD BULKHEAD OF TANK AND A DISTANCE TO CENTERLINE OF: #####

NOTE: FOR GREATEST ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/6/08 BY: JF
DATE COMPUTED: 8/11/08 BY: WHF
DATE ISSUED: 8/12/08

INTERTEK - CALEB BRETT

