



BARGE "GBL 2630"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4
1 STBD	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 3'-00" (DOWN BY STERN)

THE CORRECTION FOR 3'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 238'-06"

February 28, 2012

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 2630"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	544	0	12,975	0	27,739	0	42,774	0	57,809	0	72,831	0	87,858	0	102,893	0	117,924	0	132,952
1/4	712	1/4	13,268	1/4	28,052	1/4	43,087	1/4	58,122	1/4	73,143	1/4	88,171	1/4	103,206	1/4	118,237	1/4	133,265
1/2	880	1/2	13,560	1/2	28,366	1/2	43,401	1/2	58,435	1/2	73,456	1/2	88,484	1/2	103,520	1/2	118,550	1/2	133,578
3/4	1,048	3/4	13,853	3/4	28,679	3/4	43,714	3/4	58,749	3/4	73,769	3/4	88,797	3/4	103,833	3/4	118,863	3/4	133,891
1	1,216	1	14,145	1	28,992	1	44,027	1	59,062	1	74,081	1	89,111	1	104,146	1	119,176	1	134,204
1/4	1,446	1/4	14,441	1/4	29,305	1/4	44,340	1/4	59,375	1/4	74,394	1/4	89,424	1/4	104,459	1/4	119,489	1/4	134,517
1/2	1,675	1/2	14,738	1/2	29,619	1/2	44,653	1/2	59,688	1/2	74,707	1/2	89,737	1/2	104,772	1/2	119,802	1/2	134,830
3/4	1,904	3/4	15,034	3/4	29,932	3/4	44,967	3/4	60,001	3/4	75,019	3/4	90,050	3/4	105,086	3/4	120,115	3/4	135,143
2	2,134	2	15,330	2	30,245	2	45,280	2	60,315	2	75,332	2	90,364	2	105,399	2	120,428	2	135,456
1/4	2,386	1/4	15,630	1/4	30,558	1/4	45,593	1/4	60,628	1/4	75,645	1/4	90,677	1/4	105,712	1/4	120,741	1/4	135,769
1/2	2,639	1/2	15,930	1/2	30,871	1/2	45,906	1/2	60,941	1/2	75,957	1/2	90,990	1/2	106,025	1/2	121,054	1/2	136,082
3/4	2,892	3/4	16,231	3/4	31,185	3/4	46,220	3/4	61,254	3/4	76,270	3/4	91,303	3/4	106,339	3/4	121,368	3/4	136,396
3	3,145	3	16,531	3	31,498	3	46,533	3	61,568	3	76,583	3	91,617	3	106,652	3	121,681	3	136,709
1/4	3,402	1/4	16,835	1/4	31,811	1/4	46,846	1/4	61,881	1/4	76,896	1/4	91,930	1/4	106,965	1/4	121,994	1/4	137,022
1/2	3,660	1/2	17,139	1/2	32,124	1/2	47,159	1/2	62,194	1/2	77,209	1/2	92,243	1/2	107,278	1/2	122,307	1/2	137,335
3/4	3,917	3/4	17,443	3/4	32,438	3/4	47,472	3/4	62,507	3/4	77,522	3/4	92,556	3/4	107,592	3/4	122,620	3/4	137,648
4	4,175	4	17,747	4	32,751	4	47,786	4	62,820	4	77,835	4	92,870	4	107,905	4	122,933	4	137,961
1/4	4,436	1/4	18,055	1/4	33,064	1/4	48,099	1/4	63,134	1/4	78,148	1/4	93,183	1/4	108,218	1/4	123,246	1/4	138,274
1/2	4,698	1/2	18,363	1/2	33,377	1/2	48,412	1/2	63,447	1/2	78,461	1/2	93,496	1/2	108,531	1/2	123,559	1/2	138,587
3/4	4,959	3/4	18,671	3/4	33,691	3/4	48,725	3/4	63,760	3/4	78,774	3/4	93,809	3/4	108,844	3/4	123,872	3/4	138,900
5	5,221	5	18,979	5	34,004	5	49,039	5	64,073	5	79,087	5	94,122	5	109,157	5	124,185	5	139,213
1/4	5,486	1/4	19,290	1/4	34,317	1/4	49,352	1/4	64,387	1/4	79,400	1/4	94,436	1/4	109,470	1/4	124,498	1/4	139,526
1/2	5,751	1/2	19,601	1/2	34,630	1/2	49,665	1/2	64,700	1/2	79,714	1/2	94,749	1/2	109,784	1/2	124,811	1/2	139,839
3/4	6,017	3/4	19,912	3/4	34,943	3/4	49,978	3/4	65,013	3/4	80,027	3/4	95,062	3/4	110,097	3/4	125,125	3/4	140,153
6	6,282	6	20,223	6	35,257	6	50,291	6	65,326	6	80,340	6	95,375	6	110,410	6	125,438	6	140,466
1/4	6,551	1/4	20,536	1/4	35,570	1/4	50,605	1/4	65,639	1/4	80,653	1/4	95,689	1/4	110,723	1/4	125,751	1/4	140,779
1/2	6,820	1/2	20,849	1/2	35,883	1/2	50,918	1/2	65,952	1/2	80,967	1/2	96,002	1/2	111,036	1/2	126,064	1/2	141,092
3/4	7,090	3/4	21,162	3/4	36,196	3/4	51,231	3/4	66,264	3/4	81,280	3/4	96,315	3/4	111,349	3/4	126,377	3/4	141,405
7	7,359	7	21,475	7	36,510	7	51,544	7	66,577	7	81,593	7	96,628	7	111,662	7	126,690	7	141,718
1/4	7,632	1/4	21,788	1/4	36,823	1/4	51,858	1/4	66,890	1/4	81,906	1/4	96,942	1/4	111,975	1/4	127,003	1/4	142,031
1/2	7,905	1/2	22,101	1/2	37,136	1/2	52,171	1/2	67,203	1/2	82,220	1/2	97,255	1/2	112,288	1/2	127,316	1/2	142,344
3/4	8,178	3/4	22,414	3/4	37,449	3/4	52,484	3/4	67,515	3/4	82,533	3/4	97,568	3/4	112,601	3/4	127,629	3/4	142,657
8	8,451	8	22,728	8	37,762	8	52,797	8	67,828	8	82,846	8	97,881	8	112,914	8	127,942	8	142,970
1/4	8,728	1/4	23,041	1/4	38,076	1/4	53,110	1/4	68,141	1/4	83,159	1/4	98,195	1/4	113,227	1/4	128,255	1/4	143,283
1/2	9,005	1/2	23,354	1/2	38,389	1/2	53,424	1/2	68,453	1/2	83,473	1/2	98,508	1/2	113,541	1/2	128,568	1/2	143,596
3/4	9,282	3/4	23,667	3/4	38,702	3/4	53,737	3/4	68,766	3/4	83,786	3/4	98,821	3/4	113,854	3/4	128,882	3/4	143,909
9	9,559	9	23,981	9	39,015	9	54,050	9	69,079	9	84,099	9	99,134	9	114,167	9	129,195	9	144,223
1/4	9,840	1/4	24,294	1/4	39,329	1/4	54,363	1/4	69,391	1/4	84,412	1/4	99,447	1/4	114,480	1/4	129,508	1/4	144,536
1/2	10,121	1/2	24,607	1/2	39,642	1/2	54,677	1/2	69,704	1/2	84,725	1/2	99,761	1/2	114,793	1/2	129,821	1/2	144,849
3/4	10,401	3/4	24,920	3/4	39,955	3/4	54,990	3/4	70,017	3/4	85,039	3/4	100,074	3/4	115,106	3/4	130,134	3/4	145,162
10	10,682	10	25,233	10	40,268	10	55,303	10	70,329	10	85,352	10	100,387	10	115,419	10	130,447	10	145,475
1/4	10,967	1/4	25,547	1/4	40,581	1/4	55,616	1/4	70,642	1/4	85,665	1/4	100,700	1/4	115,732	1/4	130,760	1/4	145,788
1/2	11,252	1/2	25,860	1/2	40,895	1/2	55,930	1/2	70,955	1/2	85,978	1/2	101,014	1/2	116,045	1/2	131,073	1/2	146,101
3/4	11,536	3/4	26,173	3/4	41,208	3/4	56,243	3/4	71,267	3/4	86,292	3/4	101,327	3/4	116,358	3/4	131,386	3/4	146,414
11	11,821	11	26,486	11	41,521	11	56,556	11	71,580	11	86,605	11	101,640	11	116,671	11	131,699	11	146,727
1/4	12,110	1/4	26,800	1/4	41,834	1/4	56,869	1/4	71,893	1/4	86,918	1/4	101,953	1/4	116,984	1/4	132,012	1/4	147,040
1/2	12,398	1/2	27,113	1/2	42,148	1/2	57,182	1/2	72,205	1/2	87,231	1/2	102,267	1/2	117,298	1/2	132,325	1/2	147,353
3/4	12,687	3/4	27,426	3/4	42,461	3/4	57,496	3/4	72,518	3/4	87,545	3/4	102,580	3/4	117,611	3/4	132,639	3/4	147,666

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,980	0	163,008	0	178,033	0	193,017	0	207,913	0		0		0		0		0	
1/4	148,293	1/4	163,321	1/4	178,345	1/4	193,329	1/4	208,209	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	148,606	1/2	163,634	1/2	178,658	1/2	193,642	1/2	208,504	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	148,919	3/4	163,947	3/4	178,970	3/4	193,954	3/4	208,800	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	149,232	1	164,260	1	179,282	1	194,266	1	209,096	1	1	1	1	1	1	1	1	1	1
1/4	149,545	1/4	164,573	1/4	179,594	1/4	194,578	1/4	209,355	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149,858	1/2	164,886	1/2	179,906	1/2	194,890	1/2	209,615	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	150,171	3/4	165,199	3/4	180,218	3/4	195,203	3/4	209,875	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	150,484	2	165,512	2	180,531	2	195,515	2	210,135	2	2	2	2	2	2	2	2	2	2
1/4	150,797	1/4	165,825	1/4	180,843	1/4	195,825	1/4	210,350	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,110	1/2	166,138	1/2	181,155	1/2	196,136	1/2	210,565	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,423	3/4	166,451	3/4	181,467	3/4	196,447	3/4	210,780	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	151,737	3	166,764	3	181,779	3	196,758	3	210,995	3	3	3	3	3	3	3	3	3	3
1/4	152,050	1/4	167,078	1/4	182,091	1/4	197,068	1/4	211,165	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,363	1/2	167,391	1/2	182,404	1/2	197,378	1/2	211,335	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,676	3/4	167,704	3/4	182,716	3/4	197,688	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	152,989	4	168,017	4	183,028	4	197,998	4		4	4	4	4	4	4	4	4	4	4
1/4	153,302	1/4	168,330	1/4	183,340	1/4	198,308	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,615	1/2	168,643	1/2	183,652	1/2	198,618	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,928	3/4	168,956	3/4	183,964	3/4	198,928	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	154,241	5	169,269	5	184,277	5	199,238	5	5	5	5	5	5	5	5	5	5	5	5
1/4	154,554	1/4	169,582	1/4	184,589	1/4	199,548	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,867	1/2	169,895	1/2	184,901	1/2	199,858	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,180	3/4	170,208	3/4	185,213	3/4	200,168	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	155,494	6	170,521	6	185,525	6	200,478	6	6	6	6	6	6	6	6	6	6	6	6
1/4	155,807	1/4	170,835	1/4	185,837	1/4	200,788	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,120	1/2	171,148	1/2	186,150	1/2	201,098	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,433	3/4	171,461	3/4	186,462	3/4	201,408	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	156,746	7	171,774	7	186,774	7	201,718	7	7	7	7	7	7	7	7	7	7	7	7
1/4	157,059	1/4	172,087	1/4	187,086	1/4	202,028	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,372	1/2	172,400	1/2	187,398	1/2	202,338	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,685	3/4	172,713	3/4	187,710	3/4	202,648	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	157,998	8	173,026	8	188,023	8	202,958	8	8	8	8	8	8	8	8	8	8	8	8
1/4	158,311	1/4	173,339	1/4	188,335	1/4	203,268	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,624	1/2	173,652	1/2	188,647	1/2	203,578	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,937	3/4	173,965	3/4	188,959	3/4	203,888	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	159,251	9	174,278	9	189,271	9	204,198	9	9	9	9	9	9	9	9	9	9	9	9
1/4	159,564	1/4	174,592	1/4	189,583	1/4	204,508	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,877	1/2	174,905	1/2	189,896	1/2	204,818	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,190	3/4	175,218	3/4	190,208	3/4	205,128	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	160,503	10	175,531	10	190,520	10	205,438	10	10	10	10	10	10	10	10	10	10	10	10
1/4	160,816	1/4	175,844	1/4	190,832	1/4	205,748	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,129	1/2	176,157	1/2	191,144	1/2	206,057	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,442	3/4	176,470	3/4	191,456	3/4	206,367	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	161,755	11	176,783	11	191,769	11	206,677	11	11	11	11	11	11	11	11	11	11	11	11
1/4	162,068	1/4	177,096	1/4	192,081	1/4	206,986	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,381	1/2	177,408	1/2	192,393	1/2	207,295	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	162,694	3/4	177,721	3/4	192,705	3/4	207,604	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	544	0	12,968	0	27,725	0	42,752	0	57,780	0	72,744	0	87,734	0	102,762	0	117,786	0	132,806
1/4	712	1/4	13,260	1/4	28,038	1/4	43,065	1/4	58,093	1/4	73,055	1/4	88,048	1/4	103,076	1/4	118,099	1/4	133,119
1/2	880	1/2	13,552	1/2	28,351	1/2	43,378	1/2	58,406	1/2	73,365	1/2	88,361	1/2	103,389	1/2	118,412	1/2	133,432
3/4	1,048	3/4	13,845	3/4	28,664	3/4	43,691	3/4	58,719	3/4	73,676	3/4	88,674	3/4	103,702	3/4	118,725	3/4	133,745
1	1,216	1	14,137	1	28,977	1	44,004	1	59,032	1	73,987	1	88,987	1	104,015	1	119,038	1	134,058
1/4	1,445	1/4	14,433	1/4	29,290	1/4	44,317	1/4	59,345	1/4	74,298	1/4	89,300	1/4	104,328	1/4	119,350	1/4	134,371
1/2	1,674	1/2	14,729	1/2	29,603	1/2	44,631	1/2	59,658	1/2	74,608	1/2	89,613	1/2	104,641	1/2	119,663	1/2	134,684
3/4	1,903	3/4	15,025	3/4	29,916	3/4	44,944	3/4	59,971	3/4	74,919	3/4	89,926	3/4	104,954	3/4	119,976	3/4	134,997
2	2,132	2	15,322	2	30,229	2	45,257	2	60,284	2	75,230	2	90,239	2	105,267	2	120,289	2	135,310
1/4	2,385	1/4	15,622	1/4	30,542	1/4	45,570	1/4	60,597	1/4	75,541	1/4	90,552	1/4	105,580	1/4	120,602	1/4	135,623
1/2	2,638	1/2	15,922	1/2	30,855	1/2	45,883	1/2	60,910	1/2	75,851	1/2	90,865	1/2	105,893	1/2	120,915	1/2	135,936
3/4	2,890	3/4	16,222	3/4	31,168	3/4	46,196	3/4	61,223	3/4	76,162	3/4	91,178	3/4	106,206	3/4	121,228	3/4	136,249
3	3,143	3	16,522	3	31,481	3	46,509	3	61,537	3	76,473	3	91,491	3	106,519	3	121,541	3	136,562
1/4	3,400	1/4	16,825	1/4	31,795	1/4	46,822	1/4	61,849	1/4	76,784	1/4	91,805	1/4	106,833	1/4	121,854	1/4	136,875
1/2	3,658	1/2	17,129	1/2	32,108	1/2	47,135	1/2	62,162	1/2	77,095	1/2	92,118	1/2	107,146	1/2	122,167	1/2	137,187
3/4	3,915	3/4	17,433	3/4	32,421	3/4	47,448	3/4	62,475	3/4	77,407	3/4	92,431	3/4	107,459	3/4	122,480	3/4	137,500
4	4,172	4	17,737	4	32,734	4	47,761	4	62,788	4	77,718	4	92,744	4	107,772	4	122,793	4	137,813
1/4	4,433	1/4	18,045	1/4	33,047	1/4	48,074	1/4	63,100	1/4	78,031	1/4	93,057	1/4	108,085	1/4	123,106	1/4	138,126
1/2	4,695	1/2	18,353	1/2	33,360	1/2	48,387	1/2	63,412	1/2	78,343	1/2	93,370	1/2	108,398	1/2	123,419	1/2	138,439
3/4	4,956	3/4	18,660	3/4	33,673	3/4	48,700	3/4	63,724	3/4	78,656	3/4	93,683	3/4	108,711	3/4	123,731	3/4	138,752
5	5,217	5	18,968	5	33,986	5	49,014	5	64,037	5	78,968	5	93,996	5	109,024	5	124,044	5	139,065
1/4	5,483	1/4	19,279	1/4	34,299	1/4	49,327	1/4	64,349	1/4	79,281	1/4	94,309	1/4	109,337	1/4	124,357	1/4	139,378
1/2	5,748	1/2	19,590	1/2	34,612	1/2	49,640	1/2	64,661	1/2	79,594	1/2	94,622	1/2	109,650	1/2	124,670	1/2	139,691
3/4	6,013	3/4	19,901	3/4	34,925	3/4	49,953	3/4	64,973	3/4	79,907	3/4	94,935	3/4	109,963	3/4	124,983	3/4	140,004
6	6,278	6	20,212	6	35,238	6	50,266	6	65,285	6	80,221	6	95,248	6	110,275	6	125,296	6	140,317
1/4	6,547	1/4	20,525	1/4	35,551	1/4	50,579	1/4	65,596	1/4	80,534	1/4	95,562	1/4	110,588	1/4	125,609	1/4	140,630
1/2	6,816	1/2	20,838	1/2	35,864	1/2	50,892	1/2	65,907	1/2	80,847	1/2	95,875	1/2	110,901	1/2	125,922	1/2	140,943
3/4	7,085	3/4	21,150	3/4	36,178	3/4	51,205	3/4	66,218	3/4	81,160	3/4	96,188	3/4	111,214	3/4	126,235	3/4	141,256
7	7,354	7	21,463	7	36,491	7	51,518	7	66,530	7	81,473	7	96,501	7	111,527	7	126,548	7	141,568
1/4	7,627	1/4	21,776	1/4	36,804	1/4	51,831	1/4	66,840	1/4	81,786	1/4	96,814	1/4	111,840	1/4	126,861	1/4	141,881
1/2	7,900	1/2	22,089	1/2	37,117	1/2	52,144	1/2	67,151	1/2	82,099	1/2	97,127	1/2	112,153	1/2	127,174	1/2	142,194
3/4	8,173	3/4	22,402	3/4	37,430	3/4	52,457	3/4	67,462	3/4	82,412	3/4	97,440	3/4	112,466	3/4	127,487	3/4	142,507
8	8,446	8	22,715	8	37,743	8	52,770	8	67,773	8	82,725	8	97,753	8	112,779	8	127,800	8	142,820
1/4	8,723	1/4	23,028	1/4	38,056	1/4	53,084	1/4	68,083	1/4	83,038	1/4	98,066	1/4	113,092	1/4	128,112	1/4	143,133
1/2	9,000	1/2	23,342	1/2	38,369	1/2	53,397	1/2	68,394	1/2	83,351	1/2	98,379	1/2	113,405	1/2	128,425	1/2	143,446
3/4	9,277	3/4	23,655	3/4	38,682	3/4	53,710	3/4	68,705	3/4	83,664	3/4	98,692	3/4	113,718	3/4	128,738	3/4	143,759
9	9,553	9	23,968	9	38,995	9	54,023	9	69,016	9	83,978	9	99,005	9	114,031	9	129,051	9	144,072
1/4	9,834	1/4	24,281	1/4	39,308	1/4	54,336	1/4	69,326	1/4	84,291	1/4	99,319	1/4	114,344	1/4	129,364	1/4	144,385
1/2	10,115	1/2	24,594	1/2	39,621	1/2	54,649	1/2	69,637	1/2	84,604	1/2	99,632	1/2	114,656	1/2	129,677	1/2	144,698
3/4	10,395	3/4	24,907	3/4	39,934	3/4	54,962	3/4	69,948	3/4	84,917	3/4	99,945	3/4	114,969	3/4	129,990	3/4	145,011
10	10,676	10	25,220	10	40,247	10	55,275	10	70,258	10	85,230	10	100,258	10	115,282	10	130,303	10	145,324
1/4	10,961	1/4	25,533	1/4	40,561	1/4	55,588	1/4	70,569	1/4	85,543	1/4	100,571	1/4	115,595	1/4	130,616	1/4	145,637
1/2	11,245	1/2	25,846	1/2	40,874	1/2	55,901	1/2	70,880	1/2	85,856	1/2	100,884	1/2	115,908	1/2	130,929	1/2	145,949
3/4	11,530	3/4	26,159	3/4	41,187	3/4	56,214	3/4	71,190	3/4	86,169	3/4	101,197	3/4	116,221	3/4	131,242	3/4	146,262
11	11,814	11	26,472	11	41,500	11	56,527	11	71,501	11	86,482	11	101,510	11	116,534	11	131,555	11	146,575
1/4	12,103	1/4	26,785	1/4	41,813	1/4	56,840	1/4	71,812	1/4	86,795	1/4	101,823	1/4	116,847	1/4	131,868	1/4	146,888
1/2	12,391	1/2	27,098	1/2	42,126	1/2	57,153	1/2	72,123	1/2	87,108	1/2	102,136	1/2	117,160	1/2	132,181	1/2	147,201
3/4	12,679	3/4	27,411	3/4	42,439	3/4	57,467	3/4	72,433	3/4	87,421	3/4	102,449	3/4	117,473	3/4	132,494	3/4	147,514

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,827	0	162,848	0	177,866	0	192,843	0	207,732	0		0		0		0		0	
1/4	148,140	1/4	163,161	1/4	178,178	1/4	193,155	1/4	208,027	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	148,453	1/2	163,474	1/2	178,490	1/2	193,467	1/2	208,323	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	148,766	3/4	163,787	3/4	178,802	3/4	193,779	3/4	208,618	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	149,079	1	164,099	1	179,114	1	194,091	1	208,913	1	1	1	1	1	1	1	1	1	1
1/4	149,392	1/4	164,412	1/4	179,426	1/4	194,403	1/4	209,173	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149,705	1/2	164,725	1/2	179,738	1/2	194,715	1/2	209,433	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	150,018	3/4	165,038	3/4	180,050	3/4	195,027	3/4	209,692	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	150,331	2	165,351	2	180,362	2	195,339	2	209,952	2	2	2	2	2	2	2	2	2	2
1/4	150,643	1/4	165,664	1/4	180,674	1/4	195,650	1/4	210,167	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	150,956	1/2	165,977	1/2	180,986	1/2	195,960	1/2	210,382	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,269	3/4	166,290	3/4	181,298	3/4	196,271	3/4	210,597	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	151,582	3	166,603	3	181,610	3	196,582	3	210,812	3	3	3	3	3	3	3	3	3	3
1/4	151,895	1/4	166,916	1/4	181,922	1/4	196,892	1/4	210,982	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,208	1/2	167,229	1/2	182,234	1/2	197,201	1/2	211,152	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,521	3/4	167,542	3/4	182,546	3/4	197,511	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	152,834	4	167,855	4	182,858	4	197,821	4		4	4	4	4	4	4	4	4	4	4
1/4	153,147	1/4	168,168	1/4	183,170	1/4	198,131	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,460	1/2	168,480	1/2	183,482	1/2	198,441	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,773	3/4	168,793	3/4	183,794	3/4	198,751	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	154,086	5	169,106	5	184,106	5	199,060	5		5	5	5	5	5	5	5	5	5	5
1/4	154,399	1/4	169,419	1/4	184,418	1/4	199,370	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,712	1/2	169,732	1/2	184,730	1/2	199,680	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,024	3/4	170,045	3/4	185,042	3/4	199,990	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	155,337	6	170,358	6	185,355	6	200,300	6		6	6	6	6	6	6	6	6	6	6
1/4	155,650	1/4	170,671	1/4	185,667	1/4	200,610	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,963	1/2	170,984	1/2	185,979	1/2	200,919	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,276	3/4	171,297	3/4	186,291	3/4	201,229	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	156,589	7	171,610	7	186,603	7	201,539	7		7	7	7	7	7	7	7	7	7	7
1/4	156,902	1/4	171,923	1/4	186,915	1/4	201,849	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,215	1/2	172,236	1/2	187,227	1/2	202,159	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,528	3/4	172,549	3/4	187,539	3/4	202,469	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	157,841	8	172,861	8	187,851	8	202,778	8		8	8	8	8	8	8	8	8	8	8
1/4	158,154	1/4	173,174	1/4	188,163	1/4	203,088	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,467	1/2	173,487	1/2	188,475	1/2	203,398	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,780	3/4	173,800	3/4	188,787	3/4	203,708	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	159,093	9	174,113	9	189,099	9	204,018	9		9	9	9	9	9	9	9	9	9	9
1/4	159,405	1/4	174,426	1/4	189,411	1/4	204,328	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,718	1/2	174,739	1/2	189,723	1/2	204,637	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,031	3/4	175,052	3/4	190,035	3/4	204,947	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	160,344	10	175,365	10	190,347	10	205,257	10		10	10	10	10	10	10	10	10	10	10
1/4	160,657	1/4	175,678	1/4	190,659	1/4	205,567	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,970	1/2	175,991	1/2	190,971	1/2	205,877	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,283	3/4	176,304	3/4	191,283	3/4	206,186	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	161,596	11	176,617	11	191,595	11	206,496	11		11	11	11	11	11	11	11	11	11	11
1/4	161,909	1/4	176,929	1/4	191,907	1/4	206,805	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,222	1/2	177,241	1/2	192,219	1/2	207,114	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	162,535	3/4	177,554	3/4	192,531	3/4	207,423	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	630	0	15,245	0	30,312	0	45,365	0	60,426	0	75,494	0	90,562	0	105,630	0	120,694	0	135,754
1/4	852	1/4	15,559	1/4	30,626	1/4	45,678	1/4	60,740	1/4	75,808	1/4	90,876	1/4	105,944	1/4	121,007	1/4	136,068
1/2	1,075	1/2	15,872	1/2	30,940	1/2	45,992	1/2	61,054	1/2	76,122	1/2	91,190	1/2	106,258	1/2	121,321	1/2	136,382
3/4	1,297	3/4	16,186	3/4	31,254	3/4	46,305	3/4	61,368	3/4	76,436	3/4	91,504	3/4	106,572	3/4	121,635	3/4	136,696
1	1,519	1	16,500	1	31,568	1	46,618	1	61,682	1	76,750	1	91,818	1	106,886	1	121,949	1	137,009
1/4	1,813	1/4	16,814	1/4	31,882	1/4	46,932	1/4	61,995	1/4	77,064	1/4	92,132	1/4	107,200	1/4	122,262	1/4	137,323
1/2	2,106	1/2	17,128	1/2	32,196	1/2	47,245	1/2	62,309	1/2	77,377	1/2	92,446	1/2	107,514	1/2	122,576	1/2	137,637
3/4	2,399	3/4	17,442	3/4	32,510	3/4	47,558	3/4	62,623	3/4	77,691	3/4	92,759	3/4	107,828	3/4	122,890	3/4	137,951
2	2,693	2	17,756	2	32,824	2	47,872	2	62,937	2	78,005	2	93,073	2	108,142	2	123,204	2	138,265
1/4	3,006	1/4	18,070	1/4	33,138	1/4	48,185	1/4	63,251	1/4	78,319	1/4	93,387	1/4	108,455	1/4	123,518	1/4	138,578
1/2	3,319	1/2	18,384	1/2	33,451	1/2	48,499	1/2	63,565	1/2	78,633	1/2	93,701	1/2	108,769	1/2	123,831	1/2	138,892
3/4	3,632	3/4	18,698	3/4	33,765	3/4	48,812	3/4	63,879	3/4	78,947	3/4	94,015	3/4	109,083	3/4	124,145	3/4	139,206
3	3,945	3	19,012	3	34,079	3	49,125	3	64,193	3	79,261	3	94,329	3	109,397	3	124,459	3	139,520
1/4	4,259	1/4	19,325	1/4	34,393	1/4	49,439	1/4	64,507	1/4	79,575	1/4	94,643	1/4	109,711	1/4	124,773	1/4	139,833
1/2	4,572	1/2	19,639	1/2	34,707	1/2	49,753	1/2	64,821	1/2	79,899	1/2	94,957	1/2	110,025	1/2	125,086	1/2	140,147
3/4	4,886	3/4	19,953	3/4	35,021	3/4	50,067	3/4	65,135	3/4	80,203	3/4	95,271	3/4	110,339	3/4	125,400	3/4	140,461
4	5,200	4	20,267	4	35,335	4	50,380	4	65,449	4	80,517	4	95,585	4	110,653	4	125,714	4	140,775
1/4	5,514	1/4	20,581	1/4	35,649	1/4	50,694	1/4	65,762	1/4	80,831	1/4	95,899	1/4	110,967	1/4	126,028	1/4	141,088
1/2	5,827	1/2	20,895	1/2	35,963	1/2	51,008	1/2	66,076	1/2	81,144	1/2	96,213	1/2	111,281	1/2	126,341	1/2	141,402
3/4	6,141	3/4	21,209	3/4	36,277	3/4	51,322	3/4	66,390	3/4	81,458	3/4	96,527	3/4	111,594	3/4	126,655	3/4	141,716
5	6,455	5	21,523	5	36,591	5	51,636	5	66,704	5	81,772	5	96,840	5	111,908	5	126,969	5	142,030
1/4	6,769	1/4	21,837	1/4	36,904	1/4	51,950	1/4	67,018	1/4	82,086	1/4	97,154	1/4	112,222	1/4	127,283	1/4	142,344
1/2	7,083	1/2	22,151	1/2	37,218	1/2	52,264	1/2	67,332	1/2	82,400	1/2	97,468	1/2	112,536	1/2	127,596	1/2	142,657
3/4	7,397	3/4	22,465	3/4	37,531	3/4	52,578	3/4	67,646	3/4	82,714	3/4	97,782	3/4	112,849	3/4	127,910	3/4	142,971
6	7,711	6	22,778	6	37,845	6	52,892	6	67,960	6	83,028	6	98,096	6	113,163	6	128,224	6	143,285
1/4	8,025	1/4	23,092	1/4	38,158	1/4	53,206	1/4	68,274	1/4	83,342	1/4	98,410	1/4	113,477	1/4	128,538	1/4	143,599
1/2	8,339	1/2	23,406	1/2	38,472	1/2	53,520	1/2	68,588	1/2	83,656	1/2	98,724	1/2	113,791	1/2	128,852	1/2	143,912
3/4	8,653	3/4	23,720	3/4	38,785	3/4	53,834	3/4	68,902	3/4	83,970	3/4	99,038	3/4	114,105	3/4	129,165	3/4	144,226
7	8,966	7	24,034	7	39,099	7	54,147	7	69,216	7	84,284	7	99,352	7	114,418	7	129,479	7	144,540
1/4	9,280	1/4	24,348	1/4	39,412	1/4	54,461	1/4	69,529	1/4	84,598	1/4	99,666	1/4	114,732	1/4	129,793	1/4	144,854
1/2	9,594	1/2	24,662	1/2	39,725	1/2	54,775	1/2	69,843	1/2	84,912	1/2	99,980	1/2	115,046	1/2	130,107	1/2	145,167
3/4	9,908	3/4	24,976	3/4	40,039	3/4	55,089	3/4	70,157	3/4	85,225	3/4	100,294	3/4	115,360	3/4	130,420	3/4	145,481
8	10,222	8	25,290	8	40,352	8	55,403	8	70,471	8	85,539	8	100,607	8	115,673	8	130,734	8	145,795
1/4	10,536	1/4	25,604	1/4	40,665	1/4	55,717	1/4	70,785	1/4	85,853	1/4	100,921	1/4	115,987	1/4	131,048	1/4	146,109
1/2	10,850	1/2	25,918	1/2	40,979	1/2	56,031	1/2	71,099	1/2	86,167	1/2	101,235	1/2	116,301	1/2	131,362	1/2	146,422
3/4	11,164	3/4	26,232	3/4	41,292	3/4	56,345	3/4	71,413	3/4	86,481	3/4	101,549	3/4	116,615	3/4	131,675	3/4	146,736
9	11,478	9	26,545	9	41,605	9	56,659	9	71,727	9	86,795	9	101,863	9	116,928	9	131,989	9	147,050
1/4	11,792	1/4	26,859	1/4	41,919	1/4	56,973	1/4	72,041	1/4	87,109	1/4	102,177	1/4	117,242	1/4	132,303	1/4	147,364
1/2	12,106	1/2	27,173	1/2	42,232	1/2	57,287	1/2	72,355	1/2	87,423	1/2	102,491	1/2	117,556	1/2	132,617	1/2	147,678
3/4	12,419	3/4	27,487	3/4	42,545	3/4	57,601	3/4	72,669	3/4	87,737	3/4	102,805	3/4	117,870	3/4	132,931	3/4	147,991
10	12,733	10	27,801	10	42,859	10	57,914	10	72,983	10	88,051	10	103,119	10	118,183	10	133,244	10	148,305
1/4	13,047	1/4	28,115	1/4	43,172	1/4	58,228	1/4	73,297	1/4	88,365	1/4	103,433	1/4	118,497	1/4	133,558	1/4	148,619
1/2	13,361	1/2	28,429	1/2	43,485	1/2	58,542	1/2	73,610	1/2	88,679	1/2	103,747	1/2	118,811	1/2	133,872	1/2	148,933
3/4	13,675	3/4	28,743	3/4	43,798	3/4	58,856	3/4	73,924	3/4	88,992	3/4	104,061	3/4	119,125	3/4	134,186	3/4	149,246
11	13,989	11	29,057	11	44,112	11	59,170	11	74,238	11	89,306	11	104,374	11	119,439	11	134,499	11	149,560
1/4	14,303	1/4	29,371	1/4	44,425	1/4	59,484	1/4	74,552	1/4	89,620	1/4	104,688	1/4	119,752	1/4	134,813	1/4	149,874
1/2	14,617	1/2	29,685	1/2	44,738	1/2	59,798	1/2	74,866	1/2	89,934	1/2	105,002	1/2	120,066	1/2	135,127	1/2	150,188
3/4	14,931	3/4	29,998	3/4	45,052	3/4	60,112	3/4	75,180	3/4	90,248	3/4	105,316	3/4	120,380	3/4	135,441	3/4	150,501

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,815	0	165,876	0	180,935	0	195,951	0	210,880	0		0		0		0		0	
1/4	151,129	1/4	166,190	1/4	181,247	1/4	196,264	1/4	211,176	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,443	1/2	166,504	1/2	181,560	1/2	196,577	1/2	211,473	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,756	3/4	166,817	3/4	181,873	3/4	196,890	3/4	211,769	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	152,070	1	167,131	1	182,186	1	197,203	1	212,065	1	1	1	1	1	1	1	1	1	1
1/4	152,384	1/4	167,445	1/4	182,499	1/4	197,516	1/4	212,325	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,698	1/2	167,759	1/2	182,812	1/2	197,829	1/2	212,586	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,012	3/4	168,072	3/4	183,124	3/4	198,141	3/4	212,846	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	153,325	2	168,386	2	183,437	2	198,454	2	213,106	2	2	2	2	2	2	2	2	2	2
1/4	153,639	1/4	168,700	1/4	183,750	1/4	198,766	1/4	213,322	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,953	1/2	169,014	1/2	184,063	1/2	199,077	1/2	213,537	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,267	3/4	169,327	3/4	184,376	3/4	199,389	3/4	213,753	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	154,580	3	169,641	3	184,689	3	199,700	3	213,968	3	3	3	3	3	3	3	3	3	3
1/4	154,894	1/4	169,955	1/4	185,002	1/4	200,011	1/4	214,139	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,208	1/2	170,269	1/2	185,314	1/2	200,322	1/2	214,310	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,522	3/4	170,582	3/4	185,627	3/4	200,632	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	155,835	4	170,896	4	185,940	4	200,943	4		4	4	4	4	4	4	4	4	4	4
1/4	156,149	1/4	171,210	1/4	186,253	1/4	201,254	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,463	1/2	171,524	1/2	186,566	1/2	201,564	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,777	3/4	171,838	3/4	186,879	3/4	201,875	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	157,091	5	172,151	5	187,192	5	202,186	5	5	5	5	5	5	5	5	5	5	5	5
1/4	157,404	1/4	172,465	1/4	187,504	1/4	202,496	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,718	1/2	172,779	1/2	187,817	1/2	202,807	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,032	3/4	173,093	3/4	188,130	3/4	203,118	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	158,346	6	173,406	6	188,443	6	203,428	6	6	6	6	6	6	6	6	6	6	6	6
1/4	158,659	1/4	173,720	1/4	188,756	1/4	203,739	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,973	1/2	174,034	1/2	189,069	1/2	204,050	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	159,287	3/4	174,348	3/4	189,382	3/4	204,360	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	159,601	7	174,661	7	189,694	7	204,671	7	7	7	7	7	7	7	7	7	7	7	7
1/4	159,914	1/4	174,975	1/4	190,007	1/4	204,982	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,228	1/2	175,289	1/2	190,320	1/2	205,292	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,542	3/4	175,603	3/4	190,633	3/4	205,603	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	160,856	8	175,917	8	190,946	8	205,914	8	8	8	8	8	8	8	8	8	8	8	8
1/4	161,169	1/4	176,230	1/4	191,259	1/4	206,224	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	161,483	1/2	176,544	1/2	191,572	1/2	206,535	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,797	3/4	176,858	3/4	191,884	3/4	206,846	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	162,111	9	177,172	9	192,197	9	207,156	9	9	9	9	9	9	9	9	9	9	9	9
1/4	162,425	1/4	177,485	1/4	192,510	1/4	207,467	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,738	1/2	177,799	1/2	192,823	1/2	207,778	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	163,052	3/4	178,113	3/4	193,136	3/4	208,088	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	163,366	10	178,427	10	193,449	10	208,399	10	10	10	10	10	10	10	10	10	10	10	10
1/4	163,680	1/4	178,740	1/4	193,762	1/4	208,710	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	163,993	1/2	179,054	1/2	194,074	1/2	209,020	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	164,307	3/4	179,368	3/4	194,387	3/4	209,331	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	164,621	11	179,682	11	194,700	11	209,641	11	11	11	11	11	11	11	11	11	11	11	11
1/4	164,935	1/4	179,995	1/4	195,013	1/4	209,951	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	165,248	1/2	180,308	1/2	195,326	1/2	210,261	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	165,562	3/4	180,621	3/4	195,639	3/4	210,570	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	630	0	15,252	0	30,327	0	45,387	0	60,254	0	75,050	0	90,036	0	105,111	0	120,182	0	135,250
1/4	853	1/4	15,566	1/4	30,641	1/4	45,701	1/4	60,563	1/4	75,359	1/4	90,350	1/4	105,425	1/4	120,496	1/4	135,564
1/2	1,075	1/2	15,880	1/2	30,955	1/2	46,014	1/2	60,871	1/2	75,667	1/2	90,664	1/2	105,739	1/2	120,810	1/2	135,878
3/4	1,298	3/4	16,194	3/4	31,269	3/4	46,327	3/4	61,179	3/4	75,975	3/4	90,978	3/4	106,053	3/4	121,123	3/4	136,192
1	1,520	1	16,508	1	31,583	1	46,641	1	61,487	1	76,283	1	91,292	1	106,367	1	121,437	1	136,505
1/4	1,814	1/4	16,822	1/4	31,897	1/4	46,954	1/4	61,796	1/4	76,592	1/4	91,606	1/4	106,681	1/4	121,751	1/4	136,819
1/2	2,107	1/2	17,136	1/2	32,211	1/2	47,268	1/2	62,104	1/2	76,900	1/2	91,920	1/2	106,995	1/2	122,065	1/2	137,133
3/4	2,400	3/4	17,450	3/4	32,525	3/4	47,581	3/4	62,412	3/4	77,208	3/4	92,234	3/4	107,309	3/4	122,379	3/4	137,447
2	2,694	2	17,765	2	32,840	2	47,895	2	62,720	2	77,516	2	92,548	2	107,624	2	122,693	2	137,761
1/4	3,007	1/4	18,079	1/4	33,154	1/4	48,208	1/4	63,029	1/4	77,825	1/4	92,862	1/4	107,938	1/4	123,007	1/4	138,075
1/2	3,320	1/2	18,393	1/2	33,468	1/2	48,522	1/2	63,337	1/2	78,133	1/2	93,176	1/2	108,252	1/2	123,321	1/2	138,389
3/4	3,634	3/4	18,707	3/4	33,782	3/4	48,836	3/4	63,645	3/4	78,441	3/4	93,490	3/4	108,566	3/4	123,635	3/4	138,703
3	3,947	3	19,021	3	34,096	3	49,149	3	63,953	3	78,749	3	93,804	3	108,880	3	123,949	3	139,017
1/4	4,261	1/4	19,335	1/4	34,410	1/4	49,459	1/4	64,262	1/4	79,059	1/4	94,118	1/4	109,194	1/4	124,263	1/4	139,331
1/2	4,574	1/2	19,649	1/2	34,724	1/2	49,770	1/2	64,570	1/2	79,369	1/2	94,433	1/2	109,508	1/2	124,577	1/2	139,645
3/4	4,888	3/4	19,963	3/4	35,038	3/4	50,080	3/4	64,878	3/4	79,680	3/4	94,747	3/4	109,822	3/4	124,890	3/4	139,959
4	5,202	4	20,277	4	35,352	4	50,390	4	65,186	4	79,990	4	95,061	4	110,136	4	125,204	4	140,272
1/4	5,516	1/4	20,591	1/4	35,666	1/4	50,699	1/4	65,495	1/4	80,303	1/4	95,375	1/4	110,450	1/4	125,518	1/4	140,586
1/2	5,830	1/2	20,905	1/2	35,980	1/2	51,007	1/2	65,803	1/2	80,616	1/2	95,689	1/2	110,764	1/2	125,832	1/2	140,900
3/4	6,144	3/4	21,219	3/4	36,294	3/4	51,315	3/4	66,111	3/4	80,929	3/4	96,003	3/4	111,078	3/4	126,146	3/4	141,214
5	6,458	5	21,533	5	36,608	5	51,623	5	66,419	5	81,242	5	96,317	5	111,392	5	126,460	5	141,528
1/4	6,772	1/4	21,847	1/4	36,922	1/4	51,932	1/4	66,728	1/4	81,556	1/4	96,631	1/4	111,706	1/4	126,774	1/4	141,842
1/2	7,086	1/2	22,161	1/2	37,236	1/2	52,240	1/2	67,036	1/2	81,870	1/2	96,945	1/2	112,020	1/2	127,088	1/2	142,156
3/4	7,400	3/4	22,475	3/4	37,550	3/4	52,548	3/4	67,344	3/4	82,184	3/4	97,259	3/4	112,334	3/4	127,402	3/4	142,470
6	7,715	6	22,790	6	37,863	6	52,856	6	67,652	6	82,498	6	97,573	6	112,648	6	127,716	6	142,784
1/4	8,029	1/4	23,104	1/4	38,177	1/4	53,165	1/4	67,961	1/4	82,812	1/4	97,887	1/4	112,962	1/4	128,030	1/4	143,098
1/2	8,343	1/2	23,418	1/2	38,490	1/2	53,473	1/2	68,269	1/2	83,126	1/2	98,201	1/2	113,275	1/2	128,344	1/2	143,412
3/4	8,657	3/4	23,732	3/4	38,804	3/4	53,781	3/4	68,577	3/4	83,440	3/4	98,515	3/4	113,589	3/4	128,657	3/4	143,726
7	8,971	7	24,046	7	39,118	7	54,089	7	68,885	7	83,754	7	98,830	7	113,903	7	128,971	7	144,039
1/4	9,285	1/4	24,360	1/4	39,431	1/4	54,398	1/4	69,194	1/4	84,068	1/4	99,144	1/4	114,217	1/4	129,285	1/4	144,353
1/2	9,599	1/2	24,674	1/2	39,745	1/2	54,706	1/2	69,502	1/2	84,382	1/2	99,458	1/2	114,531	1/2	129,599	1/2	144,667
3/4	9,913	3/4	24,988	3/4	40,058	3/4	55,014	3/4	69,810	3/4	84,696	3/4	99,772	3/4	114,845	3/4	129,913	3/4	144,981
8	10,227	8	25,302	8	40,371	8	55,322	8	70,118	8	85,010	8	100,086	8	115,159	8	130,227	8	145,295
1/4	10,541	1/4	25,616	1/4	40,685	1/4	55,631	1/4	70,427	1/4	85,324	1/4	100,400	1/4	115,473	1/4	130,541	1/4	145,609
1/2	10,855	1/2	25,930	1/2	40,998	1/2	55,939	1/2	70,735	1/2	85,639	1/2	100,714	1/2	115,787	1/2	130,855	1/2	145,923
3/4	11,169	3/4	26,244	3/4	41,312	3/4	56,247	3/4	71,043	3/4	85,953	3/4	101,028	3/4	116,101	3/4	131,169	3/4	146,237
9	11,483	9	26,558	9	41,625	9	56,555	9	71,351	9	86,267	9	101,342	9	116,415	9	131,483	9	146,551
1/4	11,797	1/4	26,872	1/4	41,939	1/4	56,864	1/4	71,660	1/4	86,581	1/4	101,656	1/4	116,729	1/4	131,797	1/4	146,865
1/2	12,111	1/2	27,186	1/2	42,252	1/2	57,172	1/2	71,968	1/2	86,895	1/2	101,970	1/2	117,043	1/2	132,111	1/2	147,179
3/4	12,425	3/4	27,500	3/4	42,566	3/4	57,480	3/4	72,276	3/4	87,209	3/4	102,284	3/4	117,356	3/4	132,425	3/4	147,493
10	12,740	10	27,815	10	42,879	10	57,788	10	72,584	10	87,523	10	102,598	10	117,670	10	132,738	10	147,807
1/4	13,054	1/4	28,129	1/4	43,193	1/4	58,097	1/4	72,893	1/4	87,837	1/4	102,912	1/4	117,984	1/4	133,052	1/4	148,120
1/2	13,368	1/2	28,443	1/2	43,506	1/2	58,405	1/2	73,201	1/2	88,151	1/2	103,227	1/2	118,298	1/2	133,366	1/2	148,434
3/4	13,682	3/4	28,757	3/4	43,820	3/4	58,713	3/4	73,509	3/4	88,465	3/4	103,541	3/4	118,612	3/4	133,680	3/4	148,748
11	13,996	11	29,071	11	44,133	11	59,021	11	73,817	11	88,779	11	103,855	11	118,926	11	133,994	11	149,062
1/4	14,310	1/4	29,385	1/4	44,447	1/4	59,330	1/4	74,126	1/4	89,093	1/4	104,169	1/4	119,240	1/4	134,308	1/4	149,376
1/2	14,624	1/2	29,699	1/2	44,760	1/2	59,638	1/2	74,434	1/2	89,407	1/2	104,483	1/2	119,554	1/2	134,622	1/2	149,690
3/4	14,938	3/4	30,013	3/4	45,074	3/4	59,946	3/4	74,742	3/4	89,721	3/4	104,797	3/4	119,868	3/4	134,936	3/4	150,004

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 43'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "GBL 2630"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,318	0	165,386	0	180,452	0	195,476	0	210,412	0		0		0		0		0	
1/4	150,632	1/4	165,700	1/4	180,765	1/4	195,789	1/4	210,708	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	150,946	1/2	166,014	1/2	181,078	1/2	196,102	1/2	211,005	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,260	3/4	166,328	3/4	181,391	3/4	196,415	3/4	211,301	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	151,574	1	166,642	1	181,704	1	196,728	1	211,597	1		1		1		1		1	
1/4	151,887	1/4	166,956	1/4	182,017	1/4	197,041	1/4	211,858	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,201	1/2	167,269	1/2	182,330	1/2	197,354	1/2	212,118	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,515	3/4	167,583	3/4	182,643	3/4	197,667	3/4	212,379	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	152,829	2	167,897	2	182,956	2	197,980	2	212,639	2		2		2		2		2	
1/4	153,143	1/4	168,211	1/4	183,269	1/4	198,292	1/4	212,855	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,457	1/2	168,525	1/2	183,582	1/2	198,603	1/2	213,071	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,771	3/4	168,839	3/4	183,895	3/4	198,915	3/4	213,286	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	154,085	3	169,153	3	184,208	3	199,227	3	213,502	3		3		3		3		3	
1/4	154,399	1/4	169,467	1/4	184,521	1/4	199,537	1/4	213,673	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,713	1/2	169,781	1/2	184,834	1/2	199,848	1/2	213,843	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,027	3/4	170,095	3/4	185,147	3/4	200,159	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	155,341	4	170,409	4	185,460	4	200,470	4		4		4		4		4		4	
1/4	155,654	1/4	170,723	1/4	185,773	1/4	200,781	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,968	1/2	171,036	1/2	186,086	1/2	201,092	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,282	3/4	171,350	3/4	186,399	3/4	201,402	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	156,596	5	171,664	5	186,712	5	201,713	5		5		5		5		5		5	
1/4	156,910	1/4	171,978	1/4	187,025	1/4	202,024	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,224	1/2	172,292	1/2	187,338	1/2	202,335	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,538	3/4	172,606	3/4	187,651	3/4	202,646	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	157,852	6	172,920	6	187,964	6	202,956	6		6		6		6		6		6	
1/4	158,166	1/4	173,234	1/4	188,277	1/4	203,267	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,480	1/2	173,548	1/2	188,590	1/2	203,578	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,794	3/4	173,862	3/4	188,903	3/4	203,889	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	159,108	7	174,176	7	189,216	7	204,200	7		7		7		7		7		7	
1/4	159,422	1/4	174,490	1/4	189,529	1/4	204,511	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,735	1/2	174,804	1/2	189,842	1/2	204,821	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	160,049	3/4	175,117	3/4	190,155	3/4	205,132	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	160,363	8	175,431	8	190,468	8	205,443	8		8		8		8		8		8	
1/4	160,677	1/4	175,745	1/4	190,781	1/4	205,754	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160,991	1/2	176,059	1/2	191,094	1/2	206,065	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	161,305	3/4	176,373	3/4	191,407	3/4	206,375	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	161,619	9	176,687	9	191,720	9	206,686	9		9		9		9		9		9	
1/4	161,933	1/4	177,001	1/4	192,033	1/4	206,997	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	162,247	1/2	177,315	1/2	192,346	1/2	207,308	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	162,561	3/4	177,629	3/4	192,659	3/4	207,619	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	162,875	10	177,943	10	192,972	10	207,930	10		10		10		10		10		10	
1/4	163,189	1/4	178,257	1/4	193,285	1/4	208,240	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	163,502	1/2	178,571	1/2	193,598	1/2	208,551	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	163,816	3/4	178,884	3/4	193,911	3/4	208,862	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	164,130	11	179,198	11	194,224	11	209,173	11		11		11		11		11		11	
1/4	164,444	1/4	179,512	1/4	194,537	1/4	209,482	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	164,758	1/2	179,825	1/2	194,850	1/2	209,792	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	165,072	3/4	180,138	3/4	195,163	3/4	210,102	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	628	0	15,197	0	30,217	0	45,222	0	60,236	0	75,256	0	90,277	0	105,298	0	120,305	0	135,306
1/4	850	1/4	15,510	1/4	30,530	1/4	45,535	1/4	60,549	1/4	75,569	1/4	90,590	1/4	105,611	1/4	120,617	1/4	135,618
1/2	1,071	1/2	15,823	1/2	30,843	1/2	45,847	1/2	60,861	1/2	75,882	1/2	90,903	1/2	105,923	1/2	120,930	1/2	135,931
3/4	1,293	3/4	16,136	3/4	31,156	3/4	46,159	3/4	61,174	3/4	76,195	3/4	91,216	3/4	106,236	3/4	121,242	3/4	136,243
1	1,515	1	16,448	1	31,469	1	46,472	1	61,487	1	76,508	1	91,529	1	106,549	1	121,555	1	136,556
1/4	1,807	1/4	16,761	1/4	31,782	1/4	46,784	1/4	61,800	1/4	76,821	1/4	91,842	1/4	106,862	1/4	121,867	1/4	136,869
1/2	2,099	1/2	17,074	1/2	32,095	1/2	47,096	1/2	62,113	1/2	77,134	1/2	92,155	1/2	107,175	1/2	122,180	1/2	137,181
3/4	2,392	3/4	17,387	3/4	32,407	3/4	47,409	3/4	62,426	3/4	77,447	3/4	92,467	3/4	107,488	3/4	122,492	3/4	137,494
2	2,684	2	17,700	2	32,720	2	47,721	2	62,739	2	77,760	2	92,780	2	107,801	2	122,805	2	137,806
1/4	2,996	1/4	18,013	1/4	33,033	1/4	48,033	1/4	63,052	1/4	78,073	1/4	93,093	1/4	108,114	1/4	123,117	1/4	138,119
1/2	3,308	1/2	18,326	1/2	33,346	1/2	48,346	1/2	63,365	1/2	78,386	1/2	93,406	1/2	108,427	1/2	123,430	1/2	138,431
3/4	3,620	3/4	18,639	3/4	33,659	3/4	48,658	3/4	63,678	3/4	78,699	3/4	93,719	3/4	108,740	3/4	123,742	3/4	138,744
3	3,932	3	18,952	3	33,972	3	48,971	3	63,991	3	79,011	3	94,032	3	109,053	3	124,055	3	139,056
1/4	4,245	1/4	19,265	1/4	34,285	1/4	49,284	1/4	64,304	1/4	79,324	1/4	94,345	1/4	109,366	1/4	124,368	1/4	139,369
1/2	4,558	1/2	19,578	1/2	34,598	1/2	49,596	1/2	64,617	1/2	79,637	1/2	94,658	1/2	109,678	1/2	124,680	1/2	139,681
3/4	4,871	3/4	19,891	3/4	34,911	3/4	49,909	3/4	64,930	3/4	79,950	3/4	94,971	3/4	109,991	3/4	124,993	3/4	139,994
4	5,183	4	20,203	4	35,224	4	50,222	4	65,242	4	80,263	4	95,284	4	110,304	4	125,305	4	140,306
1/4	5,496	1/4	20,516	1/4	35,537	1/4	50,535	1/4	65,555	1/4	80,576	1/4	95,597	1/4	110,616	1/4	125,618	1/4	140,619
1/2	5,809	1/2	20,829	1/2	35,850	1/2	50,848	1/2	65,868	1/2	80,889	1/2	95,910	1/2	110,929	1/2	125,930	1/2	140,931
3/4	6,122	3/4	21,142	3/4	36,163	3/4	51,161	3/4	66,181	3/4	81,202	3/4	96,223	3/4	111,241	3/4	126,243	3/4	141,244
5	6,435	5	21,455	5	36,475	5	51,474	5	66,494	5	81,515	5	96,536	5	111,554	5	126,555	5	141,556
1/4	6,748	1/4	21,768	1/4	36,788	1/4	51,786	1/4	66,807	1/4	81,828	1/4	96,848	1/4	111,867	1/4	126,868	1/4	141,869
1/2	7,061	1/2	22,081	1/2	37,101	1/2	52,099	1/2	67,120	1/2	82,141	1/2	97,161	1/2	112,179	1/2	127,180	1/2	142,181
3/4	7,374	3/4	22,394	3/4	37,413	3/4	52,412	3/4	67,433	3/4	82,454	3/4	97,474	3/4	112,492	3/4	127,493	3/4	142,494
6	7,687	6	22,707	6	37,726	6	52,725	6	67,746	6	82,767	6	97,787	6	112,804	6	127,805	6	142,806
1/4	8,000	1/4	23,020	1/4	38,038	1/4	53,038	1/4	68,059	1/4	83,080	1/4	98,100	1/4	113,117	1/4	128,118	1/4	143,115
1/2	8,312	1/2	23,333	1/2	38,351	1/2	53,351	1/2	68,372	1/2	83,392	1/2	98,413	1/2	113,429	1/2	128,430	1/2	143,423
3/4	8,625	3/4	23,646	3/4	38,663	3/4	53,664	3/4	68,685	3/4	83,705	3/4	98,726	3/4	113,742	3/4	128,743	3/4	143,731
7	8,938	7	23,959	7	38,976	7	53,977	7	68,998	7	84,018	7	99,039	7	114,054	7	129,055	7	144,039
1/4	9,251	1/4	24,271	1/4	39,288	1/4	54,290	1/4	69,311	1/4	84,331	1/4	99,352	1/4	114,367	1/4	129,368	1/4	144,335
1/2	9,564	1/2	24,584	1/2	39,600	1/2	54,603	1/2	69,624	1/2	84,644	1/2	99,665	1/2	114,679	1/2	129,680	1/2	144,631
3/4	9,877	3/4	24,897	3/4	39,913	3/4	54,916	3/4	69,936	3/4	84,957	3/4	99,978	3/4	114,992	3/4	129,993	3/4	144,927
8	10,190	8	25,210	8	40,225	8	55,229	8	70,249	8	85,270	8	100,291	8	115,304	8	130,305	8	145,222
1/4	10,503	1/4	25,523	1/4	40,537	1/4	55,542	1/4	70,562	1/4	85,583	1/4	100,604	1/4	115,617	1/4	130,618	1/4	145,504
1/2	10,816	1/2	25,836	1/2	40,850	1/2	55,855	1/2	70,875	1/2	85,896	1/2	100,917	1/2	115,929	1/2	130,931	1/2	145,785
3/4	11,129	3/4	26,149	3/4	41,162	3/4	56,167	3/4	71,188	3/4	86,209	3/4	101,230	3/4	116,242	3/4	131,243	3/4	146,066
9	11,442	9	26,462	9	41,474	9	56,480	9	71,501	9	86,522	9	101,542	9	116,554	9	131,556	9	146,347
1/4	11,755	1/4	26,775	1/4	41,787	1/4	56,793	1/4	71,814	1/4	86,835	1/4	101,855	1/4	116,867	1/4	131,868	1/4	146,615
1/2	12,068	1/2	27,088	1/2	42,099	1/2	57,106	1/2	72,127	1/2	87,148	1/2	102,168	1/2	117,179	1/2	132,181	1/2	146,882
3/4	12,380	3/4	27,401	3/4	42,411	3/4	57,419	3/4	72,440	3/4	87,461	3/4	102,481	3/4	117,492	3/4	132,493	3/4	147,150
10	12,693	10	27,714	10	42,724	10	57,732	10	72,753	10	87,773	10	102,794	10	117,804	10	132,806	10	147,417
1/4	13,006	1/4	28,027	1/4	43,036	1/4	58,045	1/4	73,066	1/4	88,086	1/4	103,107	1/4	118,117	1/4	133,118	1/4	147,671
1/2	13,319	1/2	28,339	1/2	43,348	1/2	58,358	1/2	73,379	1/2	88,399	1/2	103,420	1/2	118,430	1/2	133,431	1/2	147,925
3/4	13,632	3/4	28,652	3/4	43,661	3/4	58,671	3/4	73,692	3/4	88,712	3/4	103,733	3/4	118,742	3/4	133,743	3/4	148,179
11	13,945	11	28,965	11	43,973	11	58,984	11	74,005	11	89,025	11	104,046	11	119,055	11	134,056	11	148,432
1/4	14,258	1/4	29,278	1/4	44,285	1/4	59,297	1/4	74,317	1/4	89,338	1/4	104,359	1/4	119,367	1/4	134,368	1/4	148,673
1/2	14,571	1/2	29,591	1/2	44,598	1/2	59,610	1/2	74,630	1/2	89,651	1/2	104,672	1/2	119,680	1/2	134,681	1/2	148,913
3/4	14,884	3/4	29,904	3/4	44,910	3/4	59,923	3/4	74,943	3/4	89,964	3/4	104,985	3/4	119,992	3/4	134,993	3/4	149,153

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	149,393	0	159,815	0	170,187	0	180,532	0	190,816	0		0		0		0		0	
1/4	149,619	1/4	160,031	1/4	170,403	1/4	180,747	1/4	191,020	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149,846	1/2	160,247	1/2	170,618	1/2	180,963	1/2	191,224	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	150,072	3/4	160,463	3/4	170,834	3/4	181,178	3/4	191,428	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	150,298	1	160,679	1	171,049	1	181,394	1	191,632	1	1	1	1	1	1	1	1	1	1
1/4	150,516	1/4	160,896	1/4	171,265	1/4	181,609	1/4	191,811	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	150,734	1/2	161,112	1/2	171,480	1/2	181,825	1/2	191,990	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	150,952	3/4	161,328	3/4	171,696	3/4	182,040	3/4	192,170	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	151,170	2	161,544	2	171,911	2	182,256	2	192,349	2	2	2	2	2	2	2	2	2	2
1/4	151,386	1/4	161,760	1/4	172,127	1/4	182,471	1/4	192,498	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,602	1/2	161,976	1/2	172,342	1/2	182,685	1/2	192,646	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,818	3/4	162,192	3/4	172,558	3/4	182,900	3/4	192,795	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	152,035	3	162,408	3	172,773	3	183,114	3	192,943	3	3	3	3	3	3	3	3	3	3
1/4	152,251	1/4	162,625	1/4	172,989	1/4	183,328	1/4	193,061	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,467	1/2	162,841	1/2	173,204	1/2	183,542	1/2	193,178	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,683	3/4	163,057	3/4	173,420	3/4	183,756	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	152,899	4	163,273	4	173,635	4	183,970	4		4	4	4	4	4	4	4	4	4	4
1/4	153,115	1/4	163,489	1/4	173,851	1/4	184,184	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,331	1/2	163,705	1/2	174,066	1/2	184,398	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,547	3/4	163,921	3/4	174,282	3/4	184,612	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	153,764	5	164,137	5	174,498	5	184,826	5		5	5	5	5	5	5	5	5	5	5
1/4	153,980	1/4	164,354	1/4	174,713	1/4	185,040	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,196	1/2	164,570	1/2	174,929	1/2	185,254	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,412	3/4	164,786	3/4	175,144	3/4	185,468	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	154,628	6	165,002	6	175,360	6	185,682	6		6	6	6	6	6	6	6	6	6	6
1/4	154,844	1/4	165,218	1/4	175,575	1/4	185,896	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,060	1/2	165,434	1/2	175,791	1/2	186,110	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,276	3/4	165,650	3/4	176,006	3/4	186,324	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	155,493	7	165,866	7	176,222	7	186,538	7		7	7	7	7	7	7	7	7	7	7
1/4	155,709	1/4	166,082	1/4	176,437	1/4	186,752	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,925	1/2	166,299	1/2	176,653	1/2	186,966	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,141	3/4	166,515	3/4	176,868	3/4	187,180	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	156,357	8	166,731	8	177,084	8	187,394	8		8	8	8	8	8	8	8	8	8	8
1/4	156,573	1/4	166,947	1/4	177,299	1/4	187,608	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,789	1/2	167,163	1/2	177,515	1/2	187,822	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,005	3/4	167,379	3/4	177,730	3/4	188,036	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	157,222	9	167,595	9	177,946	9	188,250	9		9	9	9	9	9	9	9	9	9	9
1/4	157,438	1/4	167,811	1/4	178,161	1/4	188,464	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,654	1/2	168,028	1/2	178,377	1/2	188,678	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,870	3/4	168,244	3/4	178,592	3/4	188,893	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	158,086	10	168,460	10	178,808	10	189,107	10		10	10	10	10	10	10	10	10	10	10
1/4	158,302	1/4	168,676	1/4	179,023	1/4	189,320	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,518	1/2	168,892	1/2	179,239	1/2	189,534	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,734	3/4	169,108	3/4	179,454	3/4	189,748	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	158,950	11	169,324	11	179,670	11	189,962	11		11	11	11	11	11	11	11	11	11	11
1/4	159,167	1/4	169,540	1/4	179,885	1/4	190,176	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	159,383	1/2	169,756	1/2	180,101	1/2	190,389	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	159,599	3/4	169,972	3/4	180,316	3/4	190,602	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	628	0	15,184	0	30,179	0	45,161	0	59,772	0	74,625	0	89,486	0	104,479	0	119,449	0	134,420
1/4	850	1/4	15,497	1/4	30,491	1/4	45,472	1/4	60,073	1/4	74,934	1/4	89,798	1/4	104,791	1/4	119,761	1/4	134,732
1/2	1,071	1/2	15,809	1/2	30,804	1/2	45,784	1/2	60,375	1/2	75,244	1/2	90,110	1/2	105,104	1/2	120,073	1/2	135,044
3/4	1,293	3/4	16,122	3/4	31,116	3/4	46,096	3/4	60,676	3/4	75,553	3/4	90,423	3/4	105,416	3/4	120,385	3/4	135,355
1	1,515	1	16,434	1	31,429	1	46,408	1	60,977	1	75,863	1	90,735	1	105,728	1	120,696	1	135,667
1/4	1,807	1/4	16,746	1/4	31,741	1/4	46,720	1/4	61,280	1/4	76,172	1/4	91,047	1/4	106,041	1/4	121,008	1/4	135,979
1/2	2,099	1/2	17,059	1/2	32,054	1/2	47,032	1/2	61,582	1/2	76,482	1/2	91,360	1/2	106,353	1/2	121,320	1/2	136,291
3/4	2,392	3/4	17,371	3/4	32,366	3/4	47,343	3/4	61,885	3/4	76,791	3/4	91,672	3/4	106,666	3/4	121,632	3/4	136,603
2	2,684	2	17,684	2	32,678	2	47,655	2	62,187	2	77,100	2	91,984	2	106,978	2	121,944	2	136,915
1/4	2,996	1/4	17,996	1/4	32,991	1/4	47,967	1/4	62,491	1/4	77,410	1/4	92,297	1/4	107,290	1/4	122,256	1/4	137,227
1/2	3,308	1/2	18,308	1/2	33,303	1/2	48,279	1/2	62,796	1/2	77,719	1/2	92,609	1/2	107,603	1/2	122,568	1/2	137,539
3/4	3,620	3/4	18,621	3/4	33,616	3/4	48,591	3/4	63,100	3/4	78,029	3/4	92,922	3/4	107,915	3/4	122,880	3/4	137,851
3	3,932	3	18,933	3	33,928	3	48,903	3	63,404	3	78,338	3	93,234	3	108,227	3	123,192	3	138,162
1/4	4,245	1/4	19,245	1/4	34,241	1/4	49,210	1/4	63,714	1/4	78,648	1/4	93,546	1/4	108,540	1/4	123,503	1/4	138,474
1/2	4,558	1/2	19,558	1/2	34,553	1/2	49,516	1/2	64,023	1/2	78,957	1/2	93,859	1/2	108,852	1/2	123,815	1/2	138,786
3/4	4,871	3/4	19,870	3/4	34,865	3/4	49,823	3/4	64,333	3/4	79,267	3/4	94,171	3/4	109,164	3/4	124,127	3/4	139,098
4	5,183	4	20,182	4	35,178	4	50,129	4	64,642	4	79,576	4	94,483	4	109,476	4	124,439	4	139,410
1/4	5,496	1/4	20,494	1/4	35,490	1/4	50,431	1/4	64,955	1/4	79,885	1/4	94,796	1/4	109,788	1/4	124,751	1/4	139,722
1/2	5,809	1/2	20,807	1/2	35,803	1/2	50,733	1/2	65,267	1/2	80,195	1/2	95,108	1/2	110,100	1/2	125,063	1/2	140,034
3/4	6,122	3/4	21,119	3/4	36,115	3/4	51,035	3/4	65,579	3/4	80,504	3/4	95,420	3/4	110,411	3/4	125,375	3/4	140,346
5	6,435	5	21,431	5	36,428	5	51,337	5	65,891	5	80,814	5	95,733	5	110,723	5	125,687	5	140,658
1/4	6,748	1/4	21,744	1/4	36,740	1/4	51,638	1/4	66,203	1/4	81,123	1/4	96,045	1/4	111,035	1/4	125,999	1/4	140,970
1/2	7,060	1/2	22,056	1/2	37,052	1/2	51,939	1/2	66,515	1/2	81,433	1/2	96,358	1/2	111,347	1/2	126,310	1/2	141,281
3/4	7,373	3/4	22,368	3/4	37,364	3/4	52,241	3/4	66,828	3/4	81,742	3/4	96,670	3/4	111,658	3/4	126,622	3/4	141,593
6	7,686	6	22,681	6	37,676	6	52,542	6	67,140	6	82,052	6	96,982	6	111,970	6	126,934	6	141,905
1/4	7,998	1/4	22,993	1/4	37,988	1/4	52,843	1/4	67,452	1/4	82,361	1/4	97,295	1/4	112,281	1/4	127,246	1/4	142,213
1/2	8,311	1/2	23,306	1/2	38,300	1/2	53,145	1/2	67,764	1/2	82,670	1/2	97,607	1/2	112,593	1/2	127,558	1/2	142,520
3/4	8,623	3/4	23,618	3/4	38,612	3/4	53,446	3/4	68,076	3/4	82,980	3/4	97,919	3/4	112,905	3/4	127,870	3/4	142,828
7	8,936	7	23,930	7	38,924	7	53,747	7	68,388	7	83,289	7	98,232	7	113,216	7	128,182	7	143,136
1/4	9,248	1/4	24,243	1/4	39,236	1/4	54,048	1/4	68,700	1/4	83,599	1/4	98,544	1/4	113,528	1/4	128,494	1/4	143,431
1/2	9,560	1/2	24,555	1/2	39,547	1/2	54,350	1/2	69,012	1/2	83,908	1/2	98,856	1/2	113,840	1/2	128,806	1/2	143,726
3/4	9,873	3/4	24,868	3/4	39,859	3/4	54,651	3/4	69,324	3/4	84,218	3/4	99,169	3/4	114,151	3/4	129,118	3/4	144,021
8	10,185	8	25,180	8	40,171	8	54,952	8	69,637	8	84,527	8	99,481	8	114,463	8	129,429	8	144,316
1/4	10,498	1/4	25,493	1/4	40,483	1/4	55,253	1/4	69,949	1/4	84,837	1/4	99,794	1/4	114,775	1/4	129,741	1/4	144,597
1/2	10,810	1/2	25,805	1/2	40,795	1/2	55,555	1/2	70,261	1/2	85,146	1/2	100,106	1/2	115,086	1/2	130,053	1/2	144,877
3/4	11,123	3/4	26,117	3/4	41,107	3/4	55,856	3/4	70,573	3/4	85,455	3/4	100,418	3/4	115,398	3/4	130,365	3/4	145,158
9	11,435	9	26,430	9	41,418	9	56,157	9	70,885	9	85,765	9	100,731	9	115,710	9	130,677	9	145,439
1/4	11,748	1/4	26,742	1/4	41,730	1/4	56,458	1/4	71,198	1/4	86,074	1/4	101,043	1/4	116,021	1/4	130,989	1/4	145,705
1/2	12,060	1/2	27,055	1/2	42,042	1/2	56,760	1/2	71,510	1/2	86,384	1/2	101,355	1/2	116,333	1/2	131,301	1/2	145,972
3/4	12,372	3/4	27,367	3/4	42,354	3/4	57,061	3/4	71,822	3/4	86,693	3/4	101,668	3/4	116,644	3/4	131,613	3/4	146,239
10	12,685	10	27,680	10	42,666	10	57,362	10	72,134	10	87,003	10	101,980	10	116,956	10	131,925	10	146,506
1/4	12,997	1/4	27,992	1/4	42,978	1/4	57,663	1/4	72,446	1/4	87,312	1/4	102,292	1/4	117,268	1/4	132,236	1/4	146,759
1/2	13,310	1/2	28,304	1/2	43,290	1/2	57,965	1/2	72,759	1/2	87,622	1/2	102,605	1/2	117,579	1/2	132,548	1/2	147,013
3/4	13,622	3/4	28,617	3/4	43,601	3/4	58,266	3/4	73,071	3/4	87,931	3/4	102,917	3/4	117,891	3/4	132,860	3/4	147,266
11	13,935	11	28,929	11	43,913	11	58,567	11	73,383	11	88,240	11	103,230	11	118,203	11	133,172	11	147,520
1/4	14,247	1/4	29,242	1/4	44,225	1/4	58,868	1/4	73,693	1/4	88,552	1/4	103,542	1/4	118,514	1/4	133,484	1/4	147,760
1/2	14,559	1/2	29,554	1/2	44,537	1/2	59,170	1/2	74,004	1/2	88,863	1/2	103,854	1/2	118,826	1/2	133,796	1/2	148,000
3/4	14,872	3/4	29,867	3/4	44,849	3/4	59,471	3/4	74,314	3/4	89,174	3/4	104,167	3/4	119,138	3/4	134,108	3/4	148,240

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
 GAUGE POINT: (MMC) LOCATED 12'-09" OFF CENTERLINE AND 42'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	148,480	0	158,901	0	169,272	0	179,617	0	189,900	0		0		0		0		0	
1/4	148,706	1/4	159,117	1/4	169,488	1/4	179,832	1/4	190,104	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	148,932	1/2	159,333	1/2	169,703	1/2	180,048	1/2	190,308	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	149,158	3/4	159,549	3/4	169,919	3/4	180,263	3/4	190,512	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	149,384	1	159,765	1	170,134	1	180,479	1	190,716	1	1	1	1	1	1	1	1	1	1
1/4	149,602	1/4	159,981	1/4	170,350	1/4	180,694	1/4	190,895	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	149,820	1/2	160,197	1/2	170,565	1/2	180,910	1/2	191,075	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	150,038	3/4	160,413	3/4	170,781	3/4	181,125	3/4	191,254	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	150,256	2	160,630	2	170,996	2	181,341	2	191,433	2	2	2	2	2	2	2	2	2	2
1/4	150,472	1/4	160,846	1/4	171,212	1/4	181,555	1/4	191,582	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	150,688	1/2	161,062	1/2	171,427	1/2	181,770	1/2	191,730	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	150,905	3/4	161,278	3/4	171,643	3/4	181,984	3/4	191,879	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	151,121	3	161,494	3	171,859	3	182,199	3	192,027	3	3	3	3	3	3	3	3	3	3
1/4	151,337	1/4	161,710	1/4	172,074	1/4	182,413	1/4	192,145	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	151,553	1/2	161,926	1/2	172,290	1/2	182,627	1/2	192,262	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	151,769	3/4	162,142	3/4	172,505	3/4	182,841	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	151,985	4	162,358	4	172,721	4	183,055	4		4	4	4	4	4	4	4	4	4	4
1/4	152,201	1/4	162,575	1/4	172,936	1/4	183,269	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	152,417	1/2	162,791	1/2	173,152	1/2	183,483	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	152,633	3/4	163,007	3/4	173,367	3/4	183,697	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	152,850	5	163,223	5	173,583	5	183,911	5		5	5	5	5	5	5	5	5	5	5
1/4	153,066	1/4	163,439	1/4	173,798	1/4	184,125	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	153,282	1/2	163,655	1/2	174,014	1/2	184,339	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	153,498	3/4	163,871	3/4	174,229	3/4	184,553	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	153,714	6	164,087	6	174,445	6	184,767	6		6	6	6	6	6	6	6	6	6	6
1/4	153,930	1/4	164,303	1/4	174,660	1/4	184,981	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	154,146	1/2	164,520	1/2	174,876	1/2	185,195	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	154,362	3/4	164,736	3/4	175,091	3/4	185,409	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	154,578	7	164,952	7	175,307	7	185,623	7		7	7	7	7	7	7	7	7	7	7
1/4	154,795	1/4	165,168	1/4	175,522	1/4	185,837	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,011	1/2	165,384	1/2	175,738	1/2	186,051	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	155,227	3/4	165,600	3/4	175,953	3/4	186,265	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	155,443	8	165,816	8	176,169	8	186,479	8		8	8	8	8	8	8	8	8	8	8
1/4	155,659	1/4	166,032	1/4	176,384	1/4	186,693	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	155,875	1/2	166,248	1/2	176,600	1/2	186,907	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,091	3/4	166,465	3/4	176,815	3/4	187,121	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	156,307	9	166,681	9	177,031	9	187,335	9		9	9	9	9	9	9	9	9	9	9
1/4	156,523	1/4	166,897	1/4	177,246	1/4	187,549	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	156,740	1/2	167,113	1/2	177,462	1/2	187,763	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	156,956	3/4	167,329	3/4	177,677	3/4	187,977	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	157,172	10	167,545	10	177,893	10	188,191	10		10	10	10	10	10	10	10	10	10	10
1/4	157,388	1/4	167,761	1/4	178,108	1/4	188,405	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	157,604	1/2	167,977	1/2	178,324	1/2	188,619	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	157,820	3/4	168,193	3/4	178,539	3/4	188,833	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	158,036	11	168,410	11	178,755	11	189,047	11		11	11	11	11	11	11	11	11	11	11
1/4	158,252	1/4	168,625	1/4	178,970	1/4	189,260	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	158,468	1/2	168,841	1/2	179,186	1/2	189,473	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	158,685	3/4	169,057	3/4	179,401	3/4	189,687	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

PORT SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,157	0	2,314	0	3,470	0	4,626	0		0		0		0		0	
1/4	24	1/4	1,181	1/4	2,338	1/4	3,494	1/4	4,650	1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,205	1/2	2,362	1/2	3,519	1/2	4,673	1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	1,229	3/4	2,386	3/4	3,543	3/4	4,697	3/4		3/4		3/4		3/4		3/4	
1	96	1	1,253	1	2,410	1	3,567	1	4,721	1		1		1		1		1	
1/4	121	1/4	1,277	1/4	2,434	1/4	3,591	1/4	4,744	1/4		1/4		1/4		1/4		1/4	
1/2	145	1/2	1,301	1/2	2,458	1/2	3,615	1/2	4,768	1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,326	3/4	2,482	3/4	3,639	3/4	4,792	3/4		3/4		3/4		3/4		3/4	
2	193	2	1,350	2	2,506	2	3,663	2	4,815	2		2		2		2		2	
1/4	217	1/4	1,374	1/4	2,530	1/4	3,687	1/4	4,839	1/4		1/4		1/4		1/4		1/4	
1/2	241	1/2	1,398	1/2	2,555	1/2	3,711	1/2	4,862	1/2		1/2		1/2		1/2		1/2	
3/4	265	3/4	1,422	3/4	2,579	3/4	3,735	3/4	4,886	3/4		3/4		3/4		3/4		3/4	
3	289	3	1,446	3	2,603	3	3,760	3	4,910	3		3		3		3		3	
1/4	313	1/4	1,470	1/4	2,627	1/4	3,784	1/4	4,933	1/4		1/4		1/4		1/4		1/4	
1/2	337	1/2	1,494	1/2	2,651	1/2	3,808	1/2	4,957	1/2		1/2		1/2		1/2		1/2	
3/4	362	3/4	1,518	3/4	2,675	3/4	3,832	3/4	4,981	3/4		3/4		3/4		3/4		3/4	
4	386	4	1,542	4	2,699	4	3,856	4	5,004	4		4		4		4		4	
1/4	410	1/4	1,567	1/4	2,723	1/4	3,880	1/4	5,028	1/4		1/4		1/4		1/4		1/4	
1/2	434	1/2	1,591	1/2	2,747	1/2	3,904	1/2	5,051	1/2		1/2		1/2		1/2		1/2	
3/4	458	3/4	1,615	3/4	2,771	3/4	3,928	3/4	5,075	3/4		3/4		3/4		3/4		3/4	
5	482	5	1,639	5	2,796	5	3,952	5	5,099	5		5		5		5		5	
1/4	506	1/4	1,663	1/4	2,820	1/4	3,976	1/4	5,146	1/4		1/4		1/4		1/4		1/4	
1/2	530	1/2	1,687	1/2	2,844	1/2	4,001	1/2	5,194	1/2		1/2		1/2		1/2		1/2	
3/4	554	3/4	1,711	3/4	2,868	3/4	4,025	3/4		3/4		3/4		3/4		3/4		3/4	
6	578	6	1,735	6	2,892	6	4,049	6		6		6		6		6		6	
1/4	603	1/4	1,759	1/4	2,916	1/4	4,073	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	627	1/2	1,783	1/2	2,940	1/2	4,097	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,807	3/4	2,964	3/4	4,121	3/4		3/4		3/4		3/4		3/4		3/4	
7	675	7	1,832	7	2,988	7	4,145	7		7		7		7		7		7	
1/4	699	1/4	1,856	1/4	3,012	1/4	4,169	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	723	1/2	1,880	1/2	3,037	1/2	4,193	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	747	3/4	1,904	3/4	3,061	3/4	4,217	3/4		3/4		3/4		3/4		3/4		3/4	
8	771	8	1,928	8	3,085	8	4,242	8		8		8		8		8		8	
1/4	795	1/4	1,952	1/4	3,109	1/4	4,266	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	819	1/2	1,976	1/2	3,133	1/2	4,290	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	844	3/4	2,000	3/4	3,157	3/4	4,314	3/4		3/4		3/4		3/4		3/4		3/4	
9	868	9	2,024	9	3,181	9	4,338	9		9		9		9		9		9	
1/4	892	1/4	2,048	1/4	3,205	1/4	4,362	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	916	1/2	2,073	1/2	3,229	1/2	4,386	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	940	3/4	2,097	3/4	3,253	3/4	4,410	3/4		3/4		3/4		3/4		3/4		3/4	
10	964	10	2,121	10	3,278	10	4,434	10		10		10		10		10		10	
1/4	988	1/4	2,145	1/4	3,302	1/4	4,458	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,012	1/2	2,169	1/2	3,326	1/2	4,483	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,193	3/4	3,350	3/4	4,507	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,060	11	2,217	11	3,374	11	4,531	11		11		11		11		11		11	
1/4	1,085	1/4	2,241	1/4	3,398	1/4	4,555	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,109	1/2	2,265	1/2	3,422	1/2	4,578	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,133	3/4	2,289	3/4	3,446	3/4	4,602	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 2630"

STBD SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6'-01 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,157	0	2,314	0	3,470	0	4,626	0		0		0		0		0	
1/4	24	1/4	1,181	1/4	2,338	1/4	3,494	1/4	4,650	1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,205	1/2	2,362	1/2	3,519	1/2	4,673	1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	1,229	3/4	2,386	3/4	3,543	3/4	4,697	3/4		3/4		3/4		3/4		3/4	
1	96	1	1,253	1	2,410	1	3,567	1	4,721	1		1		1		1		1	
1/4	121	1/4	1,277	1/4	2,434	1/4	3,591	1/4	4,744	1/4		1/4		1/4		1/4		1/4	
1/2	145	1/2	1,301	1/2	2,458	1/2	3,615	1/2	4,768	1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,326	3/4	2,482	3/4	3,639	3/4	4,792	3/4		3/4		3/4		3/4		3/4	
2	193	2	1,350	2	2,506	2	3,663	2	4,815	2		2		2		2		2	
1/4	217	1/4	1,374	1/4	2,530	1/4	3,687	1/4	4,839	1/4		1/4		1/4		1/4		1/4	
1/2	241	1/2	1,398	1/2	2,555	1/2	3,711	1/2	4,862	1/2		1/2		1/2		1/2		1/2	
3/4	265	3/4	1,422	3/4	2,579	3/4	3,735	3/4	4,886	3/4		3/4		3/4		3/4		3/4	
3	289	3	1,446	3	2,603	3	3,760	3	4,910	3		3		3		3		3	
1/4	313	1/4	1,470	1/4	2,627	1/4	3,784	1/4	4,933	1/4		1/4		1/4		1/4		1/4	
1/2	337	1/2	1,494	1/2	2,651	1/2	3,808	1/2	4,957	1/2		1/2		1/2		1/2		1/2	
3/4	362	3/4	1,518	3/4	2,675	3/4	3,832	3/4	4,981	3/4		3/4		3/4		3/4		3/4	
4	386	4	1,542	4	2,699	4	3,856	4	5,004	4		4		4		4		4	
1/4	410	1/4	1,567	1/4	2,723	1/4	3,880	1/4	5,028	1/4		1/4		1/4		1/4		1/4	
1/2	434	1/2	1,591	1/2	2,747	1/2	3,904	1/2	5,051	1/2		1/2		1/2		1/2		1/2	
3/4	458	3/4	1,615	3/4	2,771	3/4	3,928	3/4	5,075	3/4		3/4		3/4		3/4		3/4	
5	482	5	1,639	5	2,796	5	3,952	5	5,099	5		5		5		5		5	
1/4	506	1/4	1,663	1/4	2,820	1/4	3,976	1/4	5,146	1/4		1/4		1/4		1/4		1/4	
1/2	530	1/2	1,687	1/2	2,844	1/2	4,001	1/2	5,194	1/2		1/2		1/2		1/2		1/2	
3/4	554	3/4	1,711	3/4	2,868	3/4	4,025	3/4		3/4		3/4		3/4		3/4		3/4	
6	578	6	1,735	6	2,892	6	4,049	6		6		6		6		6		6	
1/4	603	1/4	1,759	1/4	2,916	1/4	4,073	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	627	1/2	1,783	1/2	2,940	1/2	4,097	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,807	3/4	2,964	3/4	4,121	3/4		3/4		3/4		3/4		3/4		3/4	
7	675	7	1,832	7	2,988	7	4,145	7		7		7		7		7		7	
1/4	699	1/4	1,856	1/4	3,012	1/4	4,169	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	723	1/2	1,880	1/2	3,037	1/2	4,193	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	747	3/4	1,904	3/4	3,061	3/4	4,217	3/4		3/4		3/4		3/4		3/4		3/4	
8	771	8	1,928	8	3,085	8	4,242	8		8		8		8		8		8	
1/4	795	1/4	1,952	1/4	3,109	1/4	4,266	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	819	1/2	1,976	1/2	3,133	1/2	4,290	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	844	3/4	2,000	3/4	3,157	3/4	4,314	3/4		3/4		3/4		3/4		3/4		3/4	
9	868	9	2,024	9	3,181	9	4,338	9		9		9		9		9		9	
1/4	892	1/4	2,048	1/4	3,205	1/4	4,362	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	916	1/2	2,073	1/2	3,229	1/2	4,386	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	940	3/4	2,097	3/4	3,253	3/4	4,410	3/4		3/4		3/4		3/4		3/4		3/4	
10	964	10	2,121	10	3,278	10	4,434	10		10		10		10		10		10	
1/4	988	1/4	2,145	1/4	3,302	1/4	4,458	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,012	1/2	2,169	1/2	3,326	1/2	4,483	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,193	3/4	3,350	3/4	4,507	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,060	11	2,217	11	3,374	11	4,531	11		11		11		11		11		11	
1/4	1,085	1/4	2,241	1/4	3,398	1/4	4,555	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,109	1/2	2,265	1/2	3,422	1/2	4,578	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,133	3/4	2,289	3/4	3,446	3/4	4,602	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 02/27/2012 CL - SW
CALCULATED: 02/28/2012 CL
PRINTED: 02/28/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>