

BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.10	0	282.33	0	604.47	0	931.74	0	1,258.89	0	1,585.99	0	1,913.28	0	2,240.57	0	2,567.87	0	2,893.82	0	3,219.10	0	3,544.38	0	3,869.66	0	4,194.94	0	4,519.59
1/4	13.93	1/4	288.71	1/4	611.28	1/4	938.56	1/4	1,265.70	1/4	1,592.81	1/4	1,920.10	1/4	2,247.39	1/4	2,574.68	1/4	2,900.59	1/4	3,225.88	1/4	3,551.16	1/4	3,876.44	1/4	4,201.72	1/4	4,526.31
1/2	17.11	1/2	295.11	1/2	618.10	1/2	945.38	1/2	1,272.51	1/2	1,599.62	1/2	1,926.92	1/2	2,254.21	1/2	2,581.50	1/2	2,907.37	1/2	3,232.65	1/2	3,557.93	1/2	3,883.22	1/2	4,208.50	1/2	4,533.03
3/4	20.64	3/4	301.52	3/4	624.92	3/4	952.19	3/4	1,279.32	3/4	1,606.44	3/4	1,933.74	3/4	2,261.03	3/4	2,588.32	3/4	2,914.15	3/4	3,239.43	3/4	3,564.71	3/4	3,889.99	3/4	4,215.27	3/4	4,539.74
1	24.52	1	307.96	1	631.74	1	959.01	1	1,286.13	1	1,613.26	1	1,940.55	1	2,267.85	1	2,595.14	1	2,920.92	1	3,246.21	1	3,571.49	1	3,896.77	1	4,222.05	1	4,546.44
1/4	28.75	1/4	314.41	1/4	638.56	1/4	965.83	1/4	1,292.94	1/4	1,620.08	1/4	1,947.37	1/4	2,274.67	1/4	2,601.96	1/4	2,927.70	1/4	3,252.98	1/4	3,578.26	1/4	3,903.55	1/4	4,228.83	1/4	4,553.13
1/2	33.33	1/2	320.88	1/2	645.38	1/2	972.65	1/2	1,299.75	1/2	1,626.90	1/2	1,954.19	1/2	2,281.48	1/2	2,608.78	1/2	2,934.48	1/2	3,259.76	1/2	3,585.04	1/2	3,910.32	1/2	4,235.60	1/2	4,559.82
3/4	38.27	3/4	327.38	3/4	652.19	3/4	979.47	3/4	1,306.56	3/4	1,633.72	3/4	1,961.01	3/4	2,288.30	3/4	2,615.60	3/4	2,941.25	3/4	3,266.54	3/4	3,591.82	3/4	3,917.10	3/4	4,242.38	3/4	4,566.51
2	43.57	2	333.89	2	659.01	2	986.29	2	1,313.37	2	1,640.54	2	1,967.83	2	2,295.12	2	2,622.41	2	2,948.03	2	3,273.31	2	3,598.59	2	3,923.88	2	4,249.16	2	4,573.19
1/4	49.07	1/4	340.42	1/4	665.83	1/4	993.10	1/4	1,320.18	1/4	1,647.35	1/4	1,974.65	1/4	2,301.94	1/4	2,629.23	1/4	2,954.81	1/4	3,280.09	1/4	3,605.37	1/4	3,930.65	1/4	4,255.93	1/4	4,579.86
1/2	54.62	1/2	346.97	1/2	672.65	1/2	999.92	1/2	1,326.99	1/2	1,654.17	1/2	1,981.47	1/2	2,308.76	1/2	2,636.05	1/2	2,961.58	1/2	3,286.87	1/2	3,612.15	1/2	3,937.43	1/2	4,262.71	1/2	4,586.52
3/4	60.20	3/4	353.54	3/4	679.47	3/4	1,006.74	3/4	1,333.80	3/4	1,660.99	3/4	1,988.28	3/4	2,315.58	3/4	2,642.87	3/4	2,968.36	3/4	3,293.64	3/4	3,618.92	3/4	3,944.21	3/4	4,269.49	3/4	4,593.18
3	65.81	3	360.13	3	686.28	3	1,013.56	3	1,340.62	3	1,667.81	3	1,995.10	3	2,322.40	3	2,649.69	3	2,975.14	3	3,300.42	3	3,625.70	3	3,950.98	3	4,276.26	3	4,599.83
1/4	71.44	1/4	366.74	1/4	693.10	1/4	1,020.38	1/4	1,347.43	1/4	1,674.63	1/4	2,001.92	1/4	2,329.21	1/4	2,656.51	1/4	2,981.91	1/4	3,307.20	1/4	3,632.48	1/4	3,957.76	1/4	4,283.04	1/4	4,606.48
1/2	77.11	1/2	373.36	1/2	699.92	1/2	1,027.19	1/2	1,354.24	1/2	1,681.45	1/2	2,008.74	1/2	2,336.03	1/2	2,663.33	1/2	2,988.69	1/2	3,313.97	1/2	3,639.25	1/2	3,964.54	1/2	4,289.82	1/2	4,613.12
3/4	82.79	3/4	380.01	3/4	706.74	3/4	1,034.01	3/4	1,361.05	3/4	1,688.27	3/4	2,015.56	3/4	2,342.85	3/4	2,670.14	3/4	2,995.47	3/4	3,320.75	3/4	3,646.03	3/4	3,971.31	3/4	4,296.59	3/4	4,619.75
4	88.50	4	386.67	4	713.56	4	1,040.83	4	1,367.86	4	1,695.08	4	2,022.38	4	2,349.67	4	2,676.96	4	3,002.24	4	3,327.53	4	3,652.81	4	3,978.09	4	4,303.37	4	4,626.38
1/4	94.24	1/4	393.36	1/4	720.38	1/4	1,047.65	1/4	1,374.67	1/4	1,701.90	1/4	2,029.20	1/4	2,356.49	1/4	2,683.74	1/4	3,009.02	1/4	3,334.30	1/4	3,659.58	1/4	3,984.87	1/4	4,310.15	1/4	4,633.00
1/2	100.00	1/2	400.06	1/2	727.19	1/2	1,054.47	1/2	1,381.49	1/2	1,708.72	1/2	2,036.01	1/2	2,363.31	1/2	2,690.52	1/2	3,015.80	1/2	3,341.08	1/2	3,666.36	1/2	3,991.64	1/2	4,316.92	1/2	4,639.61
3/4	105.78	3/4	406.78	3/4	734.01	3/4	1,061.29	3/4	1,388.30	3/4	1,715.54	3/4	2,042.83	3/4	2,370.13	3/4	2,697.29	3/4	3,022.58	3/4	3,347.86	3/4	3,673.14	3/4	3,998.42	3/4	4,323.70	3/4	4,646.22
5	111.58	5	413.56	5	740.83	5	1,068.10	5	1,395.12	5	1,722.36	5	2,049.65	5	2,376.94	5	2,704.07	5	3,029.35	5	3,354.63	5	3,679.91	5	4,005.20	5	4,330.48	5	4,652.82
1/4	117.41	1/4	420.38	1/4	747.65	1/4	1,074.92	1/4	1,401.93	1/4	1,729.18	1/4	2,056.47	1/4	2,383.76	1/4	2,710.85	1/4	3,036.13	1/4	3,361.41	1/4	3,686.69	1/4	4,011.97	1/4	4,337.25	1/4	4,659.42
1/2	123.26	1/2	427.19	1/2	754.47	1/2	1,081.74	1/2	1,408.74	1/2	1,736.00	1/2	2,063.29	1/2	2,390.58	1/2	2,717.62	1/2	3,042.91	1/2	3,368.19	1/2	3,693.47	1/2	4,018.75	1/2	4,344.03	1/2	4,666.00
3/4	129.13	3/4	434.01	3/4	761.28	3/4	1,088.56	3/4	1,415.56	3/4	1,742.82	3/4	2,070.11	3/4	2,397.40	3/4	2,724.40	3/4	3,049.68	3/4	3,374.96	3/4	3,700.25	3/4	4,025.53	3/4	4,350.81	3/4	4,672.31
6	135.02	6	440.83	6	768.10	6	1,095.38	6	1,422.37	6	1,749.63	6	2,076.93	6	2,404.22	6	2,731.18	6	3,056.46	6	3,381.74	6	3,707.02	6	4,032.30	6	4,357.58	6	4,678.20
1/4	140.93	1/4	447.65	1/4	774.92	1/4	1,102.19	1/4	1,429.19	1/4	1,756.45	1/4	2,083.75	1/4	2,411.04	1/4	2,737.95	1/4	3,063.24	1/4	3,388.52	1/4	3,713.80	1/4	4,039.08	1/4	4,364.36	1/4	4,683.82
1/2	146.86	1/2	454.47	1/2	781.74	1/2	1,109.01	1/2	1,436.00	1/2	1,763.27	1/2	2,090.56	1/2	2,417.86	1/2	2,744.73	1/2	3,070.01	1/2	3,395.29	1/2	3,720.58	1/2	4,045.86	1/2	4,371.14	1/2	4,689.15
3/4	152.82	3/4	461.29	3/4	788.56	3/4	1,115.83	3/4	1,442.82	3/4	1,770.09	3/4	2,097.38	3/4	2,424.68	3/4	2,751.51	3/4	3,076.79	3/4	3,402.07	3/4	3,727.35	3/4	4,052.63	3/4	4,377.92	3/4	4,694.21
7	158.79	7	468.10	7	795.38	7	1,122.65	7	1,449.63	7	1,776.91	7	2,104.20	7	2,431.49	7	2,758.28	7	3,083.57	7	3,408.85	7	3,734.13	7	4,059.41	7	4,384.69	7	4,698.99
1/4	164.79	1/4	474.92	1/4	802.19	1/4	1,129.46	1/4	1,456.45	1/4	1,783.73	1/4	2,111.02	1/4	2,438.31	1/4	2,765.06	1/4	3,090.34	1/4	3,415.62	1/4	3,740.91	1/4	4,066.19	1/4	4,391.47	1/4	4,703.49
1/2	170.80	1/2	481.74	1/2	809.01	1/2	1,136.28	1/2	1,463.26	1/2	1,790.55	1/2	2,117.84	1/2	2,445.13	1/2	2,771.84	1/2	3,097.12	1/2	3,422.40	1/2	3,747.68	1/2	4,072.96	1/2	4,398.25	1/2	4,707.72
3/4	176.83	3/4	488.56	3/4	815.83	3/4	1,143.10	3/4	1,470.08	3/4	1,797.36	3/4	2,124.66	3/4	2,451.95	3/4	2,778.61	3/4	3,103.90	3/4	3,429.18	3/4	3,754.46	3/4	4,079.74	3/4	4,405.02	3/4	4,711.66
8	182.88	8	495.38	8	822.65	8	1,149.92	8	1,476.89	8	1,804.18	8	2,131.48	8	2,458.77	8	2,785.39	8	3,110.67	8	3,435.95	8	3,761.24	8	4,086.52	8	4,411.80	8	4,715.33
1/4	188.96	1/4	502.19	1/4	829.47	1/4	1,156.73	1/4	1,483.71	1/4	1,811.00	1/4	2,138.29	1/4	2,465.59	1/4	2,792.17	1/4	3,117.45	1/4	3,442.73	1/4	3,768.01	1/4	4,093.29	1/4	4,418.54	1/4	4,718.72
1/2	195.05	1/2	509.01	1/2	836.28	1/2	1,163.54	1/2	1,490.53	1/2	1,817.82	1/2	2,145.11	1/2	2,472.41	1/2	2,798.94	1/2	3,124.23	1/2	3,449.51	1/2	3,774.79	1/2	4,100.07	1/2	4,425.27	1/2	4,721.84
3/4	201.16	3/4	515.83	3/4	843.10	3/4	1,170.35	3/4	1,497.35	3/4	1,824.64	3/4	2,151.93	3/4	2,479.22	3/4	2,805.72	3/4	3,131.00	3/4	3,456.28	3/4	3,781.57	3/4	4,106.85	3/4	4,432.01	3/4	4,724.67
9	207.29	9	522.65	9	849.92	9	1,177.16	9	1,504.16	9	1,831.46	9	2,158.75	9	2,486.04	9	2,812.50	9	3,137.78	9	3,463.06	9	3,788.34	9	4,113.62	9	4,438.75	9	



BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	13.94	0	282.46	0	604.74	0	932.16	0	1,259.36	0	1,586.39	0	1,913.83	0	2,241.26	0	2,568.70	0	2,894.69	0	3,219.97	0	3,545.24	0	3,870.51	0	4,195.62	0	4,520.29
1/4	17.12	1/4	288.84	1/4	611.56	1/4	938.98	1/4	1,266.17	1/4	1,593.21	1/4	1,920.65	1/4	2,248.08	1/4	2,575.52	1/4	2,901.47	1/4	3,226.74	1/4	3,552.01	1/4	3,877.29	1/4	4,202.39	1/4	4,526.99
1/2	20.65	1/2	295.24	1/2	618.38	1/2	945.80	1/2	1,272.98	1/2	1,600.03	1/2	1,927.47	1/2	2,254.91	1/2	2,582.34	1/2	2,908.25	1/2	3,233.52	1/2	3,558.79	1/2	3,884.06	1/2	4,209.16	1/2	4,533.67
3/4	24.53	3/4	301.66	3/4	625.20	3/4	952.62	3/4	1,279.79	3/4	1,606.85	3/4	1,934.29	3/4	2,261.73	3/4	2,589.16	3/4	2,915.02	3/4	3,240.30	3/4	3,565.57	3/4	3,890.84	3/4	4,215.93	3/4	4,540.35
1	28.76	1	308.10	1	632.02	1	959.44	1	1,286.60	1	1,613.68	1	1,941.11	1	2,268.55	1	2,595.99	1	2,921.80	1	3,247.07	1	3,572.34	1	3,897.62	1	4,222.70	1	4,547.03
1/4	33.35	1/4	314.56	1/4	638.85	1/4	966.26	1/4	1,293.40	1/4	1,620.50	1/4	1,947.93	1/4	2,275.37	1/4	2,602.81	1/4	2,928.58	1/4	3,253.85	1/4	3,579.12	1/4	3,904.39	1/4	4,229.47	1/4	4,553.70
1/2	38.29	1/2	321.03	1/2	645.67	1/2	973.08	1/2	1,300.21	1/2	1,627.32	1/2	1,954.76	1/2	2,282.19	1/2	2,609.63	1/2	2,935.35	1/2	3,260.62	1/2	3,585.90	1/2	3,911.17	1/2	4,236.24	1/2	4,560.36
3/4	43.59	3/4	327.53	3/4	652.49	3/4	979.91	3/4	1,307.02	3/4	1,634.14	3/4	1,961.58	3/4	2,289.01	3/4	2,616.45	3/4	2,942.13	3/4	3,267.40	3/4	3,592.67	3/4	3,917.95	3/4	4,243.01	3/4	4,567.01
2	49.09	2	334.04	2	659.31	2	986.73	2	1,313.83	2	1,640.96	2	1,968.40	2	2,295.84	2	2,623.27	2	2,948.91	2	3,274.18	2	3,599.45	2	3,924.72	2	4,249.78	2	4,573.66
1/4	54.65	1/4	340.58	1/4	666.13	1/4	993.55	1/4	1,320.64	1/4	1,647.78	1/4	1,975.22	1/4	2,302.66	1/4	2,630.09	1/4	2,955.68	1/4	3,280.95	1/4	3,606.23	1/4	3,931.50	1/4	4,256.55	1/4	4,580.30
1/2	60.23	1/2	347.13	1/2	672.95	1/2	1,000.37	1/2	1,327.44	1/2	1,654.61	1/2	1,982.04	1/2	2,309.48	1/2	2,636.92	1/2	2,962.46	1/2	3,287.73	1/2	3,613.00	1/2	3,938.27	1/2	4,263.32	1/2	4,586.94
3/4	65.84	3/4	353.70	3/4	679.77	3/4	1,007.19	3/4	1,334.25	3/4	1,661.43	3/4	1,988.86	3/4	2,316.30	3/4	2,643.74	3/4	2,969.24	3/4	3,294.51	3/4	3,619.78	3/4	3,945.05	3/4	4,270.09	3/4	4,593.57
3	71.48	3	360.29	3	686.59	3	1,014.01	3	1,341.06	3	1,668.25	3	1,995.69	3	2,323.12	3	2,650.56	3	2,976.01	3	3,301.28	3	3,626.56	3	3,951.83	3	4,276.86	3	4,600.19
1/4	77.14	1/4	366.91	1/4	693.42	1/4	1,020.83	1/4	1,347.87	1/4	1,675.07	1/4	2,002.51	1/4	2,329.94	1/4	2,657.38	1/4	2,982.79	1/4	3,308.06	1/4	3,633.33	1/4	3,958.60	1/4	4,283.63	1/4	4,606.81
1/2	82.83	1/2	373.54	1/2	700.24	1/2	1,027.65	1/2	1,354.68	1/2	1,681.89	1/2	2,009.33	1/2	2,336.77	1/2	2,664.20	1/2	2,989.56	1/2	3,314.84	1/2	3,638.61	1/2	3,963.38	1/2	4,290.40	1/2	4,613.42
3/4	88.55	3/4	380.18	3/4	707.06	3/4	1,034.48	3/4	1,361.49	3/4	1,688.71	3/4	2,016.15	3/4	2,343.59	3/4	2,671.02	3/4	2,996.34	3/4	3,321.61	3/4	3,646.89	3/4	3,972.16	3/4	4,297.17	3/4	4,620.03
4	94.29	4	386.85	4	713.88	4	1,041.30	4	1,368.29	4	1,695.54	4	2,022.97	4	2,350.41	4	2,677.85	4	3,003.12	4	3,328.39	4	3,653.66	4	3,978.93	4	4,303.94	4	4,626.62
1/4	100.05	1/4	393.54	1/4	720.70	1/4	1,048.12	1/4	1,375.10	1/4	1,702.36	1/4	2,029.79	1/4	2,357.23	1/4	2,684.62	1/4	3,009.89	1/4	3,335.17	1/4	3,660.44	1/4	3,985.71	1/4	4,310.71	1/4	4,633.22
1/2	105.83	1/2	400.25	1/2	727.52	1/2	1,054.94	1/2	1,381.92	1/2	1,709.18	1/2	2,036.62	1/2	2,364.05	1/2	2,691.40	1/2	3,016.67	1/2	3,341.94	1/2	3,667.21	1/2	3,992.49	1/2	4,317.48	1/2	4,639.80
3/4	111.64	3/4	406.97	3/4	734.34	3/4	1,061.76	3/4	1,388.73	3/4	1,716.00	3/4	2,043.44	3/4	2,370.87	3/4	2,698.18	3/4	3,023.45	3/4	3,348.72	3/4	3,673.99	3/4	3,999.26	3/4	4,324.25	3/4	4,646.66
5	117.47	5	413.75	5	741.16	5	1,068.58	5	1,395.54	5	1,722.82	5	2,050.26	5	2,377.70	5	2,704.95	5	3,030.22	5	3,355.50	5	3,680.77	5	4,006.04	5	4,331.02	5	4,653.67
1/4	123.32	1/4	420.57	1/4	747.99	1/4	1,075.40	1/4	1,402.35	1/4	1,729.64	1/4	2,057.08	1/4	2,384.52	1/4	2,711.73	1/4	3,037.00	1/4	3,362.27	1/4	3,687.54	1/4	4,012.82	1/4	4,337.79	1/4	4,660.40
1/2	129.19	1/2	427.39	1/2	754.81	1/2	1,082.22	1/2	1,409.16	1/2	1,736.46	1/2	2,063.90	1/2	2,391.34	1/2	2,718.50	1/2	3,043.78	1/2	3,369.05	1/2	3,694.32	1/2	4,019.59	1/2	4,344.56	1/2	4,666.85
3/4	135.08	3/4	434.21	3/4	761.63	3/4	1,089.04	3/4	1,415.97	3/4	1,743.29	3/4	2,070.72	3/4	2,398.16	3/4	2,725.28	3/4	3,050.55	3/4	3,375.83	3/4	3,701.10	3/4	4,026.36	3/4	4,351.33	3/4	4,673.02
6	141.00	6	441.03	6	768.45	6	1,095.86	6	1,422.78	6	1,750.11	6	2,077.54	6	2,404.98	6	2,732.06	6	3,057.33	6	3,382.60	6	3,707.87	6	4,033.13	6	4,358.10	6	4,678.91
1/4	146.93	1/4	447.85	1/4	775.27	1/4	1,102.69	1/4	1,429.59	1/4	1,756.93	1/4	2,084.37	1/4	2,411.80	1/4	2,738.83	1/4	3,064.11	1/4	3,389.38	1/4	3,714.65	1/4	4,039.90	1/4	4,364.87	1/4	4,684.53
1/2	152.89	1/2	454.68	1/2	782.09	1/2	1,109.51	1/2	1,436.40	1/2	1,763.75	1/2	2,091.19	1/2	2,418.62	1/2	2,745.61	1/2	3,070.88	1/2	3,396.15	1/2	3,721.43	1/2	4,046.67	1/2	4,371.64	1/2	4,689.87
3/4	158.87	3/4	461.50	3/4	788.91	3/4	1,116.33	3/4	1,443.21	3/4	1,770.57	3/4	2,098.01	3/4	2,425.45	3/4	2,752.39	3/4	3,077.66	3/4	3,402.93	3/4	3,728.20	3/4	4,053.44	3/4	4,378.41	3/4	4,694.93
7	164.86	7	468.32	7	795.73	7	1,123.15	7	1,450.03	7	1,777.39	7	2,104.83	7	2,432.27	7	2,759.16	7	3,084.44	7	3,409.71	7	3,734.98	7	4,060.21	7	4,385.18	7	4,699.71
1/4	170.88	1/4	475.14	1/4	802.55	1/4	1,129.97	1/4	1,456.84	1/4	1,784.22	1/4	2,111.65	1/4	2,439.09	1/4	2,765.94	1/4	3,091.21	1/4	3,416.48	1/4	3,741.76	1/4	4,066.98	1/4	4,391.95	1/4	4,704.21
1/2	176.92	1/2	481.96	1/2	809.38	1/2	1,136.79	1/2	1,463.65	1/2	1,791.04	1/2	2,118.47	1/2	2,445.91	1/2	2,772.72	1/2	3,097.99	1/2	3,423.26	1/2	3,748.53	1/2	4,073.75	1/2	4,398.72	1/2	4,708.44
3/4	182.97	3/4	488.78	3/4	816.20	3/4	1,143.61	3/4	1,470.46	3/4	1,797.86	3/4	2,125.30	3/4	2,452.73	3/4	2,779.49	3/4	3,104.77	3/4	3,430.04	3/4	3,755.31	3/4	4,080.52	3/4	4,405.49	3/4	4,712.39
8	189.05	8	495.60	8	823.02	8	1,150.43	8	1,477.27	8	1,804.68	8	2,132.12	8	2,459.55	8	2,786.27	8	3,111.54	8	3,436.81	8	3,762.09	8	4,087.29	8	4,412.26	8	4,716.06
1/4	195.14	1/4	502.42	1/4	829.84	1/4	1,157.24	1/4	1,484.09	1/4	1,811.50	1/4	2,138.94	1/4	2,466.38	1/4	2,793.05	1/4	3,118.32	1/4	3,443.59	1/4	3,768.86	1/4	4,094.06	1/4	4,419.03	1/4	4,719.45
1/2	201.25	1/2	509.24	1/2	836.66	1/2	1,164.05	1/2	1,490.91	1/2	1,818.32	1/2	2,145.76	1/2	2,473.20	1/2	2,799.82	1/2	3,125.09	1/2	3,450.37	1/2	3,775.64	1/2	4,100.84	1/2	4,425.80	1/2	4,722.57
3/4	207.38	3/4	516.07	3/4	843.48	3/4	1,170.86	3/4	1,497.72	3/4	1,825.15	3/4	2,152.58	3/4	2,480.02	3/4	2,806.60	3/4	3,131.87	3/4	3,457.14	3/4	3,782.42	3/4	4,107.61	3/4	4,432.56	3/4	4,725.40
9	213.54	9	522.89	9	850.30	9	1,177.66	9	1,504.54	9	1,831.97	9	2,159.40	9	2,486.84	9	2,813.38	9	3,138.65	9	3,463.92	9	3,789.19	9	4,114.38	9	4,439.33	9	4,727.96
1/4	219.71	1/4	529.71	1/4	857.12	1/4	1,184.47	1/4	1,511.36	1/4	1,838.79	1/4	2,166.23	1/4	2,493.66	1/4	2,820.15	1/4	3,145.42	1/4	3,470.70	1/4	3,795.97	1/4	4,121.15	1/4	4,446.10	1/4	4,730.24
1/2	225.90	1/2	536.53	1/2	863.95	1/2	1,191.28	1/2	1,518.18	1/2	1,845.61	1/2	2,																



BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	22.78	0	348.18	0	698.01	0	1,047.62	0	1,397.45	0	1,747.30	0	2,097.15	0	2,447.00	0	2,796.85	0	3,146.63	0	3,496.37	0	3,846.12	0	4,195.87	0	4,544.29	0	4,892.22
1/4	27.45	1/4	355.47	1/4	705.30	1/4	1,054.91	1/4	1,404.74	1/4	1,754.59	1/4	2,104.44	1/4	2,454.29	1/4	2,804.13	1/4	3,153.91	1/4	3,503.66	1/4	3,853.41	1/4	4,203.15	1/4	4,551.54	1/4	4,899.44
1/2	32.58	1/2	362.76	1/2	712.58	1/2	1,062.19	1/2	1,412.03	1/2	1,761.88	1/2	2,111.73	1/2	2,461.58	1/2	2,811.42	1/2	3,161.20	1/2	3,510.95	1/2	3,860.69	1/2	4,210.44	1/2	4,558.79	1/2	4,906.64
3/4	38.14	3/4	370.05	3/4	719.87	3/4	1,069.48	3/4	1,419.32	3/4	1,769.17	3/4	2,119.02	3/4	2,468.86	3/4	2,818.71	3/4	3,168.49	3/4	3,518.23	3/4	3,867.98	3/4	4,217.73	3/4	4,566.04	3/4	4,913.85
1	44.15	1	377.34	1	727.16	1	1,076.77	1	1,426.61	1	1,776.46	1	2,126.30	1	2,476.15	1	2,826.00	1	3,175.77	1	3,525.52	1	3,875.27	1	4,225.01	1	4,573.29	1	4,921.04
1/4	50.61	1/4	384.62	1/4	734.45	1/4	1,084.05	1/4	1,433.90	1/4	1,783.74	1/4	2,133.59	1/4	2,483.44	1/4	2,833.29	1/4	3,183.06	1/4	3,532.81	1/4	3,882.55	1/4	4,232.30	1/4	4,580.54	1/4	4,928.23
1/2	57.51	1/2	391.91	1/2	741.74	1/2	1,091.34	1/2	1,441.19	1/2	1,791.03	1/2	2,140.88	1/2	2,490.73	1/2	2,840.58	1/2	3,190.35	1/2	3,540.09	1/2	3,889.84	1/2	4,239.59	1/2	4,587.79	1/2	4,935.35
3/4	64.66	3/4	399.20	3/4	749.02	3/4	1,098.63	3/4	1,448.47	3/4	1,798.32	3/4	2,148.17	3/4	2,498.02	3/4	2,847.87	3/4	3,197.63	3/4	3,547.38	3/4	3,897.13	3/4	4,246.87	3/4	4,595.04	3/4	4,942.47
2	71.84	2	406.49	2	756.31	2	1,105.91	2	1,455.76	2	1,805.61	2	2,155.46	2	2,505.31	2	2,855.15	2	3,204.92	2	3,554.67	2	3,904.41	2	4,254.16	2	4,602.29	2	4,949.59
1/4	79.04	1/4	413.78	1/4	763.59	1/4	1,112.20	1/4	1,463.05	1/4	1,812.90	1/4	2,162.75	1/4	2,512.59	1/4	2,862.44	1/4	3,212.20	1/4	3,561.95	1/4	3,911.70	1/4	4,261.45	1/4	4,609.54	1/4	4,956.69
1/2	86.25	1/2	421.06	1/2	770.88	1/2	1,120.49	1/2	1,470.34	1/2	1,820.19	1/2	2,170.04	1/2	2,519.88	1/2	2,869.73	1/2	3,219.49	1/2	3,569.24	1/2	3,918.99	1/2	4,268.73	1/2	4,616.79	1/2	4,963.79
3/4	93.47	3/4	428.35	3/4	778.16	3/4	1,127.78	3/4	1,477.63	3/4	1,827.48	3/4	2,177.32	3/4	2,527.17	3/4	2,877.02	3/4	3,226.78	3/4	3,576.52	3/4	3,926.27	3/4	4,276.02	3/4	4,624.04	3/4	4,970.88
3	100.70	3	435.64	3	785.44	3	1,135.07	3	1,484.92	3	1,834.76	3	2,184.61	3	2,534.46	3	2,884.31	3	3,234.06	3	3,583.81	3	3,933.56	3	4,283.31	3	4,631.29	3	4,977.97
1/4	107.93	1/4	442.93	1/4	792.73	1/4	1,142.36	1/4	1,492.20	1/4	1,842.05	1/4	2,191.90	1/4	2,541.75	1/4	2,891.60	1/4	3,241.35	1/4	3,591.10	1/4	3,940.84	1/4	4,290.55	1/4	4,638.54	1/4	4,985.05
1/2	115.18	1/2	450.22	1/2	800.01	1/2	1,149.65	1/2	1,499.49	1/2	1,849.34	1/2	2,199.19	1/2	2,549.04	1/2	2,898.89	1/2	3,248.64	1/2	3,598.38	1/2	3,948.13	1/2	4,297.80	1/2	4,645.79	1/2	4,992.12
3/4	122.43	3/4	457.50	3/4	807.29	3/4	1,156.93	3/4	1,506.78	3/4	1,856.63	3/4	2,206.48	3/4	2,556.33	3/4	2,906.17	3/4	3,255.92	3/4	3,605.67	3/4	3,955.42	3/4	4,305.05	3/4	4,653.03	3/4	4,999.19
4	129.68	4	464.79	4	814.57	4	1,164.22	4	1,514.07	4	1,863.92	4	2,213.77	4	2,563.61	4	2,913.46	4	3,263.21	4	3,612.96	4	3,962.70	4	4,312.30	4	4,660.28	4	5,006.25
1/4	136.94	1/4	472.08	1/4	821.86	1/4	1,171.51	1/4	1,521.36	1/4	1,871.21	1/4	2,221.05	1/4	2,570.90	1/4	2,920.75	1/4	3,270.50	1/4	3,620.24	1/4	3,969.99	1/4	4,319.55	1/4	4,667.53	1/4	5,013.30
1/2	144.21	1/2	479.37	1/2	829.14	1/2	1,178.80	1/2	1,528.65	1/2	1,878.50	1/2	2,228.34	1/2	2,578.19	1/2	2,928.03	1/2	3,277.78	1/2	3,627.53	1/2	3,977.28	1/2	4,326.80	1/2	4,674.78	1/2	5,020.34
3/4	151.47	3/4	486.66	3/4	836.42	3/4	1,186.09	3/4	1,535.94	3/4	1,885.78	3/4	2,235.63	3/4	2,585.48	3/4	2,935.32	3/4	3,285.07	3/4	3,634.82	3/4	3,984.56	3/4	4,334.05	3/4	4,682.03	3/4	5,027.38
5	158.75	5	493.94	5	843.70	5	1,193.38	5	1,543.22	5	1,893.07	5	2,242.92	5	2,592.77	5	2,942.61	5	3,292.35	5	3,642.10	5	3,991.85	5	4,341.30	5	4,689.28	5	5,034.41
1/4	166.02	1/4	501.23	1/4	850.99	1/4	1,200.66	1/4	1,550.51	1/4	1,900.36	1/4	2,250.21	1/4	2,600.06	1/4	2,949.89	1/4	3,299.64	1/4	3,649.39	1/4	3,999.14	1/4	4,348.55	1/4	4,696.53	1/4	5,041.44
1/2	173.30	1/2	508.52	1/2	858.27	1/2	1,207.95	1/2	1,557.80	1/2	1,907.65	1/2	2,257.50	1/2	2,607.35	1/2	2,957.18	1/2	3,306.93	1/2	3,656.67	1/2	4,006.42	1/2	4,355.80	1/2	4,703.78	1/2	5,048.33
3/4	180.58	3/4	515.81	3/4	865.55	3/4	1,215.24	3/4	1,565.09	3/4	1,914.94	3/4	2,264.79	3/4	2,614.63	3/4	2,964.47	3/4	3,314.21	3/4	3,663.96	3/4	4,013.71	3/4	4,363.05	3/4	4,711.03	3/4	5,054.92
6	187.86	6	523.10	6	872.83	6	1,222.53	6	1,572.38	6	1,922.23	6	2,272.07	6	2,621.92	6	2,971.75	6	3,321.50	6	3,671.25	6	4,020.99	6	4,370.30	6	4,718.28	6	5,061.21
1/4	195.14	1/4	530.38	1/4	880.12	1/4	1,229.82	1/4	1,579.67	1/4	1,929.51	1/4	2,279.36	1/4	2,629.21	1/4	2,979.04	1/4	3,328.79	1/4	3,678.53	1/4	4,028.28	1/4	4,377.55	1/4	4,725.53	1/4	5,067.21
1/2	202.43	1/2	537.67	1/2	887.40	1/2	1,237.11	1/2	1,586.96	1/2	1,936.80	1/2	2,286.65	1/2	2,636.50	1/2	2,986.33	1/2	3,336.07	1/2	3,685.82	1/2	4,035.57	1/2	4,384.80	1/2	4,732.78	1/2	5,072.91
3/4	209.71	3/4	544.96	3/4	894.68	3/4	1,244.40	3/4	1,594.24	3/4	1,944.09	3/4	2,293.94	3/4	2,643.79	3/4	2,993.61	3/4	3,343.36	3/4	3,693.11	3/4	4,042.85	3/4	4,392.05	3/4	4,740.03	3/4	5,078.31
7	217.00	7	552.25	7	901.97	7	1,251.68	7	1,601.53	7	1,951.38	7	2,301.23	7	2,651.08	7	3,000.90	7	3,350.65	7	3,700.39	7	4,050.14	7	4,399.30	7	4,747.28	7	5,083.41
1/4	224.29	1/4	559.54	1/4	909.25	1/4	1,258.97	1/4	1,608.82	1/4	1,958.67	1/4	2,308.52	1/4	2,658.36	1/4	3,008.19	1/4	3,357.93	1/4	3,707.68	1/4	4,057.43	1/4	4,406.55	1/4	4,754.53	1/4	5,088.22
1/2	231.58	1/2	566.82	1/2	916.53	1/2	1,266.26	1/2	1,616.11	1/2	1,965.96	1/2	2,315.81	1/2	2,665.65	1/2	3,015.47	1/2	3,365.22	1/2	3,714.97	1/2	4,064.71	1/2	4,413.80	1/2	4,761.78	1/2	5,092.73
3/4	238.86	3/4	574.11	3/4	923.81	3/4	1,273.55	3/4	1,623.40	3/4	1,973.25	3/4	2,323.09	3/4	2,672.94	3/4	3,022.76	3/4	3,372.51	3/4	3,722.25	3/4	4,072.00	3/4	4,421.05	3/4	4,769.03	3/4	5,096.95
8	246.15	8	581.40	8	931.10	8	1,280.84	8	1,630.69	8	1,980.53	8	2,330.38	8	2,680.23	8	3,030.04	8	3,379.79	8	3,729.54	8	4,079.29	8	4,428.30	8	4,776.28	8	5,100.87
1/4	253.44	1/4	588.69	1/4	938.38	1/4	1,288.13	1/4	1,637.97	1/4	1,987.82	1/4	2,337.67	1/4	2,687.52	1/4	3,037.33	1/4	3,387.08	1/4	3,736.83	1/4	4,086.57	1/4	4,435.55	1/4	4,783.53	1/4	5,104.49
1/2	260.73	1/2	595.98	1/2	945.66	1/2	1,295.42	1/2	1,645.26	1/2	1,995.11	1/2	2,344.96	1/2	2,694.81	1/2	3,044.62	1/2	3,394.36	1/2	3,744.11	1/2	4,093.86	1/2	4,442.80	1/2	4,790.78	1/2	5,107.81
3/4	268.02	3/4	603.26	3/4	952.94	3/4	1,302.70	3/4	1,652.55	3/4	2,002.40	3/4	2,352.25	3/4	2,702.10	3/4	3,051.90	3/4	3,401.65	3/4	3,751.40	3/4	4,101.15	3/4	4,450.05	3/4	4,798.03	3/4	5,110.84
9	275.30	9	610.55	9	960.23	9	1,309.99	9	1,659.84</																				

BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

**2 STBD
INNAGE TABLE**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	27.41	0	347.80	0	697.25	0	1,045.57	0	1,394.94	0	1,744.54	0	2,094.14	0	2,443.74	0	2,793.33	0	3,142.86	0	3,492.36	0	3,841.85	0	4,191.34	0	4,539.51	0	4,887.19
1/4	32.52	1/4	355.08	1/4	704.53	1/4	1,052.83	1/4	1,402.22	1/4	1,751.82	1/4	2,101.42	1/4	2,451.02	1/4	2,800.62	1/4	3,150.14	1/4	3,499.64	1/4	3,849.13	1/4	4,198.62	1/4	4,546.75	1/4	4,894.40
1/2	38.08	1/2	362.36	1/2	711.81	1/2	1,060.08	1/2	1,409.51	1/2	1,759.11	1/2	2,108.70	1/2	2,458.30	1/2	2,807.90	1/2	3,157.42	1/2	3,506.92	1/2	3,856.41	1/2	4,205.90	1/2	4,554.00	1/2	4,901.60
3/4	44.09	3/4	369.64	3/4	719.09	3/4	1,067.34	3/4	1,416.79	3/4	1,766.39	3/4	2,115.99	3/4	2,465.59	3/4	2,815.18	3/4	3,164.71	3/4	3,514.20	3/4	3,863.69	3/4	4,213.18	3/4	4,561.24	3/4	4,908.79
1	50.54	1	376.92	1	726.38	1	1,074.59	1	1,424.07	1	1,773.67	1	2,123.27	1	2,472.87	1	2,822.47	1	3,171.99	1	3,521.48	1	3,870.97	1	4,220.47	1	4,568.49	1	4,915.98
1/4	57.43	1/4	384.20	1/4	733.63	1/4	1,081.85	1/4	1,431.36	1/4	1,780.96	1/4	2,130.55	1/4	2,480.15	1/4	2,829.75	1/4	3,179.27	1/4	3,528.76	1/4	3,878.25	1/4	4,227.75	1/4	4,575.73	1/4	4,923.16
1/2	64.58	1/2	391.48	1/2	740.88	1/2	1,089.10	1/2	1,438.64	1/2	1,788.24	1/2	2,137.84	1/2	2,487.44	1/2	2,837.03	1/2	3,186.55	1/2	3,536.04	1/2	3,885.53	1/2	4,235.03	1/2	4,582.97	1/2	4,930.29
3/4	71.75	3/4	398.76	3/4	748.14	3/4	1,096.35	3/4	1,445.92	3/4	1,795.52	3/4	2,145.12	3/4	2,494.72	3/4	2,844.32	3/4	3,193.83	3/4	3,543.32	3/4	3,892.82	3/4	4,242.31	3/4	4,590.22	3/4	4,937.40
2	78.94	2	406.04	2	755.39	2	1,103.61	2	1,453.21	2	1,802.81	2	2,152.40	2	2,502.00	2	2,851.60	2	3,201.11	2	3,550.60	2	3,900.10	2	4,249.59	2	4,597.46	2	4,944.51
1/4	86.14	1/4	413.32	1/4	762.65	1/4	1,110.89	1/4	1,460.49	1/4	1,810.09	1/4	2,159.69	1/4	2,509.29	1/4	2,858.88	1/4	3,208.39	1/4	3,557.89	1/4	3,907.38	1/4	4,256.87	1/4	4,604.71	1/4	4,951.61
1/2	93.35	1/2	420.60	1/2	769.90	1/2	1,118.18	1/2	1,467.77	1/2	1,817.37	1/2	2,166.97	1/2	2,516.57	1/2	2,866.17	1/2	3,215.67	1/2	3,565.17	1/2	3,914.66	1/2	4,264.15	1/2	4,611.95	1/2	4,958.70
3/4	100.57	3/4	427.88	3/4	777.16	3/4	1,125.46	3/4	1,475.06	3/4	1,824.66	3/4	2,174.25	3/4	2,523.85	3/4	2,873.45	3/4	3,222.95	3/4	3,572.45	3/4	3,921.94	3/4	4,271.43	3/4	4,619.20	3/4	4,965.79
3	107.80	3	435.16	3	784.41	3	1,132.74	3	1,482.34	3	1,831.94	3	2,181.54	3	2,531.14	3	2,880.73	3	3,230.24	3	3,579.73	3	3,929.22	3	4,278.71	3	4,626.44	3	4,972.87
1/4	115.04	1/4	442.44	1/4	791.67	1/4	1,140.03	1/4	1,489.62	1/4	1,839.22	1/4	2,188.82	1/4	2,538.42	1/4	2,888.02	1/4	3,237.52	1/4	3,587.01	1/4	3,936.50	1/4	4,285.96	1/4	4,633.69	1/4	4,979.94
1/2	122.28	1/2	449.72	1/2	798.92	1/2	1,147.31	1/2	1,496.91	1/2	1,846.51	1/2	2,196.10	1/2	2,545.70	1/2	2,895.30	1/2	3,244.80	1/2	3,594.29	1/2	3,943.78	1/2	4,293.20	1/2	4,640.93	1/2	4,987.01
3/4	129.53	3/4	457.00	3/4	806.17	3/4	1,154.59	3/4	1,504.19	3/4	1,853.79	3/4	2,203.39	3/4	2,552.99	3/4	2,902.58	3/4	3,252.08	3/4	3,601.57	3/4	3,951.06	3/4	4,300.45	3/4	4,648.17	3/4	4,994.07
4	136.78	4	464.28	4	813.43	4	1,161.88	4	1,511.47	4	1,861.07	4	2,210.67	4	2,560.27	4	2,909.87	4	3,259.36	4	3,608.85	4	3,958.35	4	4,307.69	4	4,655.42	4	5,001.12
1/4	144.04	1/4	471.56	1/4	820.68	1/4	1,169.16	1/4	1,518.76	1/4	1,868.36	1/4	2,217.95	1/4	2,567.55	1/4	2,917.15	1/4	3,266.64	1/4	3,616.13	1/4	3,965.63	1/4	4,314.94	1/4	4,662.66	1/4	5,008.17
1/2	151.30	1/2	478.84	1/2	827.94	1/2	1,176.44	1/2	1,526.04	1/2	1,875.64	1/2	2,225.24	1/2	2,574.84	1/2	2,924.43	1/2	3,273.92	1/2	3,623.42	1/2	3,972.91	1/2	4,322.18	1/2	4,669.91	1/2	5,015.21
3/4	158.56	3/4	486.13	3/4	835.19	3/4	1,183.73	3/4	1,533.32	3/4	1,882.92	3/4	2,232.52	3/4	2,582.12	3/4	2,931.71	3/4	3,281.20	3/4	3,630.70	3/4	3,980.19	3/4	4,329.42	3/4	4,677.15	3/4	5,022.24
5	165.83	5	493.41	5	842.45	5	1,191.01	5	1,540.61	5	1,890.21	5	2,239.80	5	2,589.40	5	2,938.99	5	3,288.48	5	3,637.98	5	3,987.47	5	4,336.67	5	4,684.40	5	5,029.27
1/4	173.10	1/4	500.69	1/4	849.70	1/4	1,198.29	1/4	1,547.89	1/4	1,897.49	1/4	2,247.09	1/4	2,596.69	1/4	2,946.27	1/4	3,295.77	1/4	3,645.26	1/4	3,994.75	1/4	4,343.91	1/4	4,691.64	1/4	5,036.30
1/2	180.37	1/2	507.97	1/2	856.96	1/2	1,205.58	1/2	1,555.17	1/2	1,904.77	1/2	2,254.37	1/2	2,603.97	1/2	2,953.55	1/2	3,303.05	1/2	3,652.54	1/2	4,002.03	1/2	4,351.16	1/2	4,698.88	1/2	5,043.18
3/4	187.64	3/4	515.25	3/4	864.21	3/4	1,212.86	3/4	1,562.46	3/4	1,912.06	3/4	2,261.65	3/4	2,611.25	3/4	2,960.84	3/4	3,310.33	3/4	3,659.82	3/4	4,009.31	3/4	4,358.40	3/4	4,706.13	3/4	5,049.76
6	194.92	6	522.53	6	871.47	6	1,220.14	6	1,569.74	6	1,919.34	6	2,268.94	6	2,618.54	6	2,968.12	6	3,317.61	6	3,667.10	6	4,016.59	6	4,365.65	6	4,713.37	6	5,056.05
1/4	202.20	1/4	529.81	1/4	878.72	1/4	1,227.43	1/4	1,577.02	1/4	1,926.62	1/4	2,276.22	1/4	2,625.82	1/4	2,975.40	1/4	3,324.89	1/4	3,674.38	1/4	4,023.88	1/4	4,372.89	1/4	4,720.62	1/4	5,062.74
1/2	209.48	1/2	537.09	1/2	885.97	1/2	1,234.71	1/2	1,584.31	1/2	1,933.91	1/2	2,283.50	1/2	2,632.10	1/2	2,982.68	1/2	3,332.17	1/2	3,681.66	1/2	4,031.16	1/2	4,380.13	1/2	4,727.86	1/2	5,067.74
3/4	216.75	3/4	544.37	3/4	893.23	3/4	1,241.99	3/4	1,591.59	3/4	1,941.19	3/4	2,290.79	3/4	2,640.39	3/4	2,989.96	3/4	3,339.45	3/4	3,688.95	3/4	4,038.44	3/4	4,387.38	3/4	4,735.11	3/4	5,073.13
7	224.03	7	551.65	7	900.48	7	1,249.28	7	1,598.87	7	1,948.47	7	2,298.07	7	2,647.67	7	2,997.24	7	3,346.73	7	3,696.23	7	4,045.72	7	4,394.62	7	4,742.35	7	5,078.23
1/4	231.31	1/4	558.93	1/4	907.74	1/4	1,256.56	1/4	1,606.16	1/4	1,955.76	1/4	2,305.35	1/4	2,654.95	1/4	3,004.52	1/4	3,354.01	1/4	3,703.51	1/4	4,053.00	1/4	4,401.87	1/4	4,749.59	1/4	5,083.04
1/2	238.60	1/2	566.21	1/2	914.99	1/2	1,263.84	1/2	1,613.44	1/2	1,963.04	1/2	2,312.64	1/2	2,662.24	1/2	3,011.80	1/2	3,361.30	1/2	3,710.79	1/2	4,060.28	1/2	4,409.11	1/2	4,756.84	1/2	5,087.55
3/4	245.88	3/4	573.49	3/4	922.25	3/4	1,271.13	3/4	1,620.72	3/4	1,970.32	3/4	2,319.92	3/4	2,669.52	3/4	3,019.08	3/4	3,368.58	3/4	3,718.07	3/4	4,067.56	3/4	4,416.36	3/4	4,764.08	3/4	5,091.76
8	253.16	8	580.77	8	929.50	8	1,278.41	8	1,628.01	8	1,977.61	8	2,327.20	8	2,676.80	8	3,026.37	8	3,375.86	8	3,725.35	8	4,074.84	8	4,423.60	8	4,771.33	8	5,095.67
1/4	260.44	1/4	588.05	1/4	936.76</																								



BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 2 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	32.36	0	377.09	0	726.88	0	1,076.07	0	1,425.86	0	1,775.71	0	2,125.57	0	2,475.44	0	2,825.08	0	3,174.54	0	3,484.90	0	3,726.04	0	3,967.15	0	4,208.26	0	4,449.15
1/4	37.93	1/4	384.38	1/4	734.17	1/4	1,083.34	1/4	1,433.15	1/4	1,783.00	1/4	2,132.86	1/4	2,482.73	1/4	2,832.36	1/4	3,181.82	1/4	3,489.95	1/4	3,731.06	1/4	3,972.17	1/4	4,213.29	1/4	4,454.08
1/2	43.94	1/2	391.67	1/2	741.46	1/2	1,090.62	1/2	1,440.44	1/2	1,790.29	1/2	2,140.15	1/2	2,490.01	1/2	2,839.65	1/2	3,189.10	1/2	3,494.97	1/2	3,736.08	1/2	3,977.20	1/2	4,218.31	1/2	4,459.00
3/4	50.40	3/4	398.96	3/4	748.74	3/4	1,097.90	3/4	1,447.73	3/4	1,797.58	3/4	2,147.44	3/4	2,497.30	3/4	2,846.93	3/4	3,196.38	3/4	3,499.99	3/4	3,741.11	3/4	3,982.22	3/4	4,223.33	3/4	4,463.92
1	57.30	1	406.24	1	756.03	1	1,105.18	1	1,455.01	1	1,804.86	1	2,154.72	1	2,504.59	1	2,854.21	1	3,203.66	1	3,505.02	1	3,746.13	1	3,987.24	1	4,228.36	1	4,468.83
1/4	64.45	1/4	413.53	1/4	763.31	1/4	1,112.46	1/4	1,462.30	1/4	1,812.15	1/4	2,162.01	1/4	2,511.88	1/4	2,861.50	1/4	3,210.94	1/4	3,510.04	1/4	3,751.15	1/4	3,992.27	1/4	4,233.38	1/4	4,473.74
1/2	71.63	1/2	420.82	1/2	770.58	1/2	1,119.75	1/2	1,469.59	1/2	1,819.44	1/2	2,169.30	1/2	2,519.16	1/2	2,868.78	1/2	3,218.21	1/2	3,515.06	1/2	3,756.18	1/2	3,997.29	1/2	4,238.40	1/2	4,478.65
3/4	78.82	3/4	428.10	3/4	777.86	3/4	1,127.04	3/4	1,476.88	3/4	1,826.73	3/4	2,176.59	3/4	2,526.45	3/4	2,876.07	3/4	3,225.49	3/4	3,520.09	3/4	3,761.20	3/4	4,002.31	3/4	4,243.43	3/4	4,483.55
2	86.03	2	435.39	2	785.13	2	1,134.33	2	1,484.17	2	1,834.02	2	2,183.88	2	2,533.73	2	2,883.35	2	3,232.77	2	3,525.11	2	3,766.22	2	4,007.34	2	4,248.45	2	4,488.44
1/4	93.25	1/4	442.68	1/4	792.41	1/4	1,141.62	1/4	1,491.46	1/4	1,841.31	1/4	2,191.17	1/4	2,541.02	1/4	2,890.63	1/4	3,240.05	1/4	3,530.13	1/4	3,771.25	1/4	4,012.36	1/4	4,253.47	1/4	4,493.34
1/2	100.48	1/2	449.97	1/2	799.68	1/2	1,148.91	1/2	1,498.74	1/2	1,848.60	1/2	2,198.46	1/2	2,548.30	1/2	2,897.92	1/2	3,247.33	1/2	3,535.16	1/2	3,776.27	1/2	4,017.38	1/2	4,258.50	1/2	4,498.22
3/4	107.72	3/4	457.25	3/4	806.96	3/4	1,156.20	3/4	1,506.03	3/4	1,855.88	3/4	2,205.75	3/4	2,555.58	3/4	2,905.20	3/4	3,254.61	3/4	3,540.18	3/4	3,781.29	3/4	4,022.41	3/4	4,263.52	3/4	4,503.10
3	114.96	3	464.54	3	814.23	3	1,163.49	3	1,513.32	3	1,863.17	3	2,213.04	3	2,562.87	3	2,912.48	3	3,261.89	3	3,545.20	3	3,786.32	3	4,027.43	3	4,268.54	3	4,507.98
1/4	122.21	1/4	471.83	1/4	821.51	1/4	1,170.77	1/4	1,520.61	1/4	1,870.46	1/4	2,220.32	1/4	2,570.15	1/4	2,919.76	1/4	3,269.17	1/4	3,550.23	1/4	3,791.34	1/4	4,032.45	1/4	4,273.57	1/4	4,512.85
1/2	129.46	1/2	479.12	1/2	828.78	1/2	1,178.06	1/2	1,527.90	1/2	1,877.75	1/2	2,227.61	1/2	2,577.43	1/2	2,927.04	1/2	3,276.45	1/2	3,555.25	1/2	3,796.36	1/2	4,037.48	1/2	4,278.59	1/2	4,517.72
3/4	136.72	3/4	486.40	3/4	836.05	3/4	1,185.35	3/4	1,535.19	3/4	1,885.04	3/4	2,234.90	3/4	2,584.72	3/4	2,934.32	3/4	3,283.73	3/4	3,560.27	3/4	3,801.39	3/4	4,042.50	3/4	4,283.61	3/4	4,522.58
4	143.99	4	493.69	4	843.32	4	1,192.64	4	1,542.48	4	1,892.33	4	2,242.19	4	2,592.00	4	2,941.60	4	3,291.01	4	3,565.29	4	3,806.41	4	4,047.52	4	4,288.64	4	4,527.44
1/4	151.25	1/4	500.98	1/4	850.60	1/4	1,199.93	1/4	1,549.76	1/4	1,899.62	1/4	2,249.48	1/4	2,599.29	1/4	2,948.88	1/4	3,298.29	1/4	3,570.32	1/4	3,811.43	1/4	4,052.55	1/4	4,293.66	1/4	4,532.29
1/2	158.52	1/2	508.27	1/2	857.87	1/2	1,207.22	1/2	1,557.05	1/2	1,906.91	1/2	2,256.77	1/2	2,606.57	1/2	2,956.16	1/2	3,305.29	1/2	3,575.34	1/2	3,816.45	1/2	4,057.57	1/2	4,298.68	1/2	4,537.14
3/4	165.80	3/4	515.55	3/4	865.14	3/4	1,214.51	3/4	1,564.34	3/4	1,914.19	3/4	2,264.06	3/4	2,613.85	3/4	2,963.44	3/4	3,312.29	3/4	3,580.36	3/4	3,821.48	3/4	4,062.59	3/4	4,303.71	3/4	4,541.58
5	173.07	5	522.84	5	872.41	5	1,221.79	5	1,571.63	5	1,921.48	5	2,271.35	5	2,621.14	5	2,970.72	5	3,319.29	5	3,585.39	5	3,826.50	5	4,067.61	5	4,308.73	5	4,545.82
1/4	180.35	1/4	530.13	1/4	879.69	1/4	1,229.08	1/4	1,578.92	1/4	1,928.77	1/4	2,278.64	1/4	2,628.42	1/4	2,978.00	1/4	3,326.29	1/4	3,590.41	1/4	3,831.52	1/4	4,072.64	1/4	4,313.75	1/4	4,549.85
1/2	187.63	1/2	537.41	1/2	886.96	1/2	1,236.37	1/2	1,586.21	1/2	1,936.06	1/2	2,285.92	1/2	2,635.70	1/2	2,985.28	1/2	3,333.01	1/2	3,595.43	1/2	3,836.55	1/2	4,077.66	1/2	4,318.77	1/2	4,553.67
3/4	194.92	3/4	544.70	3/4	894.23	3/4	1,243.66	3/4	1,593.50	3/4	1,943.35	3/4	2,293.21	3/4	2,642.99	3/4	2,992.56	3/4	3,339.73	3/4	3,600.46	3/4	3,841.57	3/4	4,082.68	3/4	4,323.80	3/4	4,557.29
6	202.20	6	551.99	6	901.50	6	1,250.95	6	1,600.78	6	1,950.64	6	2,300.50	6	2,650.27	6	2,999.84	6	3,346.46	6	3,605.48	6	3,846.59	6	4,087.71	6	4,328.82	6	4,560.71
1/4	209.49	1/4	559.28	1/4	908.78	1/4	1,258.24	1/4	1,608.07	1/4	1,957.93	1/4	2,307.79	1/4	2,657.55	1/4	3,007.12	1/4	3,353.18	1/4	3,610.50	1/4	3,851.62	1/4	4,092.73	1/4	4,333.84	1/4	4,563.91
1/2	216.77	1/2	566.56	1/2	916.05	1/2	1,265.53	1/2	1,615.36	1/2	1,965.21	1/2	2,315.08	1/2	2,664.84	1/2	3,014.39	1/2	3,359.62	1/2	3,615.53	1/2	3,856.64	1/2	4,097.75	1/2	4,338.87	1/2	4,566.92
3/4	224.06	3/4	573.85	3/4	923.32	3/4	1,272.81	3/4	1,622.65	3/4	1,972.50	3/4	2,323.37	3/4	2,672.12	3/4	3,021.67	3/4	3,366.06	3/4	3,620.55	3/4	3,861.66	3/4	4,102.78	3/4	4,343.89	3/4	4,569.71
7	231.35	7	581.14	7	930.59	7	1,280.10	7	1,629.94	7	1,979.79	7	2,329.66	7	2,679.41	7	3,028.95	7	3,372.51	7	3,625.57	7	3,866.69	7	4,107.80	7	4,348.91	7	4,572.30
1/4	238.64	1/4	588.43	1/4	937.87	1/4	1,287.39	1/4	1,637.23	1/4	1,987.08	1/4	2,336.95	1/4	2,686.69	1/4	3,036.23	1/4	3,378.95	1/4	3,630.60	1/4	3,871.71	1/4	4,112.82	1/4	4,353.94	1/4	4,574.69
1/2	245.92	1/2	595.71	1/2	945.14	1/2	1,294.68	1/2	1,644.52	1/2	1,994.37	1/2	2,344.24	1/2	2,693.97	1/2	3,043.51	1/2	3,385.11	1/2	3,635.62	1/2	3,876.73	1/2	4,117.85	1/2	4,358.97	1/2	4,576.87
3/4	253.21	3/4	603.00	3/4	952.41	3/4	1,301.97	3/4	1,651.80	3/4	2,001.66	3/4	2,351.52	3/4	2,701.26	3/4	3,050.79	3/4	3,391.28	3/4	3,640.64	3/4	3,881.76	3/4	4,122.87	3/4	4,364.00	3/4	4,578.84
8	260.50	8	610.29	8	959.68	8	1,309.26	8	1,659.09	8	2,008.95	8	2,358.81	8	2,708.54	8	3,058.07	8	3,397.44	8	3,645.67	8	3,886.78	8	4,127.89	8	4,369.02	8	4,580.61
1/4	267.78	1/4	617.57	1/4	966.96	1/4	1,316.54	1/4	1,666.38	1/4	2,016.24	1/4	2,366.10	1/4	2,715.82	1/4	3,065.35	1/4	3,403.61	1/4	3,650.69	1/4	3,891.80	1/4	4,132.92	1/4	4,374.05	1/4	4,582.17
1/2	275.07	1/2	624.86	1/2	974.23	1/2	1,323.83	1/2	1,673.67	1/2	2,023.52	1/2	2,373.39	1/2	2,723.11	1/2	3,072.63	1/2	3,409.49	1/2	3,655.71	1/2	3,896.83	1/2	4,137.94	1/2	4,379.08	1/2	4,583.52
3/4	282.36	3/4	632.15	3/4	981.50	3/4	1,331.12	3/4	1,680.96	3/4	2,030.81	3/4	2,380.68	3/4	2,733.39	3/4	3,079.91	3/4	3,415.38	3/4	3,660.74	3/4	3,901.85	3/4	4,142.96	3/4	4,384.11	3/4	4,584.67
9	289.65	9	639.44	9	988.78	9	1,338.41	9	1,688.25	9	2,038.10	9	2,387.97	9	2,737.68	9	3,087.19	9	3,421.27	9	3,665.76	9	3,906.87	9	4,147.9				



BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	32.37	0	376.92	0	726.34	0	1,074.51	0	1,423.35	0	1,772.51	0	2,121.94	0	2,471.38	0	2,820.59	0	3,169.61	0	3,479.68	0	3,720.81	0	3,961.92	0	4,203.03	0	4,443.91
1/4	37.94	1/4	384.20	1/4	733.62	1/4	1,081.78	1/4	1,430.62	1/4	1,779.79	1/4	2,129.22	1/4	2,478.65	1/4	2,827.86	1/4	3,176.88	1/4	3,484.72	1/4	3,725.83	1/4	3,966.94	1/4	4,208.05	1/4	4,448.84
1/2	43.95	1/2	391.48	1/2	740.90	1/2	1,089.05	1/2	1,437.89	1/2	1,787.07	1/2	2,136.50	1/2	2,485.93	1/2	2,835.14	1/2	3,184.15	1/2	3,489.75	1/2	3,730.86	1/2	3,971.97	1/2	4,213.07	1/2	4,453.76
3/4	50.40	3/4	398.76	3/4	748.18	3/4	1,096.31	3/4	1,445.16	3/4	1,794.35	3/4	2,143.78	3/4	2,493.21	3/4	2,842.41	3/4	3,191.42	3/4	3,494.77	3/4	3,735.88	3/4	3,976.99	3/4	4,218.10	3/4	4,458.68
1	57.31	1	406.04	1	755.46	1	1,103.58	1	1,452.42	1	1,801.63	1	2,151.06	1	2,500.49	1	2,849.69	1	3,198.69	1	3,499.79	1	3,740.90	1	3,982.01	1	4,223.12	1	4,463.59
1/4	64.45	1/4	413.32	1/4	762.71	1/4	1,110.85	1/4	1,459.69	1/4	1,808.91	1/4	2,158.34	1/4	2,507.77	1/4	2,856.96	1/4	3,205.96	1/4	3,504.82	1/4	3,745.93	1/4	3,987.03	1/4	4,228.14	1/4	4,468.50
1/2	71.63	1/2	420.60	1/2	769.96	1/2	1,118.11	1/2	1,466.96	1/2	1,816.19	1/2	2,165.62	1/2	2,515.05	1/2	2,864.23	1/2	3,213.24	1/2	3,509.84	1/2	3,750.95	1/2	3,992.06	1/2	4,233.17	1/2	4,473.41
3/4	78.83	3/4	427.88	3/4	777.22	3/4	1,125.38	3/4	1,474.23	3/4	1,823.47	3/4	2,172.90	3/4	2,522.32	3/4	2,871.51	3/4	3,220.51	3/4	3,514.86	3/4	3,755.97	3/4	3,997.08	3/4	4,238.19	3/4	4,478.31
2	86.04	2	435.16	2	784.47	2	1,132.65	2	1,481.50	2	1,830.75	2	2,180.18	2	2,529.60	2	2,878.78	2	3,227.78	2	3,519.89	2	3,761.00	2	4,002.10	2	4,243.21	2	4,483.20
1/4	93.26	1/4	442.44	1/4	791.72	1/4	1,139.92	1/4	1,488.76	1/4	1,838.03	1/4	2,187.46	1/4	2,536.87	1/4	2,886.06	1/4	3,235.05	1/4	3,524.91	1/4	3,766.02	1/4	4,007.13	1/4	4,248.24	1/4	4,488.09
1/2	100.49	1/2	449.72	1/2	798.97	1/2	1,147.19	1/2	1,496.03	1/2	1,845.31	1/2	2,194.74	1/2	2,544.15	1/2	2,893.33	1/2	3,242.32	1/2	3,529.93	1/2	3,771.04	1/2	4,012.15	1/2	4,253.26	1/2	4,492.98
3/4	107.72	3/4	457.00	3/4	806.22	3/4	1,154.45	3/4	1,503.30	3/4	1,852.59	3/4	2,202.02	3/4	2,551.42	3/4	2,900.61	3/4	3,249.59	3/4	3,534.96	3/4	3,776.06	3/4	4,017.17	3/4	4,258.28	3/4	4,497.86
3	114.97	3	464.27	3	813.48	3	1,161.72	3	1,510.57	3	1,859.87	3	2,209.30	3	2,558.70	3	2,907.88	3	3,256.86	3	3,539.98	3	3,781.09	3	4,022.20	3	4,263.31	3	4,502.74
1/4	122.22	1/4	471.55	1/4	820.72	1/4	1,169.99	1/4	1,517.84	1/4	1,867.15	1/4	2,216.58	1/4	2,565.97	1/4	2,915.15	1/4	3,264.13	1/4	3,545.00	1/4	3,786.11	1/4	4,027.22	1/4	4,268.33	1/4	4,507.61
1/2	129.47	1/2	478.83	1/2	827.97	1/2	1,178.26	1/2	1,525.10	1/2	1,874.43	1/2	2,223.86	1/2	2,573.25	1/2	2,922.42	1/2	3,271.40	1/2	3,550.02	1/2	3,791.13	1/2	4,032.24	1/2	4,273.35	1/2	4,512.48
3/4	136.73	3/4	486.11	3/4	835.22	3/4	1,187.52	3/4	1,532.37	3/4	1,881.71	3/4	2,231.14	3/4	2,580.52	3/4	2,929.69	3/4	3,278.67	3/4	3,555.05	3/4	3,796.16	3/4	4,037.27	3/4	4,278.37	3/4	4,517.34
4	143.99	4	493.39	4	842.47	4	1,196.79	4	1,539.64	4	1,888.99	4	2,238.42	4	2,587.80	4	2,936.96	4	3,285.94	4	3,560.07	4	3,801.18	4	4,042.29	4	4,283.40	4	4,522.20
1/4	151.26	1/4	500.67	1/4	849.72	1/4	1,198.06	1/4	1,546.91	1/4	1,896.27	1/4	2,245.70	1/4	2,595.07	1/4	2,944.23	1/4	3,293.21	1/4	3,565.09	1/4	3,806.20	1/4	4,047.31	1/4	4,288.42	1/4	4,527.05
1/2	158.53	1/2	507.95	1/2	856.97	1/2	1,205.33	1/2	1,554.18	1/2	1,903.55	1/2	2,252.98	1/2	2,602.35	1/2	2,951.50	1/2	3,300.20	1/2	3,570.12	1/2	3,811.23	1/2	4,052.33	1/2	4,293.44	1/2	4,531.90
3/4	165.80	3/4	515.23	3/4	864.22	3/4	1,212.60	3/4	1,561.44	3/4	1,910.83	3/4	2,260.26	3/4	2,609.62	3/4	2,958.77	3/4	3,307.19	3/4	3,575.14	3/4	3,816.25	3/4	4,057.36	3/4	4,298.47	3/4	4,536.34
5	173.08	5	522.51	5	871.47	5	1,219.86	5	1,568.71	5	1,918.11	5	2,267.54	5	2,616.89	5	2,966.05	5	3,314.18	5	3,580.16	5	3,821.27	5	4,062.38	5	4,303.49	5	4,540.58
1/4	180.36	1/4	529.79	1/4	878.72	1/4	1,227.13	1/4	1,575.98	1/4	1,925.39	1/4	2,274.82	1/4	2,624.17	1/4	2,973.32	1/4	3,321.18	1/4	3,585.19	1/4	3,826.30	1/4	4,067.40	1/4	4,308.51	1/4	4,544.61
1/2	187.64	1/2	537.07	1/2	885.97	1/2	1,234.40	1/2	1,583.25	1/2	1,932.67	1/2	2,282.10	1/2	2,631.44	1/2	2,980.59	1/2	3,327.89	1/2	3,590.21	1/2	3,831.32	1/2	4,072.43	1/2	4,313.54	1/2	4,548.83
3/4	194.92	3/4	544.35	3/4	893.22	3/4	1,241.67	3/4	1,590.52	3/4	1,939.95	3/4	2,289.38	3/4	2,638.72	3/4	2,987.86	3/4	3,334.60	3/4	3,595.23	3/4	3,836.34	3/4	4,077.45	3/4	4,318.56	3/4	4,552.05
6	202.21	6	551.63	6	900.47	6	1,248.94	6	1,597.78	6	1,947.23	6	2,296.66	6	2,645.99	6	2,995.13	6	3,341.31	6	3,600.26	6	3,841.36	6	4,082.47	6	4,323.58	6	4,555.46
1/4	209.49	1/4	558.91	1/4	907.72	1/4	1,256.20	1/4	1,605.06	1/4	1,954.51	1/4	2,303.94	1/4	2,653.27	1/4	3,002.40	1/4	3,348.03	1/4	3,605.28	1/4	3,846.39	1/4	4,087.50	1/4	4,328.61	1/4	4,558.67
1/2	216.77	1/2	566.19	1/2	914.96	1/2	1,263.47	1/2	1,612.34	1/2	1,961.79	1/2	2,311.22	1/2	2,660.54	1/2	3,009.67	1/2	3,354.46	1/2	3,610.30	1/2	3,851.41	1/2	4,092.52	1/2	4,333.63	1/2	4,561.67
3/4	224.04	3/4	573.47	3/4	922.21	3/4	1,270.74	3/4	1,619.62	3/4	1,969.07	3/4	2,318.50	3/4	2,667.82	3/4	3,016.94	3/4	3,360.90	3/4	3,615.33	3/4	3,856.43	3/4	4,097.54	3/4	4,338.65	3/4	4,564.47
7	231.32	7	580.75	7	929.46	7	1,278.01	7	1,626.90	7	1,976.35	7	2,325.78	7	2,675.09	7	3,024.21	7	3,367.33	7	3,620.35	7	3,861.46	7	4,102.57	7	4,343.67	7	4,567.06
1/4	238.60	1/4	588.03	1/4	936.71	1/4	1,285.28	1/4	1,634.18	1/4	1,983.63	1/4	2,333.06	1/4	2,682.37	1/4	3,031.48	1/4	3,373.77	1/4	3,625.37	1/4	3,866.48	1/4	4,107.59	1/4	4,348.70	1/4	4,569.44
1/2	245.88	1/2	595.31	1/2	943.96	1/2	1,292.54	1/2	1,641.46	1/2	1,990.91	1/2	2,340.34	1/2	2,689.64	1/2	3,038.75	1/2	3,379.92	1/2	3,630.39	1/2	3,871.50	1/2	4,112.61	1/2	4,353.73	1/2	4,571.62
3/4	253.16	3/4	602.59	3/4	951.21	3/4	1,299.81	3/4	1,648.74	3/4	1,998.19	3/4	2,347.62	3/4	2,696.92	3/4	3,046.02	3/4	3,386.08	3/4	3,635.42	3/4	3,876.53	3/4	4,117.64	3/4	4,358.76	3/4	4,573.60
8	260.44	8	609.87	8	958.46	8	1,307.08	8	1,656.02	8	2,005.47	8	2,354.90	8	2,704.19	8	3,053.29	8	3,392.23	8	3,640.44	8	3,881.55	8	4,122.66	8	4,363.78	8	4,575.36
1/4	267.72	1/4	617.15	1/4	965.71	1/4	1,314.35	1/4	1,663.30	1/4	2,012.75	1/4	2,362.18	1/4	2,711.47	1/4	3,060.56	1/4	3,398.39	1/4	3,645.46	1/4	3,886.57	1/4	4,127.68	1/4	4,368.81	1/4	4,576.93
1/2	275.00	1/2	624.43	1/2	972.96	1/2	1,321.61	1/2	1,670.58	1/2	2,020.03	1/2	2,369.46	1/2	2,718.74	1/2	3,067.83	1/2	3,404.27	1/2	3,650.49	1/2	3,891.60	1/2	4,132.70	1/2	4,373.84	1/2	4,578.28
3/4	282.28	3/4	631.71	3/4	980.21	3/4	1,328.88	3/4	1,677.86	3/4	2,027.31	3/4	2,376.74	3/4	2,726.02	3/4	3,075.10	3/4	3,410.16	3/4	3,655.51	3/4	3,896.62	3/4	4,137.73	3/4	4,378.87	3/4	4,579.43
9	289.56	9	638.99	9	987.46	9	1,336.15	9	1,685.14	9	2,034.59	9	2,384.02	9	2,733.29	9	3,082.37	9	3,416.05	9	3,660.53	9	3,901.64	9	4,142.75	9	4,383.89	9	4,580.38
1/4	296.84	1/4	646.27	1/4	994.71	1/4	1,343.41	1/4	1,692.42	1/4	2,041.87	1/4	2,391.30	1/4	2,740.56	1/4	3,089.64	1/4	3,421.93	1/4	3,665.56	1/4	3,906.66	1/4	4,147.77	1/4	4,388.92	1/4	4,581.11
1/2	304.12	1/2	653.55	1/2	1,001.95	1/2</																							

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	80	6	584	0	1,149	6	1,715	0	2,280	6	2,846	0	3,411	6	3,977	0	4,542	6	5,108	0	5,523
1/8	86	1/8	595	1/8	1,161	1/8	1,726	1/8	2,292	1/8	2,857	1/8	3,423	1/8	3,988	1/8	4,554	1/8	5,119	1/8	5,526
1/4	93	1/4	607	1/4	1,173	1/4	1,738	1/4	2,304	1/4	2,869	1/4	3,435	1/4	4,000	1/4	4,566	1/4	5,131	1/4	5,528
3/8	100	3/8	619	3/8	1,184	3/8	1,750	3/8	2,315	3/8	2,881	3/8	3,446	3/8	4,012	3/8	4,577	3/8	5,143	3/8	5,531
1/2	107	1/2	631	1/2	1,196	1/2	1,762	1/2	2,327	1/2	2,893	1/2	3,458	1/2	4,024	1/2	4,589	1/2	5,155	1/2	5,533
5/8	114	5/8	642	5/8	1,208	5/8	1,773	5/8	2,339	5/8	2,904	5/8	3,470	5/8	4,035	5/8	4,601	5/8	5,166	5/8	5,535
3/4	122	3/4	654	3/4	1,220	3/4	1,785	3/4	2,351	3/4	2,916	3/4	3,482	3/4	4,047	3/4	4,613	3/4	5,178	3/4	5,537
7/8	130	7/8	666	7/8	1,232	7/8	1,797	7/8	2,363	7/8	2,928	7/8	3,494	7/8	4,059	7/8	4,624	7/8	5,190	7/8	5,539
1	138	7	678	1	1,243	7	1,809	1	2,374	7	2,940	1	3,505	7	4,071	1	4,636	7	5,202	1	5,540
1/8	146	1/8	690	1/8	1,255	1/8	1,821	1/8	2,386	1/8	2,952	1/8	3,517	1/8	4,083	1/8	4,648	1/8	5,214	1/8	5,540
1/4	155	1/4	701	1/4	1,267	1/4	1,832	1/4	2,398	1/4	2,963	1/4	3,529	1/4	4,094	1/4	4,660	1/4	5,225	1/4	5,540
3/8	164	3/8	713	3/8	1,279	3/8	1,844	3/8	2,410	3/8	2,975	3/8	3,541	3/8	4,106	3/8	4,672	3/8	5,237	3/8	5,540
1/2	173	1/2	725	1/2	1,290	1/2	1,856	1/2	2,421	1/2	2,987	1/2	3,552	1/2	4,118	1/2	4,683	1/2	5,249	1/2	5,540
5/8	182	5/8	737	5/8	1,302	5/8	1,868	5/8	2,433	5/8	2,999	5/8	3,564	5/8	4,130	5/8	4,695	5/8	5,261	5/8	5,540
3/4	192	3/4	748	3/4	1,314	3/4	1,879	3/4	2,445	3/4	3,010	3/4	3,576	3/4	4,141	3/4	4,707	3/4	5,273	3/4	5,540
7/8	202	7/8	760	7/8	1,326	7/8	1,891	7/8	2,457	7/8	3,022	7/8	3,588	7/8	4,153	7/8	4,719	7/8	5,284	7/8	5,540
2	212	8	772	2	1,338	8	1,903	2	2,469	8	3,034	2	3,600	8	4,165	2	4,731	8	5,295	2	5,540
1/8	222	1/8	784	1/8	1,349	1/8	1,915	1/8	2,480	1/8	3,046	1/8	3,611	1/8	4,177	1/8	4,742	1/8	5,306	1/8	5,540
1/4	232	1/4	796	1/4	1,361	1/4	1,927	1/4	2,492	1/4	3,058	1/4	3,623	1/4	4,189	1/4	4,754	1/4	5,317	1/4	5,540
3/8	243	3/8	807	3/8	1,373	3/8	1,938	3/8	2,504	3/8	3,069	3/8	3,635	3/8	4,200	3/8	4,766	3/8	5,327	3/8	5,540
1/2	254	1/2	819	1/2	1,385	1/2	1,950	1/2	2,516	1/2	3,081	1/2	3,647	1/2	4,212	1/2	4,778	1/2	5,338	1/2	5,540
5/8	266	5/8	831	5/8	1,396	5/8	1,962	5/8	2,527	5/8	3,093	5/8	3,658	5/8	4,224	5/8	4,789	5/8	5,347	5/8	5,540
3/4	277	3/4	843	3/4	1,408	3/4	1,974	3/4	2,539	3/4	3,105	3/4	3,670	3/4	4,236	3/4	4,801	3/4	5,357	3/4	5,540
7/8	289	7/8	855	7/8	1,420	7/8	1,986	7/8	2,551	7/8	3,117	7/8	3,682	7/8	4,247	7/8	4,813	7/8	5,367	7/8	5,540
3	301	9	866	3	1,432	9	1,997	3	2,563	9	3,128	3	3,694	9	4,259	3	4,825	9	5,376	3	5,540
1/8	313	1/8	878	1/8	1,444	1/8	2,009	1/8	2,575	1/8	3,140	1/8	3,706	1/8	4,271	1/8	4,837	1/8	5,385	1/8	5,540
1/4	324	1/4	890	1/4	1,455	1/4	2,021	1/4	2,586	1/4	3,152	1/4	3,717	1/4	4,283	1/4	4,848	1/4	5,393	1/4	5,540
3/8	336	3/8	902	3/8	1,467	3/8	2,033	3/8	2,598	3/8	3,164	3/8	3,729	3/8	4,295	3/8	4,860	3/8	5,402	3/8	5,540
1/2	348	1/2	913	1/2	1,479	1/2	2,044	1/2	2,610	1/2	3,175	1/2	3,741	1/2	4,306	1/2	4,872	1/2	5,410	1/2	5,540
5/8	360	5/8	925	5/8	1,491	5/8	2,056	5/8	2,622	5/8	3,187	5/8	3,753	5/8	4,318	5/8	4,884	5/8	5,418	5/8	5,540
3/4	371	3/4	937	3/4	1,502	3/4	2,068	3/4	2,633	3/4	3,199	3/4	3,764	3/4	4,330	3/4	4,895	3/4	5,426	3/4	5,540
7/8	383	7/8	949	7/8	1,514	7/8	2,080	7/8	2,645	7/8	3,211	7/8	3,776	7/8	4,342	7/8	4,907	7/8	5,433	7/8	5,540
4	395	10	961	4	1,526	10	2,092	4	2,657	10	3,223	4	3,788	10	4,354	4	4,919	10	5,440	4	5,540
1/8	407	1/8	972	1/8	1,538	1/8	2,103	1/8	2,669	1/8	3,234	1/8	3,800	1/8	4,365	1/8	4,931	1/8	5,447	1/8	5,540
1/4	419	1/4	984	1/4	1,550	1/4	2,115	1/4	2,681	1/4	3,246	1/4	3,812	1/4	4,377	1/4	4,943	1/4	5,454	1/4	5,540
3/8	430	3/8	996	3/8	1,561	3/8	2,127	3/8	2,692	3/8	3,258	3/8	3,823	3/8	4,389	3/8	4,954	3/8	5,461	3/8	5,540
1/2	442	1/2	1,008	1/2	1,573	1/2	2,139	1/2	2,704	1/2	3,270	1/2	3,835	1/2	4,401	1/2	4,966	1/2	5,467	1/2	5,540
5/8	454	5/8	1,019	5/8	1,585	5/8	2,150	5/8	2,716	5/8	3,281	5/8	3,847	5/8	4,412	5/8	4,978	5/8	5,473	5/8	5,540
3/4	466	3/4	1,031	3/4	1,597	3/4	2,162	3/4	2,728	3/4	3,293	3/4	3,859	3/4	4,424	3/4	4,990	3/4	5,479	3/4	5,540
7/8	478	7/8	1,043	7/8	1,609	7/8	2,174	7/8	2,740	7/8	3,305	7/8	3,871	7/8	4,436	7/8	5,001	7/8	5,484	7/8	5,540
5	489	11	1,055	5	1,620	11	2,186	5	2,751	11	3,317	5	3,882	11	4,448	5	5,013	11	5,489	5	5,540
1/8	501	1/8	1,067	1/8	1,632	1/8	2,198	1/8	2,763	1/8	3,329	1/8	3,894	1/8	4,460	1/8	5,025	1/8	5,494	1/8	5,540
1/4	513	1/4	1,078	1/4	1,644	1/4	2,209	1/4	2,775	1/4	3,340	1/4	3,906	1/4	4,471	1/4	5,037	1/4	5,499	1/4	5,540
3/8	525	3/8	1,090	3/8	1,656	3/8	2,221	3/8	2,787	3/8	3,352	3/8	3,918	3/8	4,483	3/8	5,049	3/8	5,504	3/8	5,540
1/2	536	1/2	1,102	1/2	1,667	1/2	2,233	1/2	2,798	1/2	3,364	1/2	3,929	1/2	4,495	1/2	5,060	1/2	5,508	1/2	5,540
5/8	548	5/8	1,114	5/8	1,679	5/8	2,245	5/8	2,810	5/8	3,376	5/8	3,941	5/8	4,507	5/8	5,072	5/8	5,512	5/8	5,540
3/4	560	3/4	1,125	3/4	1,691	3/4	2,256	3/4	2,822	3/4	3,387	3/4	3,953	3/4	4,518	3/4	5,084	3/4	5,516	3/4	5,540
7/8	572	7/8	1,137	7/8	1,703	7/8	2,268	7/8	2,834	7/8	3,399	7/8	3,965	7/8	4,530	7/8	5,096	7/8	5,519	7/8	5,540

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 7/31/2013 BY: JMF
DATE COMPUTED: 8/03/2013 BY: WHF
DATE ISSUED: 8/5/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT





BARGE: GBL 3630
HULL No. JEFFBOAT 13-2771

SLOP STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/2"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	71	6	553	0	1,100	6	1,647	0	2,195	6	2,742	0	3,289	6	3,836	0	4,383	6	4,930	0	5,340
1/8	77	1/8	565	1/8	1,112	1/8	1,659	1/8	2,206	1/8	2,753	1/8	3,300	1/8	3,847	1/8	4,395	1/8	4,942	1/8	5,343
1/4	83	1/4	576	1/4	1,123	1/4	1,670	1/4	2,217	1/4	2,765	1/4	3,312	1/4	3,859	1/4	4,406	1/4	4,953	1/4	5,346
3/8	90	3/8	587	3/8	1,135	3/8	1,682	3/8	2,229	3/8	2,776	3/8	3,323	3/8	3,870	3/8	4,417	3/8	4,964	3/8	5,349
1/2	97	1/2	599	1/2	1,146	1/2	1,693	1/2	2,240	1/2	2,787	1/2	3,334	1/2	3,882	1/2	4,429	1/2	4,976	1/2	5,351
5/8	103	5/8	610	5/8	1,157	5/8	1,704	5/8	2,252	5/8	2,799	5/8	3,346	5/8	3,893	5/8	4,440	5/8	4,987	5/8	5,354
3/4	111	3/4	622	3/4	1,169	3/4	1,716	3/4	2,263	3/4	2,810	3/4	3,357	3/4	3,904	3/4	4,452	3/4	4,999	3/4	5,356
7/8	118	7/8	633	7/8	1,180	7/8	1,727	7/8	2,274	7/8	2,822	7/8	3,369	7/8	3,916	7/8	4,463	7/8	5,010	7/8	5,357
1	126	7	644	1	1,192	7	1,739	1	2,286	7	2,833	1	3,380	7	3,927	1	4,474	7	5,021	1	5,359
1/8	133	1/8	656	1/8	1,203	1/8	1,750	1/8	2,297	1/8	2,844	1/8	3,391	1/8	3,939	1/8	4,486	1/8	5,033	1/8	5,360
1/4	141	1/4	667	1/4	1,214	1/4	1,761	1/4	2,309	1/4	2,856	1/4	3,403	1/4	3,950	1/4	4,497	1/4	5,044	1/4	5,361
3/8	150	3/8	679	3/8	1,226	3/8	1,773	3/8	2,320	3/8	2,867	3/8	3,414	3/8	3,961	3/8	4,509	3/8	5,056	3/8	5,362
1/2	158	1/2	690	1/2	1,237	1/2	1,784	1/2	2,331	1/2	2,879	1/2	3,426	1/2	3,973	1/2	4,520	1/2	5,067	1/2	5,363
5/8	167	5/8	701	5/8	1,249	5/8	1,796	5/8	2,343	5/8	2,890	5/8	3,437	5/8	3,984	5/8	4,531	5/8	5,079	5/8	
3/4	176	3/4	713	3/4	1,260	3/4	1,807	3/4	2,354	3/4	2,901	3/4	3,448	3/4	3,996	3/4	4,543	3/4	5,090	3/4	
7/8	185	7/8	724	7/8	1,271	7/8	1,818	7/8	2,366	7/8	2,913	7/8	3,460	7/8	4,007	7/8	4,554	7/8	5,102	7/8	
2	195	8	736	2	1,283	8	1,830	2	2,377	8	2,924	2	3,471	8	4,018	2	4,566	8	5,113	2	
1/8	205	1/8	747	1/8	1,294	1/8	1,841	1/8	2,388	1/8	2,936	1/8	3,483	1/8	4,030	1/8	4,577	1/8	5,123	1/8	
1/4	215	1/4	758	1/4	1,306	1/4	1,853	1/4	2,400	1/4	2,947	1/4	3,494	1/4	4,041	1/4	4,588	1/4	5,134	1/4	
3/8	225	3/8	770	3/8	1,317	3/8	1,864	3/8	2,411	3/8	2,958	3/8	3,505	3/8	4,053	3/8	4,600	3/8	5,144	3/8	
1/2	235	1/2	781	1/2	1,328	1/2	1,875	1/2	2,423	1/2	2,970	1/2	3,517	1/2	4,064	1/2	4,611	1/2	5,154	1/2	
5/8	246	5/8	793	5/8	1,340	5/8	1,887	5/8	2,434	5/8	2,981	5/8	3,528	5/8	4,075	5/8	4,623	5/8	5,164	5/8	
3/4	257	3/4	804	3/4	1,351	3/4	1,898	3/4	2,445	3/4	2,993	3/4	3,540	3/4	4,087	3/4	4,634	3/4	5,174	3/4	
7/8	268	7/8	815	7/8	1,363	7/8	1,910	7/8	2,457	7/8	3,004	7/8	3,551	7/8	4,098	7/8	4,645	7/8	5,183	7/8	
3	280	9	827	3	1,374	9	1,921	3	2,468	9	3,015	3	3,562	9	4,110	3	4,657	9	5,192	3	
1/8	291	1/8	838	1/8	1,385	1/8	1,932	1/8	2,480	1/8	3,027	1/8	3,574	1/8	4,121	1/8	4,668	1/8	5,201	1/8	
1/4	302	1/4	850	1/4	1,397	1/4	1,944	1/4	2,491	1/4	3,038	1/4	3,585	1/4	4,132	1/4	4,680	1/4	5,210	1/4	
3/8	314	3/8	861	3/8	1,408	3/8	1,955	3/8	2,502	3/8	3,050	3/8	3,597	3/8	4,144	3/8	4,691	3/8	5,218	3/8	
1/2	325	1/2	872	1/2	1,420	1/2	1,967	1/2	2,514	1/2	3,061	1/2	3,608	1/2	4,155	1/2	4,702	1/2	5,226	1/2	
5/8	337	5/8	884	5/8	1,431	5/8	1,978	5/8	2,525	5/8	3,072	5/8	3,619	5/8	4,167	5/8	4,714	5/8	5,234	5/8	
3/4	348	3/4	895	3/4	1,442	3/4	1,989	3/4	2,537	3/4	3,084	3/4	3,631	3/4	4,178	3/4	4,725	3/4	5,242	3/4	
7/8	359	7/8	907	7/8	1,454	7/8	2,001	7/8	2,548	7/8	3,095	7/8	3,642	7/8	4,189	7/8	4,736	7/8	5,250	7/8	
4	371	10	918	4	1,465	10	2,012	4	2,559	10	3,106	4	3,654	10	4,201	4	4,748	10	5,257	4	
1/8	382	1/8	929	1/8	1,476	1/8	2,024	1/8	2,571	1/8	3,118	1/8	3,665	1/8	4,212	1/8	4,759	1/8	5,264	1/8	
1/4	394	1/4	941	1/4	1,488	1/4	2,035	1/4	2,582	1/4	3,129	1/4	3,676	1/4	4,224	1/4	4,771	1/4	5,271	1/4	
3/8	405	3/8	952	3/8	1,499	3/8	2,046	3/8	2,594	3/8	3,141	3/8	3,688	3/8	4,235	3/8	4,782	3/8	5,277	3/8	
1/2	416	1/2	964	1/2	1,511	1/2	2,058	1/2	2,605	1/2	3,152	1/2	3,699	1/2	4,246	1/2	4,793	1/2	5,283	1/2	
5/8	428	5/8	975	5/8	1,522	5/8	2,069	5/8	2,616	5/8	3,163	5/8	3,711	5/8	4,258	5/8	4,805	5/8	5,289	5/8	
3/4	439	3/4	986	3/4	1,533	3/4	2,081	3/4	2,628	3/4	3,175	3/4	3,722	3/4	4,269	3/4	4,816	3/4	5,295	3/4	
7/8	451	7/8	998	7/8	1,545	7/8	2,092	7/8	2,639	7/8	3,186	7/8	3,733	7/8	4,281	7/8	4,828	7/8	5,301	7/8	
5	462	11	1,009	5	1,556	11	2,103	5	2,651	11	3,198	5	3,745	11	4,292	5	4,839	11	5,306	5	
1/8	473	1/8	1,021	1/8	1,568	1/8	2,115	1/8	2,662	1/8	3,209	1/8	3,756	1/8	4,303	1/8	4,850	1/8	5,311	1/8	
1/4	485	1/4	1,032	1/4	1,579	1/4	2,126	1/4	2,673	1/4	3,220	1/4	3,768	1/4	4,315	1/4	4,862	1/4	5,316	1/4	
3/8	496	3/8	1,043	3/8	1,590	3/8	2,138	3/8	2,685	3/8	3,232	3/8	3,779	3/8	4,326	3/8	4,873	3/8	5,321	3/8	
1/2	508	1/2	1,055	1/2	1,602	1/2	2,149	1/2	2,696	1/2	3,243	1/2	3,790	1/2	4,338	1/2	4,885	1/2	5,325	1/2	
5/8	519	5/8	1,066	5/8	1,613	5/8	2,160	5/8	2,708	5/8	3,255	5/8	3,802	5/8	4,349	5/8	4,896	5/8	5,329	5/8	
3/4	530	3/4	1,078	3/4	1,625	3/4	2,172	3/4	2,719	3/4	3,266	3/4	3,813	3/4	4,360	3/4	4,907	3/4	5,333	3/4	
7/8	542	7/8	1,089	7/8	1,636	7/8	2,183	7/8	2,730	7/8	3,277	7/8	3,825	7/8	4,372	7/8	4,919	7/8	5,337	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 7/31/2013 BY: JMF
DATE COMPUTED: 8/03/2013 BY: WHF
DATE ISSUED: 8/5/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

