



# BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

# 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 6' 3 3/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,619.75	0	4,296.59	0	3,971.31	0	3,646.03	0	3,320.75	0	2,995.47	0	2,670.14	0	2,342.85	0	2,015.56	0	1,688.27	0	1,361.05	0	1,034.01	0	706.74	0	380.01	0	82.79
1/4		1/4	4,613.12	1/4	4,289.82	1/4	3,964.54	1/4	3,639.25	1/4	3,313.97	1/4	2,988.69	1/4	2,663.33	1/4	2,336.03	1/4	2,008.74	1/4	1,681.45	1/4	1,354.24	1/4	1,027.19	1/4	699.92	1/4	373.36	1/4	77.11
1/2		1/2	4,606.48	1/2	4,283.04	1/2	3,957.76	1/2	3,632.48	1/2	3,307.20	1/2	2,981.91	1/2	2,656.51	1/2	2,329.21	1/2	2,001.92	1/2	1,674.63	1/2	1,347.43	1/2	1,020.38	1/2	693.10	1/2	366.74	1/2	71.44
3/4		3/4	4,599.83	3/4	4,276.26	3/4	3,950.98	3/4	3,625.70	3/4	3,300.42	3/4	2,975.14	3/4	2,649.69	3/4	2,322.40	3/4	1,995.10	3/4	1,667.81	3/4	1,340.62	3/4	1,013.56	3/4	686.28	3/4	360.13	3/4	65.81
1		1	4,593.18	1	4,269.49	1	3,944.21	1	3,618.92	1	3,293.64	1	2,968.36	1	2,642.87	1	2,315.58	1	1,988.28	1	1,660.99	1	1,333.80	1	1,006.74	1	679.47	1	353.54	1	60.20
1/4		1/4	4,586.52	1/4	4,262.71	1/4	3,937.43	1/4	3,612.15	1/4	3,286.87	1/4	2,961.58	1/4	2,636.05	1/4	2,308.76	1/4	1,981.47	1/4	1,654.17	1/4	1,326.99	1/4	999.92	1/4	672.65	1/4	346.97	1/4	54.62
1/2		1/2	4,579.86	1/2	4,255.93	1/2	3,930.65	1/2	3,605.37	1/2	3,280.09	1/2	2,954.81	1/2	2,629.23	1/2	2,301.94	1/2	1,974.65	1/2	1,647.35	1/2	1,320.18	1/2	993.10	1/2	665.83	1/2	340.42	1/2	49.07
3/4		3/4	4,573.19	3/4	4,249.16	3/4	3,923.88	3/4	3,598.59	3/4	3,273.31	3/4	2,948.03	3/4	2,622.41	3/4	2,295.12	3/4	1,967.83	3/4	1,640.54	3/4	1,313.37	3/4	986.29	3/4	659.01	3/4	333.89	3/4	43.57
2		2	4,566.51	2	4,242.38	2	3,917.10	2	3,591.82	2	3,266.54	2	2,941.25	2	2,615.60	2	2,288.30	2	1,961.01	2	1,633.72	2	1,306.56	2	979.47	2	652.19	2	327.38	2	38.27
1/4		1/4	4,559.82	1/4	4,235.60	1/4	3,910.32	1/4	3,585.04	1/4	3,259.76	1/4	2,934.48	1/4	2,608.78	1/4	2,281.48	1/4	1,954.19	1/4	1,626.90	1/4	1,299.75	1/4	972.65	1/4	645.38	1/4	320.88	1/4	33.33
1/2		1/2	4,553.13	1/2	4,228.83	1/2	3,903.55	1/2	3,578.26	1/2	3,252.98	1/2	2,927.70	1/2	2,601.96	1/2	2,274.67	1/2	1,947.37	1/2	1,620.08	1/2	1,292.94	1/2	965.83	1/2	638.56	1/2	314.41	1/2	28.75
3/4		3/4	4,546.44	3/4	4,222.05	3/4	3,896.77	3/4	3,571.49	3/4	3,246.21	3/4	2,920.92	3/4	2,595.14	3/4	2,267.85	3/4	1,940.55	3/4	1,613.26	3/4	1,286.13	3/4	959.01	3/4	631.74	3/4	307.96	3/4	24.52
3		3	4,539.74	3	4,215.27	3	3,889.99	3	3,564.71	3	3,239.43	3	2,914.15	3	2,588.32	3	2,261.03	3	1,933.74	3	1,606.44	3	1,279.32	3	952.19	3	624.92	3	301.52	3	20.64
1/4		1/4	4,533.03	1/4	4,208.50	1/4	3,883.22	1/4	3,557.93	1/4	3,232.65	1/4	2,907.37	1/4	2,581.50	1/4	2,254.21	1/4	1,926.92	1/4	1,599.62	1/4	1,272.51	1/4	945.38	1/4	618.10	1/4	295.11	1/4	17.11
1/2		1/2	4,526.31	1/2	4,201.72	1/2	3,876.44	1/2	3,551.16	1/2	3,225.88	1/2	2,900.59	1/2	2,574.68	1/2	2,247.39	1/2	1,920.10	1/2	1,592.81	1/2	1,265.70	1/2	938.56	1/2	611.28	1/2	288.71	1/2	13.93
3/4		3/4	4,519.59	3/4	4,194.94	3/4	3,869.66	3/4	3,544.38	3/4	3,219.10	3/4	2,893.82	3/4	2,567.87	3/4	2,240.57	3/4	1,913.28	3/4	1,585.99	3/4	1,258.89	3/4	931.74	3/4	604.47	3/4	282.33	3/4	11.10
4		4	4,512.86	4	4,188.17	4	3,862.89	4	3,537.60	4	3,212.32	4	2,887.04	4	2,561.05	4	2,233.75	4	1,906.46	4	1,579.17	4	1,252.08	4	924.92	4	597.65	4	275.97	4	
1/4		1/4	4,506.13	1/4	4,181.39	1/4	3,856.11	1/4	3,530.83	1/4	3,205.55	1/4	2,880.26	1/4	2,554.23	1/4	2,226.94	1/4	1,899.64	1/4	1,572.35	1/4	1,245.27	1/4	918.10	1/4	590.83	1/4	269.63	1/4	
1/2		1/2	4,499.39	1/2	4,174.61	1/2	3,849.33	1/2	3,524.05	1/2	3,198.77	1/2	2,873.49	1/2	2,547.41	1/2	2,220.12	1/2	1,892.82	1/2	1,565.53	1/2	1,238.46	1/2	911.29	1/2	584.01	1/2	263.31	1/2	
3/4	4,737.69	3/4	4,492.65	3/4	4,167.84	3/4	3,842.56	3/4	3,517.27	3/4	3,191.99	3/4	2,866.71	3/4	2,540.59	3/4	2,213.30	3/4	1,886.01	3/4	1,558.71	3/4	1,231.65	3/4	904.47	3/4	577.19	3/4	257.01	3/4	
5	4,737.36	5	4,485.91	5	4,161.06	5	3,835.78	5	3,510.50	5	3,185.22	5	2,859.93	5	2,533.77	5	2,206.48	5	1,879.19	5	1,551.89	5	1,224.84	5	897.65	5	570.38	5	250.73	5	
1/4	4,736.74	1/4	4,479.18	1/4	4,154.28	1/4	3,829.00	1/4	3,503.72	1/4	3,178.44	1/4	2,853.16	1/4	2,526.95	1/4	2,199.66	1/4	1,872.37	1/4	1,545.08	1/4	1,218.02	1/4	890.83	1/4	563.56	1/4	244.46	1/4	
1/2	4,735.85	1/2	4,472.44	1/2	4,147.51	1/2	3,822.23	1/2	3,496.94	1/2	3,171.66	1/2	2,846.38	1/2	2,520.14	1/2	2,192.84	1/2	1,865.55	1/2	1,538.26	1/2	1,211.21	1/2	884.01	1/2	556.74	1/2	238.22	1/2	
3/4	4,734.68	3/4	4,465.70	3/4	4,140.73	3/4	3,815.45	3/4	3,490.17	3/4	3,164.89	3/4	2,839.60	3/4	2,513.32	3/4	2,186.02	3/4	1,858.73	3/4	1,531.44	3/4	1,204.40	3/4	877.19	3/4	549.92	3/4	232.00	3/4	
6	4,733.24	6	4,458.96	6	4,133.95	6	3,808.67	6	3,483.39	6	3,158.11	6	2,832.83	6	2,506.50	6	2,179.21	6	1,851.91	6	1,524.62	6	1,197.59	6	870.38	6	543.10	6	225.79	6	
1/4	4,731.51	1/4	4,452.22	1/4	4,127.18	1/4	3,801.90	1/4	3,476.61	1/4	3,151.33	1/4	2,826.05	1/4	2,499.68	1/4	2,172.39	1/4	1,845.09	1/4	1,517.80	1/4	1,190.78	1/4	863.56	1/4	536.28	1/4	219.60	1/4	
1/2	4,729.51	1/2	4,445.49	1/2	4,120.40	1/2	3,795.12	1/2	3,469.84	1/2	3,144.56	1/2	2,819.27	1/2	2,492.86	1/2	2,165.57	1/2	1,838.28	1/2	1,510.98	1/2	1,183.97	1/2	856.74	1/2	529.47	1/2	213.44	1/2	
3/4	4,727.23	3/4	4,438.75	3/4	4,113.62	3/4	3,788.34	3/4	3,463.06	3/4	3,137.78	3/4	2,812.50	3/4	2,486.04	3/4	2,158.75	3/4	1,831.46	3/4	1,504.16	3/4	1,177.16	3/4	849.92	3/4	522.65	3/4	207.29	3/4	
7	4,724.67	7	4,432.01	7	4,106.85	7	3,781.57	7	3,456.28	7	3,131.00	7	2,805.72	7	2,479.22	7	2,151.93	7	1,824.64	7	1,497.35	7	1,170.35	7	843.10	7	515.83	7	201.16	7	
1/4	4,721.84	1/4	4,425.27	1/4	4,100.07	1/4	3,774.79	1/4	3,449.51	1/4	3,124.23	1/4	2,798.94	1/4	2,472.41	1/4	2,145.11	1/4	1,817.82	1/4	1,490.53	1/4	1,163.54	1/4	836.28	1/4	509.01	1/4	195.05	1/4	
1/2	4,718.72	1/2	4,418.54	1/2	4,093.29	1/2	3,768.01	1/2	3,442.73	1/2	3,117.45	1/2	2,792.17	1/2	2,465.59	1/2	2,138.29	1/2	1,811.00	1/2	1,483.71	1/2	1,156.73	1/2	829.47	1/2	502.19	1/2	188.96	1/2	
3/4	4,715.33	3/4	4,411.80	3/4	4,086.52	3/4	3,761.24	3/4	3,435.95	3/4	3,110.67	3/4	2,785.39	3/4	2,458.77	3/4	2,131.48	3/4	1,804.18	3/4	1,476.89	3/4	1,149.92	3/4	822.65	3/4	495.38	3/4	182.88	3/4	
8	4,711.66	8	4,405.02	8	4,079.74	8	3,754.46	8	3,429.18	8	3,103.90	8	2,778.61	8	2,451.95	8	2,124.66	8	1,797.36	8	1,470.08	8	1,143.10	8	815.83	8	488.56	8	176.83	8	
1/4	4,707.72	1/4	4,398.25	1/4	4,072.96	1/4	3,747.68	1/4	3,422.40	1/4	3,097.12	1/4	2,771.84	1/4	2,445.13	1/4	2,117.84	1/4	1,790.55	1/4											



# BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

# 1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLON

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 3/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,626.62	0	4,303.94	0	3,978.93	0	3,653.66	0	3,328.39	0	3,003.12	0	2,677.85	0	2,350.41	0	2,022.97	0	1,695.54	0	1,368.29	0	1,041.30	0	713.88	0	386.85	0	88.55
1/4		1/4	4,620.03	1/4	4,297.17	1/4	3,972.16	1/4	3,646.89	1/4	3,321.61	1/4	2,996.34	1/4	2,671.02	1/4	2,343.59	1/4	2,016.15	1/4	1,688.71	1/4	1,361.49	1/4	1,034.48	1/4	707.06	1/4	380.18	1/4	82.83
1/2		1/2	4,613.42	1/2	4,290.40	1/2	3,965.38	1/2	3,640.11	1/2	3,314.84	1/2	2,989.56	1/2	2,664.20	1/2	2,336.77	1/2	2,009.33	1/2	1,681.89	1/2	1,354.68	1/2	1,027.65	1/2	700.24	1/2	373.54	1/2	77.14
3/4		3/4	4,606.81	3/4	4,283.63	3/4	3,958.60	3/4	3,633.33	3/4	3,308.06	3/4	2,982.79	3/4	2,657.38	3/4	2,329.94	3/4	2,002.51	3/4	1,675.07	3/4	1,347.87	3/4	1,020.83	3/4	693.42	3/4	366.91	3/4	71.48
1		1	4,600.19	1	4,276.86	1	3,951.83	1	3,626.56	1	3,301.28	1	2,976.01	1	2,650.56	1	2,323.12	1	1,995.69	1	1,668.25	1	1,341.06	1	1,014.01	1	686.59	1	360.29	1	65.84
1/4		1/4	4,593.57	1/4	4,270.09	1/4	3,945.05	1/4	3,619.78	1/4	3,294.51	1/4	2,969.24	1/4	2,643.74	1/4	2,316.30	1/4	1,988.86	1/4	1,661.43	1/4	1,334.25	1/4	1,007.19	1/4	679.77	1/4	353.70	1/4	60.23
1/2		1/2	4,586.94	1/2	4,263.32	1/2	3,938.27	1/2	3,613.00	1/2	3,287.73	1/2	2,962.46	1/2	2,636.92	1/2	2,309.48	1/2	1,982.04	1/2	1,654.61	1/2	1,327.44	1/2	1,000.37	1/2	672.95	1/2	347.13	1/2	54.65
3/4		3/4	4,580.30	3/4	4,256.55	3/4	3,931.50	3/4	3,606.23	3/4	3,280.95	3/4	2,955.68	3/4	2,630.09	3/4	2,302.66	3/4	1,975.22	3/4	1,647.78	3/4	1,320.64	3/4	993.55	3/4	666.13	3/4	340.58	3/4	49.09
2		2	4,573.66	2	4,249.78	2	3,924.72	2	3,599.45	2	3,274.18	2	2,948.91	2	2,623.27	2	2,295.84	2	1,968.40	2	1,640.96	2	1,313.83	2	986.73	2	659.31	2	334.04	2	43.59
1/4		1/4	4,567.01	1/4	4,243.01	1/4	3,917.95	1/4	3,592.67	1/4	3,267.40	1/4	2,942.13	1/4	2,616.45	1/4	2,289.01	1/4	1,961.58	1/4	1,634.14	1/4	1,307.02	1/4	979.91	1/4	652.49	1/4	327.53	1/4	38.29
1/2		1/2	4,560.36	1/2	4,236.24	1/2	3,911.17	1/2	3,585.90	1/2	3,260.62	1/2	2,935.35	1/2	2,609.63	1/2	2,282.19	1/2	1,954.76	1/2	1,627.32	1/2	1,300.21	1/2	973.08	1/2	645.67	1/2	321.03	1/2	33.35
3/4		3/4	4,553.70	3/4	4,229.47	3/4	3,904.39	3/4	3,579.12	3/4	3,253.85	3/4	2,928.58	3/4	2,602.81	3/4	2,275.37	3/4	1,947.93	3/4	1,620.50	3/4	1,293.40	3/4	966.26	3/4	638.85	3/4	314.56	3/4	28.76
3		3	4,547.03	3	4,222.70	3	3,897.62	3	3,572.34	3	3,247.07	3	2,921.80	3	2,595.99	3	2,268.55	3	1,941.11	3	1,613.68	3	1,286.60	3	959.44	3	632.02	3	308.10	3	24.53
1/4		1/4	4,540.35	1/4	4,215.93	1/4	3,890.84	1/4	3,565.57	1/4	3,240.30	1/4	2,915.02	1/4	2,589.16	1/4	2,261.73	1/4	1,934.29	1/4	1,606.85	1/4	1,279.79	1/4	952.62	1/4	625.20	1/4	301.66	1/4	20.65
1/2		1/2	4,533.67	1/2	4,209.16	1/2	3,884.06	1/2	3,558.79	1/2	3,233.52	1/2	2,908.25	1/2	2,582.34	1/2	2,254.91	1/2	1,927.47	1/2	1,600.03	1/2	1,272.98	1/2	945.80	1/2	618.38	1/2	295.24	1/2	17.12
3/4		3/4	4,526.99	3/4	4,202.39	3/4	3,877.29	3/4	3,552.01	3/4	3,226.74	3/4	2,901.47	3/4	2,575.52	3/4	2,248.08	3/4	1,920.65	3/4	1,593.21	3/4	1,266.17	3/4	938.98	3/4	611.56	3/4	288.84	3/4	13.94
4		4	4,520.29	4	4,195.62	4	3,870.51	4	3,545.24	4	3,219.97	4	2,894.69	4	2,568.70	4	2,241.26	4	1,913.83	4	1,586.39	4	1,259.36	4	932.16	4	604.74	4	282.46	4	
1/4		1/4	4,513.60	1/4	4,188.85	1/4	3,863.73	1/4	3,538.46	1/4	3,213.19	1/4	2,887.92	1/4	2,561.88	1/4	2,234.44	1/4	1,907.00	1/4	1,579.57	1/4	1,252.55	1/4	925.34	1/4	597.92	1/4	276.10	1/4	
1/2		1/2	4,506.89	1/2	4,182.08	1/2	3,856.96	1/2	3,531.68	1/2	3,206.41	1/2	2,881.14	1/2	2,555.06	1/2	2,227.62	1/2	1,900.18	1/2	1,572.75	1/2	1,245.75	1/2	918.52	1/2	591.10	1/2	269.76	1/2	
3/4		3/4	4,500.18	3/4	4,175.31	3/4	3,850.18	3/4	3,524.91	3/4	3,199.64	3/4	2,874.36	3/4	2,548.24	3/4	2,220.80	3/4	1,893.36	3/4	1,565.92	3/4	1,238.94	3/4	911.69	3/4	584.28	3/4	263.43	3/4	
5	4,738.43	5	4,493.46	5	4,168.54	5	3,843.40	5	3,518.13	5	3,192.86	5	2,867.59	5	2,541.41	5	2,213.98	5	1,886.54	5	1,559.10	5	1,232.13	5	904.87	5	577.46	5	257.13	5	
1/4	4,738.09	1/4	4,486.69	1/4	4,161.77	1/4	3,836.63	1/4	3,511.36	1/4	3,186.08	1/4	2,860.81	1/4	2,534.59	1/4	2,207.16	1/4	1,879.72	1/4	1,552.28	1/4	1,225.32	1/4	898.05	1/4	570.63	1/4	250.84	1/4	
1/2	4,737.48	1/2	4,479.93	1/2	4,155.00	1/2	3,829.85	1/2	3,504.58	1/2	3,179.31	1/2	2,854.03	1/2	2,527.77	1/2	2,200.33	1/2	1,872.90	1/2	1,545.46	1/2	1,218.51	1/2	891.23	1/2	563.81	1/2	244.58	1/2	
3/4	4,736.59	3/4	4,473.16	3/4	4,148.23	3/4	3,823.07	3/4	3,497.80	3/4	3,172.53	3/4	2,847.26	3/4	2,520.95	3/4	2,193.51	3/4	1,866.08	3/4	1,538.64	3/4	1,211.71	3/4	884.41	3/4	556.99	3/4	238.33	3/4	
6	4,735.42	6	4,466.39	6	4,141.46	6	3,816.30	6	3,491.03	6	3,165.75	6	2,840.48	6	2,514.13	6	2,186.69	6	1,859.25	6	1,531.82	6	1,204.90	6	877.59	6	550.17	6	232.10	6	
1/4	4,733.97	1/4	4,459.63	1/4	4,134.69	1/4	3,809.52	1/4	3,484.25	1/4	3,158.98	1/4	2,833.71	1/4	2,507.31	1/4	2,179.87	1/4	1,852.43	1/4	1,525.00	1/4	1,198.09	1/4	870.77	1/4	543.35	1/4	225.90	1/4	
1/2	4,732.25	1/2	4,452.86	1/2	4,127.92	1/2	3,802.74	1/2	3,477.47	1/2	3,152.20	1/2	2,826.93	1/2	2,500.48	1/2	2,173.05	1/2	1,845.61	1/2	1,518.18	1/2	1,191.28	1/2	863.95	1/2	536.53	1/2	219.71	1/2	
3/4	4,730.24	3/4	4,446.10	3/4	4,121.15	3/4	3,795.97	3/4	3,470.70	3/4	3,145.42	3/4	2,820.15	3/4	2,493.66	3/4	2,166.23	3/4	1,838.79	3/4	1,511.36	3/4	1,184.47	3/4	857.12	3/4	529.71	3/4	213.54	3/4	
7	4,727.96	7	4,439.33	7	4,114.38	7	3,789.19	7	3,463.92	7	3,138.65	7	2,813.38	7	2,486.84	7	2,159.40	7	1,831.97	7	1,504.54	7	1,177.66	7	850.30	7	522.89	7	207.38	7	
1/4	4,725.40	1/4	4,432.56	1/4	4,107.61	1/4	3,782.42	1/4	3,457.14	1/4	3,131.87	1/4	2,806.60	1/4	2,480.02	1/4	2,152.58	1/4	1,825.15	1/4	1,497.72	1/4	1,170.86	1/4	843.48	1/4	516.07	1/4	201.25	1/4	
1/2	4,722.57	1/2	4,425.80	1/2	4,100.84	1/2	3,775.64	1/2	3,450.37	1/2	3,125.09	1/2	2,799.82	1/2	2,473.20	1/2	2,145.76	1/2	1,818.32	1/2	1,490.91	1/2	1,164.05	1/2	836.66	1/2	509.24	1/2	195.14	1/2	
3/4	4,719.45	3/4	4,419.03	3/4	4,094.06	3/4	3,768.86	3/4	3,443.59	3/4	3,118.32	3/4	2,793.05	3/4	2,466.38	3/4	2,138.94	3/4	1,811.50	3/4	1,484.09	3/4	1,157.24	3/4	829.84	3/4	502.42	3/4	189.05	3/4	
8	4,716.06	8	4,412.26	8	4,087.29	8	3,762.09	8	3,436.81	8	3,111.54	8	2,786.27	8	2,459.55	8	2,132.12	8	1,804.68	8	1,477.27	8	1,150.43	8	823.02	8	495.60	8	182.97	8	
1/4	4,712.39	1/4	4,405.49	1/4	4,080.52	1/4	3,755.31	1/4	3,430.04	1/4	3,104.77	1/4	2,779.49	1/4	2,452.73	1/4	2,125.30	1/4	1,797.86	1/4	1,470.46	1/4	1,143.61	1/4	816.20	1/4	488.78	1/4	176.92	1/4	
1/2	4,708.44	1/2	4,398.72	1/2	4,073.75	1/2	3,748.53	1/2	3,423.26	1/2	3,097.99	1/2	2,772.72	1/2	2,445.91	1/2	2,118.47	1/2	1,791.04	1/2	1,463.65	1/2	1,136.79	1/2	809.38	1/2	481.96	1/2	170.88	1/2	
3/4	4,704.21	3/4	4,391.95	3/4	4,066.98	3/4	3,741.76	3/4	3,416.48	3/4	3,091.21	3/4	2,765.94	3/4	2,439.09	3/4	2,111.65	3/4	1,784.22	3/4	1,456.84	3/4	1,129.97	3/4	802.55	3/4	475.14	3/4	164.86	3/4	
9	4,699.71	9	4,385.18	9	4,060.21	9	3,734.98	9	3,409.71	9	3,084.44	9	2,759.16	9	2,432.27	9	2,104.83	9	1,777.39	9	1,450.03	9	1,123.15	9	795.73	9	468.32	9	158.87	9	



# BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

# 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLON

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/2"

	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
<b>0</b>	<b>0</b>	5,006.25	4,660.28	4,312.30	3,962.70	3,612.96	3,263.21	2,913.46	2,563.61	2,213.77	1,863.92	1,514.07	1,164.22	814.57	464.79	115.18
1/4	1/4	4,999.19	4,653.03	4,305.05	3,955.42	3,605.67	3,255.92	2,906.17	2,556.33	2,206.48	1,856.63	1,506.78	1,156.93	807.29	457.50	107.93
1/2	1/2	4,992.12	4,645.79	4,297.80	3,948.13	3,598.38	3,248.64	2,898.89	2,549.04	2,199.19	1,849.34	1,499.49	1,149.65	800.01	450.22	100.70
3/4	3/4	4,985.05	4,638.54	4,290.55	3,940.84	3,591.10	3,241.35	2,891.60	2,541.75	2,191.90	1,842.05	1,492.20	1,142.36	792.73	442.93	93.47
<b>1</b>	<b>1</b>	4,977.97	4,631.29	4,283.31	3,933.56	3,583.81	3,234.06	2,884.31	2,534.46	2,184.61	1,834.76	1,484.92	1,135.07	785.44	435.64	86.25
1/4	1/4	4,970.88	4,624.04	4,276.02	3,926.27	3,576.52	3,226.78	2,877.02	2,527.17	2,177.32	1,827.48	1,477.63	1,127.78	778.16	428.35	79.04
1/2	1/2	4,963.79	4,616.79	4,268.73	3,918.99	3,569.24	3,219.49	2,869.73	2,519.88	2,170.04	1,820.19	1,470.34	1,120.49	770.88	421.06	71.84
3/4	3/4	4,956.69	4,609.54	4,261.45	3,911.70	3,561.95	3,212.20	2,862.44	2,512.59	2,162.75	1,812.90	1,463.05	1,113.20	763.59	413.78	64.66
<b>2</b>	<b>2</b>	4,949.59	4,602.29	4,254.16	3,904.41	3,554.67	3,204.92	2,855.15	2,505.31	2,155.46	1,805.61	1,455.76	1,105.91	756.31	406.49	57.51
1/4	1/4	4,942.47	4,595.04	4,246.87	3,897.13	3,547.38	3,197.63	2,847.87	2,498.02	2,148.17	1,798.32	1,448.47	1,098.63	749.02	399.20	50.61
1/2	1/2	4,935.35	4,587.79	4,239.59	3,889.84	3,540.09	3,190.35	2,840.58	2,490.73	2,140.88	1,791.03	1,441.19	1,091.34	741.74	391.91	44.15
3/4	3/4	4,928.23	4,580.54	4,232.30	3,882.55	3,532.81	3,183.06	2,833.29	2,483.44	2,133.59	1,783.74	1,433.90	1,084.05	734.45	384.62	38.14
<b>3</b>	<b>3</b>	4,921.04	4,573.29	4,225.01	3,875.27	3,525.52	3,175.77	2,826.00	2,476.15	2,126.30	1,776.46	1,426.61	1,076.77	727.16	377.34	32.58
1/4	1/4	4,913.85	4,566.04	4,217.73	3,867.98	3,518.23	3,168.49	2,818.71	2,468.86	2,119.02	1,769.17	1,419.32	1,069.48	719.87	370.05	27.45
1/2	1/2	4,906.64	4,558.79	4,210.44	3,860.69	3,510.95	3,161.20	2,811.42	2,461.58	2,111.73	1,761.88	1,412.03	1,062.19	712.58	362.76	22.78
3/4	3/4	4,899.44	4,551.54	4,203.15	3,853.41	3,503.66	3,153.91	2,804.13	2,454.29	2,104.44	1,754.59	1,404.74	1,054.91	705.30	355.47	17.44
<b>4</b>	<b>4</b>	4,892.22	4,544.29	4,195.87	3,846.12	3,496.37	3,146.63	2,796.85	2,447.00	2,097.15	1,747.30	1,397.45	1,047.62	698.01	348.18	12.71
1/4	1/4	4,885.00	4,537.04	4,188.58	3,838.83	3,489.09	3,139.34	2,789.56	2,439.71	2,089.86	1,740.01	1,390.17	1,040.34	690.72	340.90	7.46
1/2	1/2	4,877.77	4,529.79	4,181.30	3,831.55	3,481.80	3,132.05	2,782.27	2,432.42	2,082.57	1,732.73	1,382.88	1,033.05	683.43	333.61	2.21
3/4	3/4	4,870.54	4,522.54	4,174.01	3,824.26	3,474.51	3,124.77	2,774.98	2,425.13	2,075.28	1,725.44	1,375.59	1,025.77	676.14	326.32	0.00
<b>5</b>	5,124.71	<b>5</b>	4,863.30	<b>5</b>	4,515.29	<b>5</b>	4,166.72	<b>5</b>	3,816.98	<b>5</b>	3,467.23	<b>5</b>	3,117.48	<b>5</b>	2,767.69	<b>5</b>
1/4	5,124.36	1/4	4,856.05	1/4	4,508.04	1/4	4,159.44	1/4	3,809.69	1/4	3,459.94	1/4	3,110.19	1/4	2,760.40	1/4
1/2	5,123.71	1/2	4,848.80	1/2	4,500.79	1/2	4,152.15	1/2	3,802.40	1/2	3,452.66	1/2	3,102.91	1/2	2,753.12	1/2
3/4	5,122.76	3/4	4,841.54	3/4	4,493.54	3/4	4,144.86	3/4	3,795.12	3/4	3,445.37	3/4	3,095.62	3/4	2,745.83	3/4
<b>6</b>	5,121.52	<b>6</b>	4,834.29	<b>6</b>	4,486.29	<b>6</b>	4,137.58	<b>6</b>	3,787.83	<b>6</b>	3,438.08	<b>6</b>	3,088.34	<b>6</b>	2,738.54	<b>6</b>
1/4	5,119.97	1/4	4,827.04	1/4	4,479.04	1/4	4,130.29	1/4	3,780.54	1/4	3,430.80	1/4	3,081.05	1/4	2,731.25	1/4
1/2	5,118.13	1/2	4,819.79	1/2	4,471.79	1/2	4,123.00	1/2	3,773.26	1/2	3,423.51	1/2	3,073.76	1/2	2,723.96	1/2
3/4	5,116.00	3/4	4,812.54	3/4	4,464.55	3/4	4,115.72	3/4	3,765.97	3/4	3,416.22	3/4	3,066.48	3/4	2,716.67	3/4
<b>7</b>	5,113.57	<b>7</b>	4,805.29	<b>7</b>	4,457.30	<b>7</b>	4,108.43	<b>7</b>	3,758.68	<b>7</b>	3,408.94	<b>7</b>	3,059.19	<b>7</b>	2,709.38	<b>7</b>
1/4	5,110.84	1/4	4,798.03	1/4	4,450.05	1/4	4,101.15	1/4	3,751.40	1/4	3,401.65	1/4	3,051.90	1/4	2,702.10	1/4
1/2	5,107.81	1/2	4,790.78	1/2	4,442.80	1/2	4,093.86	1/2	3,744.11	1/2	3,394.36	1/2	3,044.62	1/2	2,694.81	1/2
3/4	5,104.49	3/4	4,783.53	3/4	4,435.55	3/4	4,086.57	3/4	3,736.83	3/4	3,387.08	3/4	3,037.33	3/4	2,687.52	3/4
<b>8</b>	5,100.87	<b>8</b>	4,776.28	<b>8</b>	4,428.30	<b>8</b>	4,079.29	<b>8</b>	3,729.54	<b>8</b>	3,379.79	<b>8</b>	3,030.04	<b>8</b>	2,680.23	<b>8</b>
1/4	5,096.95	1/4	4,769.03	1/4	4,421.05	1/4	4,072.00	1/4	3,722.25	1/4	3,372.51	1/4	3,022.76	1/4	2,672.94	1/4
1/2	5,092.73	1/2	4,761.78	1/2	4,413.80	1/2	4,064.71	1/2	3,714.97	1/2	3,365.22	1/2	3,015.47	1/2	2,665.65	1/2
3/4	5,088.22	3/4	4,754.53	3/4	4,406.55	3/4	4,057.43	3/4	3,707.68	3/4	3,357.93	3/4	3,008.19	3/4	2,658.36	3/4
<b>9</b>	5,083.41	<b>9</b>	4,747.28	<b>9</b>	4,399.30	<b>9</b>	4,050.14	<b>9</b>	3,700.39	<b>9</b>	3,350.65	<b>9</b>	3,000.90	<b>9</b>	2,651.08	<b>9</b>
1/4	5,078.31	1/4	4,740.03	1/4	4,392.05	1/4	4,042.85	1/4	3,693.11	1/4	3,343.36	1/4	2,993.61	1/4	2,643.79	1/4
1/2	5,072.91	1/2	4,732.78	1/2	4,384.80	1/2	4,035.57	1/2	3,685.82	1/2	3,336.07	1/2	2,986.33	1/2	2,636.50	1/2
3/4	5,067.21	3/4	4,725.53	3/4	4,377.55	3/4	4,028.28	3/4	3,678.53	3/4	3,328.79	3/4	2,979.04	3/4	2,629.21	3/4
<b>10</b>	5,061.21	<b>10</b>	4,718.28	<b>10</b>	4,370.30	<b>10</b>	4,020.99	<b>10</b>	3,671.25	<b>10</b>	3,321.50	<b>10</b>	2,971.75	<b>10</b>	2,621.92	<b>10</b>
1/4	5,054.92	1/4	4,711.03	1/4	4,363.05	1/4	4,013.71	1/4	3,663.96	1/4	3,314.21	1/4	2,964.47	1/4	2,614.63	1/4
1/2	5,048.33	1/2	4,703.78	1/2	4,355.80	1/2	4,006.42	1/2	3,656.67	1/2	3,306.93	1/2	2,957.18	1/2	2,607.35	1/2
3/4	5,041.44	3/4	4,696.53	3/4	4,348.55	3/4	3,999.14	3/4	3,649.39	3/4	3,299.64	3/4	2,949.89	3/4	2,600.06	3/4
<b>11</b>	5,034.41	<b>11</b>	4,689.28	<b>11</b>	4,341.30	<b>11</b>	3,991.85	<b>11</b>	3,642.10	<b>11</b>	3,292.35	<b>11</b>	2,942.61	<b>11</b>	2,592.77	<b>11</b>
1/4	5,027.38	1/4	4,682.03	1/4	4,334.05	1/4	3,984.56	1/4	3,634.82	1/4	3,285.07	1/4	2,935.32	1/4	2,585.48	1/4
1/2	5,020.34	1/2	4,674.78	1/2	4,326.80	1/2	3,977.28	1/2	3,627.53	1/2	3,277.78	1/2	2,928.03	1/2	2,578.19	1/2
3/4	5,013.30	3/4	4,667.53	3/4	4,319.55	3/4	3,969.99	3/4	3,620.24	3/4	3,270.50	3/4	2,920.75	3/4	2,570.90	3/4

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE  
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK - TRIM CORRECTION NOT REQUIRED.  
 NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL  
 NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2:

DATE STRAPPED: 7/31/2013 BY: JMF  
 DATE COMPUTED: 8/03/2013 BY: WHF  
 DATE ISSUED: 8/5/2013

INTERTEK - CALEB BRETT





# BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

# 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLON

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	5,001.12	0	4,655.42	0	4,307.69	0	3,958.35	0	3,608.85	0	3,259.36	0	2,909.87	0	2,560.27	0	2,210.67	0	1,861.07	0	1,511.47	0	1,161.88	0	813.43	0	464.28	0	115.04
1/4		1/4	4,994.07	1/4	4,648.17	1/4	4,300.45	1/4	3,951.06	1/4	3,601.57	1/4	3,252.08	1/4	2,902.58	1/4	2,552.99	1/4	2,203.39	1/4	1,853.79	1/4	1,504.19	1/4	1,154.59	1/4	806.17	1/4	457.00	1/4	107.80
1/2		1/2	4,987.01	1/2	4,640.93	1/2	4,293.20	1/2	3,943.78	1/2	3,594.29	1/2	3,244.80	1/2	2,895.30	1/2	2,545.70	1/2	2,196.10	1/2	1,846.51	1/2	1,496.91	1/2	1,147.31	1/2	798.92	1/2	449.72	1/2	100.57
3/4		3/4	4,979.94	3/4	4,633.69	3/4	4,285.96	3/4	3,936.50	3/4	3,587.01	3/4	3,237.52	3/4	2,888.02	3/4	2,538.42	3/4	2,188.82	3/4	1,839.22	3/4	1,489.62	3/4	1,140.03	3/4	791.67	3/4	442.44	3/4	93.35
1		1	4,972.87	1	4,626.44	1	4,278.71	1	3,929.22	1	3,579.73	1	3,230.24	1	2,880.73	1	2,531.14	1	2,181.54	1	1,831.94	1	1,482.34	1	1,132.74	1	784.41	1	435.16	1	86.14
1/4		1/4	4,965.79	1/4	4,619.20	1/4	4,271.43	1/4	3,921.94	1/4	3,572.45	1/4	3,222.95	1/4	2,873.45	1/4	2,523.85	1/4	2,174.25	1/4	1,824.66	1/4	1,475.06	1/4	1,125.46	1/4	777.16	1/4	427.88	1/4	78.94
1/2		1/2	4,958.70	1/2	4,611.95	1/2	4,264.15	1/2	3,914.66	1/2	3,565.17	1/2	3,215.67	1/2	2,866.17	1/2	2,516.57	1/2	2,166.97	1/2	1,817.37	1/2	1,467.77	1/2	1,118.18	1/2	769.90	1/2	420.60	1/2	71.75
3/4		3/4	4,951.61	3/4	4,604.71	3/4	4,256.87	3/4	3,907.38	3/4	3,557.89	3/4	3,208.39	3/4	2,858.88	3/4	2,509.29	3/4	2,159.69	3/4	1,810.09	3/4	1,460.49	3/4	1,110.89	3/4	762.65	3/4	413.32	3/4	64.58
2		2	4,944.51	2	4,597.46	2	4,249.59	2	3,900.10	2	3,550.60	2	3,201.11	2	2,851.60	2	2,502.00	2	2,152.40	2	1,802.81	2	1,453.21	2	1,103.61	2	755.39	2	406.04	2	57.43
1/4		1/4	4,937.40	1/4	4,590.22	1/4	4,242.31	1/4	3,892.82	1/4	3,543.32	1/4	3,193.83	1/4	2,844.32	1/4	2,494.72	1/4	2,145.12	1/4	1,795.52	1/4	1,445.92	1/4	1,096.35	1/4	748.14	1/4	398.76	1/4	50.54
1/2		1/2	4,930.29	1/2	4,582.97	1/2	4,235.03	1/2	3,885.53	1/2	3,536.04	1/2	3,186.55	1/2	2,837.05	1/2	2,487.44	1/2	2,137.84	1/2	1,788.24	1/2	1,438.64	1/2	1,089.10	1/2	740.88	1/2	391.48	1/2	44.09
3/4		3/4	4,923.16	3/4	4,575.73	3/4	4,227.75	3/4	3,878.25	3/4	3,528.76	3/4	3,179.27	3/4	2,829.75	3/4	2,480.15	3/4	2,130.55	3/4	1,780.96	3/4	1,431.36	3/4	1,081.85	3/4	733.63	3/4	384.20	3/4	38.08
3		3	4,915.98	3	4,568.49	3	4,220.47	3	3,870.97	3	3,521.48	3	3,171.99	3	2,822.47	3	2,472.87	3	2,123.27	3	1,773.67	3	1,424.07	3	1,074.59	3	726.38	3	376.92	3	32.52
1/4		1/4	4,908.79	1/4	4,561.24	1/4	4,213.18	1/4	3,863.69	1/4	3,514.20	1/4	3,164.71	1/4	2,815.18	1/4	2,465.59	1/4	2,115.99	1/4	1,766.39	1/4	1,416.79	1/4	1,067.34	1/4	719.09	1/4	369.64	1/4	27.41
1/2		1/2	4,901.60	1/2	4,554.00	1/2	4,205.90	1/2	3,856.41	1/2	3,506.92	1/2	3,157.42	1/2	2,807.90	1/2	2,458.30	1/2	2,108.70	1/2	1,759.11	1/2	1,409.51	1/2	1,060.08	1/2	711.81	1/2	362.36	1/2	27.41
3/4		3/4	4,894.40	3/4	4,546.75	3/4	4,198.62	3/4	3,849.13	3/4	3,499.64	3/4	3,150.14	3/4	2,800.62	3/4	2,451.02	3/4	2,101.42	3/4	1,751.82	3/4	1,402.22	3/4	1,052.83	3/4	704.53	3/4	355.08	3/4	27.41
4		4	4,887.19	4	4,539.51	4	4,191.34	4	3,841.85	4	3,492.36	4	3,142.86	4	2,793.33	4	2,443.74	4	2,094.14	4	1,744.54	4	1,394.94	4	1,045.57	4	697.25	4	347.80	4	
1/4		1/4	4,879.97	1/4	4,532.26	1/4	4,184.06	1/4	3,834.57	1/4	3,485.07	1/4	3,135.58	1/4	2,786.05	1/4	2,436.45	1/4	2,086.85	1/4	1,737.26	1/4	1,387.66	1/4	1,038.32	1/4	689.97	1/4	340.52	1/4	
1/2		1/2	4,872.75	1/2	4,525.02	1/2	4,176.78	1/2	3,827.29	1/2	3,477.79	1/2	3,128.30	1/2	2,778.77	1/2	2,429.17	1/2	2,079.57	1/2	1,729.97	1/2	1,380.37	1/2	1,031.06	1/2	682.69	1/2	333.24	1/2	
3/4		3/4	4,865.52	3/4	4,517.78	3/4	4,169.50	3/4	3,820.01	3/4	3,470.51	3/4	3,121.02	3/4	2,771.48	3/4	2,421.89	3/4	2,072.29	3/4	1,722.69	3/4	1,373.09	3/4	1,023.81	3/4	675.41	3/4	325.96	3/4	
5	5,119.50	5	4,858.28	5	4,510.53	5	4,162.22	5	3,812.72	5	3,463.23	5	3,113.74	5	2,764.20	5	2,414.60	5	2,065.00	5	1,715.41	5	1,365.81	5	1,016.56	5	668.13	5	318.68	5	
1/4	5,119.15	1/4	4,851.04	1/4	4,503.29	1/4	4,154.94	1/4	3,805.44	1/4	3,455.95	1/4	3,106.46	1/4	2,756.92	1/4	2,407.32	1/4	2,057.72	1/4	1,708.12	1/4	1,358.52	1/4	1,009.30	1/4	660.85	1/4	311.40	1/4	
1/2	5,118.50	1/2	4,843.79	1/2	4,496.04	1/2	4,147.65	1/2	3,798.16	1/2	3,448.67	1/2	3,099.18	1/2	2,749.63	1/2	2,400.04	1/2	2,050.44	1/2	1,700.84	1/2	1,351.24	1/2	1,002.05	1/2	653.57	1/2	304.12	1/2	
3/4	5,117.55	3/4	4,836.55	3/4	4,488.80	3/4	4,140.37	3/4	3,790.88	3/4	3,441.39	3/4	3,091.90	3/4	2,742.35	3/4	2,392.75	3/4	2,043.15	3/4	1,693.56	3/4	1,343.96	3/4	994.79	3/4	646.29	3/4	296.84	3/4	
6	5,116.30	6	4,829.30	6	4,481.55	6	4,133.09	6	3,783.60	6	3,434.11	6	3,084.61	6	2,735.07	6	2,385.47	6	2,035.87	6	1,686.27	6	1,336.67	6	987.54	6	639.01	6	289.56	6	
1/4	5,114.76	1/4	4,822.05	1/4	4,474.31	1/4	4,125.81	1/4	3,776.32	1/4	3,426.83	1/4	3,077.33	1/4	2,727.79	1/4	2,378.19	1/4	2,028.59	1/4	1,678.99	1/4	1,329.39	1/4	980.28	1/4	631.73	1/4	282.28	1/4	
1/2	5,112.93	1/2	4,814.81	1/2	4,467.07	1/2	4,118.53	1/2	3,769.04	1/2	3,419.54	1/2	3,070.05	1/2	2,720.50	1/2	2,370.90	1/2	2,021.30	1/2	1,671.71	1/2	1,322.11	1/2	973.03	1/2	624.45	1/2	275.00	1/2	
3/4	5,110.79	3/4	4,807.56	3/4	4,459.82	3/4	4,111.25	3/4	3,761.76	3/4	3,412.26	3/4	3,062.77	3/4	2,713.22	3/4	2,363.62	3/4	2,014.02	3/4	1,664.42	3/4	1,314.82	3/4	965.77	3/4	617.17	3/4	267.72	3/4	
7	5,108.36	7	4,800.31	7	4,452.58	7	4,103.97	7	3,754.48	7	3,404.98	7	3,055.49	7	2,705.94	7	2,356.34	7	2,006.74	7	1,657.14	7	1,307.54	7	958.52	7	609.89	7	260.44	7	
1/4	5,105.63	1/4	4,793.07	1/4	4,445.33	1/4	4,096.69	1/4	3,747.19	1/4	3,397.70	1/4	3,048.21	1/4	2,698.65	1/4	2,349.05	1/4	1,999.46	1/4	1,649.86	1/4	1,300.26	1/4	951.26	1/4	602.61	1/4	253.16	1/4	
1/2	5,102.61	1/2	4,785.82	1/2	4,438.09	1/2	4,089.41	1/2	3,739.91	1/2	3,390.42	1/2	3,040.93	1/2	2,691.37	1/2	2,341.77	1/2	1,992.17	1/2	1,642.57	1/2	1,292.97	1/2	944.01	1/2	595.33	1/2	245.88	1/2	
3/4	5,099.29	3/4	4,778.57	3/4	4,430.84	3/4	4,082.12	3/4	3,732.63	3/4	3,383.14	3/4	3,033.65	3/4	2,684.09	3/4	2,334.49	3/4	1,984.89	3/4	1,635.29	3/4	1,285.69	3/4	936.76	3/4	588.05	3/4	238.60	3/4	
8	5,095.67	8	4,771.33	8	4,423.60	8	4,074.84	8	3,725.35	8	3,375.86	8	3,026.37	8	2,676.80	8	2,327.20	8	1,977.61	8	1,628.01	8	1,278.41	8	929.50	8	580.77	8	231.31	8	
1/4	5,091.76	1/4	4,764.08	1/4	4,416.36	1/4	4,067.56	1/4	3,718.07	1/4	3,368.58	1/4	3,019.08	1/4	2,669.52	1/4	2,319.92														



# BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

# 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLON

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGH 16' 2 3/4"

1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
0		0	4,503.10	0	4,263.52	0	4,022.41	0	3,781.29	0	3,540.18	0	3,254.61	0	2,905.20	0	2,555.58	0	2,205.75	0	1,855.88	0	1,506.03	0	1,156.20	0	806.96	0	457.25	0	107.72		
1/4		1/4	4,498.22	1/4	4,258.50	1/4	4,017.38	1/4	3,776.27	1/4	3,535.16	1/4	3,247.33	1/4	2,897.92	1/4	2,548.30	1/4	2,198.46	1/4	1,848.60	1/4	1,498.74	1/4	1,148.91	1/4	799.68	1/4	449.97	1/4	100.48		
1/2		1/2	4,493.34	1/2	4,253.47	1/2	4,012.36	1/2	3,771.25	1/2	3,530.13	1/2	3,240.05	1/2	2,890.63	1/2	2,541.02	1/2	2,191.17	1/2	1,841.31	1/2	1,491.46	1/2	1,141.62	1/2	792.41	1/2	442.68	1/2	93.25		
3/4		3/4	4,488.44	3/4	4,248.45	3/4	4,007.34	3/4	3,766.22	3/4	3,525.11	3/4	3,232.77	3/4	2,883.35	3/4	2,533.73	3/4	2,183.88	3/4	1,834.02	3/4	1,484.17	3/4	1,134.33	3/4	785.13	3/4	435.39	3/4	86.03		
1		1	4,483.55	1	4,243.43	1	4,002.31	1	3,761.20	1	3,520.09	1	3,225.49	1	2,876.07	1	2,526.45	1	2,176.59	1	1,826.73	1	1,476.88	1	1,127.04	1	777.86	1	428.10	1	78.82		
1/4		1/4	4,478.65	1/4	4,238.40	1/4	3,997.29	1/4	3,756.18	1/4	3,515.06	1/4	3,218.21	1/4	2,868.78	1/4	2,519.16	1/4	2,169.30	1/4	1,819.44	1/4	1,469.59	1/4	1,119.75	1/4	770.58	1/4	420.82	1/4	71.63		
1/2		1/2	4,473.74	1/2	4,233.38	1/2	3,992.27	1/2	3,751.15	1/2	3,510.04	1/2	3,210.94	1/2	2,861.50	1/2	2,511.88	1/2	2,162.01	1/2	1,812.15	1/2	1,462.30	1/2	1,112.46	1/2	763.31	1/2	413.53	1/2	64.45		
3/4		3/4	4,468.83	3/4	4,228.36	3/4	3,987.24	3/4	3,746.13	3/4	3,505.02	3/4	3,203.66	3/4	2,854.21	3/4	2,504.59	3/4	2,154.72	3/4	1,804.86	3/4	1,455.01	3/4	1,105.18	3/4	756.03	3/4	406.24	3/4	57.30		
2		2	4,463.92	2	4,223.33	2	3,982.22	2	3,741.11	2	3,499.99	2	3,196.38	2	2,846.93	2	2,497.30	2	2,147.44	2	1,797.58	2	1,447.73	2	1,097.90	2	748.74	2	398.96	2	50.40		
1/4		1/4	4,459.00	1/4	4,218.31	1/4	3,977.20	1/4	3,736.08	1/4	3,494.97	1/4	3,189.10	1/4	2,839.65	1/4	2,490.01	1/4	2,140.15	1/4	1,790.29	1/4	1,440.44	1/4	1,090.62	1/4	741.46	1/4	391.67	1/4	43.94		
1/2		1/2	4,454.08	1/2	4,213.29	1/2	3,972.17	1/2	3,731.06	1/2	3,489.95	1/2	3,181.82	1/2	2,832.36	1/2	2,482.73	1/2	2,132.86	1/2	1,783.00	1/2	1,433.15	1/2	1,083.34	1/2	734.17	1/2	384.38	1/2	37.93		
3/4		3/4	4,449.15	3/4	4,208.26	3/4	3,967.15	3/4	3,726.04	3/4	3,484.90	3/4	3,174.54	3/4	2,825.08	3/4	2,475.44	3/4	2,125.57	3/4	1,775.71	3/4	1,425.86	3/4	1,076.07	3/4	726.88	3/4	377.09	3/4	32.36		
3		3	4,444.22	3	4,203.24	3	3,962.13	3	3,721.01	3	3,479.86	3	3,167.26	3	2,817.80	3	2,468.15	3	2,118.28	3	1,768.42	3	1,418.57	3	1,068.79	3	719.60	3	369.81	3			
1/4		1/4	4,439.28	1/4	4,198.22	1/4	3,957.10	1/4	3,715.99	1/4	3,474.81	1/4	3,159.98	1/4	2,810.51	1/4	2,460.86	1/4	2,110.99	1/4	1,761.13	1/4	1,411.28	1/4	1,061.51	1/4	712.31	1/4	362.52	1/4			
1/2		1/2	4,434.33	1/2	4,193.19	1/2	3,952.08	1/2	3,710.97	1/2	3,469.76	1/2	3,152.70	1/2	2,803.23	1/2	2,453.57	1/2	2,103.70	1/2	1,753.84	1/2	1,403.99	1/2	1,054.23	1/2	705.02	1/2	355.23	1/2			
3/4		3/4	4,429.33	3/4	4,188.17	3/4	3,947.06	3/4	3,705.94	3/4	3,464.72	3/4	3,145.42	3/4	2,795.95	3/4	2,446.28	3/4	2,096.41	3/4	1,746.56	3/4	1,396.71	3/4	1,046.95	3/4	697.74	3/4	347.94	3/4			
4		4	4,424.31	4	4,183.15	4	3,942.03	4	3,700.92	4	3,459.67	4	3,138.14	4	2,788.66	4	2,438.99	4	2,089.12	4	1,739.27	4	1,389.42	4	1,039.68	4	690.45	4	340.66	4			
1/4		1/4	4,419.29	1/4	4,178.13	1/4	3,937.01	1/4	3,695.90	1/4	3,454.63	1/4	3,130.86	1/4	2,781.38	1/4	2,431.70	1/4	2,081.84	1/4	1,731.98	1/4	1,382.13	1/4	1,032.41	1/4	683.16	1/4	333.37	1/4			
1/2		1/2	4,414.27	1/2	4,173.10	1/2	3,931.99	1/2	3,690.87	1/2	3,449.58	1/2	3,123.58	1/2	2,774.09	1/2	2,424.41	1/2	2,074.55	1/2	1,724.69	1/2	1,374.84	1/2	1,025.14	1/2	675.87	1/2	326.08	1/2			
3/4	4,587.34	3/4	4,409.24	3/4	4,168.08	3/4	3,926.97	3/4	3,685.85	3/4	3,443.97	3/4	3,116.30	3/4	2,766.81	3/4	2,417.13	3/4	2,067.26	3/4	1,717.40	3/4	1,367.56	3/4	1,017.87	3/4	668.59	3/4	318.80	3/4			
5	4,587.22	5	4,404.22	5	4,163.06	5	3,921.94	5	3,680.83	5	3,438.37	5	3,109.03	5	2,759.53	5	2,409.84	5	2,059.97	5	1,710.11	5	1,360.27	5	1,010.59	5	661.30	5	311.51	5			
1/4	4,586.89	1/4	4,399.19	1/4	4,158.03	1/4	3,916.92	1/4	3,675.81	1/4	3,432.76	1/4	3,101.75	1/4	2,752.24	1/4	2,402.55	1/4	2,052.68	1/4	1,702.82	1/4	1,352.98	1/4	1,003.32	1/4	654.01	1/4	304.22	1/4			
1/2	4,586.36	1/2	4,394.16	1/2	4,153.01	1/2	3,911.90	1/2	3,670.78	1/2	3,427.15	1/2	3,094.47	1/2	2,744.96	1/2	2,395.26	1/2	2,045.39	1/2	1,695.54	1/2	1,345.69	1/2	996.05	1/2	646.72	1/2	296.93	1/2			
3/4	4,585.62	3/4	4,389.13	3/4	4,147.99	3/4	3,906.87	3/4	3,665.76	3/4	3,421.27	3/4	3,087.19	3/4	2,737.68	3/4	2,387.97	3/4	2,038.10	3/4	1,688.25	3/4	1,338.41	3/4	988.78	3/4	639.44	3/4	289.65	3/4			
6	4,584.67	6	4,384.11	6	4,142.96	6	3,901.85	6	3,660.74	6	3,415.38	6	3,079.91	6	2,730.39	6	2,380.68	6	2,030.81	6	1,680.96	6	1,331.12	6	981.50	6	632.15	6	282.36	6			
1/4	4,583.52	1/4	4,379.08	1/4	4,137.94	1/4	3,896.83	1/4	3,655.71	1/4	3,409.49	1/4	3,072.63	1/4	2,723.11	1/4	2,373.39	1/4	2,023.52	1/4	1,673.67	1/4	1,323.83	1/4	974.23	1/4	624.86	1/4	275.07	1/4			
1/2	4,582.17	1/2	4,374.05	1/2	4,132.92	1/2	3,891.80	1/2	3,650.69	1/2	3,403.61	1/2	3,065.35	1/2	2,715.82	1/2	2,366.10	1/2	2,016.24	1/2	1,666.38	1/2	1,316.54	1/2	966.96	1/2	617.57	1/2	267.78	1/2			
3/4	4,580.61	3/4	4,369.02	3/4	4,127.89	3/4	3,886.78	3/4	3,645.67	3/4	3,397.44	3/4	3,058.07	3/4	2,708.54	3/4	2,358.81	3/4	2,008.95	3/4	1,659.09	3/4	1,309.26	3/4	959.68	3/4	610.29	3/4	260.50	3/4			
7	4,578.84	7	4,364.00	7	4,122.87	7	3,881.76	7	3,640.64	7	3,391.28	7	3,050.79	7	2,701.26	7	2,351.52	7	2,001.66	7	1,651.80	7	1,301.97	7	952.41	7	603.00	7	253.21	7			
1/4	4,576.87	1/4	4,358.97	1/4	4,117.85	1/4	3,876.73	1/4	3,635.62	1/4	3,385.11	1/4	3,043.51	1/4	2,693.97	1/4	2,344.24	1/4	1,994.37	1/4	1,644.52	1/4	1,294.68	1/4	945.14	1/4	595.71	1/4	245.92	1/4			
1/2	4,574.69	1/2	4,353.94	1/2	4,112.82	1/2	3,871.71	1/2	3,630.60	1/2	3,378.95	1/2	3,036.23	1/2	2,686.69	1/2	2,336.95	1/2	1,987.08	1/2	1,637.23	1/2	1,287.39	1/2	937.87	1/2	588.43	1/2	238.64	1/2			
3/4	4,572.30	3/4	4,348.91	3/4	4,107.80	3/4	3,866.69	3/4	3,625.57	3/4	3,372.51	3/4	3,028.95	3/4	2,679.41	3/4	2,329.66	3/4	1,979.79	3/4	1,629.94	3/4	1,280.10	3/4	930.59	3/4	581.14	3/4	231.35	3/4			
8	4,569.71	8	4,343.89	8	4,102.78	8	3,861.66	8	3,620.55	8	3,366.06	8	3,021.67	8	2,672.12	8	2,322.37	8	1,972.50	8	1,622.65	8	1,272.81	8	923.32	8	573.85	8	224.06	8			
1/4	4,566.92	1/4	4,338.87	1/4	4,097.75	1/4	3,856.64	1/4	3,615.53	1/4	3,359.62	1/4	3,014.39	1/4	2,664.84	1/4	2,315.08	1/4	1,965.21	1/4	1,615.36	1/4	1,265.53	1/4	916.05	1/4	566.56	1/4	216.77	1/4			
1/2	4,563.91	1/2	4,333.84	1/2	4,092.73	1/2	3,851.62	1/2	3,610.50	1/2	3,353.18	1/2	3,007.12	1/2	2,657.55	1/2	2,307.79	1/2	1,														



# BARGE: GBL 3630

HULL No. JEFFBOAT 13-2771

# 3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLON

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3"

1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0	4,502.74	0	4,263.31	0	4,022.20	0	3,781.09	0	3,539.98	0	3,256.86	0	2,907.88	0	2,558.70	0	2,209.30	0	1,859.87	0	1,510.57	0	1,161.72	0	813.48	0	464.27	0	114.97
1/4		1/4	4,497.86	1/4	4,258.28	1/4	4,017.17	1/4	3,776.06	1/4	3,534.96	1/4	3,249.59	1/4	2,900.61	1/4	2,551.42	1/4	2,202.02	1/4	1,852.59	1/4	1,503.30	1/4	1,154.45	1/4	806.22	1/4	457.00	1/4	107.72
1/2		1/2	4,492.98	1/2	4,253.26	1/2	4,012.15	1/2	3,771.04	1/2	3,529.93	1/2	3,242.32	1/2	2,893.33	1/2	2,544.15	1/2	2,194.74	1/2	1,845.31	1/2	1,496.03	1/2	1,147.19	1/2	798.97	1/2	449.72	1/2	100.49
3/4		3/4	4,488.09	3/4	4,248.24	3/4	4,007.13	3/4	3,766.02	3/4	3,524.91	3/4	3,235.05	3/4	2,886.06	3/4	2,536.87	3/4	2,187.46	3/4	1,838.03	3/4	1,488.76	3/4	1,139.92	3/4	791.72	3/4	442.44	3/4	93.26
1		1	4,483.20	1	4,243.21	1	4,002.10	1	3,761.00	1	3,519.89	1	3,227.78	1	2,878.78	1	2,529.60	1	2,180.18	1	1,830.75	1	1,481.50	1	1,132.65	1	784.47	1	435.16	1	86.04
1/4		1/4	4,478.31	1/4	4,238.19	1/4	3,997.08	1/4	3,755.97	1/4	3,514.86	1/4	3,220.51	1/4	2,871.51	1/4	2,522.32	1/4	2,172.90	1/4	1,823.47	1/4	1,474.23	1/4	1,125.38	1/4	777.22	1/4	427.88	1/4	78.83
1/2		1/2	4,473.41	1/2	4,233.17	1/2	3,992.06	1/2	3,750.95	1/2	3,509.84	1/2	3,213.24	1/2	2,864.23	1/2	2,515.05	1/2	2,165.62	1/2	1,816.19	1/2	1,466.96	1/2	1,118.11	1/2	769.96	1/2	420.60	1/2	71.63
3/4		3/4	4,468.50	3/4	4,228.14	3/4	3,987.03	3/4	3,745.93	3/4	3,504.82	3/4	3,205.96	3/4	2,856.96	3/4	2,507.77	3/4	2,158.34	3/4	1,808.91	3/4	1,459.69	3/4	1,110.85	3/4	762.71	3/4	413.32	3/4	64.45
2		2	4,463.59	2	4,223.12	2	3,982.01	2	3,740.90	2	3,499.79	2	3,198.69	2	2,849.69	2	2,500.49	2	2,151.06	2	1,801.63	2	1,452.42	2	1,103.58	2	755.46	2	406.04	2	57.31
1/4		1/4	4,458.68	1/4	4,218.10	1/4	3,976.99	1/4	3,735.88	1/4	3,494.77	1/4	3,191.42	1/4	2,842.41	1/4	2,493.21	1/4	2,143.78	1/4	1,794.35	1/4	1,445.16	1/4	1,096.31	1/4	748.18	1/4	398.76	1/4	50.40
1/2		1/2	4,453.76	1/2	4,213.07	1/2	3,971.97	1/2	3,730.86	1/2	3,489.75	1/2	3,184.15	1/2	2,835.14	1/2	2,485.93	1/2	2,136.50	1/2	1,787.07	1/2	1,437.89	1/2	1,089.05	1/2	740.90	1/2	391.48	1/2	43.95
3/4		3/4	4,448.84	3/4	4,208.05	3/4	3,966.94	3/4	3,725.83	3/4	3,484.72	3/4	3,176.88	3/4	2,827.86	3/4	2,478.65	3/4	2,129.22	3/4	1,779.79	3/4	1,430.62	3/4	1,081.78	3/4	733.62	3/4	384.20	3/4	37.94
3		3	4,443.91	3	4,203.03	3	3,961.92	3	3,720.81	3	3,479.68	3	3,169.61	3	2,820.59	3	2,471.38	3	2,121.94	3	1,772.51	3	1,423.35	3	1,074.51	3	726.34	3	376.92	3	32.37
1/4		1/4	4,438.98	1/4	4,198.00	1/4	3,956.90	1/4	3,715.79	1/4	3,474.63	1/4	3,162.34	1/4	2,813.31	1/4	2,464.10	1/4	2,114.67	1/4	1,765.23	1/4	1,416.08	1/4	1,067.25	1/4	719.06	1/4	369.64	1/4	
1/2		1/2	4,434.04	1/2	4,192.98	1/2	3,951.87	1/2	3,710.76	1/2	3,469.59	1/2	3,155.07	1/2	2,806.04	1/2	2,456.82	1/2	2,107.39	1/2	1,757.95	1/2	1,408.82	1/2	1,059.98	1/2	711.78	1/2	362.36	1/2	
3/4		3/4	4,429.10	3/4	4,187.96	3/4	3,946.85	3/4	3,705.74	3/4	3,464.54	3/4	3,147.80	3/4	2,798.76	3/4	2,449.54	3/4	2,100.11	3/4	1,750.67	3/4	1,401.55	3/4	1,052.72	3/4	704.50	3/4	355.08	3/4	
4		4	4,424.09	4	4,182.94	4	3,941.83	4	3,700.72	4	3,459.50	4	3,140.53	4	2,791.49	4	2,442.26	4	2,092.83	4	1,743.39	4	1,394.28	4	1,045.45	4	697.23	4	347.80	4	
1/4		1/4	4,419.07	1/4	4,177.91	1/4	3,936.80	1/4	3,695.69	1/4	3,454.45	1/4	3,133.26	1/4	2,784.21	1/4	2,434.98	1/4	2,085.55	1/4	1,736.11	1/4	1,387.01	1/4	1,038.20	1/4	689.95	1/4	340.52	1/4	
1/2		1/2	4,414.06	1/2	4,172.89	1/2	3,931.78	1/2	3,690.67	1/2	3,449.40	1/2	3,125.99	1/2	2,776.94	1/2	2,427.70	1/2	2,078.27	1/2	1,728.83	1/2	1,379.75	1/2	1,030.95	1/2	682.67	1/2	333.24	1/2	
3/4		3/4	4,409.03	3/4	4,167.87	3/4	3,926.76	3/4	3,685.65	3/4	3,444.36	3/4	3,118.72	3/4	2,769.66	3/4	2,420.42	3/4	2,070.99	3/4	1,721.55	3/4	1,372.48	3/4	1,023.70	3/4	675.39	3/4	325.96	3/4	
5	4,582.10	5	4,404.00	5	4,162.84	5	3,921.73	5	3,680.63	5	3,438.75	5	3,111.45	5	2,762.39	5	2,413.14	5	2,063.71	5	1,714.27	5	1,365.21	5	1,016.45	5	668.11	5	318.68	5	
1/4	4,581.97	1/4	4,398.98	1/4	4,157.82	1/4	3,916.71	1/4	3,675.60	1/4	3,433.15	1/4	3,104.18	1/4	2,755.11	1/4	2,405.86	1/4	2,056.43	1/4	1,706.99	1/4	1,357.95	1/4	1,009.20	1/4	660.83	1/4	311.40	1/4	
1/2	4,581.65	1/2	4,393.95	1/2	4,152.80	1/2	3,911.69	1/2	3,670.58	1/2	3,427.54	1/2	3,096.91	1/2	2,747.84	1/2	2,398.58	1/2	2,049.15	1/2	1,699.71	1/2	1,350.68	1/2	1,001.95	1/2	653.55	1/2	304.12	1/2	
3/4	4,581.11	3/4	4,388.92	3/4	4,147.77	3/4	3,906.66	3/4	3,665.56	3/4	3,421.93	3/4	3,089.64	3/4	2,740.56	3/4	2,391.30	3/4	2,041.87	3/4	1,692.42	3/4	1,343.41	3/4	994.71	3/4	646.27	3/4	296.84	3/4	
6	4,580.38	6	4,383.89	6	4,142.75	6	3,901.64	6	3,660.53	6	3,416.05	6	3,082.37	6	2,732.29	6	2,384.02	6	2,034.59	6	1,685.14	6	1,336.15	6	987.46	6	638.99	6	289.56	6	
1/4	4,579.43	1/4	4,378.87	1/4	4,137.73	1/4	3,896.62	1/4	3,655.51	1/4	3,410.16	1/4	3,075.10	1/4	2,726.02	1/4	2,376.74	1/4	2,027.31	1/4	1,677.86	1/4	1,328.88	1/4	980.21	1/4	631.71	1/4	282.28	1/4	
1/2	4,578.28	1/2	4,373.84	1/2	4,132.70	1/2	3,891.60	1/2	3,650.49	1/2	3,404.27	1/2	3,067.83	1/2	2,718.74	1/2	2,369.46	1/2	2,020.03	1/2	1,670.58	1/2	1,321.61	1/2	972.96	1/2	624.43	1/2	275.00	1/2	
3/4	4,576.93	3/4	4,368.81	3/4	4,127.68	3/4	3,886.57	3/4	3,645.46	3/4	3,398.39	3/4	3,060.56	3/4	2,711.47	3/4	2,362.18	3/4	2,012.75	3/4	1,663.30	3/4	1,314.35	3/4	965.71	3/4	617.15	3/4	267.72	3/4	
7	4,575.36	7	4,363.78	7	4,122.66	7	3,881.55	7	3,640.44	7	3,392.23	7	3,053.29	7	2,704.19	7	2,354.90	7	2,005.47	7	1,656.02	7	1,307.08	7	958.46	7	609.87	7	260.44	7	
1/4	4,573.60	1/4	4,358.76	1/4	4,117.64	1/4	3,876.53	1/4	3,635.42	1/4	3,386.08	1/4	3,046.02	1/4	2,696.92	1/4	2,347.62	1/4	1,998.19	1/4	1,648.74	1/4	1,299.81	1/4	951.21	1/4	602.59	1/4	253.16	1/4	
1/2	4,571.62	1/2	4,353.73	1/2	4,112.61	1/2	3,871.50	1/2	3,630.39	1/2	3,379.92	1/2	3,038.75	1/2	2,689.64	1/2	2,340.34	1/2	1,990.91	1/2	1,641.46	1/2	1,292.54	1/2	943.96	1/2	595.31	1/2	245.88	1/2	
3/4	4,569.44	3/4	4,348.70	3/4	4,107.59	3/4	3,866.48	3/4	3,625.37	3/4	3,373.77	3/4	3,031.48	3/4	2,682.37	3/4	2,333.06	3/4	1,983.63	3/4	1,634.18	3/4	1,285.28	3/4	936.71	3/4	588.03	3/4	238.60	3/4	
8	4,567.06	8	4,343.67	8	4,102.57	8	3,861.46	8	3,620.35	8	3,367.33	8	3,024.21	8	2,675.09	8	2,325.78	8	1,976.35	8	1,626.90	8	1,278.01	8	929.46	8	580.75	8	231.32	8	
1/4	4,564.47	1/4	4,338.65																												



**BARGE: GBL 3630**  
HULL No. JEFFBOAT 13-2771

**SLOP PORT**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6"

IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.
6	5,523	0	5,108	6	4,542	0	3,977	6	3,411	0	2,846	6	2,280	0	1,715	6	1,149	0	584	6	80
1/8	5,519	1/8	5,096	1/8	4,530	1/8	3,965	1/8	3,399	1/8	2,834	1/8	2,268	1/8	1,703	1/8	1,137	1/8	572	1/8	74
1/4	5,516	1/4	5,084	1/4	4,518	1/4	3,953	1/4	3,387	1/4	2,822	1/4	2,256	1/4	1,691	1/4	1,125	1/4	560	1/4	68
3/8	5,512	3/8	5,072	3/8	4,507	3/8	3,941	3/8	3,376	3/8	2,810	3/8	2,245	3/8	1,679	3/8	1,114	3/8	548	3/8	62
1/2	5,508	1/2	5,060	1/2	4,495	1/2	3,929	1/2	3,364	1/2	2,798	1/2	2,233	1/2	1,667	1/2	1,102	1/2	536	1/2	57
5/8	5,504	5/8	5,049	5/8	4,483	5/8	3,918	5/8	3,352	5/8	2,787	5/8	2,221	5/8	1,656	5/8	1,090	5/8	525	5/8	52
3/4	5,499	3/4	5,037	3/4	4,471	3/4	3,906	3/4	3,340	3/4	2,775	3/4	2,209	3/4	1,644	3/4	1,078	3/4	513	3/4	47
7/8	5,494	7/8	5,025	7/8	4,460	7/8	3,894	7/8	3,329	7/8	2,763	7/8	2,198	7/8	1,632	7/8	1,067	7/8	501	7/8	42
7	5,489	1	5,013	7	4,448	1	3,882	7	3,317	1	2,751	7	2,186	1	1,620	7	1,055	1	489	7	38
1/8	5,484	1/8	5,001	1/8	4,436	1/8	3,871	1/8	3,305	1/8	2,740	1/8	2,174	1/8	1,609	1/8	1,043	1/8	478	1/8	33
1/4	5,479	1/4	4,990	1/4	4,424	1/4	3,859	1/4	3,293	1/4	2,728	1/4	2,162	1/4	1,597	1/4	1,031	1/4	466	1/4	29
3/8	5,473	3/8	4,978	3/8	4,412	3/8	3,847	3/8	3,281	3/8	2,716	3/8	2,150	3/8	1,585	3/8	1,019	3/8	454	3/8	26
1/2	5,467	1/2	4,966	1/2	4,401	1/2	3,835	1/2	3,270	1/2	2,704	1/2	2,139	1/2	1,573	1/2	1,008	1/2	442	1/2	22
5/8	5,461	5/8	4,954	5/8	4,389	5/8	3,823	5/8	3,258	5/8	2,692	5/8	2,127	5/8	1,561	5/8	996	5/8	430	5/8	19
3/4	5,454	3/4	4,943	3/4	4,377	3/4	3,812	3/4	3,246	3/4	2,681	3/4	2,115	3/4	1,550	3/4	984	3/4	419	3/4	16
7/8	5,447	7/8	4,931	7/8	4,365	7/8	3,800	7/8	3,234	7/8	2,669	7/8	2,103	7/8	1,538	7/8	972	7/8	407	7/8	14
8	5,440	2	4,919	8	4,354	2	3,788	8	3,223	2	2,657	8	2,092	2	1,526	8	961	2	395	8	11
1/8	5,433	1/8	4,907	1/8	4,342	1/8	3,776	1/8	3,211	1/8	2,645	1/8	2,080	1/8	1,514	1/8	949	1/8	383	1/8	9
1/4	5,426	1/4	4,895	1/4	4,330	1/4	3,764	1/4	3,199	1/4	2,633	1/4	2,068	1/4	1,502	1/4	937	1/4	371	1/4	7
3/8	5,418	3/8	4,884	3/8	4,318	3/8	3,753	3/8	3,187	3/8	2,622	3/8	2,056	3/8	1,491	3/8	925	3/8	360	3/8	5
1/2	5,410	1/2	4,872	1/2	4,306	1/2	3,741	1/2	3,175	1/2	2,610	1/2	2,044	1/2	1,479	1/2	913	1/2	348	1/2	4
5/8	5,402	5/8	4,860	5/8	4,295	5/8	3,729	5/8	3,164	5/8	2,598	5/8	2,033	5/8	1,467	5/8	902	5/8	336	5/8	2
3/4	5,393	3/4	4,848	3/4	4,283	3/4	3,717	3/4	3,152	3/4	2,586	3/4	2,021	3/4	1,455	3/4	890	3/4	324	3/4	1
7/8	5,385	7/8	4,837	7/8	4,271	7/8	3,706	7/8	3,140	7/8	2,575	7/8	2,009	7/8	1,444	7/8	878	7/8	313	7/8	1
9	5,376	3	4,825	9	4,259	3	3,694	9	3,128	3	2,563	9	1,997	3	1,432	9	866	3	301	9	0
1/8	5,367	1/8	4,813	1/8	4,247	1/8	3,682	1/8	3,117	1/8	2,551	1/8	1,986	1/8	1,420	1/8	855	1/8	289	1/8	
1/4	5,357	1/4	4,801	1/4	4,236	1/4	3,670	1/4	3,105	1/4	2,539	1/4	1,974	1/4	1,408	1/4	843	1/4	277	1/4	
3/8	5,347	3/8	4,789	3/8	4,224	3/8	3,658	3/8	3,093	3/8	2,527	3/8	1,962	3/8	1,396	3/8	831	3/8	266	3/8	
1/2	5,338	1/2	4,778	1/2	4,212	1/2	3,647	1/2	3,081	1/2	2,516	1/2	1,950	1/2	1,385	1/2	819	1/2	254	1/2	
5/8	5,327	5/8	4,766	5/8	4,200	5/8	3,635	5/8	3,069	5/8	2,504	5/8	1,938	5/8	1,373	5/8	807	5/8	243	5/8	
3/4	5,317	3/4	4,754	3/4	4,189	3/4	3,623	3/4	3,058	3/4	2,492	3/4	1,927	3/4	1,361	3/4	796	3/4	232	3/4	
7/8	5,306	7/8	4,742	7/8	4,177	7/8	3,611	7/8	3,046	7/8	2,480	7/8	1,915	7/8	1,349	7/8	784	7/8	222	7/8	
10	5,295	4	4,731	10	4,165	4	3,600	10	3,034	4	2,469	10	1,903	4	1,338	10	772	4	212	10	
1/8	5,284	1/8	4,719	1/8	4,153	1/8	3,588	1/8	3,022	1/8	2,457	1/8	1,891	1/8	1,326	1/8	760	1/8	202	1/8	
1/4	5,273	1/4	4,707	1/4	4,141	1/4	3,576	1/4	3,010	1/4	2,445	1/4	1,879	1/4	1,314	1/4	748	1/4	192	1/4	
3/8	5,261	3/8	4,695	3/8	4,130	3/8	3,564	3/8	2,999	3/8	2,433	3/8	1,868	3/8	1,302	3/8	737	3/8	182	3/8	
1/2	5,249	1/2	4,683	1/2	4,118	1/2	3,552	1/2	2,987	1/2	2,421	1/2	1,856	1/2	1,290	1/2	725	1/2	173	1/2	
5/8	5,237	5/8	4,672	5/8	4,106	5/8	3,541	5/8	2,975	5/8	2,410	5/8	1,844	5/8	1,279	5/8	713	5/8	164	5/8	
3/4	5,225	3/4	4,660	3/4	4,094	3/4	3,529	3/4	2,963	3/4	2,398	3/4	1,832	3/4	1,267	3/4	701	3/4	155	3/4	
7/8	5,214	7/8	4,648	7/8	4,083	7/8	3,517	7/8	2,952	7/8	2,386	7/8	1,821	7/8	1,255	7/8	690	7/8	146	7/8	
11	5,202	5	4,636	11	4,071	5	3,505	11	2,940	5	2,374	11	1,809	5	1,243	11	678	5	138	11	
1/8	5,190	1/8	4,624	1/8	4,059	1/8	3,494	1/8	2,928	1/8	2,363	1/8	1,797	1/8	1,232	1/8	666	1/8	130	1/8	
1/4	5,178	1/4	4,613	1/4	4,047	1/4	3,482	1/4	2,916	1/4	2,351	1/4	1,785	1/4	1,220	1/4	654	1/4	122	1/4	
3/8	5,166	3/8	4,601	3/8	4,035	3/8	3,470	3/8	2,904	3/8	2,339	3/8	1,773	3/8	1,208	3/8	642	3/8	114	3/8	
1/2	5,155	1/2	4,589	1/2	4,024	1/2	3,458	1/2	2,893	1/2	2,327	1/2	1,762	1/2	1,196	1/2	631	1/2	107	1/2	
5/8	5,143	5/8	4,577	5/8	4,012	5/8	3,446	5/8	2,881	5/8	2,315	5/8	1,750	5/8	1,184	5/8	619	5/8	100	5/8	
3/4	5,131	3/4	4,566	3/4	4,000	3/4	3,435	3/4	2,869	3/4	2,304	3/4	1,738	3/4	1,173	3/4	607	3/4	93	3/4	
7/8	5,119	7/8	4,554	7/8	3,988	7/8	3,423	7/8	2,857	7/8	2,292	7/8	1,726	7/8	1,161	7/8	595	7/8	86	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOP  
SHADED AREA OF TABLE IS THE VOLUMES BELOW THE STRIKE POINT DUE TO CAMBERED BOTTC

DATE STRAPPED: 7/31/2013 BY: JMI  
DATE COMPUTED: 8/03/2013 BY: WH  
DATE ISSUED: 8/5/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGE OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

**INTERTEK - CALEB BRETT**





**BARGE: GBL 3630**  
HULL No. JEFFBOAT 13-2771

**SLOP STBD**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/2"

IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.
6	5,340	0	4,930	6	4,383	0	3,836	6	3,289	0	2,742	6	2,195	0	1,647	6	1,100	0	553	6	71
1/8	5,337	1/8	4,919	1/8	4,372	1/8	3,825	1/8	3,277	1/8	2,730	1/8	2,183	1/8	1,636	1/8	1,089	1/8	542	1/8	66
1/4	5,333	1/4	4,907	1/4	4,360	1/4	3,813	1/4	3,266	1/4	2,719	1/4	2,172	1/4	1,625	1/4	1,078	1/4	530	1/4	60
3/8	5,329	3/8	4,896	3/8	4,349	3/8	3,802	3/8	3,255	3/8	2,708	3/8	2,160	3/8	1,613	3/8	1,066	3/8	519	3/8	55
1/2	5,325	1/2	4,885	1/2	4,338	1/2	3,790	1/2	3,243	1/2	2,696	1/2	2,149	1/2	1,602	1/2	1,055	1/2	508	1/2	50
5/8	5,321	5/8	4,873	5/8	4,326	5/8	3,779	5/8	3,232	5/8	2,685	5/8	2,138	5/8	1,590	5/8	1,043	5/8	496	5/8	45
3/4	5,316	3/4	4,862	3/4	4,315	3/4	3,768	3/4	3,220	3/4	2,673	3/4	2,126	3/4	1,579	3/4	1,032	3/4	485	3/4	41
7/8	5,311	7/8	4,850	7/8	4,303	7/8	3,756	7/8	3,209	7/8	2,662	7/8	2,115	7/8	1,568	7/8	1,021	7/8	473	7/8	36
7	5,306	1	4,839	7	4,292	1	3,745	7	3,198	1	2,651	7	2,103	1	1,556	7	1,009	1	462	7	32
1/8	5,301	1/8	4,828	1/8	4,281	1/8	3,733	1/8	3,186	1/8	2,639	1/8	2,092	1/8	1,545	1/8	998	1/8	451	1/8	29
1/4	5,295	1/4	4,816	1/4	4,269	1/4	3,722	1/4	3,175	1/4	2,628	1/4	2,081	1/4	1,533	1/4	986	1/4	439	1/4	25
3/8	5,289	3/8	4,805	3/8	4,258	3/8	3,711	3/8	3,163	3/8	2,616	3/8	2,069	3/8	1,522	3/8	975	3/8	428	3/8	22
1/2	5,283	1/2	4,793	1/2	4,246	1/2	3,699	1/2	3,152	1/2	2,605	1/2	2,058	1/2	1,511	1/2	964	1/2	416	1/2	19
5/8	5,277	5/8	4,782	5/8	4,235	5/8	3,688	5/8	3,141	5/8	2,594	5/8	2,046	5/8	1,499	5/8	952	5/8	405	5/8	16
3/4	5,271	3/4	4,771	3/4	4,224	3/4	3,676	3/4	3,129	3/4	2,582	3/4	2,035	3/4	1,488	3/4	941	3/4	394	3/4	13
7/8	5,264	7/8	4,759	7/8	4,212	7/8	3,665	7/8	3,118	7/8	2,571	7/8	2,024	7/8	1,476	7/8	929	7/8	382	7/8	11
8	5,257	2	4,748	8	4,201	2	3,654	8	3,106	2	2,559	8	2,012	2	1,465	8	918	2	371	8	9
1/8	5,250	1/8	4,736	1/8	4,189	1/8	3,642	1/8	3,095	1/8	2,548	1/8	2,001	1/8	1,454	1/8	907	1/8	359	1/8	7
1/4	5,242	1/4	4,725	1/4	4,178	1/4	3,631	1/4	3,084	1/4	2,537	1/4	1,989	1/4	1,442	1/4	895	1/4	348	1/4	5
3/8	5,234	3/8	4,714	3/8	4,167	3/8	3,619	3/8	3,072	3/8	2,525	3/8	1,978	3/8	1,431	3/8	884	3/8	337	3/8	4
1/2	5,226	1/2	4,702	1/2	4,155	1/2	3,608	1/2	3,061	1/2	2,514	1/2	1,967	1/2	1,420	1/2	872	1/2	325	1/2	2
5/8	5,218	5/8	4,691	5/8	4,144	5/8	3,597	5/8	3,050	5/8	2,502	5/8	1,955	5/8	1,408	5/8	861	5/8	314	5/8	1
3/4	5,210	3/4	4,680	3/4	4,132	3/4	3,585	3/4	3,038	3/4	2,491	3/4	1,944	3/4	1,397	3/4	850	3/4	302	3/4	1
7/8	5,201	7/8	4,668	7/8	4,121	7/8	3,574	7/8	3,027	7/8	2,480	7/8	1,932	7/8	1,385	7/8	838	7/8	291	7/8	0
9	5,192	3	4,657	9	4,110	3	3,562	9	3,015	3	2,468	9	1,921	3	1,374	9	827	3	280	9	
1/8	5,183	1/8	4,645	1/8	4,098	1/8	3,551	1/8	3,004	1/8	2,457	1/8	1,910	1/8	1,363	1/8	815	1/8	268	1/8	
1/4	5,174	1/4	4,634	1/4	4,087	1/4	3,540	1/4	2,993	1/4	2,445	1/4	1,898	1/4	1,351	1/4	804	1/4	257	1/4	
3/8	5,164	3/8	4,623	3/8	4,075	3/8	3,528	3/8	2,981	3/8	2,434	3/8	1,887	3/8	1,340	3/8	793	3/8	246	3/8	
1/2	5,154	1/2	4,611	1/2	4,064	1/2	3,517	1/2	2,970	1/2	2,423	1/2	1,875	1/2	1,328	1/2	781	1/2	235	1/2	
5/8	5,144	5/8	4,600	5/8	4,053	5/8	3,505	5/8	2,958	5/8	2,411	5/8	1,864	5/8	1,317	5/8	770	5/8	225	5/8	
3/4	5,134	3/4	4,588	3/4	4,041	3/4	3,494	3/4	2,947	3/4	2,400	3/4	1,853	3/4	1,306	3/4	758	3/4	215	3/4	
7/8	5,123	7/8	4,577	7/8	4,030	7/8	3,483	7/8	2,936	7/8	2,388	7/8	1,841	7/8	1,294	7/8	747	7/8	205	7/8	
10	5,113	4	4,566	10	4,018	4	3,471	10	2,924	4	2,377	10	1,830	4	1,283	10	736	4	195	10	
1/8	5,102	1/8	4,554	1/8	4,007	1/8	3,460	1/8	2,913	1/8	2,366	1/8	1,818	1/8	1,271	1/8	724	1/8	185	1/8	
1/4	5,090	1/4	4,543	1/4	3,996	1/4	3,448	1/4	2,901	1/4	2,354	1/4	1,807	1/4	1,260	1/4	713	1/4	176	1/4	
3/8	5,079	3/8	4,531	3/8	3,984	3/8	3,437	3/8	2,890	3/8	2,343	3/8	1,796	3/8	1,249	3/8	701	3/8	167	3/8	
1/2	5,067	1/2	4,520	1/2	3,973	1/2	3,426	1/2	2,879	1/2	2,331	1/2	1,784	1/2	1,237	1/2	690	1/2	158	1/2	
5/8	5,056	5/8	4,509	5/8	3,961	5/8	3,414	5/8	2,867	5/8	2,320	5/8	1,773	5/8	1,226	5/8	679	5/8	150	5/8	
3/4	5,044	3/4	4,497	3/4	3,950	3/4	3,403	3/4	2,856	3/4	2,309	3/4	1,761	3/4	1,214	3/4	667	3/4	141	3/4	
7/8	5,033	7/8	4,486	7/8	3,939	7/8	3,391	7/8	2,844	7/8	2,297	7/8	1,750	7/8	1,203	7/8	656	7/8	133	7/8	
11	5,021	5	4,474	11	3,927	5	3,380	11	2,833	5	2,286	11	1,739	5	1,192	11	644	5	126	11	
1/8	5,010	1/8	4,463	1/8	3,916	1/8	3,369	1/8	2,822	1/8	2,274	1/8	1,727	1/8	1,180	1/8	633	1/8	118	1/8	
1/4	4,999	1/4	4,452	1/4	3,904	1/4	3,357	1/4	2,810	1/4	2,263	1/4	1,716	1/4	1,169	1/4	622	1/4	111	1/4	
3/8	4,987	3/8	4,440	3/8	3,893	3/8	3,346	3/8	2,799	3/8	2,252	3/8	1,704	3/8	1,157	3/8	610	3/8	103	3/8	
1/2	4,976	1/2	4,429	1/2	3,882	1/2	3,334	1/2	2,787	1/2	2,240	1/2	1,693	1/2	1,146	1/2	599	1/2	97	1/2	
5/8	4,964	5/8	4,417	5/8	3,870	5/8	3,323	5/8	2,776	5/8	2,229	5/8	1,682	5/8	1,135	5/8	587	5/8	90	5/8	
3/4	4,953	3/4	4,406	3/4	3,859	3/4	3,312	3/4	2,765	3/4	2,217	3/4	1,670	3/4	1,123	3/4	576	3/4	83	3/4	
7/8	4,942	7/8	4,395	7/8	3,848	7/8	3,301	7/8	2,754	7/8	2,206	7/8	1,659	7/8	1,112	7/8	565	7/8	76	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOP  
SHADED AREA OF TABLE IS THE VOLUMES BELOW THE STRIKE POINT DUE TO CAMBERED BOTTC

DATE STRAPPED: 7/31/2013 BY: JMI  
DATE COMPUTED: 8/03/2013 BY: WH  
DATE ISSUED: 8/5/2013

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGE  
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY