



BARGE: GBL 4530

HULL No. JEFFBOAT 14-2883

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 16' 2 3/4"

		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.	
0		0	4,619.96	0	4,294.37	0	3,967.19	0	3,640.01	0	3,312.83	0	2,985.64	0	2,658.25	0	2,329.06	0	1,999.86	0	1,670.67	0	1,341.58	0	1,012.62	0	683.44	0	355.55	0	60.47		
1/4		1/4	4,613.26	1/4	4,287.56	1/4	3,960.37	1/4	3,633.19	1/4	3,306.01	1/4	2,978.83	1/4	2,651.39	1/4	2,322.20	1/4	1,993.01	1/4	1,663.81	1/4	1,334.73	1/4	1,005.76	1/4	676.58	1/4	348.94	1/4	54.87		
1/2		1/2	4,606.56	1/2	4,280.74	1/2	3,953.56	1/2	3,626.38	1/2	3,299.19	1/2	2,972.01	1/2	2,644.54	1/2	2,315.34	1/2	1,986.15	1/2	1,656.95	1/2	1,327.88	1/2	998.90	1/2	669.72	1/2	342.34	1/2	49.29		
3/4		3/4	4,599.85	3/4	4,273.92	3/4	3,946.74	3/4	3,619.56	3/4	3,292.38	3/4	2,965.19	3/4	2,637.68	3/4	2,308.48	3/4	1,979.29	3/4	1,650.10	3/4	1,321.03	3/4	992.04	3/4	662.86	3/4	335.77	3/4	43.76		
1		1	4,593.13	1	4,267.11	1	3,939.93	1	3,612.74	1	3,285.56	1	2,958.38	1	2,630.82	1	2,301.63	1	1,972.43	1	1,643.24	1	1,314.18	1	985.18	1	656.01	1	329.21	1	38.44		
1/4		1/4	4,586.41	1/4	4,260.29	1/4	3,933.11	1/4	3,605.93	1/4	3,278.74	1/4	2,951.56	1/4	2,623.96	1/4	2,294.77	1/4	1,965.57	1/4	1,636.38	1/4	1,307.33	1/4	978.33	1/4	649.15	1/4	322.68	1/4	33.47		
1/2		1/2	4,579.68	1/2	4,253.48	1/2	3,926.29	1/2	3,599.11	1/2	3,271.93	1/2	2,944.75	1/2	2,617.10	1/2	2,287.91	1/2	1,958.72	1/2	1,629.52	1/2	1,300.48	1/2	971.47	1/2	642.29	1/2	316.16	1/2	28.87		
3/4		3/4	4,572.94	3/4	4,246.66	3/4	3,919.48	3/4	3,592.29	3/4	3,265.11	3/4	2,937.93	3/4	2,610.24	3/4	2,281.05	3/4	1,951.86	3/4	1,622.66	3/4	1,293.63	3/4	964.61	3/4	635.43	3/4	309.66	3/4	24.62		
2		2	4,566.20	2	4,239.84	2	3,912.66	2	3,585.48	2	3,258.30	2	2,931.11	2	2,603.39	2	2,274.19	2	1,945.00	2	1,615.81	2	1,286.78	2	957.75	2	628.57	2	303.19	2	20.73		
1/4		1/4	4,559.45	1/4	4,233.03	1/4	3,905.84	1/4	3,578.66	1/4	3,251.48	1/4	2,924.30	1/4	2,596.53	1/4	2,267.33	1/4	1,938.14	1/4	1,608.95	1/4	1,279.93	1/4	950.90	1/4	621.72	1/4	296.73	1/4	17.19		
1/2		1/2	4,552.70	1/2	4,226.21	1/2	3,899.03	1/2	3,571.85	1/2	3,244.66	1/2	2,917.48	1/2	2,589.67	1/2	2,260.46	1/2	1,931.28	1/2	1,602.09	1/2	1,273.08	1/2	944.04	1/2	614.86	1/2	290.29	1/2	13.99		
3/4		3/4	4,545.94	3/4	4,219.39	3/4	3,892.21	3/4	3,565.03	3/4	3,237.85	3/4	2,910.66	3/4	2,582.81	3/4	2,253.62	3/4	1,924.42	3/4	1,595.23	3/4	1,266.23	3/4	937.18	3/4	608.00	3/4	283.87	3/4	11.14		
3		3	4,539.17	3	4,212.58	3	3,885.40	3	3,558.21	3	3,231.03	3	2,903.85	3	2,575.95	3	2,246.76	3	1,917.57	3	1,588.37	3	1,259.38	3	930.32	3	601.14	3	277.47	3			
1/4		1/4	4,532.39	1/4	4,205.76	1/4	3,878.58	1/4	3,551.40	1/4	3,224.21	1/4	2,897.03	1/4	2,569.09	1/4	2,239.90	1/4	1,910.71	1/4	1,581.51	1/4	1,252.53	1/4	923.46	1/4	594.28	1/4	271.09	1/4			
1/2		1/2	4,525.62	1/2	4,198.94	1/2	3,871.76	1/2	3,544.58	1/2	3,217.40	1/2	2,890.22	1/2	2,562.24	1/2	2,233.04	1/2	1,903.85	1/2	1,574.66	1/2	1,245.68	1/2	916.61	1/2	587.43	1/2	264.73	1/2			
3/4	4,765.32	3/4	4,518.84	3/4	4,192.13	3/4	3,864.95	3/4	3,537.76	3/4	3,210.58	3/4	2,883.40	3/4	2,555.38	3/4	2,226.18	3/4	1,896.99	3/4	1,567.80	3/4	1,238.83	3/4	909.75	3/4	580.57	3/4	258.39	3/4			
4	4,764.98	4	4,512.06	4	4,185.31	4	3,858.13	4	3,530.95	4	3,203.77	4	2,876.58	4	2,548.52	4	2,219.33	4	1,890.13	4	1,560.94	4	1,231.98	4	902.89	4	573.71	4	252.07	4			
1/4	4,764.37	1/4	4,505.29	1/4	4,178.50	1/4	3,851.31	1/4	3,524.13	1/4	3,196.95	1/4	2,869.77	1/4	2,541.66	1/4	2,212.47	1/4	1,883.27	1/4	1,554.08	1/4	1,225.13	1/4	896.03	1/4	566.85	1/4	245.76	1/4			
1/2	4,763.47	1/2	4,498.51	1/2	4,171.68	1/2	3,844.50	1/2	3,517.31	1/2	3,190.13	1/2	2,862.95	1/2	2,534.80	1/2	2,205.61	1/2	1,876.42	1/2	1,547.22	1/2	1,218.28	1/2	889.17	1/2	560.00	1/2	239.48	1/2			
3/4	4,762.29	3/4	4,491.73	3/4	4,164.86	3/4	3,837.68	3/4	3,510.50	3/4	3,183.32	3/4	2,856.13	3/4	2,527.95	3/4	2,198.75	3/4	1,869.56	3/4	1,540.36	3/4	1,211.43	3/4	882.32	3/4	553.14	3/4	233.22	3/4			
5	4,760.84	5	4,484.96	5	4,158.05	5	3,830.86	5	3,503.68	5	3,176.50	5	2,849.32	5	2,521.09	5	2,191.89	5	1,862.70	5	1,533.51	5	1,204.58	5	875.46	5	546.28	5	226.98	5			
1/4	4,759.10	1/4	4,478.18	1/4	4,151.23	1/4	3,824.05	1/4	3,496.87	1/4	3,169.68	1/4	2,842.50	1/4	2,514.23	1/4	2,185.04	1/4	1,855.84	1/4	1,526.65	1/4	1,197.73	1/4	868.60	1/4	539.42	1/4	220.75	1/4			
1/2	4,757.09	1/2	4,471.40	1/2	4,144.41	1/2	3,817.23	1/2	3,490.05	1/2	3,162.87	1/2	2,835.68	1/2	2,507.37	1/2	2,178.18	1/2	1,848.98	1/2	1,519.79	1/2	1,190.88	1/2	861.74	1/2	532.57	1/2	214.55	1/2			
3/4	4,754.80	3/4	4,464.62	3/4	4,137.60	3/4	3,810.42	3/4	3,483.23	3/4	3,156.05	3/4	2,828.87	3/4	2,500.51	3/4	2,171.32	3/4	1,842.13	3/4	1,512.93	3/4	1,184.03	3/4	854.88	3/4	525.71	3/4	208.36	3/4			
6	4,752.22	6	4,457.85	6	4,130.78	6	3,803.60	6	3,476.42	6	3,149.23	6	2,822.05	6	2,493.65	6	2,164.46	6	1,835.27	6	1,506.07	6	1,177.18	6	848.03	6	518.85	6	202.20	6			
1/4	4,749.37	1/4	4,451.07	1/4	4,123.97	1/4	3,796.78	1/4	3,469.60	1/4	3,142.42	1/4	2,815.24	1/4	2,486.80	1/4	2,157.60	1/4	1,828.41	1/4	1,499.22	1/4	1,170.33	1/4	841.17	1/4	511.99	1/4	196.05	1/4			
1/2	4,746.24	1/2	4,444.29	1/2	4,117.15	1/2	3,789.97	1/2	3,462.78	1/2	3,135.60	1/2	2,808.42	1/2	2,479.94	1/2	2,150.74	1/2	1,821.55	1/2	1,492.36	1/2	1,163.48	1/2	834.31	1/2	505.13	1/2	189.92	1/2			
3/4	4,742.83	3/4	4,437.52	3/4	4,110.33	3/4	3,783.15	3/4	3,455.97	3/4	3,128.79	3/4	2,801.60	3/4	2,473.08	3/4	2,143.89	3/4	1,814.69	3/4	1,485.50	3/4	1,156.63	3/4	827.45	3/4	498.28	3/4	183.82	3/4			
7	4,739.14	7	4,430.70	7	4,103.52	7	3,776.33	7	3,449.15	7	3,121.97	7	2,794.79	7	2,466.22	7	2,137.03	7	1,807.83	7	1,478.65	7	1,149.77	7	820.60	7	491.42	7	177.73	7			
1/4	4,735.17	1/4	4,423.88	1/4	4,096.70	1/4	3,769.52	1/4	3,442.34	1/4	3,115.15	1/4	2,787.97	1/4	2,459.36	1/4	2,130.17	1/4	1,800.98	1/4	1,471.79	1/4	1,142.91	1/4	813.74	1/4	484.56	1/4	171.66	1/4			
1/2	4,730.92	1/2	4,417.07	1/2	4,089.88	1/2	3,762.70	1/2	3,435.52	1/2	3,108.34	1/2	2,781.15	1/2	2,452.51	1/2	2,123.31	1/2	1,794.12	1/2	1,464.94	1/2	1,136.05	1/2	806.88	1/2	477.70	1/2	165.61	1/2			
3/4	4,726.39	3/4	4,410.25	3/4	4,083.07	3/4	3,755.89	3/4	3,428.70	3/4	3,101.52	3/4	2,774.34	3/4	2,445.65	3/4	2,116.45	3/4	1,787.26	3/4	1,458.08	3/4	1,129.20	3/4	800.02	3/4	470.85	3/4	159.58	3/4			
8	4,721.58	8	4,403.43	8	4,076.25	8	3,749.07	8	3,421.89	8	3,094.70	8	2,767.52	8	2,438.79	8	2,109.60	8	1,780.40	8	1,451.23	8	1,122.34	8	793.16	8	463.99	8	153.58	8			
1/4	4,716.49	1/4	4,396.62	1/4	4,069.44	1/4	3,742.25	1/4	3,415.07	1/4	3,087.89	1/4	2,760.71	1/4	2,431.93	1/4	2,102.74	1/4	1,773.54	1/4	1,444.37	1/4	1,115.48	1/4	786.31	1/4	457.13	1/4	147.59	1/4			
1/2	4,711.13	1/2	4,389.80	1/2	4,062.62	1/2	3,735.44	1/2	3,408.25	1/2	3,081.07	1/2	2,753.89	1/2	2,425.07	1/2	2,095.88	1/2	1,766.69	1/2	1,437.52	1/2	1,108.62	1/2	779.45	1/2	450.27	1/2	141.62	1/2			
3/4	4,705.48	3/4	4,382.98	3/4	4,055.80	3/4	3,728.62	3/4	3,401.44	3/4	3,074.26	3/4	2,747.07	3/4	2,418.21																		



BARGE: GBL 4530

HULL No. JEFFBOAT 14-2883

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK REFERENCE GAUGE HEIGHT 16' 3 3/4"

IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.
0		0	4,637.39	0	4,312.69	0	3,985.98	0	3,659.01	0	3,332.05	0	3,005.08	0	2,678.02	0	2,348.89	0	2,019.76	0	1,690.63	0	1,361.72	0	1,033.00	0	703.89	0	375.46	0	77.46
1/4		1/4	4,630.74	1/4	4,305.88	1/4	3,979.17	1/4	3,652.20	1/4	3,325.23	1/4	2,998.27	1/4	2,671.17	1/4	2,342.04	1/4	2,012.90	1/4	1,683.77	1/4	1,354.88	1/4	1,026.15	1/4	697.04	1/4	368.78	1/4	71.77
1/2		1/2	4,624.09	1/2	4,299.08	1/2	3,972.36	1/2	3,645.39	1/2	3,318.42	1/2	2,991.46	1/2	2,664.31	1/2	2,335.18	1/2	2,006.05	1/2	1,676.92	1/2	1,348.03	1/2	1,019.29	1/2	690.18	1/2	362.13	1/2	66.10
3/4		3/4	4,617.44	3/4	4,292.27	3/4	3,965.54	3/4	3,638.58	3/4	3,311.61	3/4	2,984.64	3/4	2,657.45	3/4	2,328.32	3/4	1,999.19	3/4	1,670.06	3/4	1,341.19	3/4	1,012.43	3/4	683.32	3/4	355.50	3/4	60.47
1		1	4,610.77	1	4,285.47	1	3,958.73	1	3,631.77	1	3,304.80	1	2,977.83	1	2,650.60	1	2,321.46	1	1,992.33	1	1,663.20	1	1,334.35	1	1,005.58	1	676.47	1	348.89	1	54.86
1/4		1/4	4,604.10	1/4	4,278.66	1/4	3,951.92	1/4	3,624.95	1/4	3,297.99	1/4	2,971.02	1/4	2,643.74	1/4	2,314.61	1/4	1,985.48	1/4	1,656.35	1/4	1,327.50	1/4	998.72	1/4	669.61	1/4	342.29	1/4	49.29
1/2		1/2	4,597.42	1/2	4,271.86	1/2	3,945.11	1/2	3,618.14	1/2	3,291.18	1/2	2,964.21	1/2	2,636.88	1/2	2,307.75	1/2	1,978.62	1/2	1,649.49	1/2	1,320.66	1/2	991.87	1/2	662.75	1/2	335.72	1/2	43.75
3/4		3/4	4,590.74	3/4	4,265.05	3/4	3,938.30	3/4	3,611.33	3/4	3,284.36	3/4	2,957.40	3/4	2,630.03	3/4	2,300.89	3/4	1,971.76	3/4	1,642.63	3/4	1,313.82	3/4	985.01	3/4	655.90	3/4	329.17	3/4	38.43
2		2	4,584.05	2	4,258.25	2	3,931.48	2	3,604.52	2	3,277.55	2	2,950.59	2	2,623.17	2	2,294.04	2	1,964.91	2	1,635.77	2	1,306.97	2	978.15	2	649.04	2	322.63	2	33.47
1/4		1/4	4,577.35	1/4	4,251.44	1/4	3,924.67	1/4	3,597.71	1/4	3,270.74	1/4	2,943.77	1/4	2,616.31	1/4	2,287.18	1/4	1,958.05	1/4	1,628.92	1/4	1,300.13	1/4	971.30	1/4	642.18	1/4	316.12	1/4	28.87
1/2		1/2	4,570.65	1/2	4,244.64	1/2	3,917.86	1/2	3,590.89	1/2	3,263.93	1/2	2,936.96	1/2	2,609.45	1/2	2,280.32	1/2	1,951.19	1/2	1,622.06	1/2	1,293.29	1/2	964.44	1/2	635.33	1/2	309.62	1/2	24.62
3/4		3/4	4,563.94	3/4	4,237.83	3/4	3,911.05	3/4	3,584.08	3/4	3,257.12	3/4	2,930.15	3/4	2,602.60	3/4	2,273.47	3/4	1,944.34	3/4	1,615.20	3/4	1,286.44	3/4	957.58	3/4	628.47	3/4	303.14	3/4	20.73
3		3	4,557.23	3	4,231.02	3	3,904.24	3	3,577.27	3	3,250.30	3	2,923.34	3	2,595.74	3	2,266.61	3	1,937.48	3	1,608.35	3	1,279.60	3	950.73	3	621.61	3	296.69	3	17.18
1/4		1/4	4,550.51	1/4	4,224.22	1/4	3,897.43	1/4	3,570.46	1/4	3,243.49	1/4	2,916.53	1/4	2,588.88	1/4	2,259.75	1/4	1,930.62	1/4	1,601.49	1/4	1,272.76	1/4	943.87	1/4	614.76	1/4	290.25	1/4	13.99
1/2		1/2	4,543.78	1/2	4,217.41	1/2	3,890.61	1/2	3,563.65	1/2	3,236.68	1/2	2,909.71	1/2	2,582.03	1/2	2,252.90	1/2	1,923.76	1/2	1,594.63	1/2	1,265.91	1/2	937.01	1/2	607.90	1/2	283.83	1/2	11.14
3/4		3/4	4,537.04	3/4	4,210.61	3/4	3,883.80	3/4	3,556.84	3/4	3,229.87	3/4	2,902.90	3/4	2,575.17	3/4	2,246.04	3/4	1,916.91	3/4	1,587.78	3/4	1,259.07	3/4	930.16	3/4	601.04	3/4	277.43	3/4	8.64
4		4	4,530.30	4	4,203.80	4	3,876.99	4	3,550.02	4	3,223.06	4	2,896.09	4	2,568.31	4	2,239.18	4	1,910.05	4	1,580.92	4	1,252.23	4	923.30	4	594.19	4	271.05	4	-
1/4		1/4	4,523.56	1/4	4,197.00	1/4	3,870.18	1/4	3,543.21	1/4	3,216.25	1/4	2,889.28	1/4	2,561.46	1/4	2,232.32	1/4	1,903.19	1/4	1,574.06	1/4	1,245.38	1/4	916.44	1/4	587.33	1/4	264.69	1/4	-
1/2	4,763.05	1/2	4,516.80	1/2	4,190.19	1/2	3,863.37	1/2	3,536.40	1/2	3,209.43	1/2	2,882.47	1/2	2,554.60	1/2	2,225.47	1/2	1,896.34	1/2	1,567.21	1/2	1,238.54	1/2	909.59	1/2	580.48	1/2	258.35	1/2	-
3/4	4,762.71	3/4	4,510.00	3/4	4,183.39	3/4	3,856.56	3/4	3,529.59	3/4	3,202.62	3/4	2,875.66	3/4	2,547.74	3/4	2,218.61	3/4	1,889.48	3/4	1,560.35	3/4	1,231.69	3/4	902.73	3/4	573.62	3/4	252.03	3/4	-
5	4,762.09	5	4,503.20	5	4,176.58	5	3,849.74	5	3,522.78	5	3,195.81	5	2,868.84	5	2,540.89	5	2,211.75	5	1,882.62	5	1,553.49	5	1,224.85	5	895.87	5	566.76	5	245.73	5	-
1/4	4,761.20	1/4	4,496.40	1/4	4,169.78	1/4	3,842.93	1/4	3,515.97	1/4	3,189.00	1/4	2,862.03	1/4	2,534.03	1/4	2,204.90	1/4	1,875.77	1/4	1,546.63	1/4	1,218.01	1/4	889.02	1/4	559.91	1/4	239.45	1/4	-
1/2	4,760.02	1/2	4,489.60	1/2	4,162.97	1/2	3,836.12	1/2	3,509.15	1/2	3,182.19	1/2	2,855.22	1/2	2,527.17	1/2	2,198.04	1/2	1,868.91	1/2	1,539.78	1/2	1,211.16	1/2	882.16	1/2	553.05	1/2	233.19	1/2	-
3/4	4,758.57	3/4	4,482.80	3/4	4,156.17	3/4	3,829.31	3/4	3,502.34	3/4	3,175.38	3/4	2,848.41	3/4	2,520.31	3/4	2,191.18	3/4	1,862.05	3/4	1,532.92	3/4	1,204.32	3/4	875.30	3/4	546.19	3/4	226.95	3/4	-
6	4,756.83	6	4,476.00	6	4,149.36	6	3,822.50	6	3,495.53	6	3,168.56	6	2,841.60	6	2,513.46	6	2,184.33	6	1,855.20	6	1,526.07	6	1,197.48	6	868.45	6	539.34	6	220.72	6	-
1/4	4,754.82	1/4	4,469.19	1/4	4,142.55	1/4	3,815.68	1/4	3,488.72	1/4	3,161.75	1/4	2,834.79	1/4	2,506.60	1/4	2,177.47	1/4	1,848.34	1/4	1,519.22	1/4	1,190.63	1/4	861.59	1/4	532.48	1/4	214.52	1/4	-
1/2	4,752.53	1/2	4,462.39	1/2	4,135.75	1/2	3,808.87	1/2	3,481.91	1/2	3,154.94	1/2	2,827.97	1/2	2,499.74	1/2	2,170.61	1/2	1,841.48	1/2	1,512.36	1/2	1,183.79	1/2	854.74	1/2	525.62	1/2	208.33	1/2	-
3/4	4,749.95	3/4	4,455.59	3/4	4,128.94	3/4	3,802.06	3/4	3,475.09	3/4	3,148.13	3/4	2,821.16	3/4	2,492.89	3/4	2,163.76	3/4	1,834.62	3/4	1,505.51	3/4	1,176.95	3/4	847.88	3/4	518.77	3/4	202.17	3/4	-
7	4,747.10	7	4,448.79	7	4,122.14	7	3,795.25	7	3,468.28	7	3,141.32	7	2,814.35	7	2,486.03	7	2,156.90	7	1,827.77	7	1,498.66	7	1,170.10	7	841.02	7	511.91	7	196.02	7	-
1/4	4,743.97	1/4	4,441.99	1/4	4,115.33	1/4	3,788.44	1/4	3,461.47	1/4	3,134.50	1/4	2,807.54	1/4	2,479.17	1/4	2,150.04	1/4	1,820.91	1/4	1,491.80	1/4	1,163.26	1/4	834.17	1/4	505.05	1/4	189.90	1/4	-
1/2	4,740.56	1/2	4,435.19	1/2	4,108.53	1/2	3,781.63	1/2	3,454.66	1/2	3,127.69	1/2	2,800.73	1/2	2,472.32	1/2	2,143.19	1/2	1,814.05	1/2	1,484.95	1/2	1,156.42	1/2	827.31	1/2	498.20	1/2	183.79	1/2	-
3/4	4,736.87	3/4	4,428.38	3/4	4,101.72	3/4	3,774.81	3/4	3,447.85	3/4	3,120.88	3/4	2,793.91	3/4	2,465.46	3/4	2,136.33	3/4	1,807.20	3/4	1,478.10	3/4	1,149.56	3/4	820.45	3/4	491.34	3/4	177.71	3/4	-
8	4,732.90	8	4,421.58	8	4,094.92	8	3,768.00	8	3,441.04	8	3,114.07	8	2,787.10	8	2,458.60	8	2,129.47	8	1,800.34	8	1,471.26	8	1,142.70	8	813.60	8	484.49	8	171.64	8	-
1/4	4,728.65	1/4	4,414.77	1/4	4,088.11	1/4	3,761.19	1/4	3,434.22	1/4	3,107.26	1/4	2,780.29	1/4	2,451.75	1/4	2,122.61	1/4	1,793.48	1/4	1,464.41	1/4	1,13								



BARGE: GBL 4530

HULL No. JEFFBOAT 14-2883

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3"

		1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN
0		0		4,991.74	0	4,644.65	0	4,296.10	0	3,945.81	0	3,595.50	0	3,245.18	0	2,894.85	0	2,544.43	0	2,194.00	0	1,843.58	0	1,493.16	0	1,142.73	0	793.55	0	443.50	0	93.58	
1/4		1/4		4,984.65	1/4	4,637.39	1/4	4,288.83	1/4	3,938.52	1/4	3,588.20	1/4	3,237.88	1/4	2,887.55	1/4	2,537.13	1/4	2,186.70	1/4	1,836.28	1/4	1,485.86	1/4	1,135.43	1/4	786.28	1/4	436.20	1/4	86.35	
1/2		1/2		4,977.55	1/2	4,630.13	1/2	4,281.54	1/2	3,931.22	1/2	3,580.90	1/2	3,230.58	1/2	2,880.25	1/2	2,529.83	1/2	2,179.40	1/2	1,828.98	1/2	1,478.56	1/2	1,128.13	1/2	779.00	1/2	428.90	1/2	79.13	
3/4		3/4		4,970.45	3/4	4,622.87	3/4	4,274.24	3/4	3,923.92	3/4	3,573.60	3/4	3,223.28	3/4	2,872.95	3/4	2,522.53	3/4	2,172.10	3/4	1,821.68	3/4	1,471.26	3/4	1,120.83	3/4	771.73	3/4	421.60	3/4	71.92	
1		1		4,963.34	1	4,615.61	1	4,266.94	1	3,916.62	1	3,566.30	1	3,215.98	1	2,865.65	1	2,515.23	1	2,164.80	1	1,814.38	1	1,463.95	1	1,113.53	1	764.46	1	414.31	1	64.73	
1/4		1/4		4,956.22	1/4	4,608.35	1/4	4,259.64	1/4	3,909.32	1/4	3,559.00	1/4	3,208.69	1/4	2,858.35	1/4	2,507.93	1/4	2,157.50	1/4	1,807.08	1/4	1,456.65	1/4	1,106.23	1/4	757.19	1/4	407.01	1/4	57.57	
1/2		1/2		4,949.09	1/2	4,601.08	1/2	4,252.34	1/2	3,902.02	1/2	3,551.71	1/2	3,201.39	1/2	2,851.05	1/2	2,500.63	1/2	2,150.20	1/2	1,799.78	1/2	1,449.35	1/2	1,098.96	1/2	749.92	1/2	399.71	1/2	50.66	
3/4		3/4		4,941.96	3/4	4,593.82	3/4	4,245.04	3/4	3,894.73	3/4	3,544.41	3/4	3,194.09	3/4	2,843.75	3/4	2,493.33	3/4	2,142.90	3/4	1,792.48	3/4	1,442.05	3/4	1,091.69	3/4	742.65	3/4	392.41	3/4	44.19	
2		2		4,934.82	2	4,586.56	2	4,237.75	2	3,887.43	2	3,537.11	2	3,186.79	2	2,836.45	2	2,486.02	2	2,135.60	2	1,785.18	2	1,434.75	2	1,084.42	2	735.37	2	385.11	2	38.17	
1/4		1/4		4,927.62	1/4	4,579.30	1/4	4,230.45	1/4	3,880.13	1/4	3,529.81	1/4	3,179.49	1/4	2,829.15	1/4	2,478.72	1/4	2,128.30	1/4	1,777.88	1/4	1,427.45	1/4	1,077.14	1/4	728.10	1/4	377.82	1/4	32.60	
1/2		1/2		4,920.42	1/2	4,572.04	1/2	4,223.15	1/2	3,872.83	1/2	3,522.51	1/2	3,172.19	1/2	2,821.85	1/2	2,471.42	1/2	2,121.00	1/2	1,770.58	1/2	1,420.15	1/2	1,069.87	1/2	720.80	1/2	370.52	1/2	27.47	
3/4		3/4		4,913.21	3/4	4,564.78	3/4	4,215.85	3/4	3,865.53	3/4	3,515.21	3/4	3,164.90	3/4	2,814.55	3/4	2,464.12	3/4	2,113.70	3/4	1,763.28	3/4	1,412.85	3/4	1,062.60	3/4	713.51	3/4	363.22	3/4	22.79	
3		3		4,905.99	3	4,557.51	3	4,208.55	3	3,858.24	3	3,507.92	3	3,157.60	3	2,807.25	3	2,456.82	3	2,106.40	3	1,755.97	3	1,405.55	3	1,055.33	3	706.21	3	355.92	3	18.56	
1/4		1/4		4,898.76	1/4	4,550.25	1/4	4,201.26	1/4	3,850.94	1/4	3,500.62	1/4	3,150.30	1/4	2,799.95	1/4	2,449.52	1/4	2,099.10	1/4	1,748.67	1/4	1,398.25	1/4	1,048.06	1/4	698.91	1/4	348.63	1/4	4	
1/2		1/2		4,891.53	1/2	4,542.99	1/2	4,193.96	1/2	3,843.64	1/2	3,493.32	1/2	3,143.00	1/2	2,792.65	1/2	2,442.22	1/2	2,091.80	1/2	1,741.37	1/2	1,390.95	1/2	1,040.79	1/2	691.61	1/2	341.33	1/2		
3/4		3/4		4,884.29	3/4	4,535.73	3/4	4,186.66	3/4	3,836.34	3/4	3,486.02	3/4	3,135.70	3/4	2,785.35	3/4	2,434.92	3/4	2,084.50	3/4	1,734.07	3/4	1,383.65	3/4	1,033.51	3/4	684.32	3/4	334.03	3/4		
4		4		4,877.04	4	4,528.47	4	4,179.36	4	3,829.04	4	3,478.72	4	3,128.41	4	2,778.04	4	2,427.62	4	2,077.20	4	1,726.77	4	1,376.35	4	1,026.24	4	677.02	4	326.73	4		
1/4	5,131.64	1/4		4,869.79	1/4	4,521.21	1/4	4,172.06	1/4	3,821.74	1/4	3,471.43	1/4	3,121.11	1/4	2,770.74	1/4	2,420.32	1/4	2,069.90	1/4	1,719.47	1/4	1,369.05	1/4	1,018.97	1/4	669.72	1/4	319.44	1/4		
1/2	5,131.28	1/2		4,862.53	1/2	4,513.94	1/2	4,164.76	1/2	3,814.45	1/2	3,464.13	1/2	3,113.81	1/2	2,763.44	1/2	2,413.02	1/2	2,062.60	1/2	1,712.17	1/2	1,361.75	1/2	1,011.70	1/2	662.42	1/2	312.14	1/2		
3/4	5,130.63	3/4		4,855.26	3/4	4,506.68	3/4	4,157.47	3/4	3,807.15	3/4	3,456.83	3/4	3,106.51	3/4	2,756.14	3/4	2,405.72	3/4	2,055.30	3/4	1,704.87	3/4	1,354.45	3/4	1,004.43	3/4	655.13	3/4	304.84	3/4		
5		5		4,848.00	5	4,499.42	5	4,150.17	5	3,799.85	5	3,449.53	5	3,099.21	5	2,748.84	5	2,398.42	5	2,047.99	5	1,697.57	5	1,347.15	5	997.15	5	647.83	5	297.54	5		
1/4	5,128.43	1/4		4,840.73	1/4	4,492.16	1/4	4,142.87	1/4	3,792.55	1/4	3,442.23	1/4	3,091.91	1/4	2,741.54	1/4	2,391.12	1/4	2,040.69	1/4	1,690.27	1/4	1,339.85	1/4	989.88	1/4	640.53	1/4	290.25	1/4		
1/2	5,126.89	1/2		4,833.47	1/2	4,484.90	1/2	4,135.57	1/2	3,785.25	1/2	3,434.93	1/2	3,084.62	1/2	2,734.24	1/2	2,383.82	1/2	2,033.39	1/2	1,682.97	1/2	1,332.55	1/2	982.61	1/2	633.23	1/2	282.95	1/2		
3/4	5,125.05	3/4		4,826.21	3/4	4,477.64	3/4	4,128.27	3/4	3,777.95	3/4	3,427.64	3/4	3,077.32	3/4	2,726.94	3/4	2,376.52	3/4	2,026.09	3/4	1,675.67	3/4	1,325.25	3/4	975.34	3/4	625.94	3/4	275.65	3/4		
6		6		4,818.94	6	4,470.37	6	4,120.97	6	3,770.66	6	3,420.34	6	3,070.02	6	2,719.64	6	2,369.22	6	2,018.79	6	1,668.37	6	1,317.94	6	968.07	6	618.64	6	268.35	6		
1/4	5,120.47	1/4		4,811.68	1/4	4,463.11	1/4	4,113.68	1/4	3,763.36	1/4	3,413.04	1/4	3,062.72	1/4	2,712.34	1/4	2,361.92	1/4	2,011.49	1/4	1,661.07	1/4	1,310.64	1/4	960.80	1/4	611.34	1/4	261.06	1/4		
1/2	5,117.74	1/2		4,804.41	1/2	4,455.85	1/2	4,106.38	1/2	3,756.06	1/2	3,405.74	1/2	3,055.42	1/2	2,705.04	1/2	2,354.62	1/2	2,004.19	1/2	1,653.77	1/2	1,303.34	1/2	953.52	1/2	604.04	1/2	253.76	1/2		
3/4	5,114.71	3/4		4,797.15	3/4	4,448.59	3/4	4,099.08	3/4	3,748.76	3/4	3,398.44	3/4	3,048.12	3/4	2,697.74	3/4	2,347.32	3/4	1,996.89	3/4	1,646.47	3/4	1,296.04	3/4	946.25	3/4	596.75	3/4	246.46	3/4		
7		7		4,789.89	7	4,441.33	7	4,091.78	7	3,741.46	7	3,391.14	7	3,040.83	7	2,690.44	7	2,340.01	7	1,989.59	7	1,639.17	7	1,288.74	7	938.98	7	589.45	7	239.16	7		
1/4	5,107.75	1/4		4,782.62	1/4	4,434.07	1/4	4,084.48	1/4	3,734.16	1/4	3,383.85	1/4	3,033.53	1/4	2,683.14	1/4	2,332.71	1/4	1,982.29	1/4	1,631.87	1/4	1,281.44	1/4	931.71	1/4	582.15	1/4	231.87	1/4		
1/2	5,103.83	1/2		4,775.36	1/2	4,426.81	1/2	4,077.18	1/2	3,726.87	1/2	3,376.55	1/2	3,026.23	1/2	2,675.84	1/2	2,325.41	1/2	1,974.99	1/2	1,624.57	1/2	1,274.14	1/2	924.44	1/2	574.85	1/2	224.57	1/2		
3/4	5,099.61	3/4		4,768.10	3/4	4,419.54	3/4																										



BARGE: GBL 4530

HULL No. JEFFBOAT 14-2883

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		
IN	IN		IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	0	4,487.92	0	4,248.35	0	4,007.66	0	3,766.97	0	3,526.28	0	3,236.11	0	2,886.32	0	2,536.34	0	2,186.13	0	1,835.91	0	1,485.70	0	1,135.50	0	785.94	0	435.84	0	86.12			
1/4	1/4	4,483.04	1/4	4,243.34	1/4	4,002.64	1/4	3,761.95	1/4	3,521.26	1/4	3,228.83	1/4	2,879.03	1/4	2,529.05	1/4	2,178.83	1/4	1,828.61	1/4	1,478.40	1/4	1,128.20	1/4	778.66	1/4	428.55	1/4	78.91			
1/2	1/2	4,478.15	1/2	4,238.32	1/2	3,997.63	1/2	3,756.94	1/2	3,516.25	1/2	3,221.54	1/2	2,871.74	1/2	2,521.76	1/2	2,171.54	1/2	1,821.32	1/2	1,471.11	1/2	1,120.91	1/2	771.38	1/2	421.25	1/2	71.70			
3/4	3/4	4,473.25	3/4	4,233.31	3/4	3,992.62	3/4	3,751.92	3/4	3,511.23	3/4	3,214.25	3/4	2,864.45	3/4	2,514.47	3/4	2,164.24	3/4	1,814.02	3/4	1,463.81	3/4	1,113.61	3/4	764.09	3/4	413.96	3/4	64.51			
1	1	4,468.35	1	4,228.29	1	3,987.60	1	3,746.91	1	3,506.22	1	3,206.97	1	2,857.16	1	2,507.17	1	2,156.94	1	1,806.72	1	1,456.51	1	1,106.32	1	756.81	1	406.66	1	57.36			
1/4	1/4	4,463.44	1/4	4,223.28	1/4	3,982.59	1/4	3,741.90	1/4	3,501.20	1/4	3,199.68	1/4	2,849.87	1/4	2,499.88	1/4	2,149.65	1/4	1,799.43	1/4	1,449.22	1/4	1,099.03	1/4	749.52	1/4	399.37	1/4	50.45			
1/2	1/2	4,458.53	1/2	4,218.26	1/2	3,977.57	1/2	3,736.88	1/2	3,496.19	1/2	3,192.39	1/2	2,842.58	1/2	2,492.58	1/2	2,142.35	1/2	1,792.13	1/2	1,441.92	1/2	1,091.75	1/2	742.22	1/2	392.07	1/2	43.99			
3/4	3/4	4,453.62	3/4	4,213.25	3/4	3,972.56	3/4	3,731.87	3/4	3,491.18	3/4	3,185.11	3/4	2,835.29	3/4	2,485.28	3/4	2,135.06	3/4	1,784.84	3/4	1,434.63	3/4	1,084.46	3/4	734.93	3/4	384.78	3/4	37.97			
2	2	4,448.70	2	4,208.23	2	3,967.54	2	3,726.85	2	3,486.16	2	3,177.82	2	2,827.99	2	2,477.99	2	2,127.76	2	1,777.54	2	1,427.33	2	1,077.18	2	727.63	2	377.48	2	32.40			
1/4	1/4	4,443.77	1/4	4,203.22	1/4	3,962.53	1/4	3,721.84	1/4	3,481.12	1/4	3,170.53	1/4	2,820.70	1/4	2,470.69	1/4	2,120.46	1/4	1,770.24	1/4	1,420.03	1/4	1,069.89	1/4	720.34	1/4	370.19	1/4	27.27			
1/2	1/2	4,438.84	1/2	4,198.21	1/2	3,957.51	1/2	3,716.82	1/2	3,476.09	1/2	3,163.24	1/2	2,813.41	1/2	2,463.39	1/2	2,113.17	1/2	1,762.95	1/2	1,412.74	1/2	1,062.61	1/2	713.04	1/2	362.89	1/2	22.59			
3/4	3/4	4,433.91	3/4	4,193.19	3/4	3,952.50	3/4	3,711.81	3/4	3,471.05	3/4	3,155.96	3/4	2,806.12	3/4	2,456.10	3/4	2,105.87	3/4	1,755.65	3/4	1,405.44	3/4	1,055.32	3/4	705.75	3/4	355.60	3/4	18.36			
3	3	4,428.91	3	4,188.18	3	3,947.49	3	3,706.79	3	3,466.01	3	3,148.67	3	2,798.83	3	2,448.80	3	2,098.57	3	1,748.36	3	1,398.15	3	1,048.03	3	698.45	3	348.30	3	14.57			
1/4	1/4	4,423.91	1/4	4,183.16	1/4	3,942.47	1/4	3,701.78	1/4	3,460.98	1/4	3,141.38	1/4	2,791.54	1/4	2,441.50	1/4	2,091.28	1/4	1,741.06	1/4	1,390.85	1/4	1,040.76	1/4	691.16	1/4	341.01	1/4				
1/2	1/2	4,418.90	1/2	4,178.15	1/2	3,937.46	1/2	3,696.77	1/2	3,455.94	1/2	3,134.10	1/2	2,784.25	1/2	2,434.21	1/2	2,083.98	1/2	1,733.76	1/2	1,383.56	1/2	1,033.48	1/2	683.86	1/2	333.71	1/2				
3/4	3/4	4,413.88	3/4	4,173.13	3/4	3,932.44	3/4	3,691.75	3/4	3,450.90	3/4	3,126.81	3/4	2,776.96	3/4	2,426.91	3/4	2,076.68	3/4	1,726.47	3/4	1,376.26	3/4	1,026.20	3/4	676.57	3/4	326.42	3/4				
4	4	4,586.64	4	4,408.86	4	4,168.12	4	3,927.43	4	3,686.74	4	3,445.86	4	3,119.52	4	2,769.66	4	2,419.62	4	2,069.39	4	1,719.17	4	1,368.97	4	1,018.92	4	669.28	4	319.12	4		
1/4	1/4	4,586.52	1/4	4,403.84	1/4	4,163.10	1/4	3,922.41	1/4	3,681.72	1/4	3,440.25	1/4	3,112.24	1/4	2,762.37	1/4	2,412.32	1/4	2,062.09	1/4	1,711.88	1/4	1,361.67	1/4	1,011.64	1/4	661.98	1/4	311.83	1/4		
1/2	1/2	4,586.20	1/2	4,398.83	1/2	4,158.09	1/2	3,917.40	1/2	3,676.71	1/2	3,434.64	1/2	3,104.95	1/2	2,755.08	1/2	2,405.02	1/2	2,054.80	1/2	1,704.58	1/2	1,354.38	1/2	1,004.36	1/2	654.69	1/2	304.54	1/2		
3/4	3/4	4,585.67	3/4	4,393.81	3/4	4,153.08	3/4	3,912.38	3/4	3,671.69	3/4	3,429.02	3/4	3,097.66	3/4	2,747.79	3/4	2,397.73	3/4	2,047.50	3/4	1,697.28	3/4	1,347.08	3/4	997.08	3/4	647.39	3/4	297.24	3/4		
5	5	4,584.93	5	4,388.79	5	4,148.06	5	3,907.37	5	3,666.68	5	3,423.41	5	3,090.38	5	2,740.50	5	2,390.43	5	2,040.20	5	1,689.99	5	1,339.79	5	989.80	5	640.10	5	289.95	5		
1/4	1/4	4,583.99	1/4	4,383.77	1/4	4,143.05	1/4	3,902.36	1/4	3,661.66	1/4	3,417.52	1/4	3,083.09	1/4	2,733.21	1/4	2,383.13	1/4	2,032.91	1/4	1,682.69	1/4	1,332.49	1/4	982.52	1/4	632.80	1/4	282.65	1/4		
1/2	1/2	4,582.84	1/2	4,378.75	1/2	4,138.03	1/2	3,897.34	1/2	3,656.65	1/2	3,411.63	1/2	3,075.80	1/2	2,725.92	1/2	2,375.84	1/2	2,025.61	1/2	1,675.40	1/2	1,325.20	1/2	975.24	1/2	625.51	1/2	275.36	1/2		
3/4	3/4	4,581.48	3/4	4,373.73	3/4	4,133.02	3/4	3,892.33	3/4	3,651.64	3/4	3,405.73	3/4	3,068.51	3/4	2,718.62	3/4	2,368.54	3/4	2,018.31	3/4	1,668.10	3/4	1,317.90	3/4	967.96	3/4	618.21	3/4	268.06	3/4		
6	6	4,579.92	6	4,368.71	6	4,128.00	6	3,887.31	6	3,646.62	6	3,399.84	6	3,061.23	6	2,711.33	6	2,361.24	6	2,011.02	6	1,660.80	6	1,310.61	6	960.68	6	610.92	6	260.77	6		
1/4	1/4	4,578.16	1/4	4,363.69	1/4	4,122.99	1/4	3,882.30	1/4	3,641.61	1/4	3,393.67	1/4	3,053.94	1/4	2,704.04	1/4	2,353.95	1/4	2,003.72	1/4	1,653.51	1/4	1,303.31	1/4	953.40	1/4	603.62	1/4	253.47	1/4		
1/2	1/2	4,576.19	1/2	4,358.68	1/2	4,117.98	1/2	3,877.28	1/2	3,636.59	1/2	3,387.50	1/2	3,046.65	1/2	2,696.75	1/2	2,346.65	1/2	1,996.42	1/2	1,646.21	1/2	1,296.02	1/2	946.12	1/2	596.33	1/2	246.18	1/2		
3/4	3/4	4,574.02	3/4	4,353.66	3/4	4,112.96	3/4	3,872.27	3/4	3,631.58	3/4	3,381.33	3/4	3,039.37	3/4	2,689.46	3/4	2,339.35	3/4	1,989.13	3/4	1,638.91	3/4	1,288.72	3/4	938.84	3/4	589.03	3/4	238.88	3/4		
7	7	4,571.64	7	4,348.64	7	4,107.95	7	3,867.26	7	3,626.56	7	3,375.16	7	3,032.08	7	2,682.17	7	2,332.06	7	1,981.83	7	1,631.62	7	1,281.42	7	931.55	7	581.74	7	231.59	7		
1/4	1/4	4,569.05	1/4	4,343.62	1/4	4,102.93	1/4	3,862.24	1/4	3,621.55	1/4	3,368.71	1/4	3,024.79	1/4	2,674.88	1/4	2,324.76	1/4	1,974.54	1/4	1,624.32	1/4	1,274.13	1/4	924.27	1/4	574.44	1/4	224.29	1/4		
1/2	1/2	4,566.26	1/2	4,338.61	1/2	4,097.92	1/2	3,857.23	1/2	3,616.54	1/2	3,362.26	1/2	3,017.51	1/2</																		



BARGE: GBL 4530

HULL No. JEFFBOAT 14-2883

SLOP PORT

ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 5 1/4"

IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.
6	5,470	0	5,010	6	4,448	0	3,885	6	3,323	0	2,760	6	2,198	0	1,635	6	1,073	0	510	6	46
1/8	5,465	1/8	4,999	1/8	4,436	1/8	3,874	1/8	3,311	1/8	2,749	1/8	2,186	1/8	1,624	1/8	1,061	1/8	498	1/8	42
1/4	5,460	1/4	4,987	1/4	4,424	1/4	3,862	1/4	3,299	1/4	2,737	1/4	2,174	1/4	1,612	1/4	1,049	1/4	487	1/4	37
3/8	5,455	3/8	4,975	3/8	4,413	3/8	3,850	3/8	3,288	3/8	2,725	3/8	2,163	3/8	1,600	3/8	1,038	3/8	475	3/8	33
1/2	5,449	1/2	4,964	1/2	4,401	1/2	3,839	1/2	3,276	1/2	2,713	1/2	2,151	1/2	1,588	1/2	1,026	1/2	463	1/2	29
5/8	5,444	5/8	4,952	5/8	4,389	5/8	3,827	5/8	3,264	5/8	2,702	5/8	2,139	5/8	1,577	5/8	1,014	5/8	452	5/8	26
3/4	5,438	3/4	4,940	3/4	4,378	3/4	3,815	3/4	3,253	3/4	2,690	3/4	2,127	3/4	1,565	3/4	1,002	3/4	440	3/4	22
7/8	5,432	7/8	4,928	7/8	4,366	7/8	3,803	7/8	3,241	7/8	2,678	7/8	2,116	7/8	1,553	7/8	991	7/8	428	7/8	19
7	5,425	1	4,917	7	4,354	1	3,792	7	3,229	1	2,667	7	2,104	1	1,541	7	979	1	416	7	16
1/8	5,418	1/8	4,905	1/8	4,342	1/8	3,780	1/8	3,217	1/8	2,655	1/8	2,092	1/8	1,530	1/8	967	1/8	405	1/8	13
1/4	5,412	1/4	4,893	1/4	4,331	1/4	3,768	1/4	3,206	1/4	2,643	1/4	2,081	1/4	1,518	1/4	956	1/4	393	1/4	11
3/8	5,404	3/8	4,882	3/8	4,319	3/8	3,756	3/8	3,194	3/8	2,631	3/8	2,069	3/8	1,506	3/8	944	3/8	381	3/8	9
1/2	5,397	1/2	4,870	1/2	4,307	1/2	3,745	1/2	3,182	1/2	2,620	1/2	2,057	1/2	1,495	1/2	932	1/2	370	1/2	7
5/8	5,389	5/8	4,858	5/8	4,296	5/8	3,733	5/8	3,171	5/8	2,608	5/8	2,045	5/8	1,483	5/8	920	5/8	358	5/8	5
3/4	5,381	3/4	4,846	3/4	4,284	3/4	3,721	3/4	3,159	3/4	2,596	3/4	2,034	3/4	1,471	3/4	909	3/4	346	3/4	4
7/8	5,373	7/8	4,835	7/8	4,272	7/8	3,710	7/8	3,147	7/8	2,585	7/8	2,022	7/8	1,459	7/8	897	7/8	334	7/8	2
8	5,365	2	4,823	8	4,260	2	3,698	8	3,135	2	2,573	8	2,010	2	1,448	8	885	2	323	8	1
1/8	5,356	1/8	4,811	1/8	4,249	1/8	3,686	1/8	3,124	1/8	2,561	1/8	1,999	1/8	1,436	1/8	873	1/8	311	1/8	1
1/4	5,347	1/4	4,800	1/4	4,237	1/4	3,674	1/4	3,112	1/4	2,549	1/4	1,987	1/4	1,424	1/4	862	1/4	299	1/4	0
3/8	5,338	3/8	4,788	3/8	4,225	3/8	3,663	3/8	3,100	3/8	2,538	3/8	1,975	3/8	1,413	3/8	850	3/8	288	3/8	
1/2	5,329	1/2	4,776	1/2	4,214	1/2	3,651	1/2	3,088	1/2	2,526	1/2	1,963	1/2	1,401	1/2	838	1/2	276	1/2	
5/8	5,319	5/8	4,764	5/8	4,202	5/8	3,639	5/8	3,077	5/8	2,514	5/8	1,952	5/8	1,389	5/8	827	5/8	264	5/8	
3/4	5,309	3/4	4,753	3/4	4,190	3/4	3,628	3/4	3,065	3/4	2,502	3/4	1,940	3/4	1,377	3/4	815	3/4	253	3/4	
7/8	5,299	7/8	4,741	7/8	4,178	7/8	3,616	7/8	3,053	7/8	2,491	7/8	1,928	7/8	1,366	7/8	803	7/8	242	7/8	
9	5,289	3	4,729	9	4,167	3	3,604	9	3,042	3	2,479	9	1,917	3	1,354	9	791	3	231	9	
1/8	5,278	1/8	4,717	1/8	4,155	1/8	3,592	1/8	3,030	1/8	2,467	1/8	1,905	1/8	1,342	1/8	780	1/8	221	1/8	
1/4	5,267	1/4	4,706	1/4	4,143	1/4	3,581	1/4	3,018	1/4	2,456	1/4	1,893	1/4	1,331	1/4	768	1/4	210	1/4	
3/8	5,256	3/8	4,694	3/8	4,131	3/8	3,569	3/8	3,006	3/8	2,444	3/8	1,881	3/8	1,319	3/8	756	3/8	200	3/8	
1/2	5,245	1/2	4,682	1/2	4,120	1/2	3,557	1/2	2,995	1/2	2,432	1/2	1,870	1/2	1,307	1/2	745	1/2	191	1/2	
5/8	5,233	5/8	4,671	5/8	4,108	5/8	3,546	5/8	2,983	5/8	2,420	5/8	1,858	5/8	1,295	5/8	733	5/8	181	5/8	
3/4	5,221	3/4	4,659	3/4	4,096	3/4	3,534	3/4	2,971	3/4	2,409	3/4	1,846	3/4	1,284	3/4	721	3/4	172	3/4	
7/8	5,210	7/8	4,647	7/8	4,085	7/8	3,522	7/8	2,960	7/8	2,397	7/8	1,834	7/8	1,272	7/8	709	7/8	163	7/8	
10	5,198	4	4,635	10	4,073	4	3,510	10	2,948	4	2,385	10	1,823	4	1,260	10	698	4	154	10	
1/8	5,186	1/8	4,624	1/8	4,061	1/8	3,499	1/8	2,936	1/8	2,374	1/8	1,811	1/8	1,249	1/8	686	1/8	145	1/8	
1/4	5,175	1/4	4,612	1/4	4,049	1/4	3,487	1/4	2,924	1/4	2,362	1/4	1,799	1/4	1,237	1/4	674	1/4	137	1/4	
3/8	5,163	3/8	4,600	3/8	4,038	3/8	3,475	3/8	2,913	3/8	2,350	3/8	1,788	3/8	1,225	3/8	663	3/8	129	3/8	
1/2	5,151	1/2	4,589	1/2	4,026	1/2	3,463	1/2	2,901	1/2	2,338	1/2	1,776	1/2	1,213	1/2	651	1/2	121	1/2	
5/8	5,139	5/8	4,577	5/8	4,014	5/8	3,452	5/8	2,889	5/8	2,327	5/8	1,764	5/8	1,202	5/8	639	5/8	114	5/8	
3/4	5,128	3/4	4,565	3/4	4,003	3/4	3,440	3/4	2,878	3/4	2,315	3/4	1,752	3/4	1,190	3/4	627	3/4	106	3/4	
7/8	5,116	7/8	4,553	7/8	3,991	7/8	3,428	7/8	2,866	7/8	2,303	7/8	1,741	7/8	1,178	7/8	616	7/8	99	7/8	
11	5,104	5	4,542	11	3,979	5	3,417	11	2,854	5	2,292	11	1,729	5	1,166	11	604	5	92	11	
1/8	5,092	1/8	4,530	1/8	3,967	1/8	3,405	1/8	2,842	1/8	2,280	1/8	1,717	1/8	1,155	1/8	592	1/8	86	1/8	
1/4	5,081	1/4	4,518	1/4	3,956	1/4	3,393	1/4	2,831	1/4	2,268	1/4	1,706	1/4	1,143	1/4	580	1/4	79	1/4	
3/8	5,069	3/8	4,507	3/8	3,944	3/8	3,381	3/8	2,819	3/8	2,256	3/8	1,694	3/8	1,131	3/8	569	3/8	73	3/8	
1/2	5,057	1/2	4,495	1/2	3,932	1/2	3,370	1/2	2,807	1/2	2,245	1/2	1,682	1/2	1,120	1/2	557	1/2	67	1/2	
5/8	5,046	5/8	4,483	5/8	3,921	5/8	3,358	5/8	2,795	5/8	2,233	5/8	1,670	5/8	1,108	5/8	545	5/8	62	5/8	
3/4	5,034	3/4	4,471	3/4	3,909	3/4	3,346	3/4	2,784	3/4	2,221	3/4	1,659	3/4	1,096	3/4	534	3/4	56	3/4	
7/8	5,022	7/8	4,460	7/8	3,897	7/8	3,335	7/8	2,772	7/8	2,210	7/8	1,647	7/8	1,084	7/8	522	7/8	51	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.
SHADED AREA OF TABLE IS THE VOLUMES BELOW THE STRIKE POINT DUE TO CAMBERED BOTTOM

DATE STRAPPED: 1/19/2015 BY: JMF
DATE COMPUTED: 1/21/2015 BY: WH
DATE ISSUED: 1/21/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK





BARGE: GBL 4530

HULL No. JEFFBOAT 14-2883

SLOP STBD

ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 5 1/2"

IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.	IN	5 FT.	IN	6 FT.	IN	6 FT.
6	5,284	0	4,848	6	4,305	0	3,762	6	3,219	0	2,676	6	2,133	0	1,590	6	1,047	0	504	6	50
1/8	5,280	1/8	4,836	1/8	4,293	1/8	3,750	1/8	3,207	1/8	2,664	1/8	2,121	1/8	1,578	1/8	1,035	1/8	492	1/8	45
1/4	5,275	1/4	4,825	1/4	4,282	1/4	3,739	1/4	3,196	1/4	2,653	1/4	2,110	1/4	1,567	1/4	1,024	1/4	481	1/4	40
3/8	5,270	3/8	4,814	3/8	4,271	3/8	3,728	3/8	3,185	3/8	2,642	3/8	2,099	3/8	1,556	3/8	1,013	3/8	470	3/8	36
1/2	5,265	1/2	4,802	1/2	4,259	1/2	3,716	1/2	3,173	1/2	2,630	1/2	2,087	1/2	1,544	1/2	1,001	1/2	459	1/2	32
5/8	5,260	5/8	4,791	5/8	4,248	5/8	3,705	5/8	3,162	5/8	2,619	5/8	2,076	5/8	1,533	5/8	990	5/8	447	5/8	28
3/4	5,254	3/4	4,780	3/4	4,237	3/4	3,694	3/4	3,151	3/4	2,608	3/4	2,065	3/4	1,522	3/4	979	3/4	436	3/4	25
7/8	5,249	7/8	4,768	7/8	4,225	7/8	3,682	7/8	3,139	7/8	2,596	7/8	2,053	7/8	1,511	7/8	968	7/8	425	7/8	21
7	5,243	1	4,757	7	4,214	1	3,671	7	3,128	1	2,585	7	2,042	1	1,499	7	956	1	413	7	18
1/8	5,236	1/8	4,746	1/8	4,203	1/8	3,660	1/8	3,117	1/8	2,574	1/8	2,031	1/8	1,488	1/8	945	1/8	402	1/8	16
1/4	5,230	1/4	4,734	1/4	4,191	1/4	3,648	1/4	3,105	1/4	2,563	1/4	2,020	1/4	1,477	1/4	934	1/4	391	1/4	13
3/8	5,223	3/8	4,723	3/8	4,180	3/8	3,637	3/8	3,094	3/8	2,551	3/8	2,008	3/8	1,465	3/8	922	3/8	379	3/8	11
1/2	5,216	1/2	4,712	1/2	4,169	1/2	3,626	1/2	3,083	1/2	2,540	1/2	1,997	1/2	1,454	1/2	911	1/2	368	1/2	8
5/8	5,209	5/8	4,700	5/8	4,158	5/8	3,615	5/8	3,072	5/8	2,529	5/8	1,986	5/8	1,443	5/8	900	5/8	357	5/8	7
3/4	5,202	3/4	4,689	3/4	4,146	3/4	3,603	3/4	3,060	3/4	2,517	3/4	1,974	3/4	1,431	3/4	888	3/4	345	3/4	5
7/8	5,194	7/8	4,678	7/8	4,135	7/8	3,592	7/8	3,049	7/8	2,506	7/8	1,963	7/8	1,420	7/8	877	7/8	334	7/8	4
8	5,186	2	4,667	8	4,124	2	3,581	8	3,038	2	2,495	8	1,952	2	1,409	8	866	2	323	8	2
1/8	5,178	1/8	4,655	1/8	4,112	1/8	3,569	1/8	3,026	1/8	2,483	1/8	1,940	1/8	1,397	1/8	854	1/8	311	1/8	1
1/4	5,170	1/4	4,644	1/4	4,101	1/4	3,558	1/4	3,015	1/4	2,472	1/4	1,929	1/4	1,386	1/4	843	1/4	300	1/4	1
3/8	5,161	3/8	4,633	3/8	4,090	3/8	3,547	3/8	3,004	3/8	2,461	3/8	1,918	3/8	1,375	3/8	832	3/8	289	3/8	0
1/2	5,152	1/2	4,621	1/2	4,078	1/2	3,535	1/2	2,992	1/2	2,449	1/2	1,906	1/2	1,363	1/2	820	1/2	278	1/2	
5/8	5,143	5/8	4,610	5/8	4,067	5/8	3,524	5/8	2,981	5/8	2,438	5/8	1,895	5/8	1,352	5/8	809	5/8	266	5/8	
3/4	5,134	3/4	4,599	3/4	4,056	3/4	3,513	3/4	2,970	3/4	2,427	3/4	1,884	3/4	1,341	3/4	798	3/4	255	3/4	
7/8	5,124	7/8	4,587	7/8	4,044	7/8	3,501	7/8	2,958	7/8	2,415	7/8	1,872	7/8	1,330	7/8	787	7/8	244	7/8	
9	5,115	3	4,576	9	4,033	3	3,490	9	2,947	3	2,404	9	1,861	3	1,318	9	775	3	234	9	
1/8	5,105	1/8	4,565	1/8	4,022	1/8	3,479	1/8	2,936	1/8	2,393	1/8	1,850	1/8	1,307	1/8	764	1/8	223	1/8	
1/4	5,094	1/4	4,553	1/4	4,010	1/4	3,467	1/4	2,925	1/4	2,382	1/4	1,839	1/4	1,296	1/4	753	1/4	213	1/4	
3/8	5,084	3/8	4,542	3/8	3,999	3/8	3,456	3/8	2,913	3/8	2,370	3/8	1,827	3/8	1,284	3/8	741	3/8	203	3/8	
1/2	5,073	1/2	4,531	1/2	3,988	1/2	3,445	1/2	2,902	1/2	2,359	1/2	1,816	1/2	1,273	1/2	730	1/2	194	1/2	
5/8	5,062	5/8	4,519	5/8	3,977	5/8	3,434	5/8	2,891	5/8	2,348	5/8	1,805	5/8	1,262	5/8	719	5/8	184	5/8	
3/4	5,051	3/4	4,508	3/4	3,965	3/4	3,422	3/4	2,879	3/4	2,336	3/4	1,793	3/4	1,250	3/4	707	3/4	175	3/4	
7/8	5,040	7/8	4,497	7/8	3,954	7/8	3,411	7/8	2,868	7/8	2,325	7/8	1,782	7/8	1,239	7/8	696	7/8	166	7/8	
10	5,029	4	4,486	10	3,943	4	3,400	10	2,857	4	2,314	10	1,771	4	1,228	10	685	4	157	10	
1/8	5,017	1/8	4,474	1/8	3,931	1/8	3,388	1/8	2,845	1/8	2,302	1/8	1,759	1/8	1,216	1/8	673	1/8	149	1/8	
1/4	5,006	1/4	4,463	1/4	3,920	1/4	3,377	1/4	2,834	1/4	2,291	1/4	1,748	1/4	1,205	1/4	662	1/4	140	1/4	
3/8	4,995	3/8	4,452	3/8	3,909	3/8	3,366	3/8	2,823	3/8	2,280	3/8	1,737	3/8	1,194	3/8	651	3/8	132	3/8	
1/2	4,983	1/2	4,440	1/2	3,897	1/2	3,354	1/2	2,811	1/2	2,268	1/2	1,725	1/2	1,182	1/2	639	1/2	125	1/2	
5/8	4,972	5/8	4,429	5/8	3,886	5/8	3,343	5/8	2,800	5/8	2,257	5/8	1,714	5/8	1,171	5/8	628	5/8	117	5/8	
3/4	4,961	3/4	4,418	3/4	3,875	3/4	3,332	3/4	2,789	3/4	2,246	3/4	1,703	3/4	1,160	3/4	617	3/4	110	3/4	
7/8	4,949	7/8	4,406	7/8	3,863	7/8	3,320	7/8	2,777	7/8	2,234	7/8	1,692	7/8	1,149	7/8	606	7/8	103	7/8	
11	4,938	5	4,395	11	3,852	5	3,309	11	2,766	5	2,223	11	1,680	5	1,137	11	594	5	96	11	
1/8	4,927	1/8	4,384	1/8	3,841	1/8	3,298	1/8	2,755	1/8	2,212	1/8	1,669	1/8	1,126	1/8	583	1/8	89	1/8	
1/4	4,915	1/4	4,372	1/4	3,829	1/4	3,286	1/4	2,744	1/4	2,201	1/4	1,658	1/4	1,115	1/4	572	1/4	83	1/4	
3/8	4,904	3/8	4,361	3/8	3,818	3/8	3,275	3/8	2,732	3/8	2,189	3/8	1,646	3/8	1,103	3/8	560	3/8	77	3/8	
1/2	4,893	1/2	4,350	1/2	3,807	1/2	3,264	1/2	2,721	1/2	2,178	1/2	1,635	1/2	1,092	1/2	549	1/2	71	1/2	
5/8	4,881	5/8	4,338	5/8	3,796	5/8	3,253	5/8	2,710	5/8	2,167	5/8	1,624	5/8	1,081	5/8	538	5/8	65	5/8	
3/4	4,870	3/4	4,327	3/4	3,784	3/4	3,241	3/4	2,698	3/4	2,155	3/4	1,612	3/4	1,069	3/4	526	3/4	60	3/4	
7/8	4,859	7/8	4,316	7/8	3,773	7/8	3,230	7/8	2,687	7/8	2,144	7/8	1,601	7/8	1,058	7/8	515	7/8	55	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE. SHADED AREA OF TABLE IS THE VOLUMES BELOW THE STRIKE POINT DUE TO CAMBERED BOTTOM.

DATE STRAPPED: 1/19/2015 BY: JMF
DATE COMPUTED: 1/21/2015 BY: WH
DATE ISSUED: 1/21/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK