



BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.14	0	283.30	0	607.00	0	936.37	0	1,265.61	0	1,594.81	0	1,924.20	0	2,253.59	0	2,582.98	0	2,911.02	0	3,238.40	0	3,565.77	0	3,893.15	0	4,220.52	0	4,547.26
1/4	13.99	1/4	289.69	1/4	613.86	1/4	943.23	1/4	1,272.47	1/4	1,601.67	1/4	1,931.06	1/4	2,260.45	1/4	2,589.84	1/4	2,917.84	1/4	3,245.22	1/4	3,572.59	1/4	3,899.97	1/4	4,227.34	1/4	4,554.02
1/2	17.18	1/2	296.11	1/2	620.72	1/2	950.09	1/2	1,279.32	1/2	1,608.53	1/2	1,937.92	1/2	2,267.31	1/2	2,596.70	1/2	2,924.66	1/2	3,252.04	1/2	3,579.41	1/2	3,906.79	1/2	4,234.16	1/2	4,560.78
3/4	20.73	3/4	302.54	3/4	627.58	3/4	956.96	3/4	1,286.18	3/4	1,615.39	3/4	1,944.78	3/4	2,274.17	3/4	2,603.56	3/4	2,931.48	3/4	3,258.86	3/4	3,586.23	3/4	3,913.61	3/4	4,240.98	3/4	4,567.53
1	24.62	1	308.99	1	634.45	1	963.82	1	1,293.03	1	1,622.26	1	1,951.65	1	2,281.04	1	2,610.43	1	2,938.31	1	3,265.68	1	3,593.05	1	3,920.43	1	4,247.80	1	4,574.28
1/4	28.86	1/4	315.46	1/4	641.31	1/4	970.68	1/4	1,299.88	1/4	1,629.12	1/4	1,958.51	1/4	2,287.90	1/4	2,617.29	1/4	2,945.13	1/4	3,272.50	1/4	3,599.87	1/4	3,927.25	1/4	4,254.62	1/4	4,581.02
1/2	33.46	1/2	321.96	1/2	648.17	1/2	977.54	1/2	1,306.74	1/2	1,635.98	1/2	1,965.37	1/2	2,294.76	1/2	2,624.15	1/2	2,951.95	1/2	3,279.32	1/2	3,606.69	1/2	3,934.07	1/2	4,261.44	1/2	4,587.75
3/4	38.42	3/4	328.47	3/4	655.03	3/4	984.40	3/4	1,313.59	3/4	1,642.84	3/4	1,972.23	3/4	2,301.62	3/4	2,631.01	3/4	2,958.77	3/4	3,286.14	3/4	3,613.51	3/4	3,940.89	3/4	4,268.26	3/4	4,594.48
2	43.74	2	334.99	2	661.89	2	991.26	2	1,320.45	2	1,649.70	2	1,979.10	2	2,308.49	2	2,637.88	2	2,965.59	2	3,292.96	2	3,620.34	2	3,947.71	2	4,275.08	2	4,601.20
1/4	49.27	1/4	341.54	1/4	668.76	1/4	998.13	1/4	1,327.30	1/4	1,656.57	1/4	1,985.96	1/4	2,315.35	1/4	2,644.74	1/4	2,972.41	1/4	3,299.78	1/4	3,627.16	1/4	3,954.53	1/4	4,281.90	1/4	4,607.91
1/2	54.84	1/2	348.11	1/2	675.62	1/2	1,004.99	1/2	1,334.15	1/2	1,663.43	1/2	1,992.82	1/2	2,322.21	1/2	2,651.60	1/2	2,979.23	1/2	3,306.60	1/2	3,633.98	1/2	3,961.35	1/2	4,288.72	1/2	4,614.62
3/4	60.44	3/4	354.69	3/4	682.48	3/4	1,011.85	3/4	1,341.01	3/4	1,670.29	3/4	1,999.68	3/4	2,329.07	3/4	2,658.46	3/4	2,986.05	3/4	3,313.42	3/4	3,640.80	3/4	3,968.17	3/4	4,295.54	3/4	4,621.32
3	66.07	3	361.30	3	689.34	3	1,018.71	3	1,347.86	3	1,677.15	3	2,006.54	3	2,335.93	3	2,665.33	3	2,992.87	3	3,320.24	3	3,647.62	3	3,974.99	3	4,302.37	3	4,628.02
1/4	71.73	1/4	367.92	1/4	696.20	1/4	1,025.57	1/4	1,354.72	1/4	1,684.02	1/4	2,013.41	1/4	2,342.80	1/4	2,672.19	1/4	2,999.69	1/4	3,327.06	1/4	3,654.44	1/4	3,981.81	1/4	4,309.19	1/4	4,634.71
1/2	77.41	1/2	374.57	1/2	703.07	1/2	1,032.44	1/2	1,361.57	1/2	1,690.88	1/2	2,020.27	1/2	2,349.66	1/2	2,679.05	1/2	3,006.51	1/2	3,333.88	1/2	3,661.26	1/2	3,988.63	1/2	4,316.01	1/2	4,641.39
3/4	83.12	3/4	381.23	3/4	709.93	3/4	1,039.30	3/4	1,368.43	3/4	1,697.74	3/4	2,027.13	3/4	2,356.52	3/4	2,685.91	3/4	3,013.33	3/4	3,340.70	3/4	3,668.08	3/4	3,995.45	3/4	4,322.83	3/4	4,648.06
4	88.85	4	387.91	4	716.79	4	1,046.16	4	1,375.28	4	1,704.60	4	2,033.99	4	2,363.38	4	2,692.77	4	3,020.15	4	3,347.52	4	3,674.90	4	4,002.27	4	4,329.65	4	4,654.73
1/4	94.61	1/4	394.61	1/4	723.65	1/4	1,053.02	1/4	1,382.14	1/4	1,711.47	1/4	2,040.86	1/4	2,370.25	1/4	2,699.59	1/4	3,026.97	1/4	3,354.34	1/4	3,681.72	1/4	4,009.09	1/4	4,336.47	1/4	4,661.40
1/2	100.39	1/2	401.33	1/2	730.51	1/2	1,059.88	1/2	1,389.00	1/2	1,718.33	1/2	2,047.72	1/2	2,377.11	1/2	2,706.42	1/2	3,033.79	1/2	3,361.16	1/2	3,688.54	1/2	4,015.91	1/2	4,343.29	1/2	4,668.05
3/4	106.19	3/4	408.07	3/4	737.37	3/4	1,066.75	3/4	1,395.85	3/4	1,725.19	3/4	2,054.58	3/4	2,383.97	3/4	2,713.24	3/4	3,040.61	3/4	3,367.98	3/4	3,695.36	3/4	4,022.73	3/4	4,350.11	3/4	4,674.70
5	112.02	5	414.87	5	744.24	5	1,073.61	5	1,402.71	5	1,732.05	5	2,061.44	5	2,390.83	5	2,720.06	5	3,047.43	5	3,374.80	5	3,702.18	5	4,029.55	5	4,356.93	5	4,681.35
1/4	117.86	1/4	421.73	1/4	751.10	1/4	1,080.47	1/4	1,409.57	1/4	1,738.91	1/4	2,068.31	1/4	2,397.70	1/4	2,726.88	1/4	3,054.25	1/4	3,381.62	1/4	3,709.00	1/4	4,036.37	1/4	4,363.75	1/4	4,687.99
1/2	123.73	1/2	428.59	1/2	757.96	1/2	1,087.33	1/2	1,416.43	1/2	1,745.78	1/2	2,075.17	1/2	2,404.56	1/2	2,733.70	1/2	3,061.07	1/2	3,388.45	1/2	3,715.82	1/2	4,043.19	1/2	4,370.57	1/2	4,694.62
3/4	129.62	3/4	435.46	3/4	764.82	3/4	1,094.19	3/4	1,423.29	3/4	1,752.64	3/4	2,082.03	3/4	2,411.42	3/4	2,740.52	3/4	3,067.89	3/4	3,395.27	3/4	3,722.64	3/4	4,050.01	3/4	4,377.39	3/4	4,700.97
6	135.53	6	442.32	6	771.68	6	1,101.05	6	1,430.14	6	1,759.50	6	2,088.89	6	2,418.28	6	2,747.34	6	3,074.71	6	3,402.09	6	3,729.46	6	4,056.83	6	4,384.21	6	4,706.90
1/4	141.46	1/4	449.18	1/4	778.55	1/4	1,107.92	1/4	1,437.00	1/4	1,766.36	1/4	2,095.75	1/4	2,425.14	1/4	2,754.16	1/4	3,081.53	1/4	3,408.91	1/4	3,736.28	1/4	4,063.65	1/4	4,391.03	1/4	4,712.55
1/2	147.42	1/2	456.04	1/2	785.41	1/2	1,114.78	1/2	1,443.86	1/2	1,773.23	1/2	2,102.62	1/2	2,432.01	1/2	2,760.98	1/2	3,088.35	1/2	3,415.73	1/2	3,743.10	1/2	4,070.48	1/2	4,397.85	1/2	4,717.92
3/4	153.39	3/4	462.90	3/4	792.27	3/4	1,121.64	3/4	1,450.72	3/4	1,780.09	3/4	2,109.48	3/4	2,438.87	3/4	2,767.80	3/4	3,095.17	3/4	3,422.55	3/4	3,749.92	3/4	4,077.30	3/4	4,404.67	3/4	4,723.01
7	159.38	7	469.76	7	799.13	7	1,128.50	7	1,457.58	7	1,786.95	7	2,116.34	7	2,445.73	7	2,774.62	7	3,101.99	7	3,429.37	7	3,756.74	7	4,084.12	7	4,411.49	7	4,727.82
1/4	165.40	1/4	476.63	1/4	805.99	1/4	1,135.36	1/4	1,464.44	1/4	1,793.81	1/4	2,123.20	1/4	2,452.59	1/4	2,781.44	1/4	3,108.81	1/4	3,436.19	1/4	3,763.56	1/4	4,090.94	1/4	4,418.31	1/4	4,732.35
1/2	171.43	1/2	483.49	1/2	812.86	1/2	1,142.22	1/2	1,471.29	1/2	1,800.68	1/2	2,130.07	1/2	2,459.46	1/2	2,788.26	1/2	3,115.63	1/2	3,443.01	1/2	3,770.38	1/2	4,097.76	1/2	4,425.13	1/2	4,736.60
3/4	177.48	3/4	490.35	3/4	819.72	3/4	1,149.08	3/4	1,478.15	3/4	1,807.54	3/4	2,136.93	3/4	2,468.32	3/4	2,795.08	3/4	3,122.45	3/4	3,449.83	3/4	3,777.20	3/4	4,104.58	3/4	4,431.95	3/4	4,740.57
8	183.56	8	497.21	8	826.58	8	1,155.95	8	1,485.01	8	1,814.40	8	2,143.79	8	2,473.18	8	2,801.90	8	3,129.27	8	3,456.65	8	3,784.02	8	4,111.40	8	4,438.77	8	4,744.27
1/4	189.65	1/4	504.07	1/4	833.44	1/4	1,162.80	1/4	1,491.87	1/4	1,821.26	1/4	2,150.65	1/4	2,480.04	1/4	2,808.72	1/4	3,136.09	1/4	3,463.47	1/4	3,790.84	1/4	4,118.22	1/4	4,445.55	1/4	4,747.68
1/2	195.76	1/2	510.93	1/2	840.30	1/2	1,169.65	1/2	1,498.73	1/2	1,828.12	1/2	2,157.52	1/2	2,486.91	1/2	2,815.54	1/2	3,142.91	1/2	3,470.29	1/2	3,797.66	1/2	4,125.04	1/2	4,452.33	1/2	4,750.81
3/4	201.89	3/4	517.80	3/4	847.17	3/4	1,176.51	3/4	1,505.60	3/4	1,834.99	3/4	2,164.38	3/4	2,493.77	3/4	2,822.36	3/4	3,149.73	3/4	3,477.11	3/4	3,804.48	3/4	4,131.86	3/4	4,459.11	3/4	4,753.67
9	208.03	9	524.66	9	854.03	9	1,183.36	9	1,512.46	9	1,841.85	9	2,171.24																



BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	11.14	0	283.20	0	606.80	0	936.05	0	1,265.10	0	1,593.96	0	1,923.24	0	2,252.51	0	2,581.79	0	2,909.62	0	3,236.73	0	3,563.84	0	3,890.95	0	4,217.90	0	4,544.41
1/4	13.99	1/4	289.60	1/4	613.66	1/4	942.91	1/4	1,271.94	1/4	1,600.82	1/4	1,930.10	1/4	2,259.37	1/4	2,588.65	1/4	2,916.44	1/4	3,243.55	1/4	3,570.66	1/4	3,897.77	1/4	4,224.70	1/4	4,551.14
1/2	17.18	1/2	296.01	1/2	620.52	1/2	949.77	1/2	1,278.79	1/2	1,607.68	1/2	1,936.96	1/2	2,266.23	1/2	2,595.51	1/2	2,923.25	1/2	3,250.36	1/2	3,577.47	1/2	3,904.58	1/2	4,231.51	1/2	4,557.86
3/4	20.72	3/4	302.44	3/4	627.38	3/4	956.63	3/4	1,285.64	3/4	1,614.54	3/4	1,943.82	3/4	2,273.09	3/4	2,602.37	3/4	2,930.07	3/4	3,257.18	3/4	3,584.29	3/4	3,911.40	3/4	4,238.32	3/4	4,564.58
1	24.61	1	308.89	1	634.24	1	963.49	1	1,292.48	1	1,621.40	1	1,950.68	1	2,279.95	1	2,609.23	1	2,936.88	1	3,263.99	1	3,591.10	1	3,918.21	1	4,245.13	1	4,571.29
1/4	28.86	1/4	315.36	1/4	641.10	1/4	970.35	1/4	1,299.33	1/4	1,628.26	1/4	1,957.54	1/4	2,286.81	1/4	2,616.09	1/4	2,943.69	1/4	3,270.81	1/4	3,597.92	1/4	3,925.03	1/4	4,251.94	1/4	4,578.00
1/2	33.46	1/2	321.85	1/2	647.96	1/2	977.21	1/2	1,306.18	1/2	1,635.12	1/2	1,964.40	1/2	2,293.67	1/2	2,622.95	1/2	2,950.51	1/2	3,277.62	1/2	3,604.73	1/2	3,931.84	1/2	4,258.75	1/2	4,584.70
3/4	38.41	3/4	328.36	3/4	654.81	3/4	984.07	3/4	1,313.02	3/4	1,641.98	3/4	1,971.26	3/4	2,300.53	3/4	2,629.81	3/4	2,957.32	3/4	3,284.43	3/4	3,611.55	3/4	3,938.66	3/4	4,265.55	3/4	4,591.39
2	43.73	2	334.88	2	661.67	2	990.93	2	1,319.87	2	1,648.84	2	1,978.12	2	2,307.39	2	2,636.67	2	2,964.14	2	3,291.25	2	3,618.36	2	3,945.47	2	4,272.36	2	4,598.07
1/4	49.25	1/4	341.43	1/4	668.53	1/4	997.79	1/4	1,326.72	1/4	1,655.70	1/4	1,984.98	1/4	2,314.25	1/4	2,643.53	1/4	2,970.95	1/4	3,298.06	1/4	3,625.17	1/4	3,952.29	1/4	4,279.17	1/4	4,604.75
1/2	54.82	1/2	347.99	1/2	675.39	1/2	1,004.65	1/2	1,333.56	1/2	1,662.56	1/2	1,991.84	1/2	2,321.11	1/2	2,650.39	1/2	2,977.77	1/2	3,305.03	1/2	3,632.14	1/2	3,959.10	1/2	4,285.98	1/2	4,611.43
3/4	60.42	3/4	354.58	3/4	682.25	3/4	1,011.51	3/4	1,340.41	3/4	1,669.42	3/4	1,998.70	3/4	2,327.97	3/4	2,657.25	3/4	2,984.58	3/4	3,311.69	3/4	3,638.80	3/4	3,965.91	3/4	4,292.79	3/4	4,618.10
3	66.05	3	361.18	3	689.11	3	1,018.37	3	1,347.26	3	1,676.28	3	2,005.56	3	2,334.83	3	2,664.11	3	2,991.40	3	3,318.51	3	3,645.62	3	3,972.73	3	4,299.60	3	4,624.76
1/4	71.71	1/4	367.80	1/4	695.97	1/4	1,025.23	1/4	1,354.10	1/4	1,683.14	1/4	2,012.42	1/4	2,341.69	1/4	2,670.97	1/4	2,998.21	1/4	3,325.32	1/4	3,652.43	1/4	3,979.54	1/4	4,306.41	1/4	4,631.41
1/2	77.39	1/2	374.44	1/2	702.83	1/2	1,032.09	1/2	1,361.05	1/2	1,690.00	1/2	2,019.28	1/2	2,348.55	1/2	2,677.83	1/2	3,005.03	1/2	3,332.14	1/2	3,659.25	1/2	3,986.36	1/2	4,313.21	1/2	4,638.06
3/4	83.09	3/4	381.10	3/4	709.69	3/4	1,038.95	3/4	1,367.80	3/4	1,696.86	3/4	2,026.14	3/4	2,355.41	3/4	2,684.69	3/4	3,011.84	3/4	3,338.95	3/4	3,666.06	3/4	3,993.17	3/4	4,320.02	3/4	4,644.70
4	88.83	4	387.78	4	716.55	4	1,045.81	4	1,374.64	4	1,703.72	4	2,033.00	4	2,362.27	4	2,691.55	4	3,018.66	4	3,345.77	4	3,672.88	4	3,999.99	4	4,326.83	4	4,651.34
1/4	94.58	1/4	394.48	1/4	723.41	1/4	1,052.67	1/4	1,381.49	1/4	1,710.58	1/4	2,039.86	1/4	2,369.13	1/4	2,698.36	1/4	3,025.47	1/4	3,352.58	1/4	3,679.69	1/4	4,006.80	1/4	4,333.64	1/4	4,657.96
1/2	100.36	1/2	401.20	1/2	730.27	1/2	1,059.53	1/2	1,388.34	1/2	1,717.44	1/2	2,046.72	1/2	2,375.99	1/2	2,705.18	1/2	3,032.29	1/2	3,359.40	1/2	3,686.51	1/2	4,013.62	1/2	4,340.45	1/2	4,664.59
3/4	106.16	3/4	407.93	3/4	737.13	3/4	1,066.38	3/4	1,395.19	3/4	1,724.30	3/4	2,053.58	3/4	2,382.85	3/4	2,711.99	3/4	3,039.10	3/4	3,366.21	3/4	3,693.32	3/4	4,020.43	3/4	4,347.26	3/4	4,671.49
5	111.98	5	414.73	5	743.99	5	1,073.24	5	1,402.04	5	1,731.16	5	2,060.44	5	2,389.71	5	2,718.81	5	3,045.92	5	3,373.03	5	3,700.14	5	4,027.25	5	4,354.06	5	4,678.53
1/4	117.82	1/4	421.59	1/4	750.85	1/4	1,080.10	1/4	1,408.89	1/4	1,738.02	1/4	2,067.30	1/4	2,396.57	1/4	2,725.62	1/4	3,052.73	1/4	3,379.84	1/4	3,706.95	1/4	4,034.06	1/4	4,360.87	1/4	4,685.30
1/2	123.69	1/2	428.45	1/2	757.71	1/2	1,086.96	1/2	1,415.74	1/2	1,744.88	1/2	2,074.16	1/2	2,403.43	1/2	2,732.44	1/2	3,059.55	1/2	3,386.66	1/2	3,713.77	1/2	4,040.88	1/2	4,367.68	1/2	4,691.79
3/4	129.58	3/4	435.31	3/4	764.57	3/4	1,093.82	3/4	1,422.59	3/4	1,751.74	3/4	2,081.02	3/4	2,410.29	3/4	2,739.25	3/4	3,066.36	3/4	3,393.47	3/4	3,720.58	3/4	4,047.69	3/4	4,374.49	3/4	4,697.99
6	135.49	6	442.17	6	771.43	6	1,100.68	6	1,429.44	6	1,758.60	6	2,087.88	6	2,417.15	6	2,746.07	6	3,073.18	6	3,400.29	6	3,727.40	6	4,054.49	6	4,381.30	6	4,703.92
1/4	141.42	1/4	449.03	1/4	778.29	1/4	1,107.54	1/4	1,436.29	1/4	1,765.46	1/4	2,094.74	1/4	2,424.01	1/4	2,752.88	1/4	3,079.99	1/4	3,407.10	1/4	3,734.21	1/4	4,061.30	1/4	4,388.11	1/4	4,709.57
1/2	147.37	1/2	455.89	1/2	785.15	1/2	1,114.40	1/2	1,443.13	1/2	1,772.32	1/2	2,101.60	1/2	2,430.87	1/2	2,759.70	1/2	3,086.81	1/2	3,413.92	1/2	3,741.03	1/2	4,068.11	1/2	4,394.91	1/2	4,714.94
3/4	153.34	3/4	462.75	3/4	792.00	3/4	1,121.26	3/4	1,449.98	3/4	1,779.18	3/4	2,108.46	3/4	2,437.73	3/4	2,766.51	3/4	3,093.62	3/4	3,420.73	3/4	3,747.84	3/4	4,074.92	3/4	4,401.72	3/4	4,720.02
7	159.33	7	469.61	7	798.86	7	1,128.12	7	1,456.83	7	1,786.04	7	2,115.32	7	2,444.59	7	2,773.32	7	3,100.44	7	3,427.55	7	3,754.66	7	4,081.73	7	4,408.53	7	4,724.83
1/4	165.34	1/4	476.47	1/4	805.72	1/4	1,134.98	1/4	1,463.68	1/4	1,792.90	1/4	2,122.18	1/4	2,451.45	1/4	2,780.14	1/4	3,107.25	1/4	3,434.36	1/4	3,761.47	1/4	4,088.54	1/4	4,415.34	1/4	4,729.36
1/2	171.38	1/2	483.33	1/2	812.58	1/2	1,141.84	1/2	1,470.53	1/2	1,799.76	1/2	2,129.04	1/2	2,458.31	1/2	2,786.95	1/2	3,114.06	1/2	3,441.18	1/2	3,768.29	1/2	4,095.34	1/2	4,422.15	1/2	4,733.61
3/4	177.43	3/4	490.19	3/4	819.44	3/4	1,148.69	3/4	1,477.38	3/4	1,806.62	3/4	2,135.90	3/4	2,465.17	3/4	2,793.77	3/4	3,120.88	3/4	3,447.99	3/4	3,775.10	3/4	4,102.15	3/4	4,428.96	3/4	4,737.59
8	183.50	8	497.05	8	826.30	8	1,155.55	8	1,484.23	8	1,813.48	8	2,142.76	8	2,472.03	8	2,800.58	8	3,127.69	8	3,454.80	8	3,781.92	8	4,108.96	8	4,435.76	8	4,741.28
1/4	189.59	1/4	503.91	1/4	833.16	1/4	1,162.40	1/4	1,491.09	1/4	1,820.34	1/4	2,149.62	1/4	2,478.89	1/4	2,807.40	1/4	3,134.51	1/4	3,461.62	1/4	3,788.73	1/4	4,115.77	1/4	4,442.57	1/4	4,744.69
1/2	195.69	1/2	510.77	1/2	840.02	1/2	1,169.25	1/2	1,497.94	1/2	1,827.20	1/2	2,156.47	1/2	2,485.75	1/2	2,814.21	1/2	3,141.32	1/2	3,468.43	1/2	3,795.54	1/2	4,122.58	1/2	4,449.37	1/2	4,747.82
3/4	201.82	3/4	517.63	3/4	846.88	3/4	1,176.09	3/4	1,504.80	3/4	1,834.06	3/4	2,163.33	3/4	2,492.61	3/4	2,821.03	3/4	3,148.14	3/4	3,475.25	3/4	3,802.36	3/4	4,129.39	3/4	4,456.18	3/4	4,750.67
9	207.97	9	524.48	9	853.74	9	1,182.94	9	1,511.66	9	1,840.92	9	2,170.19	9	2,499.47	9	2,827.84	9	3,154.95	9	3,482.06	9	3,809.17	9	4,136.20	9	4,462.98	9	4,753.25
1/4	214.13	1/4	531.34	1/4	860.60	1/4	1,189.79	1/4	1,518.51	1/4	1,847.78	1/4	2,177.05	1/4	2,506.33	1/4	2,834.66	1/4	3,161.77	1/4	3,488.88	1/4	3,815.99	1/4	4,143.00	1/4	4,469.79	1/4	4,755.54
1/2	220.32	1/2	538.20	1/2	867.46	1/2	1,196.63	1/2	1,525.37	1/2	1,854.64	1/2	2,183.91	1/2	2,513.19	1/2	2,841.47	1/2	3,168.58										



BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.79	0	348.83	0	699.29	0	1,049.55	0	1,400.03	0	1,750.52	0	2,101.01	0	2,451.50	0	2,801.99	0	3,152.41	0	3,502.80	0	3,853.18	0	4,203.57	0	4,553.63	0	4,901.21
1/4	18.58	1/4	356.13	1/4	706.60	1/4	1,056.85	1/4	1,407.33	1/4	1,757.82	1/4	2,108.31	1/4	2,458.80	1/4	2,809.29	1/4	3,159.71	1/4	3,502.10	1/4	3,860.48	1/4	4,210.87	1/4	4,559.90	1/4	4,908.43
1/2	22.82	1/2	363.43	1/2	713.90	1/2	1,064.15	1/2	1,414.63	1/2	1,765.12	1/2	2,115.61	1/2	2,466.10	1/2	2,816.59	1/2	3,167.01	1/2	3,517.40	1/2	3,867.78	1/2	4,218.17	1/2	4,567.16	1/2	4,915.66
3/4	27.50	3/4	370.73	3/4	721.20	3/4	1,071.45	3/4	1,421.93	3/4	1,772.42	3/4	2,122.91	3/4	2,473.41	3/4	2,823.90	3/4	3,174.31	3/4	3,524.70	3/4	3,875.08	3/4	4,225.47	3/4	4,574.42	3/4	4,922.87
1	32.64	1	378.03	1	728.50	1	1,078.75	1	1,429.23	1	1,779.72	1	2,130.22	1	2,480.71	1	2,831.20	1	3,181.61	1	3,532.00	1	3,882.38	1	4,232.77	1	4,581.68	1	4,930.08
1/4	38.21	1/4	385.33	1/4	735.80	1/4	1,086.05	1/4	1,436.54	1/4	1,787.03	1/4	2,137.52	1/4	2,488.01	1/4	2,838.50	1/4	3,188.91	1/4	3,539.30	1/4	3,889.68	1/4	4,240.07	1/4	4,588.95	1/4	4,937.28
1/2	44.24	1/2	392.64	1/2	743.10	1/2	1,093.35	1/2	1,443.84	1/2	1,794.33	1/2	2,144.82	1/2	2,495.31	1/2	2,845.80	1/2	3,196.21	1/2	3,546.60	1/2	3,896.98	1/2	4,247.37	1/2	4,596.21	1/2	4,944.42
3/4	50.70	3/4	399.94	3/4	750.40	3/4	1,100.65	3/4	1,451.14	3/4	1,801.63	3/4	2,152.12	3/4	2,502.61	3/4	2,853.10	3/4	3,203.51	3/4	3,553.89	3/4	3,904.28	3/4	4,254.67	3/4	4,603.47	3/4	4,951.55
2	57.62	2	407.24	2	757.70	2	1,107.95	2	1,458.44	2	1,808.93	2	2,159.42	2	2,509.91	2	2,860.41	2	3,210.81	2	3,561.19	2	3,911.58	2	4,261.97	2	4,610.74	2	4,958.68
1/4	64.78	1/4	414.54	1/4	765.00	1/4	1,115.25	1/4	1,465.74	1/4	1,816.23	1/4	2,166.73	1/4	2,517.22	1/4	2,867.71	1/4	3,218.11	1/4	3,568.49	1/4	3,918.88	1/4	4,269.27	1/4	4,618.00	1/4	4,965.80
1/2	71.98	1/2	421.84	1/2	772.30	1/2	1,122.55	1/2	1,473.04	1/2	1,823.54	1/2	2,174.03	1/2	2,524.52	1/2	2,875.01	1/2	3,225.41	1/2	3,575.79	1/2	3,926.18	1/2	4,276.57	1/2	4,625.26	1/2	4,972.91
3/4	79.19	3/4	429.14	3/4	779.59	3/4	1,129.86	3/4	1,480.35	3/4	1,830.84	3/4	2,181.33	3/4	2,531.82	3/4	2,882.31	3/4	3,232.71	3/4	3,583.09	3/4	3,933.48	3/4	4,283.86	3/4	4,632.53	3/4	4,980.02
3	86.41	3	436.44	3	786.89	3	1,137.16	3	1,487.65	3	1,838.14	3	2,188.63	3	2,539.12	3	2,889.61	3	3,240.01	3	3,590.39	3	3,940.78	3	4,291.16	3	4,639.79	3	4,987.12
1/4	93.64	1/4	443.75	1/4	794.18	1/4	1,144.46	1/4	1,494.95	1/4	1,845.44	1/4	2,195.93	1/4	2,546.42	1/4	2,896.92	1/4	3,247.31	1/4	3,597.69	1/4	3,948.08	1/4	4,298.43	1/4	4,647.05	1/4	4,994.21
1/2	100.88	1/2	451.05	1/2	801.48	1/2	1,151.76	1/2	1,502.25	1/2	1,852.74	1/2	2,203.23	1/2	2,553.73	1/2	2,904.22	1/2	3,254.61	1/2	3,604.99	1/2	3,955.38	1/2	4,305.69	1/2	4,654.31	1/2	5,001.29
3/4	108.13	3/4	458.35	3/4	808.78	3/4	1,159.06	3/4	1,509.55	3/4	1,860.05	3/4	2,210.54	3/4	2,561.03	3/4	2,911.52	3/4	3,261.91	3/4	3,612.29	3/4	3,962.68	3/4	4,312.95	3/4	4,661.58	3/4	5,008.37
4	115.39	4	465.65	4	816.07	4	1,166.37	4	1,516.86	4	1,867.35	4	2,217.84	4	2,568.33	4	2,918.82	4	3,269.21	4	3,619.59	4	3,969.98	4	4,320.22	4	4,668.84	4	5,015.44
1/4	122.65	1/4	472.95	1/4	823.37	1/4	1,173.67	1/4	1,524.16	1/4	1,874.65	1/4	2,225.14	1/4	2,575.63	1/4	2,926.12	1/4	3,276.51	1/4	3,626.89	1/4	3,977.28	1/4	4,327.48	1/4	4,676.10	1/4	5,022.51
1/2	129.92	1/2	480.25	1/2	830.67	1/2	1,180.97	1/2	1,531.46	1/2	1,881.95	1/2	2,232.44	1/2	2,582.93	1/2	2,933.42	1/2	3,283.81	1/2	3,634.19	1/2	3,984.58	1/2	4,334.74	1/2	4,683.37	1/2	5,029.57
3/4	137.20	3/4	487.55	3/4	837.96	3/4	1,188.27	3/4	1,538.76	3/4	1,889.25	3/4	2,239.74	3/4	2,590.24	3/4	2,940.72	3/4	3,291.11	3/4	3,641.49	3/4	3,991.88	3/4	4,342.01	3/4	4,690.63	3/4	5,036.62
5	144.47	5	494.86	5	845.26	5	1,195.57	5	1,546.06	5	1,896.56	5	2,247.05	5	2,597.54	5	2,948.02	5	3,298.41	5	3,648.79	5	3,999.18	5	4,349.27	5	4,697.89	5	5,043.66
1/4	151.75	1/4	502.16	1/4	852.55	1/4	1,202.87	1/4	1,553.37	1/4	1,903.86	1/4	2,254.35	1/4	2,604.84	1/4	2,955.32	1/4	3,305.71	1/4	3,656.09	1/4	4,006.48	1/4	4,356.53	1/4	4,705.16	1/4	5,050.71
1/2	159.04	1/2	509.46	1/2	859.85	1/2	1,210.18	1/2	1,560.67	1/2	1,911.16	1/2	2,261.65	1/2	2,612.14	1/2	2,962.62	1/2	3,313.00	1/2	3,663.39	1/2	4,013.78	1/2	4,363.79	1/2	4,712.42	1/2	5,057.61
3/4	166.33	3/4	516.76	3/4	867.15	3/4	1,217.48	3/4	1,567.97	3/4	1,918.46	3/4	2,268.95	3/4	2,619.44	3/4	2,969.92	3/4	3,320.30	3/4	3,670.69	3/4	4,021.08	3/4	4,371.06	3/4	4,719.68	3/4	5,064.21
6	173.62	6	524.06	6	874.44	6	1,224.78	6	1,575.27	6	1,925.76	6	2,276.25	6	2,626.75	6	2,977.22	6	3,327.60	6	3,677.99	6	4,028.38	6	4,378.32	6	4,726.94	6	5,070.52
1/4	180.91	1/4	531.36	1/4	881.74	1/4	1,232.08	1/4	1,582.57	1/4	1,933.06	1/4	2,283.56	1/4	2,634.05	1/4	2,984.52	1/4	3,334.90	1/4	3,685.29	1/4	4,035.68	1/4	4,385.58	1/4	4,734.21	1/4	5,076.52
1/2	188.21	1/2	538.66	1/2	889.03	1/2	1,239.38	1/2	1,589.88	1/2	1,940.37	1/2	2,290.86	1/2	2,641.35	1/2	2,991.82	1/2	3,342.20	1/2	3,692.59	1/2	4,042.97	1/2	4,392.85	1/2	4,741.47	1/2	5,082.23
3/4	195.50	3/4	545.96	3/4	896.33	3/4	1,246.69	3/4	1,597.18	3/4	1,947.67	3/4	2,298.16	3/4	2,648.65	3/4	2,999.12	3/4	3,349.50	3/4	3,699.89	3/4	4,050.27	3/4	4,400.11	3/4	4,748.73	3/4	5,087.64
7	202.80	7	553.27	7	903.63	7	1,253.99	7	1,604.48	7	1,954.97	7	2,305.46	7	2,655.95	7	3,006.42	7	3,356.80	7	3,707.19	7	4,057.57	7	4,407.37	7	4,756.00	7	5,092.76
1/4	210.10	1/4	560.57	1/4	910.92	1/4	1,261.29	1/4	1,611.78	1/4	1,962.27	1/4	2,312.76	1/4	2,663.25	1/4	3,013.72	1/4	3,364.10	1/4	3,714.49	1/4	4,064.87	1/4	4,414.64	1/4	4,763.26	1/4	5,097.58
1/2	218.40	1/2	567.87	1/2	918.22	1/2	1,268.59	1/2	1,619.08	1/2	1,969.57	1/2	2,320.07	1/2	2,670.56	1/2	3,021.02	1/2	3,371.40	1/2	3,721.79	1/2	4,072.17	1/2	4,421.90	1/2	4,770.52	1/2	5,102.10
3/4	224.70	3/4	575.17	3/4	925.51	3/4	1,275.89	3/4	1,626.38	3/4	1,976.88	3/4	2,327.37	3/4	2,677.86	3/4	3,028.32	3/4	3,378.70	3/4	3,729.09	3/4	4,079.47	3/4	4,429.16	3/4	4,777.79	3/4	5,106.32
8	232.00	8	582.47	8	932.81	8	1,283.20	8	1,633.69	8	1,984.18	8	2,334.67	8	2,685.16	8	3,035.62	8	3,386.00	8	3,736.39	8	4,086.77	8	4,436.42	8	4,785.05	8	5,110.24
1/4	239.31	1/4	589.77	1/4	940.11	1/4	1,290.50	1/4	1,640.99	1/4	1,991.48	1/4	2,341.97	1/4	2,692.46	1/4	3,042.92	1/4	3,393.30	1/4	3,743.69	1/4	4,094.07	1/4	4,443.69	1/4	4,792.31	1/4	5,113.87
1/2	246.61	1/2	597.07	1/2	947.40	1/2	1,297.80	1/2	1,648.29	1/2	1,998.78	1/2	2,349.27	1/2	2,699.76	1/2	3,050.22	1/2	3,400.60	1/2	3,750.99	1/2	4,101.37	1/2	4,450.95	1/2	4,799.58	1/2	5,117.20
3/4	253.91	3/4	604.38	3/4	954.70	3/4	1,305.10	3/4	1,655.59	3/4	2,006.08	3/4	2,356.57	3/4	2,707.07	3/4	3,057.52	3/4	3,407.90	3/4	3,758.29	3/4	4,108.67	3/4	4,458.21	3/4	4,806.84	3/4	5,120.23
9	261.21	9	611.68	9	962.00	9	1,312.40	9	1,662.89	9	2,013.39	9	2,363.88	9	2,714.37	9	3,064.82	9	3,415.20	9	3,7								



BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.78	0	348.77	0	699.20	0	1,048.50	0	1,398.84	0	1,749.41	0	2,099.98	0	2,450.56	0	2,801.13	0	3,151.63	0	3,502.10	0	3,852.57	0	4,203.03	0	4,552.18	0	4,900.84
1/4	18.57	1/4	356.07	1/4	706.50	1/4	1,055.77	1/4	1,406.14	1/4	1,756.71	1/4	2,107.29	1/4	2,457.86	1/4	2,808.43	1/4	3,158.93	1/4	3,509.40	1/4	3,859.87	1/4	4,210.33	1/4	4,559.44	1/4	4,908.06
1/2	22.80	1/2	363.37	1/2	713.80	1/2	1,063.05	1/2	1,413.45	1/2	1,764.02	1/2	2,114.59	1/2	2,465.16	1/2	2,815.74	1/2	3,166.23	1/2	3,516.70	1/2	3,867.17	1/2	4,217.64	1/2	4,566.71	1/2	4,915.29
3/4	27.49	3/4	370.68	3/4	721.10	3/4	1,070.32	3/4	1,420.75	3/4	1,771.32	3/4	2,121.89	3/4	2,472.47	3/4	2,823.04	3/4	3,173.54	3/4	3,524.00	3/4	3,874.47	3/4	4,224.94	3/4	4,573.97	3/4	4,922.50
1	32.62	1	377.98	1	728.40	1	1,077.60	1	1,428.05	1	1,778.63	1	2,129.20	1	2,479.77	1	2,830.34	1	3,180.84	1	3,531.30	1	3,881.77	1	4,232.24	1	4,581.24	1	4,929.71
1/4	38.19	1/4	385.28	1/4	735.68	1/4	1,084.87	1/4	1,435.36	1/4	1,785.93	1/4	2,136.50	1/4	2,487.07	1/4	2,837.65	1/4	3,188.14	1/4	3,538.61	1/4	3,889.07	1/4	4,239.54	1/4	4,588.50	1/4	4,936.92
1/2	44.21	1/2	392.58	1/2	742.95	1/2	1,092.14	1/2	1,442.66	1/2	1,793.23	1/2	2,143.81	1/2	2,494.38	1/2	2,844.95	1/2	3,195.44	1/2	3,545.91	1/2	3,896.37	1/2	4,246.84	1/2	4,595.77	1/2	4,944.06
3/4	50.68	3/4	399.88	3/4	750.23	3/4	1,099.42	3/4	1,449.96	3/4	1,800.54	3/4	2,151.11	3/4	2,501.68	3/4	2,852.25	3/4	3,202.74	3/4	3,553.21	3/4	3,903.68	3/4	4,254.14	3/4	4,603.03	3/4	4,951.19
2	57.60	2	407.18	2	757.50	2	1,106.69	2	1,457.27	2	1,807.84	2	2,158.41	2	2,508.99	2	2,859.56	2	3,210.04	2	3,560.51	2	3,910.98	2	4,261.44	2	4,610.30	2	4,958.32
1/4	64.76	1/4	414.48	1/4	764.78	1/4	1,114.00	1/4	1,464.57	1/4	1,815.14	1/4	2,165.72	1/4	2,516.29	1/4	2,866.86	1/4	3,217.34	1/4	3,567.81	1/4	3,918.28	1/4	4,268.75	1/4	4,617.56	1/4	4,965.44
1/2	71.95	1/2	421.78	1/2	772.05	1/2	1,121.30	1/2	1,471.87	1/2	1,822.45	1/2	2,173.02	1/2	2,523.59	1/2	2,874.17	1/2	3,224.65	1/2	3,575.11	1/2	3,925.58	1/2	4,276.05	1/2	4,624.83	1/2	4,972.55
3/4	79.16	3/4	429.08	3/4	779.33	3/4	1,128.61	3/4	1,479.18	3/4	1,829.75	3/4	2,180.32	3/4	2,530.90	3/4	2,881.47	3/4	3,231.95	3/4	3,582.41	3/4	3,932.88	3/4	4,283.35	3/4	4,632.09	3/4	4,979.66
3	86.38	3	436.38	3	786.60	3	1,135.91	3	1,486.48	3	1,837.05	3	2,187.63	3	2,538.20	3	2,888.77	3	3,239.25	3	3,589.72	3	3,940.18	3	4,290.65	3	4,639.36	3	4,986.76
1/4	93.62	1/4	443.68	1/4	793.88	1/4	1,143.21	1/4	1,493.79	1/4	1,844.36	1/4	2,194.93	1/4	2,545.50	1/4	2,896.08	1/4	3,246.55	1/4	3,597.02	1/4	3,947.48	1/4	4,297.91	1/4	4,646.62	1/4	4,993.86
1/2	100.86	1/2	450.98	1/2	801.15	1/2	1,150.52	1/2	1,501.09	1/2	1,851.66	1/2	2,202.23	1/2	2,552.81	1/2	2,903.38	1/2	3,253.85	1/2	3,604.32	1/2	3,954.79	1/2	4,305.18	1/2	4,653.89	1/2	5,000.94
3/4	108.11	3/4	458.28	3/4	808.43	3/4	1,157.82	3/4	1,508.39	3/4	1,858.97	3/4	2,209.54	3/4	2,560.11	3/4	2,910.68	3/4	3,261.15	3/4	3,611.62	3/4	3,962.09	3/4	4,312.44	3/4	4,661.15	3/4	5,008.02
4	115.36	4	465.58	4	815.70	4	1,165.12	4	1,515.70	4	1,866.27	4	2,216.84	4	2,567.41	4	2,917.99	4	3,268.45	4	3,618.92	4	3,969.39	4	4,319.71	4	4,668.41	4	5,015.10
1/4	122.62	1/4	472.88	1/4	822.98	1/4	1,172.43	1/4	1,523.00	1/4	1,873.57	1/4	2,224.15	1/4	2,574.72	1/4	2,925.29	1/4	3,275.76	1/4	3,626.22	1/4	3,976.69	1/4	4,326.97	1/4	4,675.68	1/4	5,022.16
1/2	129.89	1/2	480.18	1/2	830.25	1/2	1,179.73	1/2	1,530.30	1/2	1,880.88	1/2	2,231.45	1/2	2,582.02	1/2	2,932.59	1/2	3,283.06	1/2	3,633.52	1/2	3,983.99	1/2	4,334.24	1/2	4,682.94	1/2	5,029.22
3/4	137.16	3/4	487.48	3/4	837.53	3/4	1,187.03	3/4	1,537.61	3/4	1,888.18	3/4	2,238.75	3/4	2,589.33	3/4	2,939.89	3/4	3,290.36	3/4	3,640.83	3/4	3,991.29	3/4	4,341.50	3/4	4,690.21	3/4	5,036.28
5	144.44	5	494.79	5	844.80	5	1,194.34	5	1,544.91	5	1,895.48	5	2,246.06	5	2,596.63	5	2,947.19	5	3,297.66	5	3,648.13	5	3,998.59	5	4,348.77	5	4,697.47	5	5,043.32
1/4	151.72	1/4	502.09	1/4	852.08	1/4	1,201.64	1/4	1,552.21	1/4	1,902.79	1/4	2,253.36	1/4	2,603.93	1/4	2,954.49	1/4	3,304.96	1/4	3,655.43	1/4	4,005.90	1/4	4,356.03	1/4	4,704.74	1/4	5,050.37
1/2	159.01	1/2	509.39	1/2	859.35	1/2	1,208.94	1/2	1,559.52	1/2	1,910.09	1/2	2,260.66	1/2	2,611.24	1/2	2,961.80	1/2	3,312.26	1/2	3,663.73	1/2	4,013.20	1/2	4,363.30	1/2	4,712.00	1/2	5,057.27
3/4	166.29	3/4	516.69	3/4	866.63	3/4	1,216.25	3/4	1,566.82	3/4	1,917.39	3/4	2,267.97	3/4	2,618.54	3/4	2,969.10	3/4	3,319.56	3/4	3,670.03	3/4	4,020.50	3/4	4,370.56	3/4	4,719.27	3/4	5,063.87
6	173.58	6	523.99	6	873.90	6	1,223.55	6	1,574.12	6	1,924.70	6	2,275.27	6	2,625.84	6	2,976.40	6	3,326.87	6	3,677.33	6	4,027.80	6	4,377.83	6	4,726.53	6	5,070.18
1/4	180.88	1/4	531.29	1/4	881.18	1/4	1,230.86	1/4	1,581.43	1/4	1,932.00	1/4	2,282.57	1/4	2,633.15	1/4	2,983.70	1/4	3,334.17	1/4	3,684.63	1/4	4,035.10	1/4	4,385.09	1/4	4,733.80	1/4	5,076.19
1/2	188.17	1/2	538.59	1/2	888.45	1/2	1,238.16	1/2	1,588.73	1/2	1,939.30	1/2	2,289.88	1/2	2,640.45	1/2	2,991.00	1/2	3,341.47	1/2	3,691.94	1/2	4,042.40	1/2	4,392.36	1/2	4,741.06	1/2	5,081.90
3/4	195.47	3/4	545.89	3/4	895.73	3/4	1,245.46	3/4	1,596.04	3/4	1,946.61	3/4	2,297.18	3/4	2,647.75	3/4	2,998.30	3/4	3,348.77	3/4	3,699.24	3/4	4,049.70	3/4	4,399.62	3/4	4,748.33	3/4	5,087.31
7	202.76	7	553.19	7	903.00	7	1,252.77	7	1,603.34	7	1,953.91	7	2,304.48	7	2,655.06	7	3,005.60	7	3,356.07	7	3,706.54	7	4,057.01	7	4,406.89	7	4,755.59	7	5,092.43
1/4	210.06	1/4	560.49	1/4	910.27	1/4	1,260.07	1/4	1,610.64	1/4	1,961.22	1/4	2,311.79	1/4	2,662.36	1/4	3,012.91	1/4	3,363.37	1/4	3,713.84	1/4	4,064.31	1/4	4,414.15	1/4	4,762.86	1/4	5,097.25
1/2	217.36	1/2	567.79	1/2	917.55	1/2	1,267.37	1/2	1,617.95	1/2	1,968.52	1/2	2,319.09	1/2	2,669.66	1/2	3,020.21	1/2	3,370.67	1/2	3,721.14	1/2	4,071.61	1/2	4,421.41	1/2	4,770.12	1/2	5,101.77
3/4	224.66	3/4	575.09	3/4	924.82	3/4	1,274.68	3/4	1,625.25	3/4	1,975.82	3/4	2,326.40	3/4	2,676.97	3/4	3,027.51	3/4	3,377.98	3/4	3,728.44	3/4	4,078.91	3/4	4,428.68	3/4	4,777.39	3/4	5,105.99
8	231.96	8	582.39	8	932.10	8	1,281.98	8	1,632.55	8	1,983.13	8	2,333.70	8	2,684.27	8	3,034.81	8	3,385.28	8	3,735.74	8	4,086.21	8	4,435.94	8	4,784.65	8	5,109.92
1/4	239.26	1/4	589.69	1/4	939.37	1/4	1,289.28	1/4	1,639.86	1/4	1,990.43	1/4	2,341.00	1/4	2,691.58	1/4	3,042.11	1/4	3,392.58	1/4	3,743.05	1/4	4,093.51	1/4	4,443.21	1/4	4,791.92	1/4	5,113.55
1/2	246.57	1/2	596.99	1/2	946.65	1/2	1,296.59	1/2	1,647.16	1/2	1,997.73	1/2	2,348.31	1/2	2,698.88	1/2	3,049.41	1/2	3,399.88	1/2	3,750.55	1/2	4,100.81	1/2	4,450.47	1/2	4,799.18	1/2	5,116.88
3/4	253.87	3/4	604.29	3/4	953.92	3/4	1,303.89	3/4	1,654.46	3/4	2,005.04	3/4	2,355.61	3/4	2,706.18	3/4	3,056.71	3/4	3,407.18	3/4	3,757.65	3/4	4,108.12	3/4	4,457.74	3/4	4,806.45	3/4	5,119.91
9	261.17	9	611.60	9	961.20	9	1,311.20	9	1,661.77	9	2,012.34	9	2,362.91	9	2,713.49	9	3,064.02	9	3,414.48	9	3,764.95	9	4,115.42	9	4,465.00	9	4,813.72	9	5,122.64
1/4	268.47	1/4	618.90	1/4	968.47	1/4	1,318.50	1/4	1,669.07	1/4	2,019.64	1/4	2,370.22	1/4	2,720.79	1/4	3,071.32	1/4	3,421.78	1/4	3,772.25	1/4	4,122.72	1/4	4,472.27	1/4	4,820.98	1/4	5,125.08
1/2	275.77	1/2	626.20	1/2	975.75	1/2	1,325.80	1/2	1,676.38	1/2	2,026.95	1/2	2,377.52	1/2	2,728.09														



BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	14.57	0	348.22	0	698.28	0	1,047.78	0	1,397.80	0	1,747.93	0	2,098.06	0	2,448.20	0	2,798.14	0	3,147.90	0	3,462.92	0	3,703.70	0	3,944.41	0	4,185.12	0	4,425.87
1/4	18.35	1/4	355.51	1/4	705.58	1/4	1,055.06	1/4	1,405.10	1/4	1,755.22	1/4	2,105.36	1/4	2,455.50	1/4	2,805.43	1/4	3,155.18	1/4	3,467.96	1/4	3,708.71	1/4	3,949.42	1/4	4,190.13	1/4	4,430.87
1/2	22.59	1/2	362.80	1/2	712.87	1/2	1,062.34	1/2	1,412.39	1/2	1,762.52	1/2	2,112.65	1/2	2,462.79	1/2	2,812.72	1/2	3,162.47	1/2	3,473.00	1/2	3,713.73	1/2	3,954.44	1/2	4,195.15	1/2	4,435.81
3/4	27.26	3/4	370.10	3/4	720.16	3/4	1,069.63	3/4	1,419.68	3/4	1,769.81	3/4	2,119.94	3/4	2,470.09	3/4	2,820.01	3/4	3,169.75	3/4	3,478.03	3/4	3,718.74	3/4	3,959.45	3/4	4,200.16	3/4	4,440.74
1	32.39	1	377.39	1	727.45	1	1,076.91	1	1,426.98	1	1,777.10	1	2,127.24	1	2,477.38	1	2,827.30	1	3,177.04	1	3,483.05	1	3,723.76	1	3,964.47	1	4,205.18	1	4,445.66
1/4	37.96	1/4	384.68	1/4	734.75	1/4	1,084.19	1/4	1,434.27	1/4	1,784.40	1/4	2,134.53	1/4	2,484.67	1/4	2,834.59	1/4	3,184.32	1/4	3,488.06	1/4	3,728.77	1/4	3,969.48	1/4	4,210.19	1/4	4,450.58
1/2	43.97	1/2	391.98	1/2	742.04	1/2	1,091.48	1/2	1,441.57	1/2	1,791.69	1/2	2,141.83	1/2	2,491.97	1/2	2,841.88	1/2	3,191.61	1/2	3,493.08	1/2	3,733.79	1/2	3,974.50	1/2	4,215.21	1/2	4,455.50
3/4	50.44	3/4	399.27	3/4	749.33	3/4	1,098.76	3/4	1,448.86	3/4	1,798.99	3/4	2,149.12	3/4	2,499.26	3/4	2,849.17	3/4	3,198.89	3/4	3,498.09	3/4	3,738.80	3/4	3,979.51	3/4	4,220.22	3/4	4,460.41
2	57.34	2	406.56	2	756.62	2	1,106.04	2	1,456.15	2	1,806.28	2	2,156.42	2	2,506.56	2	2,856.46	2	3,206.18	2	3,503.11	2	3,743.82	2	3,984.53	2	4,225.24	2	4,465.31
1/4	64.50	1/4	413.86	1/4	763.90	1/4	1,113.34	1/4	1,463.45	1/4	1,813.58	1/4	2,163.71	1/4	2,513.85	1/4	2,863.75	1/4	3,213.46	1/4	3,508.12	1/4	3,748.83	1/4	3,989.54	1/4	4,230.25	1/4	4,470.22
1/2	71.68	1/2	421.15	1/2	771.18	1/2	1,120.63	1/2	1,470.74	1/2	1,820.87	1/2	2,171.01	1/2	2,521.14	1/2	2,871.04	1/2	3,220.75	1/2	3,513.14	1/2	3,753.85	1/2	3,994.56	1/2	4,235.27	1/2	4,475.11
3/4	78.89	3/4	428.44	3/4	778.47	3/4	1,127.93	3/4	1,478.04	3/4	1,828.16	3/4	2,178.30	3/4	2,528.43	3/4	2,878.33	3/4	3,228.03	3/4	3,518.15	3/4	3,758.86	3/4	3,999.57	3/4	4,240.28	3/4	4,480.00
3	86.10	3	435.73	3	785.75	3	1,135.22	3	1,485.33	3	1,835.46	3	2,185.60	3	2,535.72	3	2,885.62	3	3,235.32	3	3,523.17	3	3,763.88	3	4,004.59	3	4,245.30	3	4,484.89
1/4	93.33	1/4	443.03	1/4	793.03	1/4	1,142.51	1/4	1,492.63	1/4	1,842.75	1/4	2,192.89	1/4	2,543.01	1/4	2,892.91	1/4	3,242.61	1/4	3,528.18	1/4	3,768.89	1/4	4,009.60	1/4	4,250.31	1/4	4,489.77
1/2	100.56	1/2	450.32	1/2	800.31	1/2	1,149.81	1/2	1,499.92	1/2	1,850.05	1/2	2,200.19	1/2	2,550.30	1/2	2,900.20	1/2	3,249.89	1/2	3,533.20	1/2	3,773.91	1/2	4,014.62	1/2	4,255.33	1/2	4,494.65
3/4	107.80	3/4	457.61	3/4	807.59	3/4	1,157.10	3/4	1,507.21	3/4	1,857.34	3/4	2,207.48	3/4	2,557.59	3/4	2,907.49	3/4	3,257.18	3/4	3,538.21	3/4	3,778.92	3/4	4,019.63	3/4	4,260.34	3/4	4,499.53
4	115.05	4	464.91	4	814.87	4	1,164.40	4	1,514.51	4	1,864.64	4	2,214.77	4	2,564.88	4	2,914.78	4	3,264.46	4	3,543.23	4	3,783.94	4	4,024.65	4	4,265.36	4	4,504.39
1/4	122.31	1/4	472.20	1/4	822.15	1/4	1,171.69	1/4	1,521.80	1/4	1,871.93	1/4	2,222.07	1/4	2,572.17	1/4	2,922.06	1/4	3,271.75	1/4	3,548.24	1/4	3,788.95	1/4	4,029.66	1/4	4,270.37	1/4	4,509.26
1/2	129.56	1/2	479.49	1/2	829.43	1/2	1,178.99	1/2	1,529.10	1/2	1,879.23	1/2	2,229.36	1/2	2,579.46	1/2	2,929.35	1/2	3,279.03	1/2	3,553.26	1/2	3,793.97	1/2	4,034.68	1/2	4,275.39	1/2	4,514.12
3/4	136.83	3/4	486.79	3/4	836.71	3/4	1,186.28	3/4	1,536.39	3/4	1,886.52	3/4	2,236.66	3/4	2,586.75	3/4	2,936.63	3/4	3,286.32	3/4	3,558.27	3/4	3,798.98	3/4	4,039.69	3/4	4,280.40	3/4	4,518.97
5	144.10	5	494.08	5	843.99	5	1,193.57	5	1,543.68	5	1,893.81	5	2,243.95	5	2,594.04	5	2,943.92	5	3,293.32	5	3,563.28	5	3,804.00	5	4,044.71	5	4,285.42	5	4,523.82
1/4	151.37	1/4	501.37	1/4	851.26	1/4	1,200.87	1/4	1,550.98	1/4	1,901.11	1/4	2,251.25	1/4	2,601.33	1/4	2,951.20	1/4	3,300.33	1/4	3,568.30	1/4	3,809.01	1/4	4,049.72	1/4	4,290.43	1/4	4,528.67
1/2	158.65	1/2	508.66	1/2	858.54	1/2	1,208.16	1/2	1,558.27	1/2	1,908.40	1/2	2,258.54	1/2	2,608.62	1/2	2,958.49	1/2	3,307.33	1/2	3,573.31	1/2	3,814.02	1/2	4,054.74	1/2	4,295.45	1/2	4,533.51
3/4	165.93	3/4	515.96	3/4	865.82	3/4	1,215.46	3/4	1,565.57	3/4	1,915.70	3/4	2,265.84	3/4	2,615.91	3/4	2,965.77	3/4	3,314.34	3/4	3,578.33	3/4	3,819.04	3/4	4,059.75	3/4	4,300.46	3/4	4,537.94
6	173.21	6	523.25	6	873.10	6	1,222.75	6	1,572.86	6	1,922.99	6	2,273.13	6	2,623.20	6	2,973.06	6	3,321.07	6	3,583.34	6	3,824.05	6	4,064.76	6	4,305.48	6	4,542.17
1/4	180.50	1/4	530.54	1/4	880.38	1/4	1,230.05	1/4	1,580.16	1/4	1,930.29	1/4	2,280.43	1/4	2,630.49	1/4	2,980.34	1/4	3,327.80	1/4	3,588.36	1/4	3,829.07	1/4	4,069.78	1/4	4,310.49	1/4	4,546.19
1/2	187.78	1/2	537.84	1/2	887.66	1/2	1,237.34	1/2	1,587.45	1/2	1,937.58	1/2	2,287.72	1/2	2,637.77	1/2	2,987.63	1/2	3,334.52	1/2	3,593.37	1/2	3,834.08	1/2	4,074.79	1/2	4,315.50	1/2	4,550.01
3/4	195.07	3/4	545.13	3/4	894.93	3/4	1,244.63	3/4	1,594.74	3/4	1,944.88	3/4	2,295.02	3/4	2,645.06	3/4	2,994.91	3/4	3,341.25	3/4	3,598.39	3/4	3,839.10	3/4	4,079.81	3/4	4,320.52	3/4	4,553.63
7	202.36	7	552.42	7	902.21	7	1,251.93	7	1,602.04	7	1,952.17	7	2,302.31	7	2,652.35	7	3,002.20	7	3,347.70	7	3,603.40	7	3,844.11	7	4,084.82	7	4,325.53	7	4,557.03
1/4	209.65	1/4	559.72	1/4	909.49	1/4	1,259.22	1/4	1,609.33	1/4	1,959.46	1/4	2,309.60	1/4	2,659.64	1/4	3,009.48	1/4	3,354.15	1/4	3,608.42	1/4	3,849.13	1/4	4,089.84	1/4	4,330.55	1/4	4,560.23
1/2	216.94	1/2	567.01	1/2	916.77	1/2	1,266.52	1/2	1,616.63	1/2	1,966.76	1/2	2,316.90	1/2	2,666.93	1/2	3,016.77	1/2	3,360.60	1/2	3,613.43	1/2	3,854.14	1/2	4,094.85	1/2	4,335.56	1/2	4,563.23
3/4	224.24	3/4	574.30	3/4	924.05	3/4	1,273.81	3/4	1,623.92	3/4	1,974.05	3/4	2,324.19	3/4	2,674.22	3/4	3,024.05	3/4	3,367.04	3/4	3,618.45	3/4	3,859.16	3/4	4,099.87	3/4	4,340.58	3/4	4,566.02
8	231.53	8	581.59	8	931.32	8	1,281.11	8	1,631.22	8	1,981.35	8	2,331.49	8	2,681.51	8	3,031.34	8	3,373.21	8	3,623.46	8	3,864.17	8	4,104.88	8	4,345.59	8	4,568.61
1/4	238.82	1/4	588.89	1/4	938.60	1/4	1,288.40	1/4	1,638.51	1/4	1,988.64	1/4	2,338.78	1/4	2,688.80	1/4	3,038.62	1/4	3,379.38	1/4	3,628.48	1/4	3,869.19	1/4	4,109.90	1/4	4,350.61	1/4	4,570.99
1/2	246.12	1/2	596.18	1/2	945.88	1/2	1,295.70	1/2	1,645.80	1/2	1,995.94	1/2	2,346.08	1/2	2,696.09	1/2	3,045.91	1/2	3,385.55	1/2	3,633.49	1/2	3,874.20	1/2	4,114.91	1/2	4,355.63	1/2	4,573.16
3/4	253.41	3/4	603.47	3/4	953.16	3/4	1,302.99	3/4	1,653.10	3/4	2,003.23	3/4	2,353.37	3/4	2,703.38	3/4	3,053.19	3/4	3,391.72	3/4	3,638.51	3/4	3,879.22	3/4	4,119.93	3/4	4,360.65	3/4	4,575.13
9	260.70	9	610.77	9	960.44	9	1,310.28	9	1,660.39	9	2,010.53	9	2,360.67	9	2,710.67	9	3,060.48	9	3,397.61	9	3,643.52	9	3,884.23	9	4,124.94	9	4,365.67	9	4,576.90
1/4	268.00	1/4	618.06	1/4	967.72	1/4	1,317.58	1/4	1,667.69	1/4	2,017.82	1/4	2,367.96	1/4	2,717.96	1/4	3,067.76	1/4	3,403.50	1/4	3,648.54	1/4	3,889.25	1/4	4,129.96	1/4	4,370.69	1/4	4,578.46
1/2	275.29	1/2	625.35	1/2	974.99	1/2	1,324.87	1/2	1,674.98	1/2	2,025.11	1/2	2,375.26	1/2	2,725.25	1/2	3,075.05												

BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT 16' 3 1/4"

Table with columns for height (0 FT. to 14 FT.) and corresponding capacity values in barrels. Includes fractional increments (1/4, 1/2, 3/4) for each foot.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE. THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY. DATE STRAPPED: 3/30/2015 BY: JMF DATE COMPUTED: 4/04/2015 BY: WHF DATE ISSUED: 4/04/2015





BARGE: GBL 4630
HULL No. JEFFBOAT 13-2884

SLOP PORT
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	80	6	582	0	1,145	6	1,709	0	2,273	6	2,837	0	3,400	6	3,964	0	4,528	6	5,092	0	5,505
1/8	86	1/8	593	1/8	1,157	1/8	1,721	1/8	2,285	1/8	2,848	1/8	3,412	1/8	3,976	1/8	4,540	1/8	5,103	1/8	5,508
1/4	93	1/4	605	1/4	1,169	1/4	1,733	1/4	2,296	1/4	2,860	1/4	3,424	1/4	3,988	1/4	4,551	1/4	5,115	1/4	5,511
3/8	99	3/8	617	3/8	1,181	3/8	1,744	3/8	2,308	3/8	2,872	3/8	3,436	3/8	3,999	3/8	4,563	3/8	5,127	3/8	5,513
1/2	107	1/2	629	1/2	1,192	1/2	1,756	1/2	2,320	1/2	2,884	1/2	3,447	1/2	4,011	1/2	4,575	1/2	5,139	1/2	5,516
5/8	114	5/8	640	5/8	1,204	5/8	1,768	5/8	2,332	5/8	2,895	5/8	3,459	5/8	4,023	5/8	4,587	5/8	5,150	5/8	5,518
3/4	122	3/4	652	3/4	1,216	3/4	1,780	3/4	2,343	3/4	2,907	3/4	3,471	3/4	4,035	3/4	4,598	3/4	5,162	3/4	5,520
7/8	129	7/8	664	7/8	1,228	7/8	1,791	7/8	2,355	7/8	2,919	7/8	3,483	7/8	4,046	7/8	4,610	7/8	5,174	7/8	5,521
1	137	7	676	1	1,239	7	1,803	1	2,367	7	2,931	1	3,494	7	4,058	1	4,622	7	5,186	1	5,522
1/8	146	1/8	687	1/8	1,251	1/8	1,815	1/8	2,379	1/8	2,942	1/8	3,506	1/8	4,070	1/8	4,634	1/8	5,197	1/8	
1/4	154	1/4	699	1/4	1,263	1/4	1,827	1/4	2,390	1/4	2,954	1/4	3,518	1/4	4,082	1/4	4,645	1/4	5,209	1/4	
3/8	163	3/8	711	3/8	1,275	3/8	1,838	3/8	2,402	3/8	2,966	3/8	3,530	3/8	4,093	3/8	4,657	3/8	5,221	3/8	
1/2	172	1/2	723	1/2	1,286	1/2	1,850	1/2	2,414	1/2	2,978	1/2	3,541	1/2	4,105	1/2	4,669	1/2	5,233	1/2	
5/8	182	5/8	734	5/8	1,298	5/8	1,862	5/8	2,426	5/8	2,989	5/8	3,553	5/8	4,117	5/8	4,681	5/8	5,244	5/8	
3/4	191	3/4	746	3/4	1,310	3/4	1,874	3/4	2,437	3/4	3,001	3/4	3,565	3/4	4,129	3/4	4,692	3/4	5,256	3/4	
7/8	201	7/8	758	7/8	1,322	7/8	1,885	7/8	2,449	7/8	3,013	7/8	3,577	7/8	4,140	7/8	4,704	7/8	5,267	7/8	
2	211	8	770	2	1,333	8	1,897	2	2,461	8	3,025	2	3,588	8	4,152	2	4,716	8	5,278	2	
1/8	221	1/8	781	1/8	1,345	1/8	1,909	1/8	2,473	1/8	3,036	1/8	3,600	1/8	4,164	1/8	4,728	1/8	5,289	1/8	
1/4	232	1/4	793	1/4	1,357	1/4	1,921	1/4	2,484	1/4	3,048	1/4	3,612	1/4	4,176	1/4	4,739	1/4	5,300	1/4	
3/8	243	3/8	805	3/8	1,369	3/8	1,932	3/8	2,496	3/8	3,060	3/8	3,624	3/8	4,187	3/8	4,751	3/8	5,310	3/8	
1/2	254	1/2	817	1/2	1,380	1/2	1,944	1/2	2,508	1/2	3,072	1/2	3,635	1/2	4,199	1/2	4,763	1/2	5,320	1/2	
5/8	265	5/8	828	5/8	1,392	5/8	1,956	5/8	2,520	5/8	3,083	5/8	3,647	5/8	4,211	5/8	4,775	5/8	5,330	5/8	
3/4	276	3/4	840	3/4	1,404	3/4	1,968	3/4	2,531	3/4	3,095	3/4	3,659	3/4	4,223	3/4	4,786	3/4	5,340	3/4	
7/8	288	7/8	852	7/8	1,416	7/8	1,979	7/8	2,543	7/8	3,107	7/8	3,671	7/8	4,234	7/8	4,798	7/8	5,349	7/8	
3	300	9	864	3	1,427	9	1,991	3	2,555	9	3,119	3	3,682	9	4,246	3	4,810	9	5,359	3	
1/8	312	1/8	875	1/8	1,439	1/8	2,003	1/8	2,567	1/8	3,130	1/8	3,694	1/8	4,258	1/8	4,822	1/8	5,368	1/8	
1/4	323	1/4	887	1/4	1,451	1/4	2,015	1/4	2,578	1/4	3,142	1/4	3,706	1/4	4,270	1/4	4,833	1/4	5,376	1/4	
3/8	335	3/8	899	3/8	1,463	3/8	2,026	3/8	2,590	3/8	3,154	3/8	3,718	3/8	4,281	3/8	4,845	3/8	5,385	3/8	
1/2	347	1/2	911	1/2	1,474	1/2	2,038	1/2	2,602	1/2	3,166	1/2	3,729	1/2	4,293	1/2	4,857	1/2	5,393	1/2	
5/8	359	5/8	922	5/8	1,486	5/8	2,050	5/8	2,614	5/8	3,177	5/8	3,741	5/8	4,305	5/8	4,869	5/8	5,401	5/8	
3/4	370	3/4	934	3/4	1,498	3/4	2,062	3/4	2,625	3/4	3,189	3/4	3,753	3/4	4,317	3/4	4,880	3/4	5,408	3/4	
7/8	382	7/8	946	7/8	1,510	7/8	2,073	7/8	2,637	7/8	3,201	7/8	3,765	7/8	4,328	7/8	4,892	7/8	5,416	7/8	
4	394	10	958	4	1,521	10	2,085	4	2,649	10	3,213	4	3,776	10	4,340	4	4,904	10	5,423	4	
1/8	406	1/8	969	1/8	1,533	1/8	2,097	1/8	2,661	1/8	3,224	1/8	3,788	1/8	4,352	1/8	4,915	1/8	5,430	1/8	
1/4	417	1/4	981	1/4	1,545	1/4	2,109	1/4	2,672	1/4	3,236	1/4	3,800	1/4	4,363	1/4	4,927	1/4	5,437	1/4	
3/8	429	3/8	993	3/8	1,557	3/8	2,120	3/8	2,684	3/8	3,248	3/8	3,811	3/8	4,375	3/8	4,939	3/8	5,443	3/8	
1/2	441	1/2	1,005	1/2	1,568	1/2	2,132	1/2	2,696	1/2	3,260	1/2	3,823	1/2	4,387	1/2	4,951	1/2	5,449	1/2	
5/8	453	5/8	1,016	5/8	1,580	5/8	2,144	5/8	2,708	5/8	3,271	5/8	3,835	5/8	4,399	5/8	4,962	5/8	5,455	5/8	
3/4	464	3/4	1,028	3/4	1,592	3/4	2,156	3/4	2,719	3/4	3,283	3/4	3,847	3/4	4,410	3/4	4,974	3/4	5,461	3/4	
7/8	476	7/8	1,040	7/8	1,604	7/8	2,167	7/8	2,731	7/8	3,295	7/8	3,858	7/8	4,422	7/8	4,986	7/8	5,467	7/8	
5	488	11	1,052	5	1,615	11	2,179	5	2,743	11	3,306	5	3,870	11	4,434	5	4,998	11	5,472	5	
1/8	500	1/8	1,063	1/8	1,627	1/8	2,191	1/8	2,754	1/8	3,318	1/8	3,882	1/8	4,446	1/8	5,009	1/8	5,477	1/8	
1/4	511	1/4	1,075	1/4	1,639	1/4	2,202	1/4	2,766	1/4	3,330	1/4	3,894	1/4	4,457	1/4	5,021	1/4	5,482	1/4	
3/8	523	3/8	1,087	3/8	1,650	3/8	2,214	3/8	2,778	3/8	3,342	3/8	3,905	3/8	4,469	3/8	5,033	3/8	5,486	3/8	
1/2	535	1/2	1,098	1/2	1,662	1/2	2,226	1/2	2,790	1/2	3,353	1/2	3,917	1/2	4,481	1/2	5,045	1/2	5,490	1/2	
5/8	546	5/8	1,110	5/8	1,674	5/8	2,238	5/8	2,801	5/8	3,365	5/8	3,929	5/8	4,493	5/8	5,056	5/8	5,494	5/8	
3/4	558	3/4	1,122	3/4	1,686	3/4	2,249	3/4	2,813	3/4	3,377	3/4	3,941	3/4	4,504	3/4	5,068	3/4	5,498	3/4	
7/8	570	7/8	1,134	7/8	1,697	7/8	2,261	7/8	2,825	7/8	3,389	7/8	3,952	7/8	4,516	7/8	5,080	7/8	5,502	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 3/30/2015 BY: JMF
DATE COMPUTED: 4/04/2015 BY: WHF
DATE ISSUED: 4/04/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK





BARGE: GBL 4630

HULL No. JEFFBOAT 13-2884

SLOP STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT: 6' 6 1/4"

IN	0 FT.	IN	0 FT.	IN	1 FT.	IN	1 FT.	IN	2 FT.	IN	2 FT.	IN	3 FT.	IN	3 FT.	IN	4 FT.	IN	4 FT.	IN	5 FT.
0	71	6	550	0	1,093	6	1,637	0	2,180	6	2,724	0	3,267	6	3,811	0	4,355	6	4,898	0	5,305
1/8	77	1/8	561	1/8	1,105	1/8	1,648	1/8	2,192	1/8	2,735	1/8	3,279	1/8	3,822	1/8	4,366	1/8	4,910	1/8	5,308
1/4	83	1/4	572	1/4	1,116	1/4	1,659	1/4	2,203	1/4	2,747	1/4	3,290	1/4	3,834	1/4	4,377	1/4	4,921	1/4	5,311
3/8	89	3/8	584	3/8	1,127	3/8	1,671	3/8	2,214	3/8	2,758	3/8	3,301	3/8	3,845	3/8	4,389	3/8	4,932	3/8	5,314
1/2	96	1/2	595	1/2	1,138	1/2	1,682	1/2	2,226	1/2	2,769	1/2	3,313	1/2	3,856	1/2	4,400	1/2	4,944	1/2	5,316
5/8	103	5/8	606	5/8	1,150	5/8	1,693	5/8	2,237	5/8	2,781	5/8	3,324	5/8	3,868	5/8	4,411	5/8	4,955	5/8	5,318
3/4	110	3/4	618	3/4	1,161	3/4	1,705	3/4	2,248	3/4	2,792	3/4	3,335	3/4	3,879	3/4	4,423	3/4	4,966	3/4	5,320
7/8	117	7/8	629	7/8	1,172	7/8	1,716	7/8	2,260	7/8	2,803	7/8	3,347	7/8	3,890	7/8	4,434	7/8	4,977	7/8	5,322
1	125	7	640	1	1,184	7	1,727	1	2,271	7	2,815	1	3,358	7	3,902	1	4,445	7	4,989	1	5,324
1/8	133	1/8	652	1/8	1,195	1/8	1,739	1/8	2,282	1/8	2,826	1/8	3,369	1/8	3,913	1/8	4,457	1/8	5,000	1/8	5,325
1/4	141	1/4	663	1/4	1,206	1/4	1,750	1/4	2,294	1/4	2,837	1/4	3,381	1/4	3,924	1/4	4,468	1/4	5,011	1/4	5,326
3/8	149	3/8	674	3/8	1,218	3/8	1,761	3/8	2,305	3/8	2,848	3/8	3,392	3/8	3,936	3/8	4,479	3/8	5,023	3/8	5,327
1/2	157	1/2	686	1/2	1,229	1/2	1,773	1/2	2,316	1/2	2,860	1/2	3,403	1/2	3,947	1/2	4,491	1/2	5,034	1/2	5,327
5/8	166	5/8	697	5/8	1,240	5/8	1,784	5/8	2,328	5/8	2,871	5/8	3,415	5/8	3,958	5/8	4,502	5/8	5,045	5/8	5,328
3/4	175	3/4	708	3/4	1,252	3/4	1,795	3/4	2,339	3/4	2,882	3/4	3,426	3/4	3,970	3/4	4,513	3/4	5,057	3/4	5,328
7/8	184	7/8	719	7/8	1,263	7/8	1,807	7/8	2,350	7/8	2,894	7/8	3,437	7/8	3,981	7/8	4,525	7/8	5,068	7/8	5,328
2	194	8	731	2	1,274	8	1,818	2	2,362	8	2,905	2	3,449	8	3,992	2	4,536	8	5,079	2	
1/8	203	1/8	742	1/8	1,286	1/8	1,829	1/8	2,373	1/8	2,916	1/8	3,460	1/8	4,004	1/8	4,547	1/8	5,090	1/8	
1/4	213	1/4	753	1/4	1,297	1/4	1,841	1/4	2,384	1/4	2,928	1/4	3,471	1/4	4,015	1/4	4,558	1/4	5,100	1/4	
3/8	223	3/8	765	3/8	1,308	3/8	1,852	3/8	2,396	3/8	2,939	3/8	3,483	3/8	4,026	3/8	4,570	3/8	5,110	3/8	
1/2	234	1/2	776	1/2	1,320	1/2	1,863	1/2	2,407	1/2	2,950	1/2	3,494	1/2	4,038	1/2	4,581	1/2	5,120	1/2	
5/8	245	5/8	787	5/8	1,331	5/8	1,875	5/8	2,418	5/8	2,962	5/8	3,505	5/8	4,049	5/8	4,592	5/8	5,130	5/8	
3/4	255	3/4	799	3/4	1,342	3/4	1,886	3/4	2,429	3/4	2,973	3/4	3,517	3/4	4,060	3/4	4,604	3/4	5,140	3/4	
7/8	266	7/8	810	7/8	1,354	7/8	1,897	7/8	2,441	7/8	2,984	7/8	3,528	7/8	4,072	7/8	4,615	7/8	5,149	7/8	
3	278	9	821	3	1,365	9	1,909	3	2,452	9	2,996	3	3,539	9	4,083	3	4,626	9	5,158	3	
1/8	289	1/8	833	1/8	1,376	1/8	1,920	1/8	2,463	1/8	3,007	1/8	3,551	1/8	4,094	1/8	4,638	1/8	5,167	1/8	
1/4	300	1/4	844	1/4	1,388	1/4	1,931	1/4	2,475	1/4	3,018	1/4	3,562	1/4	4,106	1/4	4,649	1/4	5,176	1/4	
3/8	312	3/8	855	3/8	1,399	3/8	1,943	3/8	2,486	3/8	3,030	3/8	3,573	3/8	4,117	3/8	4,660	3/8	5,184	3/8	
1/2	323	1/2	867	1/2	1,410	1/2	1,954	1/2	2,497	1/2	3,041	1/2	3,585	1/2	4,128	1/2	4,672	1/2	5,192	1/2	
5/8	334	5/8	878	5/8	1,422	5/8	1,965	5/8	2,509	5/8	3,052	5/8	3,596	5/8	4,139	5/8	4,683	5/8	5,200	5/8	
3/4	346	3/4	889	3/4	1,433	3/4	1,977	3/4	2,520	3/4	3,064	3/4	3,607	3/4	4,151	3/4	4,694	3/4	5,208	3/4	
7/8	357	7/8	901	7/8	1,444	7/8	1,988	7/8	2,531	7/8	3,075	7/8	3,619	7/8	4,162	7/8	4,706	7/8	5,215	7/8	
4	368	10	912	4	1,456	10	1,999	4	2,543	10	3,086	4	3,630	10	4,173	4	4,717	10	5,222	4	
1/8	380	1/8	923	1/8	1,467	1/8	2,010	1/8	2,554	1/8	3,098	1/8	3,641	1/8	4,185	1/8	4,728	1/8	5,229	1/8	
1/4	391	1/4	935	1/4	1,478	1/4	2,022	1/4	2,565	1/4	3,109	1/4	3,653	1/4	4,196	1/4	4,740	1/4	5,236	1/4	
3/8	402	3/8	946	3/8	1,490	3/8	2,033	3/8	2,577	3/8	3,120	3/8	3,664	3/8	4,207	3/8	4,751	3/8	5,242	3/8	
1/2	414	1/2	957	1/2	1,501	1/2	2,044	1/2	2,588	1/2	3,132	1/2	3,675	1/2	4,219	1/2	4,762	1/2	5,249	1/2	
5/8	425	5/8	969	5/8	1,512	5/8	2,056	5/8	2,599	5/8	3,143	5/8	3,687	5/8	4,230	5/8	4,774	5/8	5,255	5/8	
3/4	436	3/4	980	3/4	1,524	3/4	2,067	3/4	2,611	3/4	3,154	3/4	3,698	3/4	4,241	3/4	4,785	3/4	5,260	3/4	
7/8	448	7/8	991	7/8	1,535	7/8	2,078	7/8	2,622	7/8	3,166	7/8	3,709	7/8	4,253	7/8	4,796	7/8	5,266	7/8	
5	459	11	1,003	5	1,546	11	2,090	5	2,633	11	3,177	5	3,720	11	4,264	5	4,808	11	5,271	5	
1/8	470	1/8	1,014	1/8	1,557	1/8	2,101	1/8	2,645	1/8	3,188	1/8	3,732	1/8	4,275	1/8	4,819	1/8	5,276	1/8	
1/4	482	1/4	1,025	1/4	1,569	1/4	2,112	1/4	2,656	1/4	3,200	1/4	3,743	1/4	4,287	1/4	4,830	1/4	5,281	1/4	
3/8	493	3/8	1,037	3/8	1,580	3/8	2,124	3/8	2,667	3/8	3,211	3/8	3,754	3/8	4,298	3/8	4,842	3/8	5,286	3/8	
1/2	504	1/2	1,048	1/2	1,591	1/2	2,135	1/2	2,679	1/2	3,222	1/2	3,766	1/2	4,309	1/2	4,853	1/2	5,290	1/2	
5/8	516	5/8	1,059	5/8	1,603	5/8	2,146	5/8	2,690	5/8	3,234	5/8	3,777	5/8	4,321	5/8	4,864	5/8	5,294	5/8	
3/4	527	3/4	1,071	3/4	1,614	3/4	2,158	3/4	2,701	3/4	3,245	3/4	3,788	3/4	4,332	3/4	4,876	3/4	5,298	3/4	
7/8	538	7/8	1,082	7/8	1,625	7/8	2,169	7/8	2,713	7/8	3,256	7/8	3,800	7/8	4,343	7/8	4,887	7/8	5,302	7/8	

CAPACITY AT ZERO IS THE VOLUMES AT THE GAUGE POINT DUE TO TANK BOTTOM SLOPE.

DATE STRAPPED: 3/30/2015 BY: JMF
DATE COMPUTED: 4/04/2015 BY: WHF
DATE ISSUED: 4/04/2015

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK

