



BARGE "GBL 5132B"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
3 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8
3 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 5'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 3 PORT IS 00-5/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 3 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 5/8"

LENGTH BETWEEN DRAFT MARKS: 284'-09"

September 28, 2015

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 5132B"

1 PORT ULLAGE TABLE

GAUGE HEIGHT 15'-10 3/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	99,298	0	82,496	0	65,694	0	48,881	0	32,068	0	15,256	0		0					0
1/4	98,948	1/4	82,147	1/4	65,344	1/4	48,531	1/4	31,718	1/4	14,905	1/4		1/4					1/4
1/2	98,598	1/2	81,797	1/2	64,993	1/2	48,181	1/2	31,368	1/2	14,555	1/2		1/2					1/2
3/4	98,248	3/4	81,447	3/4	64,643	3/4	47,830	3/4	31,018	3/4	14,205	3/4		3/4					3/4
1	97,897	1	81,098	1	64,293	1	47,480	1	30,667	1	13,855	1		1					1
1/4	97,547	1/4	80,748	1/4	63,943	1/4	47,130	1/4	30,317	1/4	13,504	1/4		1/4					1/4
1/2	97,197	1/2	80,398	1/2	63,592	1/2	46,780	1/2	29,967	1/2	13,154	1/2		1/2					1/2
3/4	96,847	3/4	80,048	3/4	63,242	3/4	46,429	3/4	29,617	3/4	12,804	3/4		3/4					3/4
2	96,496	2	79,699	2	62,892	2	46,079	2	29,266	2	12,454	2		2					2
1/4	96,146	1/4	79,349	1/4	62,541	1/4	45,729	1/4	28,916	1/4	12,103	1/4		1/4					1/4
1/2	95,796	1/2	78,999	1/2	62,191	1/2	45,378	1/2	28,566	1/2	11,753	1/2		1/2					1/2
3/4	95,445	3/4	78,650	3/4	61,841	3/4	45,028	3/4	28,215	3/4	11,403	3/4		3/4					3/4
3	95,095	3	78,300	3	61,491	3	44,678	3	27,865	3	11,052	3		3					3
1/4	94,745	1/4	77,950	1/4	61,140	1/4	44,328	1/4	27,515	1/4	10,702	1/4		1/4					1/4
1/2	94,395	1/2	77,600	1/2	60,790	1/2	43,977	1/2	27,165	1/2	10,352	1/2		1/2					1/2
3/4	94,044	3/4	77,251	3/4	60,440	3/4	43,627	3/4	26,814	3/4	10,002	3/4		3/4					3/4
4	93,694	4	76,901	4	60,090	4	43,277	4	26,464	4	9,651	4		4					4
1/4	93,344	1/4	76,551	1/4	59,739	1/4	42,927	1/4	26,114	1/4	9,301	1/4		1/4					1/4
1/2	92,994	1/2	76,201	1/2	59,389	1/2	42,576	1/2	25,764	1/2	8,951	1/2		1/2					1/2
3/4	92,643	3/4	75,851	3/4	59,039	3/4	42,226	3/4	25,413	3/4	8,601	3/4		3/4					3/4
5	92,293	5	75,501	5	58,689	5	41,876	5	25,063	5	8,250	5		5					5
1/4	91,943	1/4	75,151	1/4	58,338	1/4	41,526	1/4	24,713	1/4	7,900	1/4		1/4					1/4
1/2	91,592	1/2	74,801	1/2	57,988	1/2	41,175	1/2	24,363	1/2	7,550	1/2		1/2					1/2
3/4	91,242	3/4	74,450	3/4	57,638	3/4	40,825	3/4	24,012	3/4	7,200	3/4		3/4					3/4
6	90,892	6	74,100	6	57,287	6	40,475	6	23,662	6	6,849	6		6					6
1/4	90,542	1/4	73,750	1/4	56,937	1/4	40,124	1/4	23,312	1/4	6,499	1/4		1/4					1/4
1/2	90,192	1/2	73,400	1/2	56,587	1/2	39,774	1/2	22,961	1/2	6,149	1/2		1/2					1/2
3/4	89,841	3/4	73,049	3/4	56,237	3/4	39,424	3/4	22,611	3/4	5,799	3/4		3/4					3/4
7	89,491	7	72,699	7	55,886	7	39,074	7	22,261	7	5,449	7		7					7
1/4	89,141	1/4	72,349	1/4	55,536	1/4	38,723	1/4	21,911	1/4	5,098	1/4		1/4					1/4
1/2	88,791	1/2	71,999	1/2	55,186	1/2	38,373	1/2	21,560	1/2	4,748	1/2		1/2					1/2
3/4	88,441	3/4	71,648	3/4	54,836	3/4	38,023	3/4	21,210	3/4	4,398	3/4		3/4					3/4
8	88,092	8	71,298	8	54,485	8	37,673	8	20,860	8	4,049	8		8					8
1/4	87,742	1/4	70,948	1/4	54,135	1/4	37,322	1/4	20,510	1/4	3,700	1/4		1/4					1/4
1/2	87,392	1/2	70,598	1/2	53,785	1/2	36,972	1/2	20,159	1/2	3,351	1/2		1/2					1/2
3/4	87,042	3/4	70,247	3/4	53,435	3/4	36,622	3/4	19,809	3/4	3,001	3/4		3/4					3/4
9	86,693	9	69,897	9	53,084	9	36,272	9	19,459	9	2,674	9		9					9
1/4	86,343	1/4	69,547	1/4	52,734	1/4	35,921	1/4	19,109	1/4	2,347	1/4		1/4					1/4
1/2	85,993	1/2	69,196	1/2	52,384	1/2	35,571	1/2	18,758	1/2	2,019	1/2		1/2					1/2
3/4	85,644	3/4	68,846	3/4	52,033	3/4	35,221	3/4	18,408	3/4	1,692	3/4		3/4					3/4
10	85,294	10	68,496	10	51,683	10	34,870	10	18,058	10	1,444	10		10					10
1/4	84,944	1/4	68,146	1/4	51,333	1/4	34,520	1/4	17,707	1/4	1,196	1/4		1/4					1/4
1/2	84,594	1/2	67,795	1/2	50,983	1/2	34,170	1/2	17,357	1/2	948	1/2		1/2					1/2
3/4	84,245	3/4	67,445	3/4	50,632	3/4	33,820	3/4	17,007	3/4	700	3/4		3/4					3/4
11	83,895	11	67,095	11	50,282	11	33,469	11	16,657	11		11		11					11
1/4	83,545	1/4	66,745	1/4	49,932	1/4	33,119	1/4	16,306	1/4		1/4		1/4					1/4
1/2	83,196	1/2	66,394	1/2	49,582	1/2	32,769	1/2	15,956	1/2		1/2		1/2					1/2
3/4	82,846	3/4	66,044	3/4	49,231	3/4	32,419	3/4	15,606	3/4		3/4		3/4					3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5132B"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	99,240	0	82,473	0	65,708	0	48,892	0	32,075	0	15,259	0		0					0
1/4	98,890	1/4	82,125	1/4	65,358	1/4	48,541	1/4	31,725	1/4	14,909	1/4		1/4					1/4
1/2	98,540	1/2	81,777	1/2	65,007	1/2	48,191	1/2	31,375	1/2	14,558	1/2		1/2					1/2
3/4	98,189	3/4	81,429	3/4	64,657	3/4	47,841	3/4	31,024	3/4	14,208	3/4		3/4					3/4
1	97,839	1	81,081	1	64,307	1	47,490	1	30,674	1	13,858	1		1					1
1/4	97,489	1/4	80,733	1/4	63,956	1/4	47,140	1/4	30,324	1/4	13,507	1/4		1/4					1/4
1/2	97,138	1/2	80,385	1/2	63,606	1/2	46,790	1/2	29,973	1/2	13,157	1/2		1/2					1/2
3/4	96,788	3/4	80,037	3/4	63,256	3/4	46,439	3/4	29,623	3/4	12,807	3/4		3/4					3/4
2	96,438	2	79,689	2	62,905	2	46,089	2	29,273	2	12,456	2		2					2
1/4	96,087	1/4	79,341	1/4	62,555	1/4	45,739	1/4	28,922	1/4	12,106	1/4		1/4					1/4
1/2	95,737	1/2	78,993	1/2	62,205	1/2	45,388	1/2	28,572	1/2	11,756	1/2		1/2					1/2
3/4	95,387	3/4	78,645	3/4	61,854	3/4	45,038	3/4	28,222	3/4	11,405	3/4		3/4					3/4
3	95,036	3	78,297	3	61,504	3	44,688	3	27,871	3	11,055	3		3					3
1/4	94,686	1/4	77,949	1/4	61,154	1/4	44,337	1/4	27,521	1/4	10,705	1/4		1/4					1/4
1/2	94,336	1/2	77,601	1/2	60,803	1/2	43,987	1/2	27,171	1/2	10,354	1/2		1/2					1/2
3/4	93,985	3/4	77,253	3/4	60,453	3/4	43,637	3/4	26,820	3/4	10,004	3/4		3/4					3/4
4	93,635	4	76,905	4	60,103	4	43,286	4	26,470	4	9,654	4		4					4
1/4	93,285	1/4	76,556	1/4	59,752	1/4	42,936	1/4	26,120	1/4	9,303	1/4		1/4					1/4
1/2	92,934	1/2	76,208	1/2	59,402	1/2	42,586	1/2	25,769	1/2	8,953	1/2		1/2					1/2
3/4	92,584	3/4	75,859	3/4	59,052	3/4	42,235	3/4	25,419	3/4	8,602	3/4		3/4					3/4
5	92,233	5	75,510	5	58,701	5	41,885	5	25,069	5	8,252	5		5					5
1/4	91,883	1/4	75,161	1/4	58,351	1/4	41,535	1/4	24,718	1/4	7,902	1/4		1/4					1/4
1/2	91,533	1/2	74,812	1/2	58,001	1/2	41,184	1/2	24,368	1/2	7,551	1/2		1/2					1/2
3/4	91,182	3/4	74,462	3/4	57,650	3/4	40,834	3/4	24,018	3/4	7,201	3/4		3/4					3/4
6	90,833	6	74,113	6	57,300	6	40,484	6	23,667	6	6,851	6		6					6
1/4	90,483	1/4	73,763	1/4	56,950	1/4	40,133	1/4	23,317	1/4	6,500	1/4		1/4					1/4
1/2	90,133	1/2	73,414	1/2	56,599	1/2	39,783	1/2	22,966	1/2	6,150	1/2		1/2					1/2
3/4	89,783	3/4	73,064	3/4	56,249	3/4	39,433	3/4	22,616	3/4	5,800	3/4		3/4					3/4
7	89,435	7	72,714	7	55,899	7	39,082	7	22,266	7	5,450	7		7					7
1/4	89,086	1/4	72,364	1/4	55,548	1/4	38,732	1/4	21,915	1/4	5,100	1/4		1/4					1/4
1/2	88,738	1/2	72,014	1/2	55,198	1/2	38,382	1/2	21,565	1/2	4,750	1/2		1/2					1/2
3/4	88,389	3/4	71,664	3/4	54,848	3/4	38,031	3/4	21,215	3/4	4,399	3/4		3/4					3/4
8	88,041	8	71,314	8	54,497	8	37,681	8	20,864	8	4,050	8		8					8
1/4	87,693	1/4	70,963	1/4	54,147	1/4	37,330	1/4	20,514	1/4	3,701	1/4		1/4					1/4
1/2	87,345	1/2	70,613	1/2	53,797	1/2	36,980	1/2	20,164	1/2	3,351	1/2		1/2					1/2
3/4	86,997	3/4	70,263	3/4	53,446	3/4	36,630	3/4	19,813	3/4	3,002	3/4		3/4					3/4
9	86,649	9	69,912	9	53,096	9	36,279	9	19,463	9	2,675	9		9					9
1/4	86,301	1/4	69,562	1/4	52,746	1/4	35,929	1/4	19,113	1/4	2,347	1/4		1/4					1/4
1/2	85,953	1/2	69,212	1/2	52,395	1/2	35,579	1/2	18,762	1/2	2,020	1/2		1/2					1/2
3/4	85,605	3/4	68,861	3/4	52,045	3/4	35,228	3/4	18,412	3/4	1,693	3/4		3/4					3/4
10	85,257	10	68,511	10	51,694	10	34,878	10	18,062	10	1,444	10		10					10
1/4	84,909	1/4	68,161	1/4	51,344	1/4	34,528	1/4	17,711	1/4	1,196	1/4		1/4					1/4
1/2	84,561	1/2	67,810	1/2	50,994	1/2	34,177	1/2	17,361	1/2	948	1/2		1/2					1/2
3/4	84,213	3/4	67,460	3/4	50,643	3/4	33,827	3/4	17,011	3/4	700	3/4		3/4					3/4
11	83,865	11	67,110	11	50,293	11	33,477	11	16,660	11		11		11					11
1/4	83,517	1/4	66,759	1/4	49,943	1/4	33,126	1/4	16,310	1/4		1/4		1/4					1/4
1/2	83,169	1/2	66,409	1/2	49,592	1/2	32,776	1/2	15,960	1/2		1/2		1/2					1/2
3/4	82,821	3/4	66,058	3/4	49,242	3/4	32,426	3/4	15,609	3/4		3/4		3/4					3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5132B"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-11"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	96,399	0	80,134	0	63,869	0	47,614	0	31,362	0	15,098	0		0					0
1/4	96,060	1/4	79,795	1/4	63,530	1/4	47,276	1/4	31,023	1/4	14,759	1/4		1/4					1/4
1/2	95,721	1/2	79,456	1/2	63,191	1/2	46,937	1/2	30,685	1/2	14,420	1/2		1/2					1/2
3/4	95,382	3/4	79,117	3/4	62,852	3/4	46,599	3/4	30,346	3/4	14,081	3/4		3/4					3/4
1	95,043	1	78,778	1	62,514	1	46,261	1	30,007	1	13,742	1		1					1
1/4	94,704	1/4	78,440	1/4	62,175	1/4	45,923	1/4	29,668	1/4	13,404	1/4		1/4					1/4
1/2	94,365	1/2	78,101	1/2	61,836	1/2	45,584	1/2	29,329	1/2	13,065	1/2		1/2					1/2
3/4	94,027	3/4	77,762	3/4	61,497	3/4	45,246	3/4	28,990	3/4	12,726	3/4		3/4					3/4
2	93,688	2	77,423	2	61,158	2	44,908	2	28,651	2	12,387	2		2					2
1/4	93,349	1/4	77,084	1/4	60,819	1/4	44,570	1/4	28,313	1/4	12,048	1/4		1/4					1/4
1/2	93,010	1/2	76,745	1/2	60,480	1/2	44,231	1/2	27,974	1/2	11,709	1/2		1/2					1/2
3/4	92,671	3/4	76,406	3/4	60,142	3/4	43,893	3/4	27,635	3/4	11,371	3/4		3/4					3/4
3	92,332	3	76,068	3	59,803	3	43,555	3	27,296	3	11,032	3		3					3
1/4	91,994	1/4	75,729	1/4	59,464	1/4	43,217	1/4	26,957	1/4	10,693	1/4		1/4					1/4
1/2	91,655	1/2	75,390	1/2	59,125	1/2	42,878	1/2	26,618	1/2	10,354	1/2		1/2					1/2
3/4	91,316	3/4	75,051	3/4	58,786	3/4	42,540	3/4	26,280	3/4	10,015	3/4		3/4					3/4
4	90,977	4	74,712	4	58,447	4	42,202	4	25,941	4	9,676	4		4					4
1/4	90,638	1/4	74,373	1/4	58,109	1/4	41,864	1/4	25,602	1/4	9,338	1/4		1/4					1/4
1/2	90,299	1/2	74,034	1/2	57,770	1/2	41,525	1/2	25,263	1/2	8,999	1/2		1/2					1/2
3/4	89,960	3/4	73,696	3/4	57,431	3/4	41,187	3/4	24,924	3/4	8,660	3/4		3/4					3/4
5	89,622	5	73,357	5	57,092	5	40,849	5	24,585	5	8,321	5		5					5
1/4	89,283	1/4	73,018	1/4	56,753	1/4	40,510	1/4	24,247	1/4	7,982	1/4		1/4					1/4
1/2	88,944	1/2	72,679	1/2	56,414	1/2	40,172	1/2	23,908	1/2	7,643	1/2		1/2					1/2
3/4	88,605	3/4	72,340	3/4	56,075	3/4	39,833	3/4	23,569	3/4	7,305	3/4		3/4					3/4
6	88,266	6	72,001	6	55,737	6	39,494	6	23,230	6	6,966	6		6					6
1/4	87,927	1/4	71,663	1/4	55,398	1/4	39,156	1/4	22,891	1/4	6,627	1/4		1/4					1/4
1/2	87,588	1/2	71,324	1/2	55,059	1/2	38,817	1/2	22,552	1/2	6,288	1/2		1/2					1/2
3/4	87,250	3/4	70,985	3/4	54,720	3/4	38,478	3/4	22,214	3/4	5,949	3/4		3/4					3/4
7	86,911	7	70,646	7	54,381	7	38,139	7	21,875	7	5,610	7		7					7
1/4	86,572	1/4	70,307	1/4	54,042	1/4	37,800	1/4	21,536	1/4	5,272	1/4		1/4					1/4
1/2	86,233	1/2	69,968	1/2	53,704	1/2	37,461	1/2	21,197	1/2	4,933	1/2		1/2					1/2
3/4	85,894	3/4	69,629	3/4	53,365	3/4	37,122	3/4	20,858	3/4	4,595	3/4		3/4					3/4
8	85,555	8	69,291	8	53,026	8	36,784	8	20,519	8	4,256	8		8					8
1/4	85,217	1/4	68,952	1/4	52,688	1/4	36,445	1/4	20,180	1/4	3,918	1/4		1/4					1/4
1/2	84,878	1/2	68,613	1/2	52,350	1/2	36,106	1/2	19,842	1/2	3,580	1/2		1/2					1/2
3/4	84,539	3/4	68,274	3/4	52,011	3/4	35,767	3/4	19,503	3/4	3,242	3/4		3/4					3/4
9	84,200	9	67,935	9	51,673	9	35,428	9	19,164	9	2,904	9		9					9
1/4	83,861	1/4	67,596	1/4	51,335	1/4	35,089	1/4	18,825	1/4	2,588	1/4		1/4					1/4
1/2	83,522	1/2	67,257	1/2	50,996	1/2	34,751	1/2	18,486	1/2	2,271	1/2		1/2					1/2
3/4	83,183	3/4	66,919	3/4	50,658	3/4	34,412	3/4	18,147	3/4	1,954	3/4		3/4					3/4
10	82,845	10	66,580	10	50,320	10	34,073	10	17,809	10	1,638	10		10					10
1/4	82,506	1/4	66,241	1/4	49,982	1/4	33,734	1/4	17,470	1/4	1,398	1/4		1/4					1/4
1/2	82,167	1/2	65,902	1/2	49,643	1/2	33,395	1/2	17,131	1/2	1,158	1/2		1/2					1/2
3/4	81,828	3/4	65,563	3/4	49,305	3/4	33,056	3/4	16,792	3/4	918	3/4		3/4					3/4
11	81,489	11	65,224	11	48,967	11	32,718	11	16,453	11	678	11		11					11
1/4	81,150	1/4	64,886	1/4	48,629	1/4	32,379	1/4	16,114	1/4		1/4		1/4					1/4
1/2	80,811	1/2	64,547	1/2	48,290	1/2	32,040	1/2	15,776	1/2		1/2		1/2					1/2
3/4	80,473	3/4	64,208	3/4	47,952	3/4	31,701	3/4	15,437	3/4		3/4		3/4					3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5132B"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	95,128	0	78,992	0	63,011	0	46,927	0	30,678	0	14,417	0		0				0	
1/4	94,789	1/4	78,659	1/4	62,678	1/4	46,589	1/4	30,339	1/4	14,078	1/4		1/4				1/4	1/4
1/2	94,451	1/2	78,326	1/2	62,345	1/2	46,251	1/2	30,000	1/2	13,739	1/2		1/2				1/2	1/2
3/4	94,112	3/4	77,993	3/4	62,012	3/4	45,912	3/4	29,661	3/4	13,401	3/4		3/4				3/4	3/4
1	93,773	1	77,661	1	61,679	1	45,574	1	29,323	1	13,062	1		1				1	1
1/4	93,434	1/4	77,328	1/4	61,346	1/4	45,236	1/4	28,984	1/4	12,723	1/4		1/4				1/4	1/4
1/2	93,095	1/2	76,995	1/2	61,013	1/2	44,898	1/2	28,645	1/2	12,384	1/2		1/2				1/2	1/2
3/4	92,757	3/4	76,662	3/4	60,680	3/4	44,560	3/4	28,306	3/4	12,046	3/4		3/4				3/4	3/4
2	92,418	2	76,329	2	60,347	2	44,221	2	27,967	2	11,707	2		2				2	2
1/4	92,079	1/4	75,996	1/4	60,014	1/4	43,883	1/4	27,629	1/4	11,368	1/4		1/4				1/4	1/4
1/2	91,740	1/2	75,663	1/2	59,681	1/2	43,545	1/2	27,290	1/2	11,029	1/2		1/2				1/2	1/2
3/4	91,402	3/4	75,330	3/4	59,349	3/4	43,207	3/4	26,951	3/4	10,690	3/4		3/4				3/4	3/4
3	91,063	3	74,997	3	59,016	3	42,869	3	26,612	3	10,352	3		3				3	3
1/4	90,724	1/4	74,664	1/4	58,683	1/4	42,531	1/4	26,274	1/4	10,013	1/4		1/4				1/4	1/4
1/2	90,385	1/2	74,331	1/2	58,350	1/2	42,192	1/2	25,935	1/2	9,674	1/2		1/2				1/2	1/2
3/4	90,047	3/4	73,998	3/4	58,017	3/4	41,854	3/4	25,596	3/4	9,335	3/4		3/4				3/4	3/4
4	89,708	4	73,665	4	57,684	4	41,516	4	25,257	4	8,997	4		4				4	4
1/4	89,369	1/4	73,332	1/4	57,351	1/4	41,178	1/4	24,919	1/4	8,658	1/4		1/4				1/4	1/4
1/2	89,030	1/2	72,999	1/2	57,018	1/2	40,839	1/2	24,580	1/2	8,319	1/2		1/2				1/2	1/2
3/4	88,691	3/4	72,666	3/4	56,685	3/4	40,501	3/4	24,241	3/4	7,980	3/4		3/4				3/4	3/4
5	88,353	5	72,333	5	56,352	5	40,162	5	23,902	5	7,642	5		5				5	5
1/4	88,014	1/4	72,000	1/4	56,019	1/4	39,824	1/4	23,564	1/4	7,303	1/4		1/4				1/4	1/4
1/2	87,675	1/2	71,668	1/2	55,686	1/2	39,485	1/2	23,225	1/2	6,964	1/2		1/2				1/2	1/2
3/4	87,337	3/4	71,335	3/4	55,353	3/4	39,147	3/4	22,886	3/4	6,625	3/4		3/4				3/4	3/4
6	87,000	6	71,002	6	55,020	6	38,808	6	22,547	6	6,287	6		6				6	6
1/4	86,662	1/4	70,669	1/4	54,687	1/4	38,469	1/4	22,208	1/4	5,948	1/4		1/4				1/4	1/4
1/2	86,324	1/2	70,336	1/2	54,354	1/2	38,130	1/2	21,870	1/2	5,609	1/2		1/2				1/2	1/2
3/4	85,985	3/4	70,003	3/4	54,019	3/4	37,792	3/4	21,531	3/4	5,271	3/4		3/4				3/4	3/4
7	85,655	7	69,670	7	53,684	7	37,453	7	21,192	7	4,932	7		7				7	7
1/4	85,320	1/4	69,337	1/4	53,349	1/4	37,114	1/4	20,853	1/4	4,593	1/4		1/4				1/4	1/4
1/2	84,985	1/2	69,004	1/2	53,015	1/2	36,775	1/2	20,515	1/2	4,255	1/2		1/2				1/2	1/2
3/4	84,652	3/4	68,671	3/4	52,676	3/4	36,437	3/4	20,176	3/4	3,917	3/4		3/4				3/4	3/4
8	84,319	8	68,338	8	52,338	8	36,098	8	19,837	8	3,579	8		8				8	8
1/4	83,986	1/4	68,005	1/4	52,000	1/4	35,759	1/4	19,498	1/4	3,241	1/4		1/4				1/4	1/4
1/2	83,654	1/2	67,672	1/2	51,661	1/2	35,420	1/2	19,160	1/2	2,904	1/2		1/2				1/2	1/2
3/4	83,321	3/4	67,339	3/4	51,323	3/4	35,082	3/4	18,821	3/4	2,587	3/4		3/4				3/4	3/4
9	82,988	9	67,006	9	50,985	9	34,743	9	18,482	9	2,271	9		9				9	9
1/4	82,655	1/4	66,673	1/4	50,647	1/4	34,404	1/4	18,143	1/4	1,954	1/4		1/4				1/4	1/4
1/2	82,322	1/2	66,340	1/2	50,309	1/2	34,065	1/2	17,805	1/2	1,638	1/2		1/2				1/2	1/2
3/4	81,989	3/4	66,007	3/4	49,970	3/4	33,726	3/4	17,466	3/4	1,398	3/4		3/4				3/4	3/4
10	81,656	10	65,675	10	49,632	10	33,388	10	17,127	10	1,158	10		10				10	10
1/4	81,323	1/4	65,342	1/4	49,294	1/4	33,049	1/4	16,788	1/4	918	1/4		1/4				1/4	1/4
1/2	80,990	1/2	65,009	1/2	48,956	1/2	32,710	1/2	16,449	1/2	678	1/2		1/2				1/2	1/2
3/4	80,657	3/4	64,676	3/4	48,618	3/4	32,371	3/4	16,111	3/4		3/4		3/4				3/4	3/4
11	80,324	11	64,343	11	48,280	11	32,033	11	15,772	11		11		11				11	11
1/4	79,991	1/4	64,010	1/4	47,941	1/4	31,694	1/4	15,433	1/4		1/4		1/4				1/4	1/4
1/2	79,658	1/2	63,677	1/2	47,603	1/2	31,355	1/2	15,094	1/2		1/2		1/2				1/2	1/2
3/4	79,325	3/4	63,344	3/4	47,265	3/4	31,016	3/4	14,756	3/4		3/4		3/4				3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5132B"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-08"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	92,402	0	76,214	0	60,026	0	43,847	0	27,673	0	11,486	0		0		0		0	
1/4	92,065	1/4	75,877	1/4	59,689	1/4	43,511	1/4	27,336	1/4	11,148	1/4		1/4		1/4		1/4	
1/2	91,728	1/2	75,540	1/2	59,352	1/2	43,174	1/2	26,999	1/2	10,811	1/2		1/2		1/2		1/2	
3/4	91,391	3/4	75,203	3/4	59,015	3/4	42,837	3/4	26,661	3/4	10,474	3/4		3/4		3/4		3/4	
1	91,053	1	74,865	1	58,677	1	42,501	1	26,324	1	10,137	1		1		1		1	
1/4	90,716	1/4	74,528	1/4	58,340	1/4	42,164	1/4	25,987	1/4	9,799	1/4		1/4		1/4		1/4	
1/2	90,379	1/2	74,191	1/2	58,003	1/2	41,827	1/2	25,650	1/2	9,462	1/2		1/2		1/2		1/2	
3/4	90,042	3/4	73,854	3/4	57,666	3/4	41,491	3/4	25,312	3/4	9,125	3/4		3/4		3/4		3/4	
2	89,704	2	73,516	2	57,328	2	41,154	2	24,975	2	8,788	2		2		2		2	
1/4	89,367	1/4	73,179	1/4	56,991	1/4	40,817	1/4	24,638	1/4	8,450	1/4		1/4		1/4		1/4	
1/2	89,030	1/2	72,842	1/2	56,654	1/2	40,481	1/2	24,301	1/2	8,113	1/2		1/2		1/2		1/2	
3/4	88,693	3/4	72,505	3/4	56,317	3/4	40,144	3/4	23,963	3/4	7,776	3/4		3/4		3/4		3/4	
3	88,355	3	72,167	3	55,979	3	39,807	3	23,626	3	7,439	3		3		3		3	
1/4	88,018	1/4	71,830	1/4	55,642	1/4	39,471	1/4	23,289	1/4	7,101	1/4		1/4		1/4		1/4	
1/2	87,681	1/2	71,493	1/2	55,305	1/2	39,134	1/2	22,952	1/2	6,764	1/2		1/2		1/2		1/2	
3/4	87,344	3/4	71,156	3/4	54,968	3/4	38,797	3/4	22,614	3/4	6,427	3/4		3/4		3/4		3/4	
4	87,006	4	70,818	4	54,630	4	38,461	4	22,277	4	6,090	4		4		4		4	
1/4	86,669	1/4	70,481	1/4	54,293	1/4	38,124	1/4	21,940	1/4	5,752	1/4		1/4		1/4		1/4	
1/2	86,332	1/2	70,144	1/2	53,956	1/2	37,787	1/2	21,603	1/2	5,415	1/2		1/2		1/2		1/2	
3/4	85,995	3/4	69,807	3/4	53,619	3/4	37,451	3/4	21,266	3/4	5,078	3/4		3/4		3/4		3/4	
5	85,657	5	69,469	5	53,281	5	37,114	5	20,928	5	4,741	5		5		5		5	
1/4	85,320	1/4	69,132	1/4	52,944	1/4	36,777	1/4	20,591	1/4	4,403	1/4		1/4		1/4		1/4	
1/2	84,983	1/2	68,795	1/2	52,607	1/2	36,440	1/2	20,254	1/2	4,066	1/2		1/2		1/2		1/2	
3/4	84,646	3/4	68,458	3/4	52,270	3/4	36,104	3/4	19,917	3/4	3,729	3/4		3/4		3/4		3/4	
6	84,308	6	68,120	6	51,932	6	35,767	6	19,579	6	3,392	6		6		6		6	
1/4	83,971	1/4	67,783	1/4	51,595	1/4	35,430	1/4	19,242	1/4	3,054	1/4		1/4		1/4		1/4	
1/2	83,634	1/2	67,446	1/2	51,258	1/2	35,092	1/2	18,905	1/2	2,717	1/2		1/2		1/2		1/2	
3/4	83,297	3/4	67,109	3/4	50,921	3/4	34,755	3/4	18,568	3/4	2,380	3/4		3/4		3/4		3/4	
7	82,959	7	66,771	7	50,583	7	34,418	7	18,230	7	2,043	7		7		7		7	
1/4	82,622	1/4	66,434	1/4	50,246	1/4	34,081	1/4	17,893	1/4	1,734	1/4		1/4		1/4		1/4	
1/2	82,285	1/2	66,097	1/2	49,909	1/2	33,743	1/2	17,556	1/2	1,425	1/2		1/2		1/2		1/2	
3/4	81,948	3/4	65,760	3/4	49,572	3/4	33,406	3/4	17,219	3/4	1,116	3/4		3/4		3/4		3/4	
8	81,610	8	65,422	8	49,234	8	33,069	8	16,881	8	806	8		8		8		8	
1/4	81,273	1/4	65,085	1/4	48,898	1/4	32,732	1/4	16,544	1/4		1/4		1/4		1/4		1/4	
1/2	80,936	1/2	64,748	1/2	48,561	1/2	32,394	1/2	16,207	1/2		1/2		1/2		1/2		1/2	
3/4	80,599	3/4	64,411	3/4	48,224	3/4	32,057	3/4	15,870	3/4		3/4		3/4		3/4		3/4	
9	80,261	9	64,073	9	47,887	9	31,720	9	15,532	9		9		9		9		9	
1/4	79,924	1/4	63,736	1/4	47,550	1/4	31,383	1/4	15,195	1/4		1/4		1/4		1/4		1/4	
1/2	79,587	1/2	63,399	1/2	47,214	1/2	31,045	1/2	14,858	1/2		1/2		1/2		1/2		1/2	
3/4	79,250	3/4	63,062	3/4	46,877	3/4	30,708	3/4	14,521	3/4		3/4		3/4		3/4		3/4	
10	78,912	10	62,724	10	46,540	10	30,371	10	14,183	10		10		10		10		10	
1/4	78,575	1/4	62,387	1/4	46,204	1/4	30,034	1/4	13,846	1/4		1/4		1/4		1/4		1/4	
1/2	78,238	1/2	62,050	1/2	45,867	1/2	29,697	1/2	13,509	1/2		1/2		1/2		1/2		1/2	
3/4	77,901	3/4	61,713	3/4	45,531	3/4	29,359	3/4	13,172	3/4		3/4		3/4		3/4		3/4	
11	77,563	11	61,375	11	45,194	11	29,022	11	12,834	11		11		11		11		11	
1/4	77,226	1/4	61,038	1/4	44,857	1/4	28,685	1/4	12,497	1/4		1/4		1/4		1/4		1/4	
1/2	76,889	1/2	60,701	1/2	44,521	1/2	28,348	1/2	12,160	1/2		1/2		1/2		1/2		1/2	
3/4	76,552	3/4	60,364	3/4	44,184	3/4	28,010	3/4	11,823	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5132B"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-07 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	90,945	0	74,919	0	58,941	0	43,114	0	26,963	0	10,801	0		0					0
1/4	90,611	1/4	74,582	1/4	58,615	1/4	42,778	1/4	26,626	1/4	10,464	1/4		1/4				1/4	1/4
1/2	90,277	1/2	74,246	1/2	58,290	1/2	42,442	1/2	26,289	1/2	10,127	1/2		1/2				1/2	1/2
3/4	89,944	3/4	73,909	3/4	57,964	3/4	42,106	3/4	25,953	3/4	9,790	3/4		3/4				3/4	3/4
1	89,610	1	73,573	1	57,639	1	41,770	1	25,616	1	9,454	1		1				1	1
1/4	89,276	1/4	73,236	1/4	57,313	1/4	41,434	1/4	25,279	1/4	9,117	1/4		1/4				1/4	1/4
1/2	88,942	1/2	72,900	1/2	56,988	1/2	41,097	1/2	24,942	1/2	8,780	1/2		1/2				1/2	1/2
3/4	88,609	3/4	72,563	3/4	56,662	3/4	40,761	3/4	24,606	3/4	8,443	3/4		3/4				3/4	3/4
2	88,275	2	72,226	2	56,336	2	40,425	2	24,269	2	8,107	2		2				2	2
1/4	87,941	1/4	71,890	1/4	56,011	1/4	40,089	1/4	23,932	1/4	7,770	1/4		1/4				1/4	1/4
1/2	87,607	1/2	71,553	1/2	55,685	1/2	39,753	1/2	23,595	1/2	7,433	1/2		1/2				1/2	1/2
3/4	87,274	3/4	71,217	3/4	55,360	3/4	39,417	3/4	23,259	3/4	7,096	3/4		3/4				3/4	3/4
3	86,940	3	70,880	3	55,034	3	39,080	3	22,922	3	6,760	3		3				3	3
1/4	86,606	1/4	70,544	1/4	54,708	1/4	38,744	1/4	22,585	1/4	6,423	1/4		1/4				1/4	1/4
1/2	86,272	1/2	70,207	1/2	54,383	1/2	38,408	1/2	22,248	1/2	6,086	1/2		1/2				1/2	1/2
3/4	85,938	3/4	69,871	3/4	54,057	3/4	38,072	3/4	21,912	3/4	5,749	3/4		3/4				3/4	3/4
4	85,605	4	69,535	4	53,732	4	37,736	4	21,575	4	5,413	4		4				4	4
1/4	85,271	1/4	69,198	1/4	53,406	1/4	37,400	1/4	21,238	1/4	5,076	1/4		1/4				1/4	1/4
1/2	84,937	1/2	68,862	1/2	53,081	1/2	37,064	1/2	20,901	1/2	4,739	1/2		1/2				1/2	1/2
3/4	84,603	3/4	68,525	3/4	52,755	3/4	36,727	3/4	20,565	3/4	4,402	3/4		3/4				3/4	3/4
5	84,270	5	68,189	5	52,429	5	36,391	5	20,228	5	4,065	5		5				5	5
1/4	83,936	1/4	67,853	1/4	52,104	1/4	36,055	1/4	19,891	1/4	3,729	1/4		1/4				1/4	1/4
1/2	83,602	1/2	67,516	1/2	51,778	1/2	35,718	1/2	19,554	1/2	3,392	1/2		1/2				1/2	1/2
3/4	83,268	3/4	67,180	3/4	51,453	3/4	35,382	3/4	19,218	3/4	3,054	3/4		3/4				3/4	3/4
6	82,935	6	66,843	6	51,127	6	35,045	6	18,881	6	2,717	6		6				6	6
1/4	82,601	1/4	66,507	1/4	50,802	1/4	34,708	1/4	18,545	1/4	2,380	1/4		1/4				1/4	1/4
1/2	82,267	1/2	66,170	1/2	50,476	1/2	34,371	1/2	18,208	1/2	2,043	1/2		1/2				1/2	1/2
3/4	81,933	3/4	65,834	3/4	50,148	3/4	34,035	3/4	17,871	3/4	1,734	3/4		3/4				3/4	3/4
7	81,600	7	65,497	7	49,821	7	33,698	7	17,535	7	1,425	7		7				7	7
1/4	81,266	1/4	65,161	1/4	49,493	1/4	33,361	1/4	17,198	1/4	1,116	1/4		1/4				1/4	1/4
1/2	80,932	1/2	64,824	1/2	49,166	1/2	33,024	1/2	16,862	1/2	806	1/2		1/2				1/2	1/2
3/4	80,598	3/4	64,495	3/4	48,830	3/4	32,688	3/4	16,525	3/4		3/4		3/4				3/4	3/4
8	80,264	8	64,165	8	48,493	8	32,351	8	16,189	8		8		8				8	8
1/4	79,931	1/4	63,836	1/4	48,157	1/4	32,014	1/4	15,852	1/4		1/4		1/4				1/4	1/4
1/2	79,597	1/2	63,507	1/2	47,821	1/2	31,677	1/2	15,515	1/2		1/2		1/2				1/2	1/2
3/4	79,263	3/4	63,179	3/4	47,484	3/4	31,341	3/4	15,179	3/4		3/4		3/4				3/4	3/4
9	78,929	9	62,852	9	47,148	9	31,004	9	14,842	9		9		9				9	9
1/4	78,596	1/4	62,524	1/4	46,812	1/4	30,667	1/4	14,505	1/4		1/4		1/4				1/4	1/4
1/2	78,262	1/2	62,197	1/2	46,476	1/2	30,330	1/2	14,168	1/2		1/2		1/2				1/2	1/2
3/4	77,928	3/4	61,871	3/4	46,140	3/4	29,994	3/4	13,832	3/4		3/4		3/4				3/4	3/4
10	77,594	10	61,546	10	45,804	10	29,657	10	13,495	10		10		10				10	10
1/4	77,261	1/4	61,220	1/4	45,468	1/4	29,320	1/4	13,158	1/4		1/4		1/4				1/4	1/4
1/2	76,927	1/2	60,895	1/2	45,131	1/2	28,983	1/2	12,821	1/2		1/2		1/2				1/2	1/2
3/4	76,593	3/4	60,569	3/4	44,795	3/4	28,647	3/4	12,484	3/4		3/4		3/4				3/4	3/4
11	76,259	11	60,243	11	44,459	11	28,310	11	12,148	11		11		11				11	11
1/4	75,926	1/4	59,918	1/4	44,123	1/4	27,973	1/4	11,811	1/4		1/4		1/4				1/4	1/4
1/2	75,592	1/2	59,592	1/2	43,787	1/2	27,636	1/2	11,474	1/2		1/2		1/2				1/2	1/2
3/4	75,255	3/4	59,267	3/4	43,451	3/4	27,300	3/4	11,137	3/4		3/4		3/4				3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 5132B"

PORT SLOP TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0	4,208	0	3,048	0	1,887	0	726	0		0		0		0	
1/4		1/4		1/4	4,184	1/4	3,023	1/4	1,862	1/4	701	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,160	1/2	2,999	1/2	1,838	1/2	677	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,136	3/4	2,975	3/4	1,814	3/4	653	3/4		3/4		3/4		3/4	
1		1		1	4,112	1	2,951	1	1,790	1	629	1		1		1		1	
1/4		1/4		1/4	4,088	1/4	2,927	1/4	1,766	1/4	605	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,063	1/2	2,902	1/2	1,741	1/2	580	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,039	3/4	2,878	3/4	1,717	3/4	556	3/4		3/4		3/4		3/4	
2		2		2	4,015	2	2,854	2	1,693	2	532	2		2		2		2	
1/4		1/4		1/4	3,991	1/4	2,830	1/4	1,669	1/4	508	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,967	1/2	2,806	1/2	1,645	1/2	484	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,942	3/4	2,781	3/4	1,621	3/4	460	3/4		3/4		3/4		3/4	
3		3		3	3,918	3	2,757	3	1,596	3	435	3		3		3		3	
1/4		1/4		1/4	3,894	1/4	2,733	1/4	1,572	1/4	411	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,870	1/2	2,709	1/2	1,548	1/2	387	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,846	3/4	2,685	3/4	1,524	3/4	363	3/4		3/4		3/4		3/4	
4		4		4	3,821	4	2,661	4	1,500	4	339	4		4		4		4	
1/4		1/4		1/4	3,797	1/4	2,636	1/4	1,475	1/4	314	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,773	1/2	2,612	1/2	1,451	1/2	290	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,749	3/4	2,588	3/4	1,427	3/4	266	3/4		3/4		3/4		3/4	
5		5		5	3,725	5	2,564	5	1,403	5	242	5		5		5		5	
1/4		1/4		1/4	3,701	1/4	2,540	1/4	1,379	1/4	218	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,676	1/2	2,515	1/2	1,354	1/2	193	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,652	3/4	2,491	3/4	1,330	3/4	169	3/4		3/4		3/4		3/4	
6		6		6	3,628	6	2,467	6	1,306	6	145	6		6		6		6	
1/4		1/4		1/4	3,604	1/4	2,443	1/4	1,282	1/4	121	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,580	1/2	2,419	1/2	1,258	1/2	97	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,555	3/4	2,394	3/4	1,234	3/4	73	3/4		3/4		3/4		3/4	
7		7		7	3,531	7	2,370	7	1,209	7	48	7		7		7		7	
1/4		1/4		1/4	3,507	1/4	2,346	1/4	1,185	1/4	24	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,644	1/2	3,483	1/2	2,322	1/2	0	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,620	3/4	3,459	3/4	2,298	3/4	1,137	3/4		3/4		3/4		3/4	
8		8		8	4,595	8	3,435	8	2,274	8	1,113	8		8		8		8	
1/4		1/4		1/4	4,571	1/4	3,410	1/4	2,249	1/4	1,088	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,547	1/2	3,386	1/2	2,225	1/2	1,064	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,523	3/4	3,362	3/4	2,201	3/4	1,040	3/4		3/4		3/4		3/4	
9		9		9	4,499	9	3,338	9	2,177	9	1,016	9		9		9		9	
1/4		1/4		1/4	4,475	1/4	3,314	1/4	2,153	1/4	992	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,450	1/2	3,289	1/2	2,128	1/2	967	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,426	3/4	3,265	3/4	2,104	3/4	943	3/4		3/4		3/4		3/4	
10		10		10	4,402	10	3,241	10	2,080	10	919	10		10		10		10	
1/4		1/4		1/4	4,378	1/4	3,217	1/4	2,056	1/4	895	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,354	1/2	3,193	1/2	2,032	1/2	871	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,329	3/4	3,168	3/4	2,007	3/4	847	3/4		3/4		3/4		3/4	
11		11		11	4,305	11	3,144	11	1,983	11	822	11		11		11		11	
1/4		1/4		1/4	4,281	1/4	3,120	1/4	1,959	1/4	798	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,257	1/2	3,096	1/2	1,935	1/2	774	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,233	3/4	3,072	3/4	1,911	3/4	750	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF "MMC" VALVE

STRAPPED: 9/25/2015 CL
CALCULATED: 9/28/2015 CL
PRINTED: 9/28/2015 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2015



BARGE "GBL 5132B"

STBD SLOP TANK ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0	4,199	0	3,041	0	1,883	0	724	0		0		0		0	
1/4		1/4		1/4	4,175	1/4	3,017	1/4	1,858	1/4	700	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,151	1/2	2,993	1/2	1,834	1/2	676	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,127	3/4	2,969	3/4	1,810	3/4	652	3/4		3/4		3/4		3/4	
1		1		1	4,103	1	2,944	1	1,786	1	628	1		1		1		1	
1/4		1/4		1/4	4,079	1/4	2,920	1/4	1,762	1/4	603	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,055	1/2	2,896	1/2	1,738	1/2	579	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,031	3/4	2,872	3/4	1,714	3/4	555	3/4		3/4		3/4		3/4	
2		2		2	4,006	2	2,848	2	1,689	2	531	2		2		2		2	
1/4		1/4		1/4	3,982	1/4	2,824	1/4	1,665	1/4	507	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,958	1/2	2,800	1/2	1,641	1/2	483	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,934	3/4	2,776	3/4	1,617	3/4	459	3/4		3/4		3/4		3/4	
3		3		3	3,910	3	2,751	3	1,593	3	434	3		3		3		3	
1/4		1/4		1/4	3,886	1/4	2,727	1/4	1,569	1/4	410	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,862	1/2	2,703	1/2	1,545	1/2	386	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,837	3/4	2,679	3/4	1,521	3/4	362	3/4		3/4		3/4		3/4	
4		4		4	3,813	4	2,655	4	1,496	4	338	4		4		4		4	
1/4		1/4		1/4	3,789	1/4	2,631	1/4	1,472	1/4	314	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,765	1/2	2,607	1/2	1,448	1/2	290	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,741	3/4	2,582	3/4	1,424	3/4	265	3/4		3/4		3/4		3/4	
5		5		5	3,717	5	2,558	5	1,400	5	241	5		5		5		5	
1/4		1/4		1/4	3,693	1/4	2,534	1/4	1,376	1/4	217	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,669	1/2	2,510	1/2	1,352	1/2	193	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,644	3/4	2,486	3/4	1,327	3/4	169	3/4		3/4		3/4		3/4	
6		6		6	3,620	6	2,462	6	1,303	6	145	6		6		6		6	
1/4		1/4		1/4	3,596	1/4	2,438	1/4	1,279	1/4	121	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	3,572	1/2	2,413	1/2	1,255	1/2	97	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	3,548	3/4	2,389	3/4	1,231	3/4	72	3/4		3/4		3/4		3/4	
7		7		7	3,524	7	2,365	7	1,207	7	48	7		7		7		7	
1/4		1/4		1/4	3,500	1/4	2,341	1/4	1,183	1/4	24	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,634	1/2	3,475	1/2	2,317	1/2	0	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,610	3/4	3,451	3/4	2,293	3/4	1,134	3/4		3/4		3/4		3/4	
8		8		8	4,586	8	3,427	8	2,269	8	1,110	8		8		8		8	
1/4		1/4		1/4	4,562	1/4	3,403	1/4	2,245	1/4	1,086	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,537	1/2	3,379	1/2	2,220	1/2	1,062	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,513	3/4	3,355	3/4	2,196	3/4	1,038	3/4		3/4		3/4		3/4	
9		9		9	4,489	9	3,331	9	2,172	9	1,014	9		9		9		9	
1/4		1/4		1/4	4,465	1/4	3,306	1/4	2,148	1/4	990	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,441	1/2	3,282	1/2	2,124	1/2	965	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,417	3/4	3,258	3/4	2,100	3/4	941	3/4		3/4		3/4		3/4	
10		10		10	4,393	10	3,234	10	2,076	10	917	10		10		10		10	
1/4		1/4		1/4	4,368	1/4	3,210	1/4	2,051	1/4	893	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,344	1/2	3,186	1/2	2,027	1/2	869	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,320	3/4	3,162	3/4	2,003	3/4	845	3/4		3/4		3/4		3/4	
11		11		11	4,296	11	3,138	11	1,979	11	821	11		11		11		11	
1/4		1/4		1/4	4,272	1/4	3,113	1/4	1,955	1/4	796	1/4		1/4		1/4		1/4	
1/2		1/2		1/2	4,248	1/2	3,089	1/2	1,931	1/2	772	1/2		1/2		1/2		1/2	
3/4		3/4		3/4	4,224	3/4	3,065	3/4	1,907	3/4	748	3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF "MMC" VALVE

STRAPPED: 9/25/2015 CL
 CALCULATED: 9/28/2015 CL
 PRINTED: 9/28/2015 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 9/2015

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>