



BARGE: GBL 5734
JEFFBOAT 16-2395

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 1/2"

Table with 25 columns representing height in feet (0 to 15) and 25 rows representing diameter in inches (0 to 3/4). Each cell contains a numerical value representing capacity in whole gallons.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 05/03/2017 BY: JM
DATE COMPUTED: 05/10/2017 BY: CL
DATE ISSUED: 05/10/2017

Signature of the responsible party



BARGE: GBL 5734
JEFFBOAT 16-2395

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 1/8"

Table with 24 columns representing 0 FT. to 15 FT. and 24 rows representing gauge heights from 0 to 3/4. Each cell contains a numerical value representing capacity in whole gallons.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 05/03/2017 BY: JM
DATE COMPUTED: 05/10/2017 BY: CL
DATE ISSUED: 05/10/2017

Signature of the responsible party.



BARGE: GBL 5734
JEFFBOAT 16-2395

4 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 1/4"

Table with columns for depth (0 FT. to 15 FT.) and rows for gauge height (0 to 3/4). Each cell contains a numerical value representing capacity in whole gallons.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 05/03/2017 BY: JM
DATE COMPUTED: 05/10/2017 BY: CL
DATE ISSUED: 05/10/2017



BARGE: GBL 5734
JEFFBOAT 16-2395

4 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 1/4"

Table with columns for depth (0 FT. to 15 FT.) and rows for gauge height (0 to 3/4). Each cell contains a capacity value in whole gallons.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 05/03/2017 BY: JM
DATE COMPUTED: 05/10/2017 BY: CL
DATE ISSUED: 05/10/2017



CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 15'-06 7/8"

Table with columns for depth (0 FT. to 15 FT.) and rows for gauge height (0 to 3/4). Each cell contains a numerical value representing capacity in whole gallons.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.

NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK

NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL

NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

DATE STRAPPED: 05/03/2017 BY: JM
DATE COMPUTED: 05/10/2017 BY: CL
DATE ISSUED: 05/10/2017



BARGE: GBL 5734
JEFFBOAT 16-2395

CENTER SLOP
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK

REFERENCE GAUGE HEIGHT: 5'-11 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	0	0	0	0	6,454	0	4,815	0	3,176	0	1,537	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	8,059	1/4	6,420	1/4	4,781	1/4	3,142	1/4	1,503	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	8,025	1/2	6,386	1/2	4,747	1/2	3,107	1/2	1,468	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,991	3/4	6,352	3/4	4,712	3/4	3,073	3/4	1,434	3/4	0	0	0	0	0	0	0	0	0	0	0	0
1	1	7,957	1	6,317	1	4,678	1	3,039	1	1,400	1	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,922	1/4	6,283	1/4	4,644	1/4	3,005	1/4	1,366	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,888	1/2	6,249	1/2	4,610	1/2	2,971	1/2	1,332	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,854	3/4	6,215	3/4	4,576	3/4	2,937	3/4	1,298	3/4	0	0	0	0	0	0	0	0	0	0	0	0
2	2	7,820	2	6,181	2	4,542	2	2,903	2	1,263	2	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,786	1/4	6,147	1/4	4,508	1/4	2,868	1/4	1,229	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,752	1/2	6,113	1/2	4,473	1/2	2,834	1/2	1,195	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,718	3/4	6,078	3/4	4,439	3/4	2,800	3/4	1,161	3/4	0	0	0	0	0	0	0	0	0	0	0	0
3	3	7,683	3	6,044	3	4,405	3	2,766	3	1,127	3	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,649	1/4	6,010	1/4	4,371	1/4	2,732	1/4	1,093	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,615	1/2	5,976	1/2	4,337	1/2	2,698	1/2	1,059	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,581	3/4	5,942	3/4	4,303	3/4	2,664	3/4	1,024	3/4	0	0	0	0	0	0	0	0	0	0	0	0
4	4	7,547	4	5,908	4	4,269	4	2,629	4	990	4	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,513	1/4	5,874	1/4	4,234	1/4	2,595	1/4	956	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,478	1/2	5,839	1/2	4,200	1/2	2,561	1/2	922	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,444	3/4	5,805	3/4	4,166	3/4	2,527	3/4	888	3/4	0	0	0	0	0	0	0	0	0	0	0	0
5	5	7,410	5	5,771	5	4,132	5	2,493	5	854	5	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,376	1/4	5,737	1/4	4,098	1/4	2,459	1/4	820	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,342	1/2	5,703	1/2	4,064	1/2	2,425	1/2	785	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,308	3/4	5,669	3/4	4,029	3/4	2,390	3/4	751	3/4	0	0	0	0	0	0	0	0	0	0	0	0
6	6	7,274	6	5,634	6	3,995	6	2,356	6	717	6	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,239	1/4	5,600	1/4	3,961	1/4	2,322	1/4	683	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,205	1/2	5,566	1/2	3,927	1/2	2,288	1/2	649	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,171	3/4	5,532	3/4	3,893	3/4	2,254	3/4	615	3/4	0	0	0	0	0	0	0	0	0	0	0	0
7	7	7,137	7	5,498	7	3,859	7	2,220	7	581	7	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	7,103	1/4	5,464	1/4	3,825	1/4	2,185	1/4	546	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	7,069	1/2	5,430	1/2	3,790	1/2	2,151	1/2	512	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	7,035	3/4	5,395	3/4	3,756	3/4	2,117	3/4	478	3/4	0	0	0	0	0	0	0	0	0	0	0	0
8	8	7,000	8	5,361	8	3,722	8	2,083	8	444	8	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	6,966	1/4	5,327	1/4	3,688	1/4	2,049	1/4	410	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	6,932	1/2	5,293	1/2	3,654	1/2	2,015	1/2	376	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	6,898	3/4	5,259	3/4	3,620	3/4	1,981	3/4	341	3/4	0	0	0	0	0	0	0	0	0	0	0	0
9	9	6,864	9	5,225	9	3,586	9	1,946	9	307	9	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	6,830	1/4	5,191	1/4	3,551	1/4	1,912	1/4	273	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	6,796	1/2	5,156	1/2	3,517	1/2	1,878	1/2	239	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	6,761	3/4	5,122	3/4	3,483	3/4	1,844	3/4	205	3/4	0	0	0	0	0	0	0	0	0	0	0	0
10	10	6,727	10	5,088	10	3,449	10	1,810	10	171	10	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	6,693	1/4	5,054	1/4	3,415	1/4	1,776	1/4	137	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	6,659	1/2	5,020	1/2	3,381	1/2	1,742	1/2	102	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	6,625	3/4	4,986	3/4	3,347	3/4	1,707	3/4	68	3/4	0	0	0	0	0	0	0	0	0	0	0	0
11	11	6,591	11	4,952	11	3,312	11	1,673	11	34	11	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	6,556	1/4	4,917	1/4	3,278	1/4	1,639	1/4	0	1/4	0	0	0	0	0	0	0	0	0	0	0	0
1/2	1/2	6,522	1/2	4,883	1/2	3,244	1/2	1,605	1/2	0	1/2	0	0	0	0	0	0	0	0	0	0	0	0
3/4	3/4	6,488	3/4	4,849	3/4	3,210	3/4	1,571	3/4	0	3/4	0	0	0	0	0	0	0	0	0	0	0	0

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 05/12/2017 BY: JM
DATE COMPUTED: 05/12/2017 BY: CL
DATE ISSUED: 05/12/2017



BARGE: GBL 5734
JEFFBOAT 16-2395

STBD SLOP
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS			FOR MANUAL GAUGING AT 2" BALL VALVE LOCATED NEAR GEOMETRIC CENTER OF TANK																REFERENCE GAUGE HEIGHT: 5'-10 7/8"				
IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	7,049	0	5,612	0	4,175	0	2,739	0	1,302	0		0		0		0		0		0	
1/4		1/4	7,019	1/4	5,582	1/4	4,146	1/4	2,709	1/4	1,272	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,989	1/2	5,552	1/2	4,116	1/2	2,679	1/2	1,242	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,959	3/4	5,522	3/4	4,086	3/4	2,649	3/4	1,212	3/4		3/4		3/4		3/4		3/4		3/4	
1		1	6,929	1	5,492	1	4,056	1	2,619	1	1,182	1		1		1		1		1		1	
1/4		1/4	6,899	1/4	5,463	1/4	4,026	1/4	2,589	1/4	1,152	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,869	1/2	5,433	1/2	3,996	1/2	2,559	1/2	1,122	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,839	3/4	5,403	3/4	3,966	3/4	2,529	3/4	1,093	3/4		3/4		3/4		3/4		3/4		3/4	
2		2	6,809	2	5,373	2	3,936	2	2,499	2	1,063	2		2		2		2		2		2	
1/4		1/4	6,780	1/4	5,343	1/4	3,906	1/4	2,469	1/4	1,033	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,750	1/2	5,313	1/2	3,876	1/2	2,439	1/2	1,003	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,720	3/4	5,283	3/4	3,846	3/4	2,410	3/4	973	3/4		3/4		3/4		3/4		3/4		3/4	
3		3	6,690	3	5,253	3	3,816	3	2,380	3	943	3		3		3		3		3		3	
1/4		1/4	6,660	1/4	5,223	1/4	3,786	1/4	2,350	1/4	913	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,630	1/2	5,193	1/2	3,756	1/2	2,320	1/2	883	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,600	3/4	5,163	3/4	3,726	3/4	2,290	3/4	853	3/4		3/4		3/4		3/4		3/4		3/4	
4		4	6,570	4	5,133	4	3,697	4	2,260	4	823	4		4		4		4		4		4	
1/4		1/4	6,540	1/4	5,103	1/4	3,667	1/4	2,230	1/4	793	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,510	1/2	5,073	1/2	3,637	1/2	2,200	1/2	763	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,480	3/4	5,043	3/4	3,607	3/4	2,170	3/4	733	3/4		3/4		3/4		3/4		3/4		3/4	
5		5	6,450	5	5,014	5	3,577	5	2,140	5	703	5		5		5		5		5		5	
1/4		1/4	6,420	1/4	4,984	1/4	3,547	1/4	2,110	1/4	673	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,390	1/2	4,954	1/2	3,517	1/2	2,080	1/2	644	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,360	3/4	4,924	3/4	3,487	3/4	2,050	3/4	614	3/4		3/4		3/4		3/4		3/4		3/4	
6		6	6,331	6	4,894	6	3,457	6	2,020	6	584	6		6		6		6		6		6	
1/4		1/4	6,301	1/4	4,864	1/4	3,427	1/4	1,990	1/4	554	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,271	1/2	4,834	1/2	3,397	1/2	1,961	1/2	524	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,241	3/4	4,804	3/4	3,367	3/4	1,931	3/4	494	3/4		3/4		3/4		3/4		3/4		3/4	
7		7	6,211	7	4,774	7	3,337	7	1,901	7	464	7		7		7		7		7		7	
1/4		1/4	6,181	1/4	4,744	1/4	3,307	1/4	1,871	1/4	434	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,151	1/2	4,714	1/2	3,278	1/2	1,841	1/2	404	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,121	3/4	4,684	3/4	3,248	3/4	1,811	3/4	374	3/4		3/4		3/4		3/4		3/4		3/4	
8		8	6,091	8	4,654	8	3,218	8	1,781	8	344	8		8		8		8		8		8	
1/4		1/4	6,061	1/4	4,624	1/4	3,188	1/4	1,751	1/4	314	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	6,031	1/2	4,595	1/2	3,158	1/2	1,721	1/2	284	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	6,001	3/4	4,565	3/4	3,128	3/4	1,691	3/4	254	3/4		3/4		3/4		3/4		3/4		3/4	
9		9	5,971	9	4,535	9	3,098	9	1,661	9	224	9		9		9		9		9		9	
1/4		1/4	5,941	1/4	4,505	1/4	3,068	1/4	1,631	1/4	195	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	5,912	1/2	4,475	1/2	3,038	1/2	1,601	1/2	165	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	5,882	3/4	4,445	3/4	3,008	3/4	1,571	3/4	135	3/4		3/4		3/4		3/4		3/4		3/4	
10		10	5,852	10	4,415	10	2,978	10	1,541	10	105	10		10		10		10		10		10	
1/4		1/4	5,822	1/4	4,385	1/4	2,948	1/4	1,512	1/4	75	1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	5,792	1/2	4,355	1/2	2,918	1/2	1,482	1/2	45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4	5,762	3/4	4,325	3/4	2,888	3/4	1,452	3/4	15	3/4		3/4		3/4		3/4		3/4		3/4	
11		11	5,732	11	4,295	11	2,858	11	1,422	7/8	0	11		11		11		11		11		11	
1/4		1/4	5,702	1/4	4,265	1/4	2,829	1/4	1,392	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2	5,672	1/2	4,235	1/2	2,799	1/2	1,362	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
7/8		7/8	5,642	3/4	4,205	3/4	2,769	3/4	1,332	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

NOTE: GAUGE POINT: TO TOP LIP OF BALL VALVE, ON 18" DECK PIPE.
 NOTE: GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
 NOTE: FOR GREATER ACCURACY, BARGE SHOULD BE UPRIGHT AND ON EVEN KEEL
 NOTE: MEASURED AND COMPUTED IN ACCORDANCE WITH API MPMS 2.7

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 05/12/2017 BY: JM
 DATE COMPUTED: 05/12/2017 BY: CL
 DATE ISSUED: 05/12/2017

