



BARGE "GBL 6030"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 1'-00"
 AFT DRAFT = 5'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 238'-06"

September 14, 2018

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "GBL 6030"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,931	0	162,969	0	178,004	0	192,998	0	207,904	0		0		0		0		0	
1/4	148,245	1/4	163,282	1/4	178,317	1/4	193,311	1/4	208,199	1/4		1/4		1/4		1/4		1/4	
1/2	148,558	1/2	163,596	1/2	178,629	1/2	193,623	1/2	208,495	1/2		1/2		1/2		1/2		1/2	
3/4	148,871	3/4	163,909	3/4	178,942	3/4	193,935	3/4	208,791	3/4		3/4		3/4		3/4		3/4	
1	149,185	1	164,222	1	179,254	1	194,248	1	209,087	1		1		1		1		1	
1/4	149,498	1/4	164,535	1/4	179,566	1/4	194,560	1/4	209,347	1/4		1/4		1/4		1/4		1/4	
1/2	149,811	1/2	164,849	1/2	179,879	1/2	194,872	1/2	209,607	1/2		1/2		1/2		1/2		1/2	
3/4	150,124	3/4	165,162	3/4	180,191	3/4	195,185	3/4	209,866	3/4		3/4		3/4		3/4		3/4	
2	150,438	2	165,475	2	180,503	2	195,497	2	210,126	2		2		2		2		2	
1/4	150,751	1/4	165,789	1/4	180,816	1/4	195,808	1/4	210,342	1/4		1/4		1/4		1/4		1/4	
1/2	151,064	1/2	166,102	1/2	181,128	1/2	196,119	1/2	210,557	1/2		1/2		1/2		1/2		1/2	
3/4	151,378	3/4	166,415	3/4	181,440	3/4	196,430	3/4	210,772	3/4		3/4		3/4		3/4		3/4	
3	151,691	3	166,728	3	181,753	3	196,741	3	210,987	3		3		3		3		3	
1/4	152,004	1/4	167,042	1/4	182,065	1/4	197,051	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,317	1/2	167,355	1/2	182,378	1/2	197,362	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,631	3/4	167,668	3/4	182,690	3/4	197,672	3/4		3/4		3/4		3/4		3/4		3/4	
4	152,944	4	167,982	4	183,002	4	197,982	4	4	4		4		4		4		4	
1/4	153,257	1/4	168,295	1/4	183,315	1/4	198,292	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,571	1/2	168,608	1/2	183,627	1/2	198,602	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,884	3/4	168,921	3/4	183,939	3/4	198,912	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,197	5	169,235	5	184,252	5	199,223	5		5		5		5		5		5	
1/4	154,510	1/4	169,548	1/4	184,564	1/4	199,533	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,824	1/2	169,861	1/2	184,877	1/2	199,843	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,137	3/4	170,175	3/4	185,189	3/4	200,153	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,450	6	170,488	6	185,501	6	200,463	6	6	6		6		6		6		6	
1/4	155,763	1/4	170,801	1/4	185,814	1/4	200,774	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,077	1/2	171,114	1/2	186,126	1/2	201,084	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,390	3/4	171,428	3/4	186,438	3/4	201,394	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,703	7	171,741	7	186,751	7	201,704	7		7		7		7		7		7	
1/4	157,017	1/4	172,054	1/4	187,063	1/4	202,014	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,330	1/2	172,368	1/2	187,376	1/2	202,324	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,643	3/4	172,681	3/4	187,688	3/4	202,635	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,956	8	172,994	8	188,000	8	202,945	8		8		8		8		8		8	
1/4	158,270	1/4	173,307	1/4	188,313	1/4	203,255	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,583	1/2	173,621	1/2	188,625	1/2	203,565	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,896	3/4	173,934	3/4	188,937	3/4	203,875	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,210	9	174,247	9	189,250	9	204,186	9		9		9		9		9		9	
1/4	159,523	1/4	174,561	1/4	189,562	1/4	204,496	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,836	1/2	174,874	1/2	189,874	1/2	204,806	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,149	3/4	175,187	3/4	190,187	3/4	205,116	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,463	10	175,500	10	190,499	10	205,426	10		10		10		10		10		10	
1/4	160,776	1/4	175,814	1/4	190,812	1/4	205,737	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,089	1/2	176,127	1/2	191,124	1/2	206,047	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,403	3/4	176,440	3/4	191,436	3/4	206,357	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,716	11	176,754	11	191,749	11	206,667	11		11		11		11		11		11	
1/4	162,029	1/4	177,066	1/4	192,061	1/4	206,976	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,342	1/2	177,379	1/2	192,373	1/2	207,285	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,656	3/4	177,692	3/4	192,686	3/4	207,594	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/13/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-09 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	147,953	0	163,001	0	178,047	0	193,051	0	207,967	0		0		0		0		0	
1/4	148,267	1/4	163,315	1/4	178,360	1/4	193,364	1/4	208,263	1/4		1/4		1/4		1/4		1/4	
1/2	148,580	1/2	163,628	1/2	178,672	1/2	193,676	1/2	208,559	1/2		1/2		1/2		1/2		1/2	
3/4	148,894	3/4	163,942	3/4	178,985	3/4	193,989	3/4	208,855	3/4		3/4		3/4		3/4		3/4	
1	149,207	1	164,255	1	179,297	1	194,302	1	209,151	1		1		1		1		1	
1/4	149,521	1/4	164,569	1/4	179,610	1/4	194,614	1/4	209,411	1/4		1/4		1/4		1/4		1/4	
1/2	149,834	1/2	164,882	1/2	179,923	1/2	194,927	1/2	209,671	1/2		1/2		1/2		1/2		1/2	
3/4	150,148	3/4	165,196	3/4	180,235	3/4	195,239	3/4	209,931	3/4		3/4		3/4		3/4		3/4	
2	150,461	2	165,509	2	180,548	2	195,552	2	210,191	2		2		2		2		2	
1/4	150,775	1/4	165,823	1/4	180,860	1/4	195,863	1/4	210,406	1/4		1/4		1/4		1/4		1/4	
1/2	151,088	1/2	166,136	1/2	181,173	1/2	196,174	1/2	210,622	1/2		1/2		1/2		1/2		1/2	
3/4	151,402	3/4	166,450	3/4	181,486	3/4	196,486	3/4	210,837	3/4		3/4		3/4		3/4		3/4	
3	151,715	3	166,763	3	181,798	3	196,797	3	211,052	3		3		3		3		3	
1/4	152,029	1/4	167,077	1/4	182,111	1/4	197,107	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,342	1/2	167,390	1/2	182,423	1/2	197,418	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,656	3/4	167,704	3/4	182,736	3/4	197,728	3/4		3/4		3/4		3/4		3/4		3/4	
4	152,969	4	168,017	4	183,048	4	198,038	4		4		4		4		4		4	
1/4	153,283	1/4	168,331	1/4	183,361	1/4	198,349	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,596	1/2	168,644	1/2	183,674	1/2	198,659	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,910	3/4	168,958	3/4	183,986	3/4	198,970	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,223	5	169,271	5	184,299	5	199,280	5		5		5		5		5		5	
1/4	154,537	1/4	169,585	1/4	184,611	1/4	199,590	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,850	1/2	169,898	1/2	184,924	1/2	199,901	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,164	3/4	170,212	3/4	185,237	3/4	200,211	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,477	6	170,525	6	185,549	6	200,521	6		6		6		6		6		6	
1/4	155,791	1/4	170,839	1/4	185,862	1/4	200,832	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,104	1/2	171,152	1/2	186,174	1/2	201,142	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,418	3/4	171,466	3/4	186,487	3/4	201,453	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,731	7	171,779	7	186,799	7	201,763	7		7		7		7		7		7	
1/4	157,045	1/4	172,093	1/4	187,112	1/4	202,073	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,358	1/2	172,406	1/2	187,425	1/2	202,384	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,672	3/4	172,720	3/4	187,737	3/4	202,694	3/4		3/4		3/4		3/4		3/4		3/4	
8	157,985	8	173,033	8	188,050	8	203,005	8		8		8		8		8		8	
1/4	158,299	1/4	173,347	1/4	188,362	1/4	203,315	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,612	1/2	173,660	1/2	188,675	1/2	203,625	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,926	3/4	173,974	3/4	188,988	3/4	203,936	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,239	9	174,287	9	189,300	9	204,246	9		9		9		9		9		9	
1/4	159,553	1/4	174,601	1/4	189,613	1/4	204,557	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,866	1/2	174,914	1/2	189,925	1/2	204,867	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,180	3/4	175,228	3/4	190,238	3/4	205,178	3/4		3/4		3/4		3/4		3/4		3/4	
10	160,493	10	175,541	10	190,551	10	205,488	10		10		10		10		10		10	
1/4	160,807	1/4	175,855	1/4	190,863	1/4	205,798	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,120	1/2	176,168	1/2	191,176	1/2	206,109	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,434	3/4	176,482	3/4	191,488	3/4	206,419	3/4		3/4		3/4		3/4		3/4		3/4	
11	161,747	11	176,795	11	191,801	11	206,729	11		11		11		11		11		11	
1/4	162,061	1/4	177,108	1/4	192,113	1/4	207,039	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,374	1/2	177,421	1/2	192,426	1/2	207,348	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,688	3/4	177,734	3/4	192,739	3/4	207,658	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/13/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,864	0	165,930	0	180,993	0	196,015	0	210,949	0		0		0		0		0	
1/4	151,178	1/4	166,244	1/4	181,306	1/4	196,328	1/4	211,245	1/4		1/4		1/4		1/4		1/4	
1/2	151,492	1/2	166,557	1/2	181,619	1/2	196,641	1/2	211,541	1/2		1/2		1/2		1/2		1/2	
3/4	151,806	3/4	166,871	3/4	181,932	3/4	196,954	3/4	211,838	3/4		3/4		3/4		3/4		3/4	
1	152,120	1	167,185	1	182,245	1	197,267	1	212,134	1	1	1		1		1		1	
1/4	152,433	1/4	167,499	1/4	182,558	1/4	197,580	1/4	212,394	1/4		1/4		1/4		1/4		1/4	
1/2	152,747	1/2	167,813	1/2	182,871	1/2	197,893	1/2	212,655	1/2		1/2		1/2		1/2		1/2	
3/4	153,061	3/4	168,127	3/4	183,184	3/4	198,206	3/4	212,915	3/4		3/4		3/4		3/4		3/4	
2	153,375	2	168,441	2	183,497	2	198,519	2	213,176	2	2	2		2		2		2	
1/4	153,689	1/4	168,755	1/4	183,810	1/4	198,830	1/4	213,391	1/4		1/4		1/4		1/4		1/4	
1/2	154,003	1/2	169,068	1/2	184,123	1/2	199,142	1/2	213,607	1/2		1/2		1/2		1/2		1/2	
3/4	154,317	3/4	169,382	3/4	184,436	3/4	199,453	3/4	213,822	3/4		3/4		3/4		3/4		3/4	
3	154,630	3	169,696	3	184,749	3	199,765	3	214,038	3	3	3		3		3		3	
1/4	154,944	1/4	170,010	1/4	185,062	1/4	200,076	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,258	1/2	170,324	1/2	185,374	1/2	200,387	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,572	3/4	170,638	3/4	185,687	3/4	200,697	3/4		3/4		3/4		3/4		3/4		3/4	
4	155,886	4	170,952	4	186,000	4	201,008	4	4	4	4	4		4		4		4	
1/4	156,200	1/4	171,265	1/4	186,313	1/4	201,319	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,514	1/2	171,579	1/2	186,626	1/2	201,630	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,828	3/4	171,893	3/4	186,939	3/4	201,940	3/4		3/4		3/4		3/4		3/4		3/4	
5	157,141	5	172,207	5	187,252	5	202,251	5	5	5	5	5		5		5		5	
1/4	157,455	1/4	172,521	1/4	187,565	1/4	202,562	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,769	1/2	172,835	1/2	187,878	1/2	202,873	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,083	3/4	173,149	3/4	188,191	3/4	203,183	3/4		3/4		3/4		3/4		3/4		3/4	
6	158,397	6	173,463	6	188,504	6	203,494	6	6	6	6	6		6		6		6	
1/4	158,711	1/4	173,776	1/4	188,817	1/4	203,805	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,025	1/2	174,090	1/2	189,130	1/2	204,116	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,338	3/4	174,404	3/4	189,443	3/4	204,427	3/4		3/4		3/4		3/4		3/4		3/4	
7	159,652	7	174,718	7	189,756	7	204,737	7	7	7	7	7		7		7		7	
1/4	159,966	1/4	175,032	1/4	190,069	1/4	205,048	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,280	1/2	175,346	1/2	190,382	1/2	205,359	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,594	3/4	175,660	3/4	190,695	3/4	205,670	3/4		3/4		3/4		3/4		3/4		3/4	
8	160,908	8	175,973	8	191,008	8	205,980	8	8	8	8	8		8		8		8	
1/4	161,222	1/4	176,287	1/4	191,321	1/4	206,291	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,536	1/2	176,601	1/2	191,634	1/2	206,602	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,849	3/4	176,915	3/4	191,947	3/4	206,913	3/4		3/4		3/4		3/4		3/4		3/4	
9	162,163	9	177,229	9	192,260	9	207,223	9	9	9	9	9		9		9		9	
1/4	162,477	1/4	177,543	1/4	192,572	1/4	207,534	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,791	1/2	177,857	1/2	192,885	1/2	207,845	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,105	3/4	178,171	3/4	193,198	3/4	208,156	3/4		3/4		3/4		3/4		3/4		3/4	
10	163,419	10	178,484	10	193,511	10	208,467	10	10	10	10	10		10		10		10	
1/4	163,733	1/4	178,798	1/4	193,824	1/4	208,777	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,046	1/2	179,112	1/2	194,137	1/2	209,088	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,360	3/4	179,426	3/4	194,450	3/4	209,399	3/4		3/4		3/4		3/4		3/4		3/4	
11	164,674	11	179,740	11	194,763	11	209,709	11	11	11	11	11		11		11		11	
1/4	164,988	1/4	180,053	1/4	195,076	1/4	210,019	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,302	1/2	180,367	1/2	195,389	1/2	210,329	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,616	3/4	180,680	3/4	195,702	3/4	210,639	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/13/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,355	0	165,426	0	180,496	0	195,524	0	210,463	0		0		0		0		0	
1/4	150,669	1/4	165,740	1/4	180,809	1/4	195,837	1/4	210,760	1/4		1/4		1/4		1/4		1/4	
1/2	150,983	1/2	166,054	1/2	181,122	1/2	196,150	1/2	211,056	1/2		1/2		1/2		1/2		1/2	
3/4	151,297	3/4	166,368	3/4	181,435	3/4	196,463	3/4	211,353	3/4		3/4		3/4		3/4		3/4	
1	151,610	1	166,682	1	181,748	1	196,776	1	211,649	1	1	1		1		1		1	
1/4	151,924	1/4	166,996	1/4	182,061	1/4	197,089	1/4	211,910	1/4		1/4		1/4		1/4		1/4	
1/2	152,238	1/2	167,310	1/2	182,374	1/2	197,402	1/2	212,170	1/2		1/2		1/2		1/2		1/2	
3/4	152,552	3/4	167,624	3/4	182,687	3/4	197,715	3/4	212,431	3/4		3/4		3/4		3/4		3/4	
2	152,866	2	167,938	2	183,000	2	198,028	2	212,691	2	2	2		2		2		2	
1/4	153,180	1/4	168,252	1/4	183,313	1/4	198,340	1/4	212,907	1/4		1/4		1/4		1/4		1/4	
1/2	153,494	1/2	168,566	1/2	183,627	1/2	198,652	1/2	213,122	1/2		1/2		1/2		1/2		1/2	
3/4	153,808	3/4	168,880	3/4	183,940	3/4	198,963	3/4	213,338	3/4		3/4		3/4		3/4		3/4	
3	154,122	3	169,194	3	184,253	3	199,275	3	213,554	3	3	3		3		3		3	
1/4	154,436	1/4	169,508	1/4	184,566	1/4	199,586	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,750	1/2	169,822	1/2	184,879	1/2	199,897	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,064	3/4	170,136	3/4	185,192	3/4	200,208	3/4		3/4		3/4		3/4		3/4		3/4	
4	155,378	4	170,450	4	185,505	4	200,519	4	4	4	4	4		4		4		4	
1/4	155,692	1/4	170,764	1/4	185,818	1/4	200,830	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,006	1/2	171,078	1/2	186,131	1/2	201,141	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,320	3/4	171,392	3/4	186,444	3/4	201,451	3/4		3/4		3/4		3/4		3/4		3/4	
5	156,634	5	171,706	5	186,757	5	201,762	5	5	5	5	5		5		5		5	
1/4	156,948	1/4	172,020	1/4	187,070	1/4	202,073	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,262	1/2	172,334	1/2	187,384	1/2	202,384	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,576	3/4	172,648	3/4	187,697	3/4	202,695	3/4		3/4		3/4		3/4		3/4		3/4	
6	157,890	6	172,962	6	188,010	6	203,006	6	6	6	6	6		6		6		6	
1/4	158,204	1/4	173,276	1/4	188,323	1/4	203,317	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,518	1/2	173,590	1/2	188,636	1/2	203,628	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,832	3/4	173,904	3/4	188,949	3/4	203,939	3/4		3/4		3/4		3/4		3/4		3/4	
7	159,146	7	174,218	7	189,262	7	204,249	7	7	7	7	7		7		7		7	
1/4	159,460	1/4	174,532	1/4	189,575	1/4	204,560	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,774	1/2	174,846	1/2	189,888	1/2	204,871	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,088	3/4	175,160	3/4	190,201	3/4	205,182	3/4		3/4		3/4		3/4		3/4		3/4	
8	160,402	8	175,474	8	190,514	8	205,493	8	8	8	8	8		8		8		8	
1/4	160,716	1/4	175,788	1/4	190,827	1/4	205,804	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,030	1/2	176,102	1/2	191,141	1/2	206,115	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,344	3/4	176,416	3/4	191,454	3/4	206,426	3/4		3/4		3/4		3/4		3/4		3/4	
9	161,658	9	176,730	9	191,767	9	206,737	9	9	9	9	9		9		9		9	
1/4	161,972	1/4	177,044	1/4	192,080	1/4	207,048	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,286	1/2	177,358	1/2	192,393	1/2	207,359	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,600	3/4	177,672	3/4	192,706	3/4	207,669	3/4		3/4		3/4		3/4		3/4		3/4	
10	162,914	10	177,986	10	193,019	10	207,980	10	10	10	10	10		10		10		10	
1/4	163,228	1/4	178,300	1/4	193,332	1/4	208,291	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,542	1/2	178,614	1/2	193,645	1/2	208,602	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,856	3/4	178,928	3/4	193,958	3/4	208,913	3/4		3/4		3/4		3/4		3/4		3/4	
11	164,170	11	179,242	11	194,271	11	209,223	11	11	11	11	11		11		11		11	
1/4	164,484	1/4	179,555	1/4	194,584	1/4	209,533	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,798	1/2	179,869	1/2	194,898	1/2	209,843	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,112	3/4	180,182	3/4	195,211	3/4	210,153	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/13/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	150,188	0	161,655	0	172,018	0	182,352	0	192,624	0		0		0		0		0	
1/4	150,499	1/4	161,871	1/4	172,233	1/4	182,567	1/4	192,823	1/4		1/4		1/4		1/4		1/4	
1/2	150,809	1/2	162,087	1/2	172,448	1/2	182,783	1/2	193,023	1/2		1/2		1/2		1/2		1/2	
3/4	151,120	3/4	162,303	3/4	172,663	3/4	182,998	3/4	193,222	3/4		3/4		3/4		3/4		3/4	
1	151,431	1	162,519	1	172,879	1	183,213	1	193,421	1		1		1		1		1	
1/4	151,698	1/4	162,735	1/4	173,094	1/4	183,429	1/4	193,585	1/4		1/4		1/4		1/4		1/4	
1/2	151,964	1/2	162,951	1/2	173,309	1/2	183,644	1/2	193,749	1/2		1/2		1/2		1/2		1/2	
3/4	152,231	3/4	163,167	3/4	173,525	3/4	183,859	3/4	193,912	3/4		3/4		3/4		3/4		3/4	
2	152,497	2	163,382	2	173,740	2	184,075	2	194,076	2		2		2		2		2	
1/4	152,738	1/4	163,598	1/4	173,955	1/4	184,289	1/4	194,195	1/4		1/4		1/4		1/4		1/4	
1/2	152,978	1/2	163,814	1/2	174,171	1/2	184,503	1/2	194,314	1/2		1/2		1/2		1/2		1/2	
3/4	153,218	3/4	164,030	3/4	174,386	3/4	184,718	3/4	194,433	3/4		3/4		3/4		3/4		3/4	
3	153,458	3	164,246	3	174,601	3	184,932	3	194,552	3		3		3		3		3	
1/4	153,698	1/4	164,462	1/4	174,816	1/4	185,146	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,938	1/2	164,678	1/2	175,032	1/2	185,360	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,179	3/4	164,894	3/4	175,247	3/4	185,573	3/4		3/4		3/4		3/4		3/4		3/4	
4	154,419	4	165,110	4	175,462	4	185,787	4		4		4		4		4		4	
1/4	154,659	1/4	165,326	1/4	175,678	1/4	186,001	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,899	1/2	165,542	1/2	175,893	1/2	186,215	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,139	3/4	165,758	3/4	176,108	3/4	186,429	3/4		3/4		3/4		3/4		3/4		3/4	
5	155,379	5	165,973	5	176,324	5	186,642	5		5		5		5		5		5	
1/4	155,619	1/4	166,189	1/4	176,539	1/4	186,856	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,860	1/2	166,405	1/2	176,754	1/2	187,070	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,100	3/4	166,621	3/4	176,970	3/4	187,284	3/4		3/4		3/4		3/4		3/4		3/4	
6	156,340	6	166,837	6	177,185	6	187,498	6		6		6		6		6		6	
1/4	156,580	1/4	167,053	1/4	177,400	1/4	187,711	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,820	1/2	167,269	1/2	177,615	1/2	187,925	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,060	3/4	167,485	3/4	177,831	3/4	188,139	3/4		3/4		3/4		3/4		3/4		3/4	
7	157,301	7	167,701	7	178,046	7	188,353	7		7		7		7		7		7	
1/4	157,526	1/4	167,917	1/4	178,261	1/4	188,567	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,751	1/2	168,133	1/2	178,477	1/2	188,780	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,976	3/4	168,348	3/4	178,692	3/4	188,994	3/4		3/4		3/4		3/4		3/4		3/4	
8	158,201	8	168,564	8	178,907	8	189,208	8		8		8		8		8		8	
1/4	158,416	1/4	168,780	1/4	179,123	1/4	189,422	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,632	1/2	168,996	1/2	179,338	1/2	189,636	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,848	3/4	169,212	3/4	179,553	3/4	189,849	3/4		3/4		3/4		3/4		3/4		3/4	
9	159,064	9	169,428	9	179,768	9	190,063	9		9		9		9		9		9	
1/4	159,280	1/4	169,644	1/4	179,984	1/4	190,277	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,496	1/2	169,860	1/2	180,199	1/2	190,491	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,712	3/4	170,076	3/4	180,414	3/4	190,705	3/4		3/4		3/4		3/4		3/4		3/4	
10	159,928	10	170,292	10	180,630	10	190,918	10		10		10		10		10		10	
1/4	160,144	1/4	170,508	1/4	180,845	1/4	191,132	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,360	1/2	170,724	1/2	181,060	1/2	191,346	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,576	3/4	170,939	3/4	181,276	3/4	191,559	3/4		3/4		3/4		3/4		3/4		3/4	
11	160,791	11	171,155	11	181,491	11	191,773	11		11		11		11		11		11	
1/4	161,007	1/4	171,371	1/4	181,706	1/4	191,986	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,223	1/2	171,586	1/2	181,922	1/2	192,199	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,439	3/4	171,802	3/4	182,137	3/4	192,411	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/13/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	148,912	0	160,350	0	170,687	0	180,996	0	191,243	0		0		0		0		0	
1/4	149,222	1/4	160,565	1/4	170,902	1/4	181,211	1/4	191,441	1/4		1/4		1/4		1/4		1/4	
1/2	149,532	1/2	160,781	1/2	171,116	1/2	181,426	1/2	191,640	1/2		1/2		1/2		1/2		1/2	
3/4	149,841	3/4	160,996	3/4	171,331	3/4	181,640	3/4	191,839	3/4		3/4		3/4		3/4		3/4	
1	150,151	1	161,212	1	171,546	1	181,855	1	192,038	1		1		1		1		1	
1/4	150,417	1/4	161,427	1/4	171,761	1/4	182,070	1/4	192,201	1/4		1/4		1/4		1/4		1/4	
1/2	150,683	1/2	161,642	1/2	171,976	1/2	182,285	1/2	192,364	1/2		1/2		1/2		1/2		1/2	
3/4	150,949	3/4	161,858	3/4	172,190	3/4	182,499	3/4	192,528	3/4		3/4		3/4		3/4		3/4	
2	151,215	2	162,073	2	172,405	2	182,714	2	192,691	2		2		2		2		2	
1/4	151,455	1/4	162,289	1/4	172,620	1/4	182,928	1/4	192,809	1/4		1/4		1/4		1/4		1/4	
1/2	151,694	1/2	162,504	1/2	172,835	1/2	183,142	1/2	192,928	1/2		1/2		1/2		1/2		1/2	
3/4	151,934	3/4	162,719	3/4	173,049	3/4	183,356	3/4	193,047	3/4		3/4		3/4		3/4		3/4	
3	152,173	3	162,935	3	173,264	3	183,570	3	193,165	3		3		3		3		3	
1/4	152,413	1/4	163,150	1/4	173,479	1/4	183,783	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	152,652	1/2	163,365	1/2	173,694	1/2	183,996	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	152,892	3/4	163,581	3/4	173,908	3/4	184,209	3/4		3/4		3/4		3/4		3/4		3/4	
4	153,131	4	163,796	4	174,123	4	184,423	4		4		4		4		4		4	
1/4	153,371	1/4	164,012	1/4	174,338	1/4	184,636	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	153,611	1/2	164,227	1/2	174,553	1/2	184,849	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	153,850	3/4	164,442	3/4	174,768	3/4	185,062	3/4		3/4		3/4		3/4		3/4		3/4	
5	154,090	5	164,658	5	174,982	5	185,276	5		5		5		5		5		5	
1/4	154,329	1/4	164,873	1/4	175,197	1/4	185,489	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	154,569	1/2	165,088	1/2	175,412	1/2	185,702	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	154,808	3/4	165,304	3/4	175,627	3/4	185,915	3/4		3/4		3/4		3/4		3/4		3/4	
6	155,048	6	165,519	6	175,841	6	186,129	6		6		6		6		6		6	
1/4	155,288	1/4	165,735	1/4	176,056	1/4	186,342	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	155,527	1/2	165,950	1/2	176,271	1/2	186,555	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	155,767	3/4	166,165	3/4	176,486	3/4	186,769	3/4		3/4		3/4		3/4		3/4		3/4	
7	156,006	7	166,381	7	176,701	7	186,982	7		7		7		7		7		7	
1/4	156,231	1/4	166,596	1/4	176,915	1/4	187,195	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	156,455	1/2	166,812	1/2	177,130	1/2	187,408	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	156,680	3/4	167,027	3/4	177,345	3/4	187,622	3/4		3/4		3/4		3/4		3/4		3/4	
8	156,904	8	167,242	8	177,560	8	187,835	8		8		8		8		8		8	
1/4	157,119	1/4	167,458	1/4	177,774	1/4	188,048	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	157,335	1/2	167,673	1/2	177,989	1/2	188,261	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	157,550	3/4	167,888	3/4	178,204	3/4	188,475	3/4		3/4		3/4		3/4		3/4		3/4	
9	157,766	9	168,104	9	178,419	9	188,688	9		9		9		9		9		9	
1/4	157,981	1/4	168,319	1/4	178,633	1/4	188,901	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	158,196	1/2	168,535	1/2	178,848	1/2	189,115	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	158,412	3/4	168,750	3/4	179,063	3/4	189,328	3/4		3/4		3/4		3/4		3/4		3/4	
10	158,627	10	168,965	10	179,278	10	189,541	10		10		10		10		10		10	
1/4	158,842	1/4	169,181	1/4	179,493	1/4	189,754	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,058	1/2	169,396	1/2	179,707	1/2	189,967	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,273	3/4	169,611	3/4	179,922	3/4	190,180	3/4		3/4		3/4		3/4		3/4		3/4	
11	159,489	11	169,827	11	180,137	11	190,393	11		11		11		11		11		11	
1/4	159,704	1/4	170,042	1/4	180,352	1/4	190,606	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,919	1/2	170,257	1/2	180,566	1/2	190,818	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,135	3/4	170,472	3/4	180,781	3/4	191,030	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 9/13/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 09/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

PORT SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,156	0	2,309	0	3,465	0	4,615	0		0		0		0		0	
1/4	24	1/4	1,180	1/4	2,334	1/4	3,489	1/4	4,640	1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,204	1/2	2,358	1/2	3,513	1/2	4,665	1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	1,228	3/4	2,382	3/4	3,537	3/4	4,690	3/4		3/4		3/4		3/4		3/4	
1	96	1	1,252	1	2,406	1	3,561	1	4,715	1		1		1		1		1	
1/4	120	1/4	1,276	1/4	2,430	1/4	3,586	1/4	4,740	1/4		1/4		1/4		1/4		1/4	
1/2	144	1/2	1,300	1/2	2,454	1/2	3,610	1/2	4,765	1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,324	3/4	2,478	3/4	3,634	3/4	4,790	3/4		3/4		3/4		3/4		3/4	
2	193	2	1,348	2	2,502	2	3,658	2	4,815	2		2		2		2		2	
1/4	217	1/4	1,372	1/4	2,526	1/4	3,682	1/4	4,840	1/4		1/4		1/4		1/4		1/4	
1/2	241	1/2	1,396	1/2	2,550	1/2	3,706	1/2	4,865	1/2		1/2		1/2		1/2		1/2	
3/4	265	3/4	1,421	3/4	2,574	3/4	3,730	3/4	4,890	3/4		3/4		3/4		3/4		3/4	
3	289	3	1,445	3	2,598	3	3,754	3	4,915	3		3		3		3		3	
1/4	313	1/4	1,469	1/4	2,622	1/4	3,778	1/4	4,940	1/4		1/4		1/4		1/4		1/4	
1/2	337	1/2	1,493	1/2	2,647	1/2	3,802	1/2	4,965	1/2		1/2		1/2		1/2		1/2	
3/4	361	3/4	1,517	3/4	2,671	3/4	3,826	3/4	4,990	3/4		3/4		3/4		3/4		3/4	
4	385	4	1,541	4	2,695	4	3,850	4	5,015	4		4		4		4		4	
1/4	409	1/4	1,565	1/4	2,719	1/4	3,874	1/4	5,040	1/4		1/4		1/4		1/4		1/4	
1/2	433	1/2	1,589	1/2	2,743	1/2	3,899	1/2	5,065	1/2		1/2		1/2		1/2		1/2	
3/4	457	3/4	1,613	3/4	2,767	3/4	3,923	3/4	5,090	3/4		3/4		3/4		3/4		3/4	
5	482	5	1,637	5	2,791	5	3,947	5	5,115	5		5		5		5		5	
1/4	506	1/4	1,661	1/4	2,815	1/4	3,971	1/4	5,140	1/4		1/4		1/4		1/4		1/4	
1/2	530	1/2	1,685	1/2	2,839	1/2	3,995	1/2	5,165	1/2		1/2		1/2		1/2		1/2	
3/4	554	3/4	1,710	3/4	2,863	3/4	4,019	3/4	5,190	3/4		3/4		3/4		3/4		3/4	
6	578	6	1,734	6	2,887	6	4,043	6	5,215	6		6		6		6		6	
1/4	602	1/4	1,757	1/4	2,911	1/4	4,067	1/4	5,240	1/4		1/4		1/4		1/4		1/4	
1/2	626	1/2	1,781	1/2	2,935	1/2	4,091	1/2	5,265	1/2		1/2		1/2		1/2		1/2	
3/4	650	3/4	1,805	3/4	2,960	3/4	4,115	3/4	5,290	3/4		3/4		3/4		3/4		3/4	
7	674	7	1,829	7	2,984	7	4,139	7	5,315	7		7		7		7		7	
1/4	698	1/4	1,853	1/4	3,008	1/4	4,163	1/4	5,340	1/4		1/4		1/4		1/4		1/4	
1/2	722	1/2	1,877	1/2	3,032	1/2	4,187	1/2	5,365	1/2		1/2		1/2		1/2		1/2	
3/4	746	3/4	1,901	3/4	3,056	3/4	4,211	3/4	5,390	3/4		3/4		3/4		3/4		3/4	
8	770	8	1,925	8	3,080	8	4,234	8	5,415	8		8		8		8		8	
1/4	795	1/4	1,949	1/4	3,104	1/4	4,258	1/4	5,440	1/4		1/4		1/4		1/4		1/4	
1/2	819	1/2	1,973	1/2	3,128	1/2	4,282	1/2	5,465	1/2		1/2		1/2		1/2		1/2	
3/4	843	3/4	1,997	3/4	3,152	3/4	4,306	3/4	5,490	3/4		3/4		3/4		3/4		3/4	
9	867	9	2,021	9	3,176	9	4,330	9	5,515	9		9		9		9		9	
1/4	891	1/4	2,045	1/4	3,200	1/4	4,353	1/4	5,540	1/4		1/4		1/4		1/4		1/4	
1/2	915	1/2	2,069	1/2	3,224	1/2	4,377	1/2	5,565	1/2		1/2		1/2		1/2		1/2	
3/4	939	3/4	2,093	3/4	3,248	3/4	4,401	3/4	5,590	3/4		3/4		3/4		3/4		3/4	
10	963	10	2,117	10	3,273	10	4,425	10	5,615	10		10		10		10		10	
1/4	987	1/4	2,141	1/4	3,297	1/4	4,448	1/4	5,640	1/4		1/4		1/4		1/4		1/4	
1/2	1,011	1/2	2,165	1/2	3,321	1/2	4,472	1/2	5,665	1/2		1/2		1/2		1/2		1/2	
3/4	1,035	3/4	2,189	3/4	3,345	3/4	4,496	3/4	5,690	3/4		3/4		3/4		3/4		3/4	
11	1,059	11	2,213	11	3,369	11	4,520	11	5,715	11		11		11		11		11	
1/4	1,083	1/4	2,237	1/4	3,393	1/4	4,544	1/4	5,740	1/4		1/4		1/4		1/4		1/4	
1/2	1,108	1/2	2,261	1/2	3,417	1/2	4,567	1/2	5,765	1/2		1/2		1/2		1/2		1/2	
3/4	1,132	3/4	2,285	3/4	3,441	3/4	4,591	3/4	5,790	3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 9/14/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

STBD SLOP INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 5'-07 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,157	0	2,312	0	3,469	0	4,620	0		0		0		0		0	
1/4	24	1/4	1,181	1/4	2,336	1/4	3,493	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48	1/2	1,205	1/2	2,360	1/2	3,517	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	72	3/4	1,229	3/4	2,384	3/4	3,541	3/4		3/4		3/4		3/4		3/4		3/4	
1	96	1	1,253	1	2,408	1	3,565	1	1	1	1	1	1	1	1	1	1	1	1
1/4	121	1/4	1,277	1/4	2,432	1/4	3,589	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	145	1/2	1,302	1/2	2,456	1/2	3,613	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	169	3/4	1,326	3/4	2,481	3/4	3,638	3/4		3/4		3/4		3/4		3/4		3/4	
2	193	2	1,350	2	2,505	2	3,662	2	2	2	2	2	2	2	2	2	2	2	2
1/4	217	1/4	1,374	1/4	2,529	1/4	3,686	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	241	1/2	1,398	1/2	2,553	1/2	3,710	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	265	3/4	1,422	3/4	2,577	3/4	3,734	3/4		3/4		3/4		3/4		3/4		3/4	
3	289	3	1,446	3	2,601	3	3,758	3	3	3	3	3	3	3	3	3	3	3	3
1/4	313	1/4	1,470	1/4	2,625	1/4	3,782	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	337	1/2	1,494	1/2	2,649	1/2	3,806	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	362	3/4	1,518	3/4	2,673	3/4	3,830	3/4		3/4		3/4		3/4		3/4		3/4	
4	386	4	1,543	4	2,698	4	3,854	4	4	4	4	4	4	4	4	4	4	4	4
1/4	410	1/4	1,567	1/4	2,722	1/4	3,879	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	434	1/2	1,591	1/2	2,746	1/2	3,903	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	458	3/4	1,615	3/4	2,770	3/4	3,927	3/4		3/4		3/4		3/4		3/4		3/4	
5	482	5	1,639	5	2,794	5	3,951	5	5	5	5	5	5	5	5	5	5	5	5
1/4	506	1/4	1,663	1/4	2,818	1/4	3,975	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	530	1/2	1,687	1/2	2,842	1/2	3,999	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	554	3/4	1,711	3/4	2,866	3/4	4,023	3/4		3/4		3/4		3/4		3/4		3/4	
6	578	6	1,735	6	2,890	6	4,047	6	6	6	6	6	6	6	6	6	6	6	6
1/4	603	1/4	1,759	1/4	2,914	1/4	4,071	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	627	1/2	1,783	1/2	2,939	1/2	4,095	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	651	3/4	1,807	3/4	2,963	3/4	4,120	3/4		3/4		3/4		3/4		3/4		3/4	
7	675	7	1,831	7	2,987	7	4,144	7	7	7	7	7	7	7	7	7	7	7	7
1/4	699	1/4	1,855	1/4	3,011	1/4	4,168	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	723	1/2	1,879	1/2	3,035	1/2	4,191	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	747	3/4	1,903	3/4	3,059	3/4	4,215	3/4		3/4		3/4		3/4		3/4		3/4	
8	771	8	1,927	8	3,083	8	4,239	8	8	8	8	8	8	8	8	8	8	8	8
1/4	795	1/4	1,951	1/4	3,107	1/4	4,263	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	819	1/2	1,975	1/2	3,131	1/2	4,287	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	844	3/4	1,999	3/4	3,155	3/4	4,310	3/4		3/4		3/4		3/4		3/4		3/4	
9	868	9	2,023	9	3,180	9	4,334	9	9	9	9	9	9	9	9	9	9	9	9
1/4	892	1/4	2,047	1/4	3,204	1/4	4,358	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	916	1/2	2,071	1/2	3,228	1/2	4,382	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	940	3/4	2,095	3/4	3,252	3/4	4,406	3/4		3/4		3/4		3/4		3/4		3/4	
10	964	10	2,119	10	3,276	10	4,429	10	10	10	10	10	10	10	10	10	10	10	10
1/4	988	1/4	2,143	1/4	3,300	1/4	4,453	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,012	1/2	2,167	1/2	3,324	1/2	4,477	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,036	3/4	2,191	3/4	3,348	3/4	4,501	3/4		3/4		3/4		3/4		3/4		3/4	
11	1,061	11	2,215	11	3,372	11	4,525	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1,085	1/4	2,240	1/4	3,397	1/4	4,548	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,109	1/2	2,264	1/2	3,421	1/2	4,572	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,133	3/4	2,288	3/4	3,445	3/4	4,596	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

STRAPPED: 9/14/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "GBL 6030"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 4'-05 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	101	0	259	0	416	0	517	0		0		0		0		0	
1/4	1	1/4	104	1/4	262	1/4	419	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1	1/2	107	1/2	265	1/2	422	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2	3/4	110	3/4	269	3/4	425	3/4		3/4		3/4		3/4		3/4		3/4	
1	3	1	113	1	272	1	428	1	1	1	1	1	1	1	1	1	1	1	1
1/4	4	1/4	116	1/4	276	1/4	430	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5	1/2	119	1/2	279	1/2	433	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6	3/4	122	3/4	282	3/4	436	3/4		3/4		3/4		3/4		3/4		3/4	
2	7	2	125	2	286	2	439	2	2	2	2	2	2	2	2	2	2	2	2
1/4	9	1/4	129	1/4	289	1/4	442	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	10	1/2	132	1/2	293	1/2	444	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	12	3/4	135	3/4	296	3/4	447	3/4		3/4		3/4		3/4		3/4		3/4	
3	13	3	138	3	300	3	450	3	3	3	3	3	3	3	3	3	3	3	3
1/4	15	1/4	141	1/4	303	1/4	453	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17	1/2	144	1/2	306	1/2	455	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19	3/4	148	3/4	310	3/4	458	3/4		3/4		3/4		3/4		3/4		3/4	
4	21	4	151	4	313	4	460	4	4	4	4	4	4	4	4	4	4	4	4
1/4	23	1/4	154	1/4	316	1/4	463	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	25	1/2	157	1/2	320	1/2	465	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	27	3/4	161	3/4	323	3/4	468	3/4		3/4		3/4		3/4		3/4		3/4	
5	29	5	164	5	327	5	470	5	5	5	5	5	5	5	5	5	5	5	5
1/4	31	1/4	167	1/4	330	1/4	473	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	33	1/2	170	1/2	333	1/2	475	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	35	3/4	174	3/4	337	3/4	477	3/4		3/4		3/4		3/4		3/4		3/4	
6	37	6	177	6	340	6	480	6	6	6	6	6	6	6	6	6	6	6	6
1/4	40	1/4	180	1/4	343	1/4	482	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42	1/2	184	1/2	347	1/2	484	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	187	3/4	350	3/4	486	3/4		3/4		3/4		3/4		3/4		3/4	
7	47	7	190	7	353	7	488	7	7	7	7	7	7	7	7	7	7	7	7
1/4	49	1/4	194	1/4	356	1/4	490	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	52	1/2	197	1/2	360	1/2	492	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	54	3/4	201	3/4	363	3/4	494	3/4		3/4		3/4		3/4		3/4		3/4	
8	57	8	204	8	366	8	496	8	8	8	8	8	8	8	8	8	8	8	8
1/4	59	1/4	207	1/4	369	1/4	498	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	62	1/2	211	1/2	373	1/2	500	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	64	3/4	214	3/4	376	3/4	502	3/4		3/4		3/4		3/4		3/4		3/4	
9	67	9	217	9	379	9	504	9	9	9	9	9	9	9	9	9	9	9	9
1/4	70	1/4	221	1/4	382	1/4	505	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	73	1/2	224	1/2	385	1/2	507	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	228	3/4	388	3/4	508	3/4		3/4		3/4		3/4		3/4		3/4	
10	78	10	231	10	392	10	510	10	10	10	10	10	10	10	10	10	10	10	10
1/4	81	1/4	235	1/4	395	1/4	511	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	84	1/2	238	1/2	398	1/2	512	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	87	3/4	241	3/4	401	3/4	513	3/4		3/4		3/4		3/4		3/4		3/4	
11	89	11	245	11	404	11	514	11	11	11	11	11	11	11	11	11	11	11	11
1/4	92	1/4	248	1/4	407	1/4	515	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	95	1/2	252	1/2	410	1/2	516	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	98	3/4	255	3/4	413	3/4	516	3/4		3/4		3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2' STANDPIPE.

STRAPPED: 9/14/2018 SW
CALCULATED: 9/14/2018 CL
PRINTED: 9/15/2018 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 9/2018

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>